

**ANNUAL REPORT  
OF THE  
OPERATIONS SECRETARY**

**CONCERNING THE OPERATION  
OF  
JOHN MARTIN RESERVOIR**

**1999**

**SUBMITTED TO THE  
OPERATIONS COMMITTEE  
ARKANSAS RIVER COMPACT ADMINISTRATION**

## **Table of Contents**

Letter Report by Operations Secretary .....	Section 1
Accounting Spreadsheets .....	Section 2
• Post 1948 Upstream Storage/Diversion Routing to John Martin Reservoir – 1999	
• Post 1948 Upstream Storage/Diversion Routing to John Martin Reservoir – Aug. 1999	
Letter from City of Lamar – April 6, 1999 .....	Section 3
Letter to ARCA re City of Lamar – April 12, 1999 .....	Section 3
Letter from Kansas – April 21, 1999 .....	Section 3
Letter to Lamar – April 22, 1999 .....	Section 3
Letter from Lamar – April 26, 1999 .....	Section 3
Letter to Lamar – April 28, 1999 .....	Section 3
Letter from Colorado Division of Wildlife re Permanent Pool .....	Section 3
August 30, 1999	
Letter from Colorado Springs Utilities re Permanent Pool .....	Section 3
August 30, 1999	
Table I      Compact Water .....	Section 4
Table II     Winter Water .....	Section 4
Table III    Ft. Lyon Canal Article III Water .....	Section 4
Table IV    Amity Canal Article III Water .....	Section 4
Table V    Las Animas Cons. Article III Water .....	Section 4
Table VI    Agreement Accounts .....	Section 4
Table VII   Transit Loss Account .....	Section 4
Table VIII   Permanent Pool .....	Section 4
Table IX    Flood Pool .....	Section 4

<b>Table X</b>	<b>Releases from Colorado Article II Account . . . . .</b>	<b>Section 4</b>
<b>Table XI</b>	<b>Releases of Kansas, Transit Loss, and Offset Account . . . . .</b>	<b>Section 4</b>
	<b>Waters by Day</b>	
<b>Table XII</b>	<b>Offset Account . . . . .</b>	<b>Section 4</b>
<b>Table XIII</b>	<b>Daily Status Report for 10/31/1999 . . . . .</b>	<b>Section 4</b>
<b>Daily Accounting</b>	<b>Records for Each Month: Nov. 1998 – Oct. 1999 . . . . .</b>	<b>Section 5</b>

## **SECTION 1**

## ARKANSAS RIVER COMPACT ADMINISTRATION

307 SOUTH FIFTH STREET, LAMAR, COLORADO 81052  
719-336-9696

**FOR COLORADO**

PETER H. EVANS [ACTING], DENVER  
JAMES G. ROGERS, LAMAR  
THOMAS R. POINTON, LAS ANIMAS

**CHAIRMAN AND FEDERAL REPRESENTATIVE**

LARRY E. TRUJILLO, SR.  
PUEBLO, COLORADO

**FOR KANSAS**

DAVID L. POPE, TOPEKA  
DAVID A. BRENN, GARDEN CITY  
RANDY HAYZLETT, LAKIN

December 1, 1999

Mr. David Brenn, Chairman  
Arkansas River Compact Administration – Operations Committee, 1998-1999

Mr. James Rogers, Member  
Arkansas River Compact Administration – Operations Committee, 1998-1999

Gentlemen,

The purposes of this letter report are: 1) to provide you with a summary of accounting of the operation of John Martin Reservoir for the 1998-1999 compact year which is incorporated and made a part hereof; 2) to review the status of Reports of the Operations Secretary previously submitted but not yet approved by the Arkansas River Compact Administration and to describe the status of efforts that have been made to clarify and resolve issues of concern regarding such reports that have been raised by the Assistant Operations Secretary; and 3) to suggest action items to be taken by this committee on December 6, 1999.

### **Summary of Operations**

In accordance with the April 24, 1980 Resolution of the Arkansas River Compact Administration, Concerning an Operating Plan for John Martin Reservoir as amended (1980 Operating Plan), the 1998/1999 “period of winter storage” began at 0000 hours on November 1, 1998. At that time the volume of water in the reservoir was 242,351.00 a.f. distributed as follows: 228,642.45 a.f. in agreement accounts; 9,039.87 a.f. in the permanent recreation pool; and 4,848.68 a.f. in the offset account. Included in agreement accounts were 113,847.46 a.f. in the Kansas Section II account, a total of 104,561.98 a.f. in Colorado Section II accounts, 1,502.99 a.f. in the transit loss account; and 8,730.02 a.f. in the Amity Section III account. Also, from that time, all inflows to John Martin Reservoir (except 299.07 a.f. credited to the offset account during November 1998) were accrued to conservation storage as indicated by increases to the winter compact account.

Beginning on November 15, 1998, pursuant to the provisions of Section III (sometimes referred to as Article III) of the 1980 Operating Plan the storage of certain other water was credited to the winter water account prior to distribution to the specific Section III accounts in accordance with the approved 'Pueblo winter storage plan'. This distribution occurred on March 15, 1999 through a transfer (shown as a release) of the balance remaining in the winter water account to the individual Section (Article) III accounts according to their entitlements and concurrent transfers of 35% of such amounts to the transit loss account and Kansas and Colorado Section II accounts as provided for by Section III D of the 1980 Operating Plan.

On January 11, 1999 a transfer of 165.33 a.f. was made from the offset account to the winter compact account for return flow maintenance considerations. This action resulted in no net increase to reservoir storage.

Similarly, transfers totaling 834.00 a.f. were made from Colorado Section II accounts to the offset account on March 31, 1999. These transfers are shown as releases totaling 800.00 a.f. from Sisson-Stubbs' summer stored water and 1998 winter stored water accounts and a release of 34.00 a.f. from the X-Y summer stored water account with a corresponding inflow to the offset account. The purpose for these transfers was to provide for the annual offset account storage charge and is discussed in a separate report by the Colorado State Engineer.

As of 2400 hours on March 31, 1999, the net increase to storage in accounts (prior to assessment of storage charges) was 93,337.21 a.f. Of this amount, 52,218.75 a.f. went to conservation storage, 41,819.39 a.f. went to the winter water account, and 299.07 a.f. went into the offset account.

Transfer from conservation storage into accounts began pursuant to Sections II A and II D of the 1980 Operating Plan at 0000 hour on April 1, 1999 at the rate of 1250.00 cfs. As explained in last year's report, all accruals of inflow to conservation storage on and after April 1 of each year and prior to the first exhaustion of conservation storage is assigned to an account entitled "Summer Compact Water". Conservation storage was first exhausted at 0744 hour on April 28, 1999. During this interval, an additional 10,691.38 a.f. was added to conservation storage and a total of 61,554.75 a.f. was transferred from conservation storage into Section II accounts.

Although the City of Lamar requested and ultimately received approval to utilize John Martin Reservoir to regulate releases of Fryingpan-Arkansas Project water for municipal use, no such deliveries were made to John Martin Reservoir in 1999. See Section 3 of this report for related documentation.

Conservation storage was resumed at 0900 hour on April 30, 1999 due to inflow conditions at that time. Consistent with the provisions of Section II B (3) of the 1980 Operation Plan transfers from conservation storage into Section II accounts was initiated at 0900 hour on May 2, 1999. This transfer was initiated at the rate of 1250 cfs. and continued at that rate throughout the remainder of the compact year.

At 1500 hour on May 2, 1999, the Corps. of Engineers determined that the reservoir content had reached the level of maximum allowable invasion of the flood pool by the permanent recreation pool and asserted control of operations for flood control purposes. This maximum allowable invasion content was adjusted due to additional permanent pool storage which occurred on May 3 and May 4, 1999 pursuant to the Colorado Division of Wildlife's Muddy Creek Reservoir decree as provided for by the August 14, 1976 resolution of the Arkansas River Compact Administration.

After the reservoir content reached the level of maximum allowable invasion of the flood pool by the permanent recreation pool, inflows continued to accrue to conservation storage (Summer Compact Account) pursuant to Section II B of the 1980 Operating Plan. As conservation storage increased, water in other accounts within the conservation pool were displaced into the flood pool at the rate of computed inflow and according to the order of spill provided in Section II G of the 1980 Operating Plan and as revised by paragraph 13 of the Resolution Concerning An Offset Account in John Martin Reservoir for Colorado Pumping as amended March 30, 1998.

Diversions of stream flows (primarily to storage) upstream of John Martin Reservoir under post-compact water rights occurred beginning on April 29, 1999. The effect of such diversions was to reduce the inflow to John Martin Reservoir and the total volume of water that otherwise would have physically spilled from John Martin Reservoir. In order to compensate for reduced inflow to conservation storage an adjustment was calculated to determine the amount and timing of additional inflow to John Martin Reservoir that would have occurred but for the upstream diversions. See spreadsheet documenting the determination of these adjustments in Section 2 of this report. A release (transfer) equal to this adjustment was then made from the actively spilling account to conservation storage. Thus, accruals to conservation storage occurred at the rate of adjusted inflow until the spill of all accounts was completed on June 4, 1999.

Therefore, as has been done in previous reports of the Operations Secretary and as is described above, the accounting during periods of spill contained in this report reflect the depletion of the actively spilling accounts as being due to the combined effects of inflow and adjustments for upstream, post-compact diversions of stream flow. In this manner 34,244.09 a.f. are shown to have been released from the Section (Article) III account and 5,985.95 a.f. from the offset account as of 1122 hours on May 3, 1999. At that moment of initiation of spill from Section II accounts the content of each was

determined, the sum of which established the limit of Section II water that was subject to spill (267,789.10 a.f.). A ratio of the volume controlled by each state to the total volume at that time was also determined to calculate the amount of deduction to be subtracted from each state's account(s). This ratio was determined to be .4849 for Colorado and .5151 for Kansas. The spill of Section II accounts was discontinued on June 3, 1999 when it was determined that 267,789.10 a.f. had spilled. Thereafter, 1665.47 a.f. was spilled from the transit loss account, which was emptied on June 4, 1999.

Throughout the period of spill, the Corps. of Engineers determined and controlled the physical rate of release from the John Martin Reservoir flood pool and the accounting in this report assigns all evaporation charges to the flood pool. All waters in excess of the maximum allowable invasion of the flood pool were evacuated by 0515 hour on July 6, 1999.

Kansas placed a demand for one run of water from its' Section II account during the year. The account release took place from July 8, 1999 to August 2, 1999. No water was available within the transit loss account during the period of this run. See Table XI-A in Section 4 of this report for additional details.

On August 8, 1999 it was again determined that the content of John Martin Reservoir had exceeded the limit of maximum allowable invasion of the flood pool as of 0330 hour on that date. At that time the only accounts containing water that were subject to spill were the offset account and Section II accounts. Using the procedures described above in relation to the first period of spill, it was determined that the 304.82 a.f. contained within the offset account was evacuated by 0502 hours on August 8, 1999. Also, the total content of Section II accounts at that time was determined to be 175,786.25 a.f., of which Colorado's control ratio was .6488 and Kansas' was .3512. However, by the time that the content of the reservoir was reduced to the level of the maximum allowable invasion of the flood pool at approximately 2400 hours on August 25, 1999, only 55,050.07 a.f. had been released/transferred from Section II accounts. Also see spreadsheet documenting adjustments to inflow for upstream post-compact diversions of stream flow during this spill period in Section 2 of this report. It is noteworthy that Table IX shows that the total amount released from the flood pool during both spills was 360,036.82 a.f. whereas the record show that upstream post-compact diversions of streamflow totaled 91,550.92 a.f. or 25.43% of the amount spilled.

During the remainder of the compact year inflow continued to accrue to conservation storage and concurrently transfers of conservation storage were made to Section II accounts. Table VIII shows that an additional delivery of 413.47 a.f. of water which originated from the Colorado River basin was made to the permanent recreation pool during the month of September 1999 as provided for by the April 15, 1980 resolution of the Arkansas River Compact Administration (see Section 3 of this report for additional documentation related to this operation). No transfers of water to the

permanent pool pursuant to the June 14, 1999 resolution were made during the year. Various releases of water from Colorado Section II accounts were made as summarized in Table X of Section 4 of this report.

A summary of operations related to the offset account is included in a separate report. However, Table XII included in Section 4 of this report provides an overview of the status of the account throughout the year.

At the close of the compact year, the volume of water in John Martin Reservoir totaled 326,209.82 a.f., distributed as shown in Table XIII, Section 4 herein.

#### **Status of Previous Operations Secretary's Reports and Efforts to Resolve Issues**

Reports of the Operations Secretary for some previous years either were not initially accepted, were conditionally approved, or have not been acted upon by the Arkansas River Compact Administration. My understanding of the status of each of these reports is reviewed below.

**--1994.** By resolution of the Arkansas River Compact Administration dated December 10, 1996 it was determined that "The Annual Reports of the Operations Secretary for the years 1994 and 1996 are accepted subject to inserting the following footnote below the tables showing Colorado Augmentation deliveries:....". At last year's meeting of this Committee, I submitted and distributed copies of a single page document to be inserted in each report which identifies the relevant tables in each report and recites the three footnotes from the resolution verbatim. Subsequently, copies of this insert were distributed to Arkansas River Compact Administration members and others under a memorandum of transmittal dated December 10, 1998. I have verified that these inserts have been incorporated into the copies of the 1994 and 1996 reports that are on file in the Arkansas River Compact Administration office in Lamar, Colorado. This committee has not verified nor caused the record of Arkansas River Compact Administration's proceeding to clearly indicate that the conditions of the December 10, 1996 resolution have been satisfied by these actions.

**--1995.** A motion offered by Mr. David Pope was passed by the Arkansas River Compact Administration on December 12, 1995 which approved "...the Operations Secretary's report subject to concerns that we would have an opportunity to raise at a later time...".

**--1996.** See discussion under the sub-heading pertaining to the 1994 report above.

--1997. According to my notes of the December 9, 1997 meeting of the Arkansas River Compact Administration, action concerning acceptance of the 1997 report was to be deferred to a special meeting of the Administration.

--1998. In reliance upon my notes of the December 7, 1998 meeting of this committee and the unedited transcript of the December 8, 1998 meeting of the Arkansas River Compact Administration, I recommended but failed to describe on the record, corrections to Table X of the 1998 report. A corrected replacement page will be submitted to the Operations Committee and distributed to address this problem on December 6 1999.

No action was taken by the Arkansas River Compact Administration concerning acceptance of the 1998 report of the Operations Secretary. However, the Operations Secretary and the Assistant Operations Secretary were directed to meet for the purposes of clarifying and attempting to resolve issues of concern pertaining to the 1995, 1997, and 1998 reports of the Operations Secretary that had been or that may be raised by the Assistant Operations Secretary. Both the Operations Committee and the Engineering Committee were to be involved as deemed appropriate following initial discussions. (It is my understanding that the Engineering Committee's involvement would be for the limited purpose of quantifying injury, if any were to be discovered, pursuant to Section V of the 1980 Operating plan.) Chairman Trujillo requested that a schedule for these proceedings be prepared.

By letter dated December 14, 1998 to the Assistant Operations Secretary, which was copied to the Administration and others, an initial schedule of discussions was proposed. Through subsequent correspondence dated December 18, 1998, January 21, 1999, and February 2, 1999, which were similarly distributed, adoption and revision of this schedule was documented.

During the year, four days of meetings between the Operations Secretary and the Assistant Operations Secretary and their staff members were conducted. These occurred in Pueblo, Colorado on January 14, 1999 and February 25, 1999 and in Garden City, Kansas on April 8 and 9, 1999.

The primary focus of each of these meetings was to understand and respond to the issues of concern preliminarily raised by the Assistant Operations Secretary in his verbal comments to the Operations Committee on December 7, 1998 and to the Arkansas River Compact Administration meeting on December 8, 1998 as revised and extended by the Assistant Operations Secretary Report, dated January 13, 1999. By the end of the April 9, 1999 meeting, it was the intention of the participants to advise the Administration of the status of discussions regarding the various issues through a joint report to the Operations Committee. Although this

was not accomplished, this failure was due more to the press of other priorities rather than impasse. In fact, both parties now have a much clearer understanding of the issues and will be able to further narrow those issues with direction from the Operations Committee and/or the Administration.

A brief summary of the status of issues follows:

- The Operations Secretary has agreed and begun to provide the Assistant Operations Secretary additional information, on at least a monthly basis, that will facilitate monitoring and reconciling of differences between reservoir accounting and operations. It is believed that this accommodation has resolved this concern.
- The Assistant Operations Secretary has asserted that the 1980 Operating plan does not provide for the interruption of releases from conservation storage (as was done on November 1, 1997 and on July 25 and 31, 1998 per the Operation Secretary's 1998 report) and therefore, should not occur. The Operations Secretary's position is that the relevant portions of the 1980 Operating Plan (Section II. D, including references to Sections II A and B) are silent concerning such interruptions, but that the practice is consistent with Article V F of the Arkansas River Compact (conservation storage would not have been exhausted during the non-irrigation season) and is suggested by Section II B (3) in relation to the two instances which occurred in July.

The Operations Secretary will submit to the direction of the Administration on this issue and urges the Operations Committee to make a recommendation to resolve this ambiguity. This is an issue of immediate relevance to Compact Year 2000 accounting.

- The Assistant Operations Secretary has criticized the use of certain accounts on the basis that they are not specifically identified by the 1980 Operating Plan. The underlying rationale for the objections to the use of these accounts are of greater significance than is immediately apparent. In order for the Operations Committee to properly consider the separate issues associated with each set of criticized accounts and to formulate recommendations for consideration by ARCA, it is my recommendation that a special meeting of the Operations Committee be convened in the near future.
- The Operations Secretary does not agree that Section II G of the 1980 Operating Plan requires accounting of spills to be conducted at the rate of physical outflow as suggested by the Assistant Operations Secretary. This does not mean that such a procedure is incorrect, in fact the Operations Secretary has attempted to demonstrate that it makes no difference to account balances at the end of a period of spill whether one accounts for spills from accounts at the rate of outflow or inflow. That being the case, there should be no issue except as to preference. The Operations Secretary

prefers to use inflow based accounting which is consistent with procedures used in the past and with those utilized at all other times when spills are not occurring. The Assistant Operations Secretary has not conceded this point.

It has been the practice of the Operations Secretary to assign all evaporation charges to the flood pool during times of spill. The Assistant Operations Secretary has correctly noted that this is not the procedure specified by Section II F of the 1980 Operating Plan, but has suggested an alternative accounting method which the Operations Secretary considers to be incorrect. The Operations Secretary is prepared to demonstrate that the procedure prescribed by Section II F of the 1980 Operating Plan, when correctly applied, produces the same result as that traditionally used. Again, this should not be an issue.

Unless these concerns can be resolved in advance, it is suggested that they be included on the agenda of the previously recommended special meeting of the Operations Committee.

- No substantial amount of time has been devoted to discussion of concerns related to the operation of Pueblo Reservoir, the associated "adjustments" during times of spill, or the resultant differences in date of conservation storage evacuation between the two sets of accounting.

As reported to the Administration last year, this is the major issue to be addressed, however meaningful discussions on this will be aided by disposing of as many issues of lesser significance as possible. Therefore, it is recommended that the agenda of the previously recommended special meeting of the Operations Committee also include a review briefing of how such operations were treated in the Operations Secretary's accounting for 1998 and 1999 so that the committee can be better informed to direct further proceedings to appropriately address this issue.

- Similarly, little progress has been made toward the identification or resolution of issues that may be of concern to the Assistant Operations Secretary regarding the 1995 and 1997 reports of the Operations Secretary which have not been accepted by Administration. A preliminary alternative accounting of operations for 1995 has been provided by the Assistant Operations Secretary which is believed to show the effect of some of the same propositions that are currently unresolved which have been raised in connection with the 1998 report. It has generally been agreed to defer attention from the 1995 report in the hope that resolution of some of these issues will simplify the process. No specific concerns or criticisms regarding the 1997 Operations Secretary's report have been provided.

Further attention needs to be directed at the staff level to any remaining issues of concern related to these two reports subsequent to the proposed special meeting of the Operations Committee.

- Two emergent issues have resulted from discussions to date. First, what if anything, is to be done if it is determined that accounting done in previous years is in error, to correct those errors. Second, there is an apparent inconsistency between Section IV of the 1980 Operating Plan resolution and the Administration's resolution of August 14, 1976 regarding determination of evaporation from the permanent recreation pool.

The former is a matter to be addressed by the Operations Committee, or perhaps, referred to the Engineering Committee in the future. The latter has only been preliminarily reviewed by the Operations Secretary and Assistant Operations Secretary and should be the subject of further analysis by them.

**Suggested action items to be taken December 6, 1999**

1. Determine recommendation to Administration regarding acceptance of the 1999 Operations Secretary's Report.
2. Review Administration's December 10, 1996 resolution and determine to recommend an Administration finding that the conditions of acceptance of the 1994 and 1996 Operations Secretary's Reports have been satisfied.
3. Determine to acknowledge on the record of the December 7, 1999 Administration meeting the receipt of corrected Table X to be inserted in the 1998 Report of the Operations Secretary.
4. Consider issuance of a committee decision affirming that the practice of interrupting releases of conservation storage into accounts in circumstances similar to those that existed in November 1997 and July 1998 are consistent with the intent of the 1980 Operating Plan and are appropriate and determined to report this action into the record of the December 7, 1999 Administration meeting. Alternatively or additionally consider recommendation approving a resolution amending the Administration's Resolution "Concerning An Operating Plan For John Martin Reservoir" dated April 24, 1980, and as subsequently amended, to revise the last sentence of subsection II B (3) to read: "Releases of conservation storage shall be initiated or resumed into the accounts..." and to add a new sub-section II D (4):  
"In the event that any conservation storage has not been released into accounts as of November 1 of any year, further release shall be suspended until such time as is provided for according to Section II A herein."

Mr. David Brenn and Mr. James Rogers  
December 1, 1999

Page 10

5. Determine to schedule a special meeting of the Operations Committee to receive briefing and to consider or direct further action related to, but not necessarily limited to, the following matters:
  - Use of accounts not specifically authorized by the 1980 Operating Plan
  - Spill accounting procedures
  - Upstream diversions during times of spill and related accounting procedures
  - Retroactive correction of accounting errors, if any
  - Assessment of evaporation from the permanent recreation pool

Respectfully submitted,



Steven J. Witte  
Arkansas River Compact  
Administration Operations Secretary  
December 1, 1999

## **SECTION 2**

**POST 1948 UPSTREAM STORAGE/DIVERSION ROUTING TO JOHN MARTIN RESERVOIR - 1999**

POST 1948 UPSTREAM STORAGE/DIVERSION ROUTING TO JOHN MARTIN RESERVOIR - Aug. 1999													
PHYSICALLY DEPLETIVE DIVERSIONS (AF)				PUEBLO RESERVOIR SIMULATED RELEASES (AF)					STORAGE CREDIT @ JMR (AF)				
DATE	TRINIDAD RESERVOIR	PUEBLO RESERVOIR	PUBLIC SERVICE	OTHER	AVONDALE (CFS)	MAXIMUM ALLOWED	SIMULATED RELEASE[7]	SIMULATED TEMPORARY STORAGE[9]	@JMR [10]	@JMR [11]	@JMR [12]	@JMR [13]	@JMR TOTALS [14]
[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]	[10]	[11]	[12]	[13]	[14]
1-Aug-99	0.00	0.00	0.00	0.00	3233.00	5598.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2-Aug-99	0.00	0.00	0.00	0.00	2880.00	6312.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3-Aug-99	0.00	0.00	0.00	0.00	2222.00	7643.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4-Aug-99	0.00	0.00	0.00	0.00	2511.00	7058.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5-Aug-99	0.00	0.00	0.00	0.00	3675.00	4703.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6-Aug-99	1509.51	0.00	27.83	0.00	2850.00	6372.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7-Aug-99	19.12	0.00	27.81	0.00	3079.00	5909.68	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8-Aug-99	15.83	2743.58	27.83	0.00	3179.00	5707.36	0.00	2743.58	0.00	0.00	0.00	0.00	0.00
9-Aug-99	16.61	50.00	27.87	0.00	3428.00	5203.59	2743.58	50.00	1163.79	0.00	25.29	0.00	1189.07
10-Aug-99	22.36	34.11	27.91	0.00	3530.00	4997.23	50.00	34.11	13.14	0.00	25.27	0.00	38.41
11-Aug-99	28.22	92.86	32.30	0.00	2241.00	7605.10	34.11	92.86	10.88	0.00	25.29	0.00	36.16
12-Aug-99	21.65	77.47	38.06	0.00	2076.00	7938.92	92.86	77.47	11.41	2492.82	25.32	0.00	2529.55
13-Aug-99	27.50	76.42	38.06	0.00	1796.00	8505.41	77.47	76.42	15.36	45.43	25.36	0.00	86.15
14-Aug-99	30.80	61.26	38.02	0.00	1584.00	8934.32	76.42	61.26	19.39	30.99	29.35	0.00	79.73
15-Aug-99	27.43	61.03	37.98	0.00	1439.00	9227.68	61.26	61.03	14.88	84.37	34.58	0.00	133.83
16-Aug-99	24.90	98.98	37.98	0.00	1280.00	9549.36	61.03	98.98	18.89	70.39	34.58	0.00	123.87
17-Aug-99	26.53	185.19	37.79	0.00	1267.00	9575.66	98.98	185.19	21.16	69.44	34.54	0.00	125.14
18-Aug-99	12.43	0.00	0.00	0.00	1300.00	9508.90	185.19	0.00	18.85	55.66	34.51	0.00	109.02
19-Aug-99	17.41	0.00	0.00	0.00	1370.00	9367.28	0.00	0.00	17.11	55.45	34.51	0.00	107.07
20-Aug-99	16.61	0.00	0.00	0.00	1743.00	8612.63	0.00	0.00	18.23	89.93	34.34	0.00	142.50
21-Aug-99	17.44	0.00	0.00	0.00	1545.00	9013.22	0.00	0.00	8.54	168.26	0.00	0.00	176.80
22-Aug-99	19.06	0.00	0.00	0.00	1454.00	9197.33	0.00	0.00	11.96	0.00	0.00	0.00	11.96
23-Aug-99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.41	0.00	0.00	0.00	11.41
24-Aug-99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.98	0.00	0.00	0.00	11.98
25-Aug-99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	13.10	0.00	0.00	0.00	13.10
26-Aug-99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27-Aug-99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28-Aug-99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29-Aug-99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30-Aug-99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31-Aug-99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
					-	-	-	-	0.00	0.00	0.00	0.00	0.00
									0.00	0.00	0.00	0.00	0.00
									0.00	0.00	0.00	0.00	0.00
									-	-	-	-	-
Totals	1853.41	3480.90	399.44	0.00				3480.90	1400.08	3162.75	362.93	0.00	4925.75

[A]: JOHN MARTIN RESERVOIR BEGAN PHYSICALLY SPILLING AUG 8  
[B]: JOHN MARTIN RESERVOIR SPILL COMPLETED AUG 26  
  
[1]: DATE  
[2], [3], [4], [5]: POST 1948 PHYSICALLY DEPLETIVE DIVERSIONS TO JOHN MARTIN RESERVOIR INFLOWS  
[6]: DAILY AVERAGE FLOWS AT ARKAVOCO (CFS)  
[7]: IF [6]>6000 THEN 0 ELSE (6000-[6])\*1.02\*1.9835; 1.02 = 2% TRANSIT LOSS FROM PUEBLO RESERVOIR TO ARKAVOCO.  
[8]: IF [7]<-[9] THEN [7] ELSE [9]  
[9]: PREVIOUS DAYS CONTENT + [3] - [8]  
[10]: [2] MINUS TRANSIT LOSSES AND 3 DAY LAG  
[11]: [8] MINUS TRANSIT LOSSES AND 3 DAY LAG  
[12]: [4] MINUS TRANSIT LOSSES AND 3 DAY LAG  
[13]: [5] MINUS ANY APPROPRIATE TRANSIT LOSSES AND TIME LAGS  
[14]: TOTAL OF [10],[11],[12] AND [13]

## **SECTION 3**



April 6, 1999

Attn: Steve Witte  
State of Colorado Water Division  
219 W 5<sup>th</sup> Street, Room 223  
PO Box 5728  
Pueblo CO 81002

RECEIVED  
APR 14 1999  
DIVISION ENGINEER  
PUEBLO COLORADO

Dear Mr. Witte:

Please accept this letter as written notification of the City's intent to utilize John Martin Reservoir to regulate release of Fry-Ark Project water for municipal use.

The Bureau of Reclamation may use the reservoir releases associated with delivery of this water to John Martin Reservoir to facilitate the testing of the Safety of Dams diversion structures at Pueblo Reservoir. The time and rate of release from Pueblo Reservoir to John Martin Reservoir can be at your discretion in consultation with the Bureau of Reclamation. However, releases must be made before May 1, 1999. The total volume of Fry-Ark Project water being released is 3,000-acre feet.

The release rate from John Martin Reservoir to the Fort Bent Ditch will be approximately (10-20) cubic feet per second. These releases will begin in May and continue through August or until the Fry-Ark Project water is evacuated from John Martin Reservoir.

Should you have any questions, please contact me at 719-336-2002.

Thank you for your assistance.

Sincerely,

Dannie McMillan  
Public Works Director  
DFM/tm

# STATE OF COLORADO

## WATER DIVISION 2 OFFICE OF THE STATE ENGINEER

310 East Abriendo, Suite B  
Pueblo, Colorado 81004  
Phone: (719) 542-3368  
FAX: (719) 544-0800

<http://water.state.co.us/default.htm>



Bill Owens  
Governor

Greg E. Walcher  
Executive Director

Hal D. Simpson, P.E.  
State Engineer

Steven J. Witte, P.E.  
Division Engineer

April 12, 1999

Arkansas River Compact Administration  
307 South 5th Street  
Lamar, CO. 81052

Mr. Larry Trujillo, Chairman  
Mr. Peter Evans      Mr. David Pope  
Mr. Tom Pointon      Mr. David Brenn  
Mr. Jim Rogers      Mr. Randy Hayzlett

Re: City of Lamar

Dear Compact Administration Members:

I received the enclosed notification of the City of Lamar's intent to utilize John Martin Reservoir to regulate releases of Fryingpan-Arkansas Project water for municipal use.

As per the Administration's instructions to me at the December 12, 1989 meeting, I am forwarding this to the Administration members for your consideration. It is my understanding that the City and the Operations Secretary are to consider the Administration's approval to have been granted unless objection is received from either or both States comprising the Administration within a three-week notice period by the Operations Secretary. Whereas, this letter is dated April 6, 1999, I will expect any objection to be filed with me by the close of business April 27, 1999, otherwise thereafter I will allow the proposed operation to commence.


The release of Fry-Ark Project water to be delivered to John Martin Reservoir for subsequent re-regulation pursuant to this request will be a separate and distinct operation from that which occurred April 11, 1999 where a release from Pueblo Reservoir occurred in conjunction with a Bureau of Reclamation Safety of Dams test.

Thank you for your consideration of this matter.

Arkansas River Compact Administration  
April 12, 1999

page 2

Sincerely,



Steven J. Witte  
Arkansas River Compact Administration  
Operations Secretary

SJW:skj

enclosure

cc: Hal Simpson w/encl  
Bill Howland w/encl  
Steve Kastner w/encl  
Dale Straw, w/encl  
Mark Rude w/encl  
Dannie McMillan w/encl  
*Mary Louise Clay w/encl.*

**STATE OF KANSAS**

**BILL GRAVES, GOVERNOR**  
Alice A. Devine, Secretary of Agriculture

**DIVISION OF WATER RESOURCES**  
David L. Pope, Chief Engineer-Director



**GARDEN CITY FIELD OFFICE**  
Mark E. Rude, Water Commissioner  
2508 Johns Street  
Garden City, Kansas 67846-2804  
(316) 276-2901 FAX (316) 276-9315

**RECEIVED**

**KANSAS DEPARTMENT OF AGRICULTURE**

**APR 26 1999**

DIVISION ENGINEER  
PUEBLO, COLORADO

April 21, 1999

**STEVEN J WITTE**  
**OPERATIONS SECRETARY**  
**ARKANSAS RIVER COMPACT ADMINISTRATION**  
**310 E ABRIENDO SUITE B**  
**PUEBLO CO 81004**

**RE: City of Lamar**

Dear Steve:

This letter is to request more details of the proposed operation by the City of Lamar to utilize John Martin Reservoir as a regulating device for a release of Fry-Ark project water to their recharge project. As you know, action of the administration in 1989 provides a general procedure for such a request. In the three week notice requested by the Administration, the City is to provide "specifics of the specific details" of the plan, as well as confirmation from the City of Lamar that: 1) The City is not seeking long term storage, 2) that the water is subject to first spill from JMR should those circumstances arise, and 3) that they may forfeit the water should they deviate from the plan as approved.

The letter from the City does not provide a clear plan of the operation. As no long term storage has been provided in JMR for Fry-Ark deliveries to the City of Lamar, I would expect that releases of this water from JMR to the Fort Bent Ditch will be continuous until the full amount regulated by JMR has been released.

If the City of Lamar can provide in writing more specifics on their plan for dates, rates and duration of the operation of delivering 3000 acre feet of Fry-Ark project water to the Fort Bent headgate, conduct a continuous release from JMR, and confirm the expectations of ARCA as described above, I would have no objection to such an operation.

April 21, 1999

I will be out of the office through the 27th, but I will be in contact with the office on a daily basis. Should you have any questions, please feel free to contact Kevin Salter in my office or David Barfield in Topeka.

Sincerely,



Mark E. Rude  
Assistant Operations Secretary  
Arkansas River Compact Administration

MER

pc: David Pope  
David Brenn  
Randy Hayzlett  
Kevin Salter  
David Barfield

# STATE OF COLORADO

## WATER DIVISION 2 OFFICE OF THE STATE ENGINEER

310 East Abriendo, Suite B  
Pueblo, Colorado 81004  
Phone: (719) 542-3368  
FAX: (719) 544-0800

<http://water.state.co.us/default.htm>



**BY FAX**  
**for immediate delivery**  
**Original to Follow by Regular Mail**

Bill Owens  
Governor

Greg E. Walcher  
Executive Director

Hal D. Simpson, P.E.  
State Engineer

Steven J. Witte, P.E.  
Division Engineer

## MEMORANDUM

DATE: April 22, 1999

TO: Mr. Danny McMillan, Public Works Director  
City of Lamar

FROM: *Signature*  
Steven J. Witte  
Arkansas River Compact Operations Secretary

RE: Additional Information Request by Mark Rude

This is to notify you of the receipt by FAX yesterday of the enclosed letter from Mark E. Rude of the Kansas Department of Agriculture dated 4/21/99. As you can see from the letter Mr. Rude is requesting additional information.

Additionally, I strongly suggest that in order to maintain any prospect of being able to evacuate the Fry-Ark project water according to your desired schedule you should immediately respond, providing the requested information to the individuals listed on the attached distribution sheet by the most expeditious means available and provide me with the original response by regular mail.

My office will attempt to poll the Compact Administration members by telephone on 4/27/99 in an effort to secure their consent to initiate the operation as proposed thereafter.

se/DannyMcM42299

encl

cc: Mr. Larry Trujillo  
Mr. Peter Evans  
Mr. Tom Pointon  
Mr. Jim Rogers  
Mr. Bill Howland  
Mr. Mark Rude  
Ms. Mary Louise Clay

Mr. David Pope w/o encl  
Mr. David Brenn w/o encl  
Mr. Randy Hayzlett w/o encl



April 26, 1999

APR 27 1999

DIVISION ENGINEER  
PUEBLO, COLORADO

Certified Mail: Z 210 626 613

Mr. Steven J. Witte  
Operations Secretary  
Arkansas River Compact Administration  
310 E. Abriendo Ste B  
Pueblo, CO 81004

Dear Mr. Witte:

Please accept this letter as written notification of the City's intent to utilize John Martin Reservoir to regulate release of Fry-Ark water for municipal use.

The rate of release from Pueblo Reservoir to John Martin is estimated to be 1,000 cubic feet per second. The release rate from John Martin Reservoir to the Fort Bent Ditch will be approximately ten to twenty (10-20) cubic feet per second. The projected date for initiation of release is May 10, 1999, to continue thru August 31, 1999. Total volume of project water being requested is 3,000 acre feet. The City understands that if it becomes necessary to spill water out of John Martin Reservoir, this water would be subject to the spill. The City of Lamar is not seeking long term storage in John Martin Reservoir.

Should you have any questions, please contact me at telephone no., (719) 336-2002.

Thank you for your assistance.

Very truly yours,

*Dannie McMillan*  
Dannie McMillan  
Water/Sewer Superintendent

DMc:bd

cc: Jeff Anderson

# STATE OF COLORADO

## WATER DIVISION 2 OFFICE OF THE STATE ENGINEER

310 East Abriendo, Suite B  
Pueblo, Colorado 81004  
Phone: (719) 542-3368  
FAX: (719) 544-0800

<http://water.state.co.us/default.htm>



Bill Owens  
Governor

Greg E. Walcher  
Executive Director

Hal D. Simpson, P.E.  
State Engineer

Steven J. Witte, P.E.  
Division Engineer

April 28, 1999

by FAX original to follow

Mr. Dannie McMillan  
Water/Sewer Superintendent  
City of Lamar  
102 East Parmenter  
Lamar, CO 81052-3299

4/28/99

McMillan replied to this by voice mail  
@ 10:04am; "I got your fax and I understand  
we're going to have to live with it."

SSW

Dear Sir:

Thank you for your timely response to Mr. Rude's 4/21/99 request for additional information.

As previously indicated, I attempted to poll the Compact Administration members to secure their consent of your proposal as initially presented by your letter dated 4/6/99 and as supplemented by your letter dated 4/26/99. Colorado's representatives approved the proposal.

Mr. Kevin Salter of the Kansas Department of Agriculture represented to me that Mr. Hayzlett was not available to respond but that he was authorized to convey that Mr. Pope and Mr. Brenn do not object to the proposal with the following understandings:

- 1) The purpose of the proposed operation is to regulate the delivery of a quantity of Fryingpan-Arkansas Project water through temporary retention in John Martin Reservoir.
- 2) That if it becomes necessary to spill water out of John Martin Reservoir, not only would it be subject to spill, it would be the first water spilled.
- 3) That any departure or change from the plan as approved (including failure to evacuate the water to be temporarily retained by September 1, 1999) may result in the forfeiture of the water.

**Mr. Dannie McMillan**  
**April 28, 1999**

-2-

Upon your acknowledgement of these understandings, I will promptly initiate the release from Pueblo Reservoir to begin the operation as proposed. I urge you to pay close attention to ensure that the operation is executed according to plan.

Sincerely,



**Steven J. Witte**  
ARCA Operations Secretary

se/DannieMcM42899

**cc:**    **Mr. Larry Trujillo**  
         **Mr. Peter Evans**  
         **Mr. Tom Pointon**  
         **Mr. Jim Rogers**  
         **Mr. David Pope**  
         **Mr. David Brenn**  
         **Mr. Randy Hayzlett**  
         **Mr. Bill Howland**  
         **Mr. Mark Rude**  
         **Ms. Mary Louis Clay**

**bc:**    **Steve Kastner**  
         **Dale Straw**  
         **Hal Simpson**  
         **Tom Simpson**

**STATE OF COLORADO****Bill Owens, Governor****DEPARTMENT OF NATURAL RESOURCES****DIVISION OF WILDLIFE**

AN EQUAL OPPORTUNITY EMPLOYER

John W. Moore, Director  
800 Broadway  
Denver, Colorado 80202-1000  
Telephone: (303) 297-3192

REFER TO

**For Wildlife—  
For People**

August 30, 1999

Colorado Division of Water Resources

Attn: Steve Witte  
310 E. Abriendo, Suite B  
Pueblo, CO 81004

RE: Purchase of Water for John Martin Permanent Pool

Dear Steve:

The purpose of this letter is to request your assistance in delivering water into the Permanent Pool at John Martin Reservoir. The Division of Wildlife will be purchasing approximately 900 acre-feet of water from the Colorado Springs Utilities (CSU) as part of a fishery reclamation project at McReynolds Reservoir. The reservoir is part of CSU's Southern Collection System located on Beaver Creek.

I have not yet received information on timing or rate of release of the water from the Reservoir, but I will be forwarding it to you as soon as I receive it. The water will be from Colorado River sources.

Thank you for your help in this matter. If you have any questions, please feel free to contact me at (303) 291-7280.

Sincerely,

Grady McNeill, P.E.  
Habitat Resource Section  
Colorado Division of Wildlife

GM/

cc: Kreiger  
Tonko  
Kastner



Colorado Springs Utilities  
*It's how we're all connected*

Water Resources  
Infrastructure Services

August 30, 1999

RECEIVED  
SEP 02 1999  
DIVISION ENGINEER  
PUEBLO, COLORADO

Mr. Steve Witte  
Division 2 Engineer  
Division of Water Resources – Division 2  
310 East Abriendo, Suite B  
Pueblo, Colorado 81044

Dear Mr. Witte:

Colorado Springs Utilities (CSU) has agreed to sell Colorado River Basin Return Flow waters from McReynolds Reservoir to the Colorado State Division of Wildlife (DOW). The 24.2 cfs release from McReynolds Reservoir began at 1900 hours on August 28, 1999, and is scheduled to end on September 7, 1999, at 1500 hours. The total released amount from McReynolds Reservoir for DOW will be approximately 474 acre-feet. It is my understanding DOW would like to store this water in their account in John Martin Reservoir.

Thank you for your attention to this matter.

Should you have any further questions, please feel free to contact me at (719) 448-8720.

Sincerely,

Scott E. Howell  
Water Rights Administrator

SEH/sc

c: Scott Campbell  
Vic Eklund  
Doug Krieger  
Philip Saletta

30 S. Nevada Ave., Suite 703  
P.O. Box 1103, Mail Code 730  
Colorado Springs, CO 80947-0730

Phone 719-448-8700  
Fax 719-448-8734  
<http://www.csu.org>

G:\VSD Clerical\CORRESP\HOWELL\witt0831.doc

## **SECTION 4**

**JOHN MARTIN RESERVOIR**

**TABLE I  
COMPACT WATER**

WATER YEAR 1999 MONTH	CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
NOVEMBER	0.00	13533.84	52.56	0.00	13481.28
DECEMBER	13481.28	8792.60	100.10	0.00	22173.78
JANUARY	22173.78	9942.83	141.81	0.00	31974.80
FEBRUARY	31974.80	7330.07	263.45	0.00	39041.42
MARCH	39041.42	12784.74	630.96	0.00	51195.20
APRIL	51195.20	14218.55	331.83	61554.75	3527.17
MAY	3527.17	322082.58	8.01	73451.63	252150.11
JUNE	252150.11	12777.17	0.00	74380.65	190546.63
JULY	190546.63	32826.69	3335.76	76860.78	143176.78
AUGUST	143176.78	96367.65	1308.97	76860.78	161374.68
SEPTEMBER	161374.68	12198.76	2047.33	74381.40	97144.71
OCTOBER	97144.71	14895.19	721.09	76860.78	34458.03
<b>TOTALS</b>		<b>557750.67</b>	<b>8941.87</b>	<b>514350.77</b>	

**TABLE II  
WINTER WATER**

WATER YEAR 1999 MONTH	CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
NOVEMBER	0.00	4097.09	8.66	0.00	4088.43
DECEMBER	4088.43	5550.40	37.40	0.00	9601.43
JANUARY	9601.43	20741.50	86.91	0.00	30256.02
FEBRUARY	30256.02	10096.37	284.44	0.00	40067.95
MARCH	40067.95	1334.03	293.26	41108.72	0.00
APRIL	0.00	0.00	0.00	0.00	0.00
MAY	0.00	0.00	0.00	0.00	0.00
JUNE	0.00	0.00	0.00	0.00	0.00
JULY	0.00	0.00	0.00	0.00	0.00
AUGUST	0.00	0.00	0.00	0.00	0.00
SEPTEMBER	0.00	0.00	0.00	0.00	0.00
OCTOBER	0.00	0.00	0.00	0.00	0.00
<b>TOTALS</b>		<b>41819.39</b>	<b>710.67</b>	<b>41108.72</b>	

Note: March release is transfer to Article III Accounts and Transit loss Account.

## JOHN MARTIN RESERVOIR

**TABLE III  
FORT LYON CANAL  
ARTICLE III WATER**

WATER YEAR 1999 MONTH	CONTENTS BEG. OF MONTH	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
NOVEMBER	0.00	0.00	0.00	0.00	0.00
DECEMBER	0.00	0.00	0.00	0.00	0.00
JANUARY	0.00	0.00	0.00	0.00	0.00
FEBRUARY	0.00	0.00	0.00	0.00	0.00
MARCH	0.00	19658.19	86.36	6880.36	12691.47
APRIL	12691.47	0.00	164.55	289.25	12237.67
MAY	12237.67	0.00	7.51	12230.16	0.00
JUNE	0.00	0.00	0.00	0.00	0.00
JULY	0.00	0.00	0.00	0.00	0.00
AUGUST	0.00	0.00	0.00	0.00	0.00
SEPTEMBER	0.00	0.00	0.00	0.00	0.00
OCTOBER	0.00	0.00	0.00	0.00	0.00
<b>TOTALS</b>		<b>19658.19</b>	<b>258.42</b>	<b>19399.77</b>	

NOTES: May releases are transfers to Summer Compact Water to compensate for "depletion credits" resulting from diversions of stream flow in Pueblo Reservoir and other upstream vessels, and releases to Flood Pool.

Releases for April and the first day in May include 220.10 acre-feet exchanged for a release from Meredith Reservoir to the Lamar Canal for Colorado Beef revegitation.

**TABLE IV  
AMITY CANAL  
ARTICLE III WATER**

WATER YEAR 1999 MONTH	CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
NOVEMBER	8730.02	0.00	52.55	0.00	8677.47
DECEMBER	8677.47	0.00	49.11	0.00	8628.36
JANUARY	8628.36	0.00	45.34	0.00	8583.02
FEBRUARY	8583.02	0.00	63.95	0.00	8519.07
MARCH	8519.07	16533.93	191.51	5786.87	19074.62
APRIL	19074.62	76.94	249.12	0.00	18902.44
MAY	18902.44	0.00	11.61	18890.83	0.00
JUNE	0.00	0.00	0.00	0.00	0.00
JULY	0.00	0.00	0.00	0.00	0.00
AUGUST	0.00	0.00	0.00	0.00	0.00
SEPTEMBER	0.00	0.00	0.00	0.00	0.00
OCTOBER	0.00	0.00	0.00	0.00	0.00
<b>TOTALS</b>		<b>16610.87</b>	<b>663.19</b>	<b>24677.70</b>	

NOTE: May releases are transfers to Summer Compact Water to compensate for "depletion credits" resulting from diversions of stream flow in Pueblo Reservoir and other upstream vessels, and releases to Flood Pool.

## JOHN MARTIN RESERVOIR

**TABLE V**  
**LAS ANIMAS CONSOLIDATED CANAL**  
**ARTICLE III WATER**

WATER YEAR 1999		CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
MONTH						
NOVEMBER		0.00	0.00	0.00	0.00	0.00
DECEMBER		0.00	0.00	0.00	0.00	0.00
JANUARY		0.00	0.00	0.00	0.00	0.00
FEBRUARY		0.00	0.00	0.00	0.00	0.00
MARCH		0.00	4916.60	21.59	1720.82	3174.19
APRIL		3174.19	0.00	41.37	0.00	3132.82
MAY		3132.82	0.00	1.93	3130.89	0.00
JUNE		0.00	0.00	0.00	0.00	0.00
JULY		0.00	0.00	0.00	0.00	0.00
AUGUST		0.00	0.00	0.00	0.00	0.00
SEPTEMBER		0.00	0.00	0.00	0.00	0.00
OCTOBER		0.00	0.00	0.00	0.00	0.00
<b>TOTALS</b>			<b>4916.60</b>	<b>64.89</b>	<b>4851.71</b>	

NOTE: May releases are transfers to Summer Compact Water to compensate for "depletion credits" resulting from diversions of stream flow in Pueblo Reservoir and other upstream vessels, and releases to Flood Pool.

**TABLE VI**  
**AGREEMENT**  
**ACCOUNTS**

WATER YEAR 1999		CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
MONTH						
NOVEMBER		228642.45	0.00	1375.54	0.00	227266.91
DECEMBER		227266.91	0.00	1286.64	0.00	225980.27
JANUARY		225980.27	0.00	1188.11	0.00	224792.16
FEBRUARY		224792.16	0.00	1674.42	844.44	222273.30
MARCH		222273.30	41108.72	3360.89	4270.77	255750.36
APRIL		255750.36	61554.75	3678.82	12459.02	301167.27
MAY		301167.27	73451.63	185.03	290929.28	83504.59
JUNE		83504.59	74380.65	0.00	12777.17	145108.07
JULY		145108.07	76860.78	3354.43	54798.80	163815.62
AUGUST		163815.62	76860.78	1381.05	67427.78	171867.57
SEPTEMBER		171867.57	74381.40	2854.09	24638.32	218756.56
OCTOBER		218756.56	76860.78	2648.59	12140.17	280828.58
<b>TOTALS</b>			<b>555459.49</b>	<b>22987.61</b>	<b>480285.75</b>	

NOTE: Releases from 1500 hr May 2 thru 0515 hr July 6 and from 0330 hr Aug. 8 thru 2400 hr Aug. 25 are transfers to Summer Compact Water to compensate for "depletion credits" resulting from diversions of stream flow in Pueblo Reservoir and other upstream vessels, and releases to Flood Pool.

**JOHN MARTIN RESERVOIR**

**TABLE VII  
TRANSIT LOSS ACCOUNT**

WATER YEAR		CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
1999 MONTH						
NOVEMBER		1502.99	0.00	8.99	0.00	1494.00
DECEMBER		1494.00	0.00	8.50	0.00	1485.50
JANUARY		1485.50	0.00	7.78	0.00	1477.72
FEBRUARY		1477.72	0.00	11.01	0.00	1466.71
MARCH		1466.71	243.93	22.12	0.00	1688.52
APRIL		1688.52	0.00	22.02	0.00	1666.50
MAY		1666.50	0.00	1.03	0.00	1665.47
JUNE		1665.47	0.00	0.00	1665.47	0.00
JULY		0.00	0.00	0.00	0.00	0.00
AUGUST		0.00	0.00	0.00	0.00	0.00
SEPTEMBER		0.00	0.00	0.00	0.00	0.00
OCTOBER		0.00	0.00	0.00	0.00	0.00
<b>TOTALS</b>			<b>243.93</b>	<b>81.45</b>	<b>1665.47</b>	

NOTE: June releases are transfers to Summer Compact Water to compensate for "depletion credits" resulting from diversions of stream flow in Pueblo Reservoir and other upstream vessels, and releases to Flood Pool.

**TABLE VIII  
PERMANENT POOL**

WATER YEAR		CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
1999 MONTH						
NOVEMBER		9039.87	0.00	54.36	0.00	8985.51
DECEMBER		8985.51	0.00	50.89	0.00	8934.62
JANUARY		8934.62	0.00	46.99	0.00	8887.63
FEBRUARY		8887.63	0.00	66.19	0.00	8821.44
MARCH		8821.44	0.00	123.10	0.00	8698.34
APRIL		8698.34	0.00	113.41	0.00	8584.93
MAY		8584.93	420.40	5.28	0.00	9000.05
JUNE		9000.05	0.00	0.00	0.00	9000.05
JULY		9000.05	0.00	184.56	0.00	8815.49
AUGUST		8815.49	0.00	71.87	0.00	8743.62
SEPTEMBER		8743.62	413.47	136.00	0.00	9021.09
OCTOBER		9021.09	0.00	95.77	0.00	8925.32
<b>TOTALS</b>			<b>833.87</b>	<b>948.42</b>	<b>0.00</b>	

Permanent Pool inflows in May were from the Division of Wildlife's Muddy Creek decree. September inflows were from Colorado Springs water released from McReynolds Reservoir.

**JOHN MARTIN RESERVOIR**

**TABLE IX**  
**FLOOD POOL**

WATER YEAR 1999 MONTH	CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
NOVEMBER	0.00	0.00	0.00	0.00	0.00
DECEMBER	0.00	0.00	0.00	0.00	0.00
JANUARY	0.00	0.00	0.00	0.00	0.00
FEBRUARY	0.00	0.00	0.00	0.00	0.00
MARCH	0.00	0.00	0.00	0.00	0.00
APRIL	0.00	0.00	0.00	0.00	0.00
MAY	0.00	224649.81	6850.00	156243.56	61556.25
JUNE	61556.25	92517.00	7907.00	143499.00	2667.25
JULY	2667.25	8946.12	1748.25	9865.12	0.00
AUGUST	0.00	54755.14	4326.00	50429.14	0.00
SEPTEMBER	0.00	0.00	0.00	0.00	0.00
OCTOBER	0.00	0.00	0.00	0.00	0.00
<b>TOTALS</b>		<b>380868.07</b>	<b>20831.25</b>	<b>360036.82</b>	

**TABLE X**  
**RELEASES FROM COLORADO ARTICLE II ACCOUNTS**

WATER YEAR 1999 MONTH	ACRE FEET
NOVEMBER	0.00
DECEMBER	0.00
JANUARY	0.00
FEBRUARY	844.44
MARCH	4270.77
APRIL	12246.71
MAY	0.00
JUNE	0.00
JULY	23992.50
AUGUST	10305.73
SEPTEMBER	24638.32
OCTOBER	12140.17
<b>TOTALS</b>	<b>88438.64</b>

Table X includes only irrigation releases ordered by Colorado ditches; No forced flood pool releases included.

## RELEASES OF KANSAS, TRANSIT LOSS, AND OFFSET ACCOUNT WATERS BY DAY

## TABLE XI-A

WATER YEAR 1999 DATE	KANSAS ACCT. RELEASE CFS	TRANSIT LOSS ACCT. RELEASE CFS	OFFSET ACCT. RELEASE CFS	FRONTIER DITCH CFS	ARKANSAS @ COOLIDGE, KS. CFS	STATELINE FLOW(1) CFS	
	RELEASE BEGAN 1330 hr, 7/8	NO RELEASE ACCT. DRY	Release began arriving at Coolidge gages @0001 hr, 7/10.				
RATE:600 CFS							
JULY 8	262.51		0.00	0.00	0.00	0.00	
JULY 9	600.00		0.00	0.00	0.00	0.00	
JULY 10	600.00		0.00	49.00	615.00	664.00	
JULY 11	600.00		0.00	48.00	661.00	709.00	
JULY 12	600.00		0.00	47.00	711.00	758.00	
JULY 13	600.00		0.00	44.00	690.00	734.00	
JULY 14	600.00		0.00	43.00	619.00	662.00	
Kansas release increased to 750 cfs at 1400 hr, 7/15							
JULY 15	662.51		0.00	44.00	560.00	604.00	
JULY 16	750.00		0.00	44.00	578.00	622.00	
Kansas release cut to 650 cfs at 1200 hr, 7/17							
JULY 17	700.00		0.00	44.00	791.00	835.00	
JULY 18	650.00		0.00	42.00	842.00	884.00	
JULY 19	650.00		0.00	43.00	739.00	782.00	
JULY 20	650.00		0.00	43.00	699.00	742.00	
JULY 21	650.00		0.00	40.00	668.00	708.00	
JULY 22	650.00		0.00	39.00	630.00	669.00	
JULY 23	650.00		0.00	45.00	591.00	636.00	
JULY 24	650.00		0.00	47.00	589.00	636.00	
JULY 25	650.00		0.00	46.00	610.00	656.00	
JULY 26	650.00		0.00	45.00	640.00	685.00	
Kansas release increased to 750 cfs at 1030 hr, 7/27							
JULY 27	706.26		0.00	45.00	638.00	683.00	
JULY 28	750.00		0.00	45.00	616.00	661.00	
JULY 29	750.00		0.00	46.00	683.00	729.00	
JULY 30	750.00		0.00	46.00	719.00	765.00	
JULY 31	750.00		0.00	45.00	778.00	823.00	
August 1	750.00		0.00	40.00	1230.00	1270.00	
Kansas release stopped at 0930 hr, 8/2							
August 2	296.88		0.00	13.00	2240.00	2253.00	
	0.00		0.00			0.00	
TOTAL cfs/day	16578.16	0.00	0.00	1033.00	18137.00	19170.00	
TOTAL acre feet	32882.78	0.00	0.00	2048.96	35974.74	38023.70	

(1) Provisional United States Geological Survey data.

NOTE: All other releases shown in Kansas' Account tabulation are transfers to Summer Compact Water to compensate for "depletion credits" resulting from diversions of stream flow in Pueblo Reservoir and other upstream vessels, and releases to Flood Pool.

**JOHN MARTIN RESERVOIR**

**TABLE XII  
OFFSET ACCOUNT**

WATER YEAR 1999		CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
MONTH						
NOVEMBER		4848.68	299.07	30.88	0.00	5116.87
DECEMBER		5116.87	0.00	28.97	0.00	5087.90
JANUARY		5087.90	0.00	26.18	165.33	4896.39
FEBRUARY		4896.39	0.00	36.50	0.00	4859.89
MARCH		4859.89	834.00	67.79	0.00	5626.10
APRIL		5626.10	437.47	73.94	0.00	5989.63
MAY		5989.63	0.00	3.68	5985.95	0.00
JUNE		0.00	0.00	0.00	0.00	0.00
JULY		0.00	0.00	0.00	0.00	0.00
AUGUST		0.00	590.04	1.11	304.82	284.11
SEPTEMBER		284.11	1162.21	10.58	0.00	1435.74
OCTOBER		1435.74	1267.72	21.55	684.02	1997.89
<b>TOTALS</b>			<b>4590.51</b>	<b>301.18</b>	<b>7140.12</b>	

Notes: Release in January is a return flow credit transfer to Winter Compact Water.

Inflow in March is a transfer from Article II (34 ac-ft from XY, 800 ac-ft from Sisson-Stubbs).

May and August releases are transfers to Summer Compact Water to compensate for "depletion credits" resulting from diversions of stream flow in Pueblo Reservoir and other upstream vessels, and releases to Flood Pool.

October release is a transfer to Summer Compact Water to correct for Highland Canal consumptive use factors.

## JOHN MARTIN RESERVOIR

**TABLE XIII  
DAILY STATUS REPORT**

OCT.31,1999

ACCT	NAME	INFLOW	RELEASE	EVAP.	OWN
1	JOHN MARTIN RESERVOIR	545.00	501.84	144.00	326209.82
2	AGREEMENT WATER	2479.38	501.84	123.11	280828.58
3	SUMMER COMPACT WATER	1188.05	2479.38	15.78	34458.03
4	WINTER COMPACT WATER	0.00	0.00	0.00	0.00
5	PERMANENT POOL	0.00	0.00	3.94	8925.32
6	WINTER WATER	0.00	0.00	0.00	0.00
30	OFFSET ACCOUNT	40.97	684.02	1.17	1997.89
45	FLOOD POOL	0.00	0.00	0.00	0.00
2	AGREEMENT WATER	2479.38	501.84	123.11	280828.58
7	SUMMER STORED WATER	1487.63	501.84	68.93	157116.75
8	KANSAS	991.75	0.00	54.18	123711.83
18	TRANSIT LOSS	0.00	0.00	0.00	0.00
31	ARTICLE III	0.00	0.00	0.00	0.00
7	SUMMER STORED WATER	1487.63	501.84	68.93	157116.75
9	KEESEE	34.22	0.00	1.57	3603.07
10	FT. BENT	147.27	23.96	6.52	14889.69
11	AMITY	736.38	353.40	33.17	75522.29
12	LAMAR	294.55	124.48	10.05	22934.85
13	HYDE	19.34	0.00	1.23	2802.18
14	MANVEL	35.70	0.00	2.29	5230.76
15	X-Y	75.87	0.00	4.88	11121.01
16	BUFFALO	126.45	0.00	8.07	18397.54
17	SISSON	17.85	0.00	1.15	2615.36
31	ARTICLE III	0.00	0.00	0.00	0.00
32	AMITY	0.00	0.00	0.00	0.00
33	FT. LYON	0.00	0.00	0.00	0.00
34	LAS ANIMAS CONSOLIDATED	0.00	0.00	0.00	0.00

## **SECTION 5**

**November 1998**

## JOHN MARTIN RESERVOIR

## JOHN MARTIN RESERVOIR

## AGREEMENT WATER

PG 1  
SUMMER COMPACT WATER

NOV 1998:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	1121.00	0.00	0.00	243652.00	:	0.00	0.00	0.00	228642.45	:	0.00	0.00	0.00	0.00
2	706.00	0.00	55.00	244303.00	:	0.00	0.00	51.61	228590.84	:	0.00	0.00	0.00	0.00
3	891.00	0.00	49.00	245145.00	:	0.00	0.00	45.85	228544.99	:	0.00	0.00	0.00	0.00
4	771.00	0.00	22.00	245894.00	:	0.00	0.00	20.51	228524.48	:	0.00	0.00	0.00	0.00
5	593.00	0.00	33.00	246454.00	:	0.00	0.00	30.67	228493.81	:	0.00	0.00	0.00	0.00
6	871.00	0.00	27.00	247298.00	:	0.00	0.00	25.03	228468.78	:	0.00	0.00	0.00	0.00
7	398.00	0.00	22.00	247674.00	:	0.00	0.00	20.33	228448.45	:	0.00	0.00	0.00	0.00
8	397.00	0.00	22.00	248049.00	:	0.00	0.00	20.29	228428.16	:	0.00	0.00	0.00	0.00
9	374.00	0.00	0.00	248423.00	:	0.00	0.00	0.00	228428.16	:	0.00	0.00	0.00	0.00
10	210.00	0.00	22.00	248611.00	:	0.00	0.00	20.23	228407.93	:	0.00	0.00	0.00	0.00
11	514.00	0.00	44.00	249081.00	:	0.00	0.00	40.42	228367.51	:	0.00	0.00	0.00	0.00
12	326.00	0.00	44.00	249363.00	:	0.00	0.00	40.34	228327.17	:	0.00	0.00	0.00	0.00
13	631.00	0.00	66.00	249928.00	:	0.00	0.00	60.43	228266.74	:	0.00	0.00	0.00	0.00
14	348.00	0.00	66.00	250210.00	:	0.00	0.00	60.28	228206.46	:	0.00	0.00	0.00	0.00
15	729.00	0.00	71.00	250868.00	:	0.00	0.00	64.76	228141.70	:	0.00	0.00	0.00	0.00
16	1025.00	0.00	82.00	251811.00	:	0.00	0.00	74.57	228067.13	:	0.00	0.00	0.00	0.00
17	827.00	0.00	71.00	252567.00	:	0.00	0.00	64.31	228002.82	:	0.00	0.00	0.00	0.00
18	466.00	0.00	88.00	252945.00	:	0.00	0.00	79.44	227923.38	:	0.00	0.00	0.00	0.00
19	704.00	0.00	44.00	253605.00	:	0.00	0.00	39.65	227883.73	:	0.00	0.00	0.00	0.00
20	714.00	0.00	50.00	254269.00	:	0.00	0.00	44.93	227838.80	:	0.00	0.00	0.00	0.00
21	524.00	0.00	50.00	254743.00	:	0.00	0.00	44.80	227794.00	:	0.00	0.00	0.00	0.00
22	620.00	0.00	50.00	255313.00	:	0.00	0.00	44.71	227749.29	:	0.00	0.00	0.00	0.00
23	461.00	0.00	83.00	255691.00	:	0.00	0.00	74.04	227675.25	:	0.00	0.00	0.00	0.00
24	576.00	0.00	100.00	256167.00	:	0.00	0.00	89.04	227586.21	:	0.00	0.00	0.00	0.00
25	650.00	0.00	78.00	256739.00	:	0.00	0.00	69.30	227516.91	:	0.00	0.00	0.00	0.00
26	460.00	0.00	78.00	257121.00	:	0.00	0.00	69.12	227447.79	:	0.00	0.00	0.00	0.00
27	539.00	0.00	61.00	257599.00	:	0.00	0.00	53.96	227393.83	:	0.00	0.00	0.00	0.00
28	537.00	0.00	61.00	258075.00	:	0.00	0.00	53.85	227339.98	:	0.00	0.00	0.00	0.00
29	637.00	0.00	61.00	258651.00	:	0.00	0.00	53.74	227286.24	:	0.00	0.00	0.00	0.00
30	310.00	0.00	22.00	258939.00	:	0.00	0.00	19.33	227266.91	:	0.00	0.00	0.00	0.00
TOT :	17930.00	0.00	1522.00	:	0.00	0.00	1375.54	:	0.00	0.00	0.00	0.00	0.00	0.00

## JOHN MARTIN RESERVOIR

## WINTER COMPACT WATER

## PERMANENT POOL

PG 1  
WINTER WATER

NOV 1998:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	1072.63	0.00	0.00	1072.63	:	0.00	0.00	0.00	9039.87	:	0.00	0.00	0.00	0.00
2	655.89	0.00	0.24	1728.28	:	0.00	0.00	2.04	9037.83	:	0.00	0.00	0.00	0.00
3	832.76	0.00	0.35	2560.69	:	0.00	0.00	1.81	9036.02	:	0.00	0.00	0.00	0.00
4	706.51	0.00	0.23	3266.97	:	0.00	0.00	0.81	9035.21	:	0.00	0.00	0.00	0.00
5	515.14	0.00	0.44	3781.67	:	0.00	0.00	1.21	9034.00	:	0.00	0.00	0.00	0.00
6	871.00	0.00	0.42	4652.25	:	0.00	0.00	0.99	9033.01	:	0.00	0.00	0.00	0.00
7	398.00	0.00	0.41	5049.84	:	0.00	0.00	0.80	9032.21	:	0.00	0.00	0.00	0.00
8	397.00	0.00	0.45	5446.39	:	0.00	0.00	0.80	9031.41	:	0.00	0.00	0.00	0.00
9	374.00	0.00	0.00	5820.39	:	0.00	0.00	0.00	9031.41	:	0.00	0.00	0.00	0.00
10	210.00	0.00	0.51	6029.88	:	0.00	0.00	0.80	9030.61	:	0.00	0.00	0.00	0.00
11	514.00	0.00	1.07	6542.81	:	0.00	0.00	1.60	9029.01	:	0.00	0.00	0.00	0.00
12	326.00	0.00	1.16	6867.65	:	0.00	0.00	1.59	9027.42	:	0.00	0.00	0.00	0.00
13	631.00	0.00	1.82	7496.83	:	0.00	0.00	2.39	9025.03	:	0.00	0.00	0.00	0.00
14	348.00	0.00	1.98	7842.85	:	0.00	0.00	2.38	9022.65	:	0.00	0.00	0.00	0.00
15	400.34	0.00	2.22	8240.97	:	0.00	0.00	2.56	9020.09	:	328.66	0.00	0.00	328.66
16	530.55	0.00	2.69	8768.83	:	0.00	0.00	2.95	9017.14	:	494.45	0.00	0.11	823.00
17	368.43	0.00	2.47	9134.79	:	0.00	0.00	2.54	9014.60	:	458.57	0.00	0.23	1281.34
18	218.78	0.00	3.18	9350.39	:	0.00	0.00	3.14	9011.46	:	247.22	0.00	0.45	1528.11
19	459.69	0.00	1.63	9808.45	:	0.00	0.00	1.57	9009.89	:	244.31	0.00	0.26	1772.16
20	482.29	0.00	1.93	10288.81	:	0.00	0.00	1.78	9008.11	:	231.71	0.00	0.35	2003.52
21	300.05	0.00	2.02	10586.84	:	0.00	0.00	1.77	9006.34	:	223.95	0.00	0.40	2227.07
22	395.08	0.00	2.08	10979.84	:	0.00	0.00	1.77	9004.57	:	224.92	0.00	0.44	2451.55
23	248.68	0.00	3.57	11224.95	:	0.00	0.00	2.93	9001.64	:	212.32	0.00	0.79	2663.08
24	375.31	0.00	4.39	11595.87	:	0.00	0.00	3.52	8998.12	:	200.69	0.00	1.04	2862.73
25	451.25	0.00	3.53	12043.59	:	0.00	0.00	2.74	8995.38	:	198.75	0.00	0.87	3060.61
26	257.37	0.00	3.66	12297.30	:	0.00	0.00	2.73	8992.65	:	202.63	0.00	0.93	3262.31
27	334.44	0.00	2.92	12628.82	:	0.00	0.00	2.13	8990.52	:	204.56	0.00	0.77	3466.10
28	325.65	0.00	2.99	12951.48	:	0.00	0.00	2.13	8988.39	:	211.35	0.00	0.82	3676.63
29	429.53	0.00	3.06	13377.95	:	0.00	0.00	2.12	8986.27	:	207.47	0.00	0.87	3883.23
30	104.47	0.00	1.14	13481.28	:	0.00	0.00	0.76	8985.51	:	205.53	0.00	0.33	4088.43
TOT :	13533.84	0.00	52.56	:	0.00	0.00	54.36	:	4097.09	0.00	8.66			

AGREEMENT WATER										SUMMER STORED WATER					PG 2
NOV 1998:	KANSAS					TRANSIT LOSS					KEESEE				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	113847.46	:	0.00	0.00	0.00	1502.99	:	0.00	0.00	0.00	9.57	
2	0.00	0.00	25.70	113821.76	:	0.00	0.00	0.34	1502.65	:	0.00	0.00	0.00	9.57	
3	0.00	0.00	22.83	113798.93	:	0.00	0.00	0.30	1502.35	:	0.00	0.00	0.00	9.57	
4	0.00	0.00	10.21	113788.72	:	0.00	0.00	0.14	1502.21	:	0.00	0.00	0.00	9.57	
5	0.00	0.00	15.27	113773.45	:	0.00	0.00	0.20	1502.01	:	0.00	0.00	0.00	9.57	
6	0.00	0.00	12.46	113760.99	:	0.00	0.00	0.16	1501.85	:	0.00	0.00	0.00	9.57	
7	0.00	0.00	10.12	113750.87	:	0.00	0.00	0.13	1501.72	:	0.00	0.00	0.00	9.57	
8	0.00	0.00	10.10	113740.77	:	0.00	0.00	0.13	1501.59	:	0.00	0.00	0.00	9.57	
9	0.00	0.00	0.00	113740.77	:	0.00	0.00	0.00	1501.59	:	0.00	0.00	0.00	9.57	
10	0.00	0.00	10.07	113730.70	:	0.00	0.00	0.13	1501.46	:	0.00	0.00	0.00	9.57	
11	0.00	0.00	20.13	113710.57	:	0.00	0.00	0.26	1501.20	:	0.00	0.00	0.00	9.57	
12	0.00	0.00	20.09	113690.48	:	0.00	0.00	0.26	1500.94	:	0.00	0.00	0.00	9.57	
13	0.00	0.00	30.09	113660.39	:	0.00	0.00	0.40	1500.54	:	0.00	0.00	0.01	9.56	
14	0.00	0.00	30.01	113630.38	:	0.00	0.00	0.40	1500.14	:	0.00	0.00	0.00	9.56	
15	0.00	0.00	32.25	113598.13	:	0.00	0.00	0.43	1499.71	:	0.00	0.00	0.00	9.56	
16	0.00	0.00	37.13	113561.00	:	0.00	0.00	0.49	1499.22	:	0.00	0.00	0.00	9.56	
17	0.00	0.00	32.02	113528.98	:	0.00	0.00	0.42	1498.80	:	0.00	0.00	0.00	9.56	
18	0.00	0.00	39.56	113489.42	:	0.00	0.00	0.52	1498.28	:	0.00	0.00	0.00	9.56	
19	0.00	0.00	19.74	113469.68	:	0.00	0.00	0.26	1498.02	:	0.00	0.00	0.00	9.56	
20	0.00	0.00	22.37	113447.31	:	0.00	0.00	0.29	1497.73	:	0.00	0.00	0.00	9.56	
21	0.00	0.00	22.31	113425.00	:	0.00	0.00	0.29	1497.44	:	0.00	0.00	0.00	9.56	
22	0.00	0.00	22.26	113402.74	:	0.00	0.00	0.29	1497.15	:	0.00	0.00	0.00	9.56	
23	0.00	0.00	36.86	113365.88	:	0.00	0.00	0.49	1496.66	:	0.00	0.00	0.00	9.56	
24	0.00	0.00	44.34	113321.54	:	0.00	0.00	0.58	1496.08	:	0.00	0.00	0.00	9.56	
25	0.00	0.00	34.51	113287.03	:	0.00	0.00	0.45	1495.63	:	0.00	0.00	0.00	9.56	
26	0.00	0.00	34.42	113252.61	:	0.00	0.00	0.45	1495.18	:	0.00	0.00	0.00	9.56	
27	0.00	0.00	26.87	113225.74	:	0.00	0.00	0.35	1494.83	:	0.00	0.00	0.00	9.56	
28	0.00	0.00	26.81	113198.93	:	0.00	0.00	0.35	1494.48	:	0.00	0.00	0.00	9.56	
29	0.00	0.00	26.76	113172.17	:	0.00	0.00	0.35	1494.13	:	0.00	0.00	0.00	9.56	
30	0.00	0.00	9.62	113162.55	:	0.00	0.00	0.13	1494.00	:	0.00	0.00	0.00	9.56	
TOT	0.00	0.00	684.91		:	0.00	0.00	8.99		:	0.00	0.00	0.01		
SUMMER STORED WATER										LAMAR					PG 2
NOV 1998:	FT. BENT					AMITY					LAMAR				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	1519.53	:	0.00	0.00	0.00	7945.86	:	0.00	0.00	0.00	82.36	
2	0.00	0.00	0.34	1519.19	:	0.00	0.00	1.79	7944.07	:	0.00	0.00	0.02	82.34	
3	0.00	0.00	0.30	1518.89	:	0.00	0.00	1.59	7942.48	:	0.00	0.00	0.02	82.32	
4	0.00	0.00	0.14	1518.75	:	0.00	0.00	0.71	7941.77	:	0.00	0.00	0.01	82.31	
5	0.00	0.00	0.20	1518.55	:	0.00	0.00	1.07	7940.70	:	0.00	0.00	0.01	82.30	
6	0.00	0.00	0.17	1518.38	:	0.00	0.00	0.87	7939.83	:	0.00	0.00	0.01	82.29	
7	0.00	0.00	0.14	1518.24	:	0.00	0.00	0.71	7939.12	:	0.00	0.00	0.01	82.28	
8	0.00	0.00	0.13	1518.11	:	0.00	0.00	0.71	7938.41	:	0.00	0.00	0.01	82.27	
9	0.00	0.00	0.00	1518.11	:	0.00	0.00	0.00	7938.41	:	0.00	0.00	0.00	82.27	
10	0.00	0.00	0.13	1517.98	:	0.00	0.00	0.70	7937.71	:	0.00	0.00	0.01	82.26	
11	0.00	0.00	0.27	1517.71	:	0.00	0.00	1.41	7936.30	:	0.00	0.00	0.01	82.25	
12	0.00	0.00	0.27	1517.44	:	0.00	0.00	1.40	7934.90	:	0.00	0.00	0.01	82.24	
13	0.00	0.00	0.40	1517.04	:	0.00	0.00	2.10	7932.80	:	0.00	0.00	0.02	82.22	
14	0.00	0.00	0.40	1516.64	:	0.00	0.00	2.09	7930.71	:	0.00	0.00	0.02	82.20	
15	0.00	0.00	0.43	1516.21	:	0.00	0.00	2.25	7928.46	:	0.00	0.00	0.02	82.18	
16	0.00	0.00	0.50	1515.71	:	0.00	0.00	2.59	7925.87	:	0.00	0.00	0.03	82.15	
17	0.00	0.00	0.43	1515.28	:	0.00	0.00	2.23	7923.64	:	0.00	0.00	0.02	82.13	
18	0.00	0.00	0.53	1514.75	:	0.00	0.00	2.76	7920.88	:	0.00	0.00	0.03	82.10	
19	0.00	0.00	0.26	1514.49	:	0.00	0.00	1.38	7919.50	:	0.00	0.00	0.01	82.09	
20	0.00	0.00	0.30	1514.19	:	0.00	0.00	1.56	7917.94	:	0.00	0.00	0.02	82.07	
21	0.00	0.00	0.30	1513.89	:	0.00	0.00	1.56	7916.38	:	0.00	0.00	0.01	82.06	
22	0.00	0.00	0.30	1513.59	:	0.00	0.00	1.55	7914.83	:	0.00	0.00	0.02	82.04	
23	0.00	0.00	0.49	1513.10	:	0.00	0.00	2.57	7912.26	:	0.00	0.00	0.03	82.01	
24	0.00	0.00	0.59	1512.51	:	0.00	0.00	3.10	7909.16	:	0.00	0.00	0.03	81.98	
25	0.00	0.00	0.46	1512.05	:	0.00	0.00	2.41	7906.75	:	0.00	0.00	0.03	81.95	
26	0.00	0.00	0.46	1511.59	:	0.00	0.00	2.40	7904.35	:	0.00	0.00	0.03	81.92	
27	0.00	0.00	0.36	1511.23	:	0.00	0.00	1.88	7902.47	:	0.00	0.00	0.02	81.90	
28	0.00	0.00	0.36	1510.87	:	0.00	0.00	1.87	7900.60	:	0.00	0.00	0.02	81.88	
29	0.00	0.00	0.36	1510.51	:	0.00	0.00	1.87	7898.73	:	0.00	0.00	0.02	81.86	
30	0.00	0.00	0.13	1510.38	:	0.00	0.00	0.67	7898.06	:	0.00	0.00	0.01	81.85	
TOT	0.00	0.00	9.15		:	0.00	0.00	47.80		:	0.00	0.00	0.51		

SUMMER STORED WATER													PG 3
NOV 1998:	HYDE				MANVEL				X-Y				OWN
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	798.34	0.00	0.00	0.00	5902.76	0.00	0.00	0.00	9502.99	9502.99
2	0.00	0.00	0.18	798.16	0.00	0.00	1.33	5901.43	0.00	0.00	2.15	9500.84	
3	0.00	0.00	0.16	798.00	0.00	0.00	1.18	5900.25	0.00	0.00	1.91	9498.93	
4	0.00	0.00	0.07	797.93	0.00	0.00	0.53	5899.72	0.00	0.00	0.85	9498.08	
5	0.00	0.00	0.11	797.82	0.00	0.00	0.79	5898.93	0.00	0.00	1.28	9496.80	
6	0.00	0.00	0.09	797.73	0.00	0.00	0.64	5898.29	0.00	0.00	1.04	9495.76	
7	0.00	0.00	0.07	797.66	0.00	0.00	0.52	5897.77	0.00	0.00	0.84	9494.92	
8	0.00	0.00	0.07	797.59	0.00	0.00	0.52	5897.25	0.00	0.00	0.84	9494.08	
9	0.00	0.00	0.00	797.59	0.00	0.00	0.00	5897.25	0.00	0.00	0.00	9494.08	
10	0.00	0.00	0.07	797.52	0.00	0.00	0.52	5896.73	0.00	0.00	0.84	9493.24	
11	0.00	0.00	0.14	797.38	0.00	0.00	1.04	5895.69	0.00	0.00	1.68	9491.56	
12	0.00	0.00	0.14	797.24	0.00	0.00	1.04	5894.65	0.00	0.00	1.68	9489.88	
13	0.00	0.00	0.21	797.03	0.00	0.00	1.56	5893.09	0.00	0.00	2.51	9487.37	
14	0.00	0.00	0.21	796.82	0.00	0.00	1.56	5891.53	0.00	0.00	2.51	9484.86	
15	0.00	0.00	0.23	796.59	0.00	0.00	1.67	5889.86	0.00	0.00	2.69	9482.17	
16	0.00	0.00	0.26	796.33	0.00	0.00	1.93	5887.93	0.00	0.00	3.10	9479.07	
17	0.00	0.00	0.23	796.10	0.00	0.00	1.66	5886.27	0.00	0.00	2.67	9476.40	
18	0.00	0.00	0.28	795.82	0.00	0.00	2.05	5884.22	0.00	0.00	3.30	9473.10	
19	0.00	0.00	0.14	795.68	0.00	0.00	1.02	5883.20	0.00	0.00	1.65	9471.45	
20	0.00	0.00	0.16	795.52	0.00	0.00	1.16	5882.04	0.00	0.00	1.87	9469.58	
21	0.00	0.00	0.16	795.36	0.00	0.00	1.16	5880.88	0.00	0.00	1.86	9467.72	
22	0.00	0.00	0.16	795.20	0.00	0.00	1.15	5879.73	0.00	0.00	1.86	9465.86	
23	0.00	0.00	0.26	794.94	0.00	0.00	1.91	5877.82	0.00	0.00	3.08	9462.78	
24	0.00	0.00	0.31	794.63	0.00	0.00	2.30	5875.52	0.00	0.00	3.70	9459.08	
25	0.00	0.00	0.24	794.39	0.00	0.00	1.79	5873.73	0.00	0.00	2.88	9456.20	
26	0.00	0.00	0.24	794.15	0.00	0.00	1.78	5871.95	0.00	0.00	2.87	9453.33	
27	0.00	0.00	0.19	793.96	0.00	0.00	1.39	5870.56	0.00	0.00	2.24	9451.09	
28	0.00	0.00	0.19	793.77	0.00	0.00	1.39	5869.17	0.00	0.00	2.24	9448.85	
29	0.00	0.00	0.19	793.58	0.00	0.00	1.39	5867.78	0.00	0.00	2.23	9446.62	
30	0.00	0.00	0.07	793.51	0.00	0.00	0.50	5867.28	0.00	0.00	0.80	9445.82	
TOT	0.00	0.00	4.83		0.00	0.00	35.48		0.00	0.00	57.17		
SUMMER STORED WATER													PG 3
NOV 1998:	BUFFALO				SISSON				TOTAL				OWN
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	20159.69	0.00	0.00	0.00	2768.53	0.00	0.00	0.00	48689.63	48689.63
2	0.00	0.00	4.55	20155.14	0.00	0.00	0.63	2767.90	0.00	0.00	10.99	48678.64	
3	0.00	0.00	4.04	20151.10	0.00	0.00	0.56	2767.34	0.00	0.00	9.76	48668.88	
4	0.00	0.00	1.81	20149.29	0.00	0.00	0.25	2767.09	0.00	0.00	4.37	48664.51	
5	0.00	0.00	2.70	20146.59	0.00	0.00	0.37	2766.72	0.00	0.00	6.53	48657.98	
6	0.00	0.00	2.21	20144.38	0.00	0.00	0.30	2766.42	0.00	0.00	5.33	48652.65	
7	0.00	0.00	1.79	20142.59	0.00	0.00	0.25	2766.17	0.00	0.00	4.33	48648.32	
8	0.00	0.00	1.79	20140.80	0.00	0.00	0.25	2765.92	0.00	0.00	4.32	48644.00	
9	0.00	0.00	0.00	20140.80	0.00	0.00	0.00	2765.92	0.00	0.00	0.00	48644.00	
10	0.00	0.00	1.79	20139.01	0.00	0.00	0.25	2765.67	0.00	0.00	4.31	48639.69	
11	0.00	0.00	3.57	20135.44	0.00	0.00	0.49	2765.18	0.00	0.00	8.61	48631.08	
12	0.00	0.00	3.56	20131.88	0.00	0.00	0.49	2764.69	0.00	0.00	8.59	48622.49	
13	0.00	0.00	5.33	20126.55	0.00	0.00	0.73	2763.96	0.00	0.00	12.87	48609.62	
14	0.00	0.00	5.32	20121.23	0.00	0.00	0.73	2763.23	0.00	0.00	12.84	48596.78	
15	0.00	0.00	5.71	20115.52	0.00	0.00	0.79	2762.44	0.00	0.00	13.79	48582.99	
16	0.00	0.00	6.57	20108.95	0.00	0.00	0.90	2761.54	0.00	0.00	15.88	48567.11	
17	0.00	0.00	5.67	20103.28	0.00	0.00	0.78	2760.76	0.00	0.00	13.69	48553.42	
18	0.00	0.00	7.01	20096.27	0.00	0.00	0.96	2759.80	0.00	0.00	16.92	48536.50	
19	0.00	0.00	3.50	20092.77	0.00	0.00	0.48	2759.32	0.00	0.00	8.44	48528.06	
20	0.00	0.00	3.96	20088.81	0.00	0.00	0.54	2758.78	0.00	0.00	9.57	48518.49	
21	0.00	0.00	3.95	20084.86	0.00	0.00	0.54	2758.24	0.00	0.00	9.54	48508.95	
22	0.00	0.00	3.94	20080.92	0.00	0.00	0.54	2757.70	0.00	0.00	9.52	48499.43	
23	0.00	0.00	6.53	20074.39	0.00	0.00	0.90	2756.80	0.00	0.00	15.77	48483.66	
24	0.00	0.00	7.85	20066.54	0.00	0.00	1.08	2755.72	0.00	0.00	18.96	48464.70	
25	0.00	0.00	6.11	20060.43	0.00	0.00	0.84	2754.88	0.00	0.00	14.76	48449.94	
26	0.00	0.00	6.10	20054.33	0.00	0.00	0.84	2754.04	0.00	0.00	14.72	48435.22	
27	0.00	0.00	4.76	20049.57	0.00	0.00	0.65	2753.39	0.00	0.00	11.49	48423.73	
28	0.00	0.00	4.75	20044.82	0.00	0.00	0.65	2752.74	0.00	0.00	11.47	48412.26	
29	0.00	0.00	4.74	20040.08	0.00	0.00	0.65	2752.09	0.00	0.00	11.45	48400.81	
30	0.00	0.00	1.71	20038.37	0.00	0.00	0.23	2751.86	0.00	0.00	4.12	48396.69	
TOT	0.00	0.00	121.32		0.00	0.00	16.67		0.00	0.00	292.94		

## ARTICLE III

FT. LYON

PG 4  
LAS ANIMAS CONSOL.

AMITY

NOV 1998:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	8730.02	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
2	0.00	0.00	1.97	8728.05	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
3	0.00	0.00	1.75	8726.30	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
4	0.00	0.00	0.78	8725.52	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
5	0.00	0.00	1.17	8724.35	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
6	0.00	0.00	0.96	8723.39	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
7	0.00	0.00	0.78	8722.61	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
8	0.00	0.00	0.78	8721.83	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	8721.83	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
10	0.00	0.00	0.77	8721.06	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
11	0.00	0.00	1.54	8719.52	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
12	0.00	0.00	1.54	8717.98	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
13	0.00	0.00	2.31	8715.67	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
14	0.00	0.00	2.30	8713.37	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
15	0.00	0.00	2.47	8710.90	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
16	0.00	0.00	2.85	8708.05	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
17	0.00	0.00	2.46	8705.59	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
18	0.00	0.00	3.03	8702.56	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
19	0.00	0.00	1.52	8701.04	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
20	0.00	0.00	1.72	8699.32	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
21	0.00	0.00	1.71	8697.61	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
22	0.00	0.00	1.71	8695.90	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
23	0.00	0.00	2.83	8693.07	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
24	0.00	0.00	3.40	8689.67	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
25	0.00	0.00	2.65	8687.02	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
26	0.00	0.00	2.64	8684.38	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
27	0.00	0.00	2.06	8682.32	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
28	0.00	0.00	2.06	8680.26	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
29	0.00	0.00	2.05	8678.21	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
30	0.00	0.00	0.74	8677.47	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
TOT	0.00	0.00	52.55		:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00

## ARTICLE III

JOHN MARTIN RESERVOIR

NOV 1998:	TOTAL				OFFSET ACCOUNT				FLOOD POOL				PG 4	
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN		
1	0.00	0.00	0.00	8730.02	:	48.37	0.00	0.00	4848.68	:	0.00	0.00	0.00	0.00
2	0.00	0.00	1.97	8728.05	:	50.11	0.00	1.11	4946.05	:	0.00	0.00	0.00	0.00
3	0.00	0.00	1.75	8726.30	:	58.24	0.00	0.99	5003.30	:	0.00	0.00	0.00	0.00
4	0.00	0.00	0.78	8725.52	:	64.49	0.00	0.45	5067.34	:	0.00	0.00	0.00	0.00
5	0.00	0.00	1.17	8724.35	:	77.86	0.00	0.68	5144.52	:	0.00	0.00	0.00	0.00
6	0.00	0.00	0.96	8723.39	:	0.00	0.00	0.56	5143.96	:	0.00	0.00	0.00	0.00
7	0.00	0.00	0.78	8722.61	:	0.00	0.00	0.46	5143.50	:	0.00	0.00	0.00	0.00
8	0.00	0.00	0.78	8721.83	:	0.00	0.00	0.46	5143.04	:	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	8721.83	:	0.00	0.00	0.00	5143.04	:	0.00	0.00	0.00	0.00
10	0.00	0.00	0.77	8721.06	:	0.00	0.00	0.46	5142.58	:	0.00	0.00	0.00	0.00
11	0.00	0.00	1.54	8719.52	:	0.00	0.00	0.91	5141.67	:	0.00	0.00	0.00	0.00
12	0.00	0.00	1.54	8717.98	:	0.00	0.00	0.91	5140.76	:	0.00	0.00	0.00	0.00
13	0.00	0.00	2.31	8715.67	:	0.00	0.00	1.36	5139.40	:	0.00	0.00	0.00	0.00
14	0.00	0.00	2.30	8713.37	:	0.00	0.00	1.36	5138.04	:	0.00	0.00	0.00	0.00
15	0.00	0.00	2.47	8710.90	:	0.00	0.00	1.46	5136.58	:	0.00	0.00	0.00	0.00
16	0.00	0.00	2.85	8708.05	:	0.00	0.00	1.68	5134.90	:	0.00	0.00	0.00	0.00
17	0.00	0.00	2.46	8705.59	:	0.00	0.00	1.45	5133.45	:	0.00	0.00	0.00	0.00
18	0.00	0.00	3.03	8702.56	:	0.00	0.00	1.79	5131.66	:	0.00	0.00	0.00	0.00
19	0.00	0.00	1.52	8701.04	:	0.00	0.00	0.89	5130.77	:	0.00	0.00	0.00	0.00
20	0.00	0.00	1.72	8699.32	:	0.00	0.00	1.01	5129.76	:	0.00	0.00	0.00	0.00
21	0.00	0.00	1.71	8697.61	:	0.00	0.00	1.01	5128.75	:	0.00	0.00	0.00	0.00
22	0.00	0.00	1.71	8695.90	:	0.00	0.00	1.00	5127.75	:	0.00	0.00	0.00	0.00
23	0.00	0.00	2.83	8693.07	:	0.00	0.00	1.67	5126.08	:	0.00	0.00	0.00	0.00
24	0.00	0.00	3.40	8689.67	:	0.00	0.00	2.01	5124.07	:	0.00	0.00	0.00	0.00
25	0.00	0.00	2.65	8687.02	:	0.00	0.00	1.56	5122.51	:	0.00	0.00	0.00	0.00
26	0.00	0.00	2.64	8684.38	:	0.00	0.00	1.56	5120.95	:	0.00	0.00	0.00	0.00
27	0.00	0.00	2.06	8682.32	:	0.00	0.00	1.22	5119.73	:	0.00	0.00	0.00	0.00
28	0.00	0.00	2.06	8680.26	:	0.00	0.00	1.21	5118.52	:	0.00	0.00	0.00	0.00
29	0.00	0.00	2.05	8678.21	:	0.00	0.00	1.21	5117.31	:	0.00	0.00	0.00	0.00
30	0.00	0.00	0.74	8677.47	:	0.00	0.00	0.44	5116.87	:	0.00	0.00	0.00	0.00
TOT	0.00	0.00	52.55		:	299.07	0.00	30.88		:	0.00	0.00	0.00	0.00

## 1998 WINTER STORED WATER

NOV 1998:	KEESEE				FT. BENT				AMITY				PG 5
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	972.03	0.00	0.00	0.00	6197.05	0.00	0.00	0.00	25054.08	
2	0.00	0.00	0.22	971.81	0.00	0.00	1.40	6195.65	0.00	0.00	5.65	25048.43	
3	0.00	0.00	0.20	971.61	0.00	0.00	1.24	6194.41	0.00	0.00	5.03	25043.40	
4	0.00	0.00	0.09	971.52	0.00	0.00	0.56	6193.85	0.00	0.00	2.25	25041.15	
5	0.00	0.00	0.13	971.39	0.00	0.00	0.83	6193.02	0.00	0.00	3.36	25037.79	
6	0.00	0.00	0.11	971.28	0.00	0.00	0.68	6192.34	0.00	0.00	2.74	25035.05	
7	0.00	0.00	0.09	971.19	0.00	0.00	0.55	6191.79	0.00	0.00	2.23	25032.82	
8	0.00	0.00	0.09	971.10	0.00	0.00	0.55	6191.24	0.00	0.00	2.22	25030.60	
9	0.00	0.00	0.00	971.10	0.00	0.00	0.00	6191.24	0.00	0.00	0.00	25030.60	
10	0.00	0.00	0.08	971.02	0.00	0.00	0.55	6190.69	0.00	0.00	2.22	25028.38	
11	0.00	0.00	0.17	970.85	0.00	0.00	1.10	6189.59	0.00	0.00	4.43	25023.95	
12	0.00	0.00	0.17	970.68	0.00	0.00	1.09	6188.50	0.00	0.00	4.42	25019.53	
13	0.00	0.00	0.26	970.42	0.00	0.00	1.64	6186.86	0.00	0.00	6.62	25012.91	
14	0.00	0.00	0.26	970.16	0.00	0.00	1.63	6185.23	0.00	0.00	6.60	25006.31	
15	0.00	0.00	0.28	969.88	0.00	0.00	1.76	6183.47	0.00	0.00	7.09	24999.22	
16	0.00	0.00	0.32	969.56	0.00	0.00	2.02	6181.45	0.00	0.00	8.17	24991.05	
17	0.00	0.00	0.27	969.29	0.00	0.00	1.74	6179.71	0.00	0.00	7.05	24984.00	
18	0.00	0.00	0.34	968.95	0.00	0.00	2.15	6177.56	0.00	0.00	8.70	24975.30	
19	0.00	0.00	0.17	968.78	0.00	0.00	1.07	6176.49	0.00	0.00	4.35	24970.95	
20	0.00	0.00	0.19	968.59	0.00	0.00	1.22	6175.27	0.00	0.00	4.92	24966.03	
21	0.00	0.00	0.19	968.40	0.00	0.00	1.21	6174.06	0.00	0.00	4.91	24961.12	
22	0.00	0.00	0.19	968.21	0.00	0.00	1.21	6172.85	0.00	0.00	4.90	24956.22	
23	0.00	0.00	0.31	967.90	0.00	0.00	2.01	6170.84	0.00	0.00	8.11	24948.11	
24	0.00	0.00	0.38	967.52	0.00	0.00	2.41	6168.43	0.00	0.00	9.76	24938.35	
25	0.00	0.00	0.29	967.23	0.00	0.00	1.88	6166.55	0.00	0.00	7.59	24930.76	
26	0.00	0.00	0.29	966.94	0.00	0.00	1.87	6164.68	0.00	0.00	7.57	24923.19	
27	0.00	0.00	0.23	966.71	0.00	0.00	1.46	6163.22	0.00	0.00	5.91	24917.28	
28	0.00	0.00	0.23	966.48	0.00	0.00	1.46	6161.76	0.00	0.00	5.90	24911.38	
29	0.00	0.00	0.23	966.25	0.00	0.00	1.46	6160.30	0.00	0.00	5.89	24905.49	
30	0.00	0.00	0.08	966.17	0.00	0.00	0.52	6159.78	0.00	0.00	2.12	24903.37	
TOT	0.00	0.00	5.86	.....	0.00	0.00	37.27	.....	0.00	0.00	150.71		

## 1998 WINTER STORED WATER

NOV 1998:	LAMAR				HYDE				MANVEL				PG 5
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	2834.48	0.00	0.00	0.00	1462.74	0.00	0.00	0.00	2700.03	
2	0.00	0.00	0.64	2833.84	0.00	0.00	0.33	1462.41	0.00	0.00	0.61	2699.42	
3	0.00	0.00	0.57	2833.27	0.00	0.00	0.29	1462.12	0.00	0.00	0.54	2698.88	
4	0.00	0.00	0.25	2833.02	0.00	0.00	0.13	1461.99	0.00	0.00	0.24	2698.64	
5	0.00	0.00	0.38	2832.64	0.00	0.00	0.20	1461.79	0.00	0.00	0.36	2698.28	
6	0.00	0.00	0.31	2832.33	0.00	0.00	0.16	1461.63	0.00	0.00	0.29	2697.99	
7	0.00	0.00	0.25	2832.08	0.00	0.00	0.13	1461.50	0.00	0.00	0.24	2697.75	
8	0.00	0.00	0.25	2831.83	0.00	0.00	0.13	1461.37	0.00	0.00	0.24	2697.51	
9	0.00	0.00	0.00	2831.83	0.00	0.00	0.00	1461.37	0.00	0.00	0.00	2697.51	
10	0.00	0.00	0.25	2831.58	0.00	0.00	0.13	1461.24	0.00	0.00	0.24	2697.27	
11	0.00	0.00	0.50	2831.08	0.00	0.00	0.26	1460.98	0.00	0.00	0.48	2696.79	
12	0.00	0.00	0.50	2830.58	0.00	0.00	0.26	1460.72	0.00	0.00	0.48	2696.31	
13	0.00	0.00	0.75	2829.83	0.00	0.00	0.38	1460.34	0.00	0.00	0.71	2695.60	
14	0.00	0.00	0.75	2829.08	0.00	0.00	0.39	1459.95	0.00	0.00	0.71	2694.89	
15	0.00	0.00	0.80	2828.28	0.00	0.00	0.41	1459.54	0.00	0.00	0.76	2694.13	
16	0.00	0.00	0.92	2827.36	0.00	0.00	0.48	1459.06	0.00	0.00	0.88	2693.25	
17	0.00	0.00	0.80	2826.56	0.00	0.00	0.41	1458.65	0.00	0.00	0.76	2692.49	
18	0.00	0.00	0.99	2825.57	0.00	0.00	0.51	1458.14	0.00	0.00	0.94	2691.55	
19	0.00	0.00	0.49	2825.08	0.00	0.00	0.25	1457.89	0.00	0.00	0.47	2691.08	
20	0.00	0.00	0.56	2824.52	0.00	0.00	0.29	1457.60	0.00	0.00	0.53	2690.55	
21	0.00	0.00	0.56	2823.96	0.00	0.00	0.29	1457.31	0.00	0.00	0.53	2690.02	
22	0.00	0.00	0.56	2823.40	0.00	0.00	0.29	1457.02	0.00	0.00	0.53	2689.49	
23	0.00	0.00	0.92	2822.48	0.00	0.00	0.47	1456.55	0.00	0.00	0.87	2688.62	
24	0.00	0.00	1.10	2821.38	0.00	0.00	0.57	1455.98	0.00	0.00	1.05	2687.57	
25	0.00	0.00	0.86	2820.52	0.00	0.00	0.44	1455.54	0.00	0.00	0.82	2686.75	
26	0.00	0.00	0.86	2819.66	0.00	0.00	0.44	1455.10	0.00	0.00	0.82	2685.93	
27	0.00	0.00	0.67	2819.99	0.00	0.00	0.35	1454.75	0.00	0.00	0.64	2685.29	
28	0.00	0.00	0.67	2818.32	0.00	0.00	0.34	1454.41	0.00	0.00	0.64	2684.65	
29	0.00	0.00	0.66	2817.66	0.00	0.00	0.34	1454.07	0.00	0.00	0.63	2684.02	
30	0.00	0.00	0.24	2817.42	0.00	0.00	0.12	1453.95	0.00	0.00	0.23	2683.79	
TOT	0.00	0.00	17.06	.....	0.00	0.00	8.79	.....	0.00	0.00	16.24		

## 1998 WINTER STORED WATER

PG 6

NOV 1998:	X-Y					BUFFALO					SISSON-STUBBS				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	5738.21	:	0.00	0.00	0.00	9563.71	:	0.00	0.00	0.00	1350.02	
2	0.00	0.00	1.30	5736.91	:	0.00	0.00	2.16	9561.55	:	0.00	0.00	0.30	1349.72	
3	0.00	0.00	1.15	5735.76	:	0.00	0.00	1.92	9559.63	:	0.00	0.00	0.27	1349.45	
4	0.00	0.00	0.51	5735.25	:	0.00	0.00	0.86	9558.77	:	0.00	0.00	0.12	1349.33	
5	0.00	0.00	0.77	5734.48	:	0.00	0.00	1.29	9557.48	:	0.00	0.00	0.18	1349.15	
6	0.00	0.00	0.63	5733.85	:	0.00	0.00	1.05	9556.43	:	0.00	0.00	0.15	1349.00	
7	0.00	0.00	0.51	5733.34	:	0.00	0.00	0.85	9555.58	:	0.00	0.00	0.12	1348.88	
8	0.00	0.00	0.51	5732.83	:	0.00	0.00	0.85	9554.73	:	0.00	0.00	0.12	1348.76	
9	0.00	0.00	0.00	5732.83	:	0.00	0.00	0.00	9554.73	:	0.00	0.00	0.00	1348.76	
10	0.00	0.00	0.51	5732.32	:	0.00	0.00	0.85	9553.88	:	0.00	0.00	0.12	1348.64	
11	0.00	0.00	1.01	5731.31	:	0.00	0.00	1.69	9552.19	:	0.00	0.00	0.24	1348.40	
12	0.00	0.00	1.01	5730.30	:	0.00	0.00	1.69	9550.50	:	0.00	0.00	0.24	1348.16	
13	0.00	0.00	1.51	5728.79	:	0.00	0.00	2.53	9547.97	:	0.00	0.00	0.36	1347.80	
14	0.00	0.00	1.51	5727.28	:	0.00	0.00	2.52	9545.45	:	0.00	0.00	0.36	1347.44	
15	0.00	0.00	1.63	5725.65	:	0.00	0.00	2.71	9542.74	:	0.00	0.00	0.38	1347.06	
16	0.00	0.00	1.87	5723.78	:	0.00	0.00	3.12	9539.62	:	0.00	0.00	0.44	1346.62	
17	0.00	0.00	1.62	5722.16	:	0.00	0.00	2.69	9536.93	:	0.00	0.00	0.38	1346.24	
18	0.00	0.00	1.99	5720.17	:	0.00	0.00	3.32	9533.61	:	0.00	0.00	0.47	1345.77	
19	0.00	0.00	1.00	5719.17	:	0.00	0.00	1.66	9531.95	:	0.00	0.00	0.23	1345.54	
20	0.00	0.00	1.13	5718.04	:	0.00	0.00	1.88	9530.07	:	0.00	0.00	0.26	1345.28	
21	0.00	0.00	1.13	5716.91	:	0.00	0.00	1.87	9528.20	:	0.00	0.00	0.26	1345.02	
22	0.00	0.00	1.12	5715.79	:	0.00	0.00	1.87	9526.33	:	0.00	0.00	0.26	1344.76	
23	0.00	0.00	1.86	5713.93	:	0.00	0.00	3.10	9523.23	:	0.00	0.00	0.44	1344.32	
24	0.00	0.00	2.24	5711.69	:	0.00	0.00	3.72	9519.51	:	0.00	0.00	0.53	1343.79	
25	0.00	0.00	1.74	5709.95	:	0.00	0.00	2.90	9516.61	:	0.00	0.00	0.41	1343.38	
26	0.00	0.00	1.74	5708.21	:	0.00	0.00	2.89	9513.72	:	0.00	0.00	0.41	1342.97	
27	0.00	0.00	1.35	5706.86	:	0.00	0.00	2.26	9511.46	:	0.00	0.00	0.32	1342.65	
28	0.00	0.00	1.35	5705.51	:	0.00	0.00	2.25	9509.21	:	0.00	0.00	0.32	1342.33	
29	0.00	0.00	1.35	5704.16	:	0.00	0.00	2.25	9506.96	:	0.00	0.00	0.32	1342.01	
30	0.00	0.00	0.49	5703.67	:	0.00	0.00	0.81	9506.15	:	0.00	0.00	0.11	1341.90	
TOT	0.00	0.00	34.54			0.00	0.00	57.56			0.00	0.00	8.12		

## 1998 WINTER STORED WATER

## JOHN MARTIN RESERVOIR

PG 6

NOV 1998:	TOTAL					CITY/LMR									
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	55872.35	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
2	0.00	0.00	12.61	55859.74	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
3	0.00	0.00	11.21	55848.53	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
4	0.00	0.00	5.01	55843.52	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
5	0.00	0.00	7.50	55836.02	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
6	0.00	0.00	6.12	55829.90	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
7	0.00	0.00	4.97	55824.93	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
8	0.00	0.00	4.96	55819.97	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
9	0.00	0.00	0.00	55819.97	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
10	0.00	0.00	4.95	55815.02	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
11	0.00	0.00	9.88	55805.14	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
12	0.00	0.00	9.86	55795.28	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
13	0.00	0.00	14.76	55780.52	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
14	0.00	0.00	14.73	55765.79	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
15	0.00	0.00	15.82	55749.97	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
16	0.00	0.00	18.22	55731.75	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
17	0.00	0.00	15.72	55716.03	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
18	0.00	0.00	19.41	55696.62	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
19	0.00	0.00	9.69	55686.93	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
20	0.00	0.00	10.98	55675.95	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
21	0.00	0.00	10.95	55665.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
22	0.00	0.00	10.93	55654.07	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
23	0.00	0.00	18.09	55635.98	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
24	0.00	0.00	21.76	55614.22	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
25	0.00	0.00	16.93	55597.29	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
26	0.00	0.00	16.89	55580.40	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
27	0.00	0.00	13.19	55567.21	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
28	0.00	0.00	13.16	55554.05	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
29	0.00	0.00	13.13	55540.92	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
30	0.00	0.00	4.72	55536.20	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
TOT	0.00	0.00	336.15			0.00	0.00	0.00			0.00	0.00	0.00		

## **SECTION 5**

**December 1998**

## JOHN MARTIN RESERVOIR

## JOHN MARTIN RESERVOIR

## AGREEMENT WATER

PG 1  
SUMMER COMPACT WATER

DEC 1998:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	734.00	0.00	157.00	259516.00	:	0.00	0.00	137.80	227129.11	:	0.00	0.00	0.00	0.00
2	537.00	0.00	56.00	259997.00	:	0.00	0.00	49.01	227080.10	:	0.00	0.00	0.00	0.00
3	724.00	0.00	51.00	260670.00	:	0.00	0.00	44.54	227035.56	:	0.00	0.00	0.00	0.00
4	421.00	0.00	34.00	261057.00	:	0.00	0.00	29.61	227005.95	:	0.00	0.00	0.00	0.00
5	415.00	0.00	28.00	261444.00	:	0.00	0.00	24.35	226981.60	:	0.00	0.00	0.00	0.00
6	514.00	0.00	28.00	261930.00	:	0.00	0.00	24.31	226957.29	:	0.00	0.00	0.00	0.00
7	530.00	0.00	45.00	262415.00	:	0.00	0.00	38.99	226918.30	:	0.00	0.00	0.00	0.00
8	432.00	0.00	45.00	262802.00	:	0.00	0.00	38.91	226879.39	:	0.00	0.00	0.00	0.00
9	435.00	0.00	45.00	263192.00	:	0.00	0.00	38.85	226840.54	:	0.00	0.00	0.00	0.00
10	437.00	0.00	46.00	263583.00	:	0.00	0.00	39.65	226800.89	:	0.00	0.00	0.00	0.00
11	534.00	0.00	46.00	264071.00	:	0.00	0.00	39.58	226761.31	:	0.00	0.00	0.00	0.00
12	438.00	0.00	46.00	264463.00	:	0.00	0.00	39.50	226721.81	:	0.00	0.00	0.00	0.00
13	536.00	0.00	46.00	264953.00	:	0.00	0.00	39.44	226682.37	:	0.00	0.00	0.00	0.00
14	535.00	0.00	46.00	265442.00	:	0.00	0.00	39.35	226643.02	:	0.00	0.00	0.00	0.00
15	340.00	0.00	46.00	265736.00	:	0.00	0.00	39.28	226603.74	:	0.00	0.00	0.00	0.00
16	440.00	0.00	46.00	266130.00	:	0.00	0.00	39.23	226564.51	:	0.00	0.00	0.00	0.00
17	539.00	0.00	46.00	266623.00	:	0.00	0.00	39.16	226525.35	:	0.00	0.00	0.00	0.00
18	341.00	0.00	46.00	266918.00	:	0.00	0.00	39.08	226486.27	:	0.00	0.00	0.00	0.00
19	244.00	0.00	46.00	267116.00	:	0.00	0.00	39.03	226447.24	:	0.00	0.00	0.00	0.00
20	441.00	0.00	46.00	267511.00	:	0.00	0.00	39.00	226408.24	:	0.00	0.00	0.00	0.00
21	340.00	0.00	46.00	267805.00	:	0.00	0.00	38.93	226369.31	:	0.00	0.00	0.00	0.00
22	244.00	0.00	46.00	268003.00	:	0.00	0.00	38.88	226330.43	:	0.00	0.00	0.00	0.00
23	244.00	0.00	46.00	268201.00	:	0.00	0.00	38.85	226291.58	:	0.00	0.00	0.00	0.00
24	343.00	0.00	46.00	268498.00	:	0.00	0.00	38.81	226252.77	:	0.00	0.00	0.00	0.00
25	344.00	0.00	46.00	268796.00	:	0.00	0.00	38.76	226214.01	:	0.00	0.00	0.00	0.00
26	442.00	0.00	46.00	269192.00	:	0.00	0.00	38.71	226175.30	:	0.00	0.00	0.00	0.00
27	444.00	0.00	46.00	269590.00	:	0.00	0.00	38.65	226136.65	:	0.00	0.00	0.00	0.00
28	540.00	0.00	46.00	270084.00	:	0.00	0.00	38.59	226098.06	:	0.00	0.00	0.00	0.00
29	445.00	0.00	47.00	270482.00	:	0.00	0.00	39.34	226058.72	:	0.00	0.00	0.00	0.00
30	744.00	0.00	47.00	271179.00	:	0.00	0.00	39.28	226019.44	:	0.00	0.00	0.00	0.00
31	646.00	0.00	47.00	271778.00	:	0.00	0.00	39.17	225980.27	:	0.00	0.00	0.00	0.00
TOT	14343.00	0.00	1504.00		:	0.00	0.00	1286.64		:	0.00	0.00	0.00	

## JOHN MARTIN RESERVOIR

## WINTER COMPACT WATER

## PERMANENT POOL

## WINTER WATER

DEC 1998:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	536.22	0.00	8.17	13481.28	:	0.00	0.00	5.45	8985.51	:	197.78	0.00	2.48	4088.43
2	341.16	0.00	3.02	14347.47	:	0.00	0.00	1.94	8978.12	:	195.84	0.00	0.93	4478.64
3	532.04	0.00	2.82	14876.69	:	0.00	0.00	1.76	8976.36	:	191.96	0.00	0.88	4669.72
4	237.76	0.00	1.94	15112.51	:	0.00	0.00	1.17	8975.19	:	183.24	0.00	0.61	4852.35
5	232.73	0.00	1.62	15343.62	:	0.00	0.00	0.96	8974.23	:	182.27	0.00	0.52	5034.10
6	325.92	0.00	1.64	15667.90	:	0.00	0.00	0.96	8973.27	:	188.08	0.00	0.54	5221.64
7	345.80	0.00	2.69	16011.01	:	0.00	0.00	1.54	8971.73	:	184.20	0.00	0.90	5404.94
8	247.80	0.00	2.74	16256.07	:	0.00	0.00	1.54	8970.19	:	184.20	0.00	0.93	5588.21
9	246.92	0.00	2.78	16500.21	:	0.00	0.00	1.54	8968.65	:	188.08	0.00	0.96	5775.33
10	250.86	0.00	2.88	16748.19	:	0.00	0.00	1.57	8967.08	:	186.14	0.00	1.01	5960.46
11	339.13	0.00	2.92	17084.40	:	0.00	0.00	1.57	8965.51	:	194.87	0.00	1.04	6154.29
12	251.86	0.00	2.98	17333.28	:	0.00	0.00	1.56	8963.95	:	186.14	0.00	1.07	6339.36
13	359.55	0.00	3.01	17689.82	:	0.00	0.00	1.56	8962.39	:	176.45	0.00	1.10	6514.71
14	347.89	0.00	3.07	18034.64	:	0.00	0.00	1.56	8960.83	:	187.11	0.00	1.13	6700.69
15	157.73	0.00	3.13	18189.24	:	0.00	0.00	1.55	8959.28	:	182.27	0.00	1.16	6881.80
16	258.70	0.00	3.15	18444.79	:	0.00	0.00	1.55	8957.73	:	181.30	0.00	1.19	7061.91
17	357.70	0.00	3.19	18799.30	:	0.00	0.00	1.55	8956.18	:	181.30	0.00	1.22	7241.99
18	161.64	0.00	3.24	18957.70	:	0.00	0.00	1.55	8954.63	:	179.36	0.00	1.25	7420.10
19	145.11	0.00	3.27	19099.54	:	0.00	0.00	1.54	8953.09	:	98.89	0.00	1.28	7517.71
20	270.37	0.00	3.29	19366.62	:	0.00	0.00	1.54	8951.55	:	170.63	0.00	1.29	7687.05
21	201.36	0.00	3.33	19564.65	:	0.00	0.00	1.54	8950.01	:	138.64	0.00	1.32	7824.37
22	145.11	0.00	3.36	19706.40	:	0.00	0.00	1.54	8948.47	:	98.89	0.00	1.34	7921.92
23	145.11	0.00	3.38	19848.13	:	0.00	0.00	1.54	8946.93	:	98.89	0.00	1.36	8019.45
24	203.39	0.00	3.40	20048.12	:	0.00	0.00	1.54	8945.39	:	139.61	0.00	1.38	8157.68
25	204.39	0.00	3.44	20249.07	:	0.00	0.00	1.53	8943.86	:	139.61	0.00	1.40	8295.89
26	262.64	0.00	3.47	20508.24	:	0.00	0.00	1.53	8942.33	:	179.36	0.00	1.42	8473.83
27	263.67	0.00	3.50	20768.41	:	0.00	0.00	1.53	8940.80	:	180.33	0.00	1.45	8652.71
28	320.89	0.00	3.54	21085.76	:	0.00	0.00	1.52	8939.28	:	219.11	0.00	1.48	8870.34
29	158.03	0.00	3.67	21240.12	:	0.00	0.00	1.56	8937.72	:	286.97	0.00	1.54	9155.77
30	503.56	0.00	3.69	21739.99	:	0.00	0.00	1.55	8936.17	:	240.44	0.00	1.59	9394.62
31	437.56	0.00	3.77	22173.78	:	0.00	0.00	1.55	8934.62	:	208.44	0.00	1.63	9601.43
TOT	8792.60	0.00	100.10		:	0.00	0.00	50.89		:	5550.40	0.00	37.40	

AGREEMENT WATER												SUMMER STORED WATER				PG 2
DEC 1998:	KANSAS					TRANSIT LOSS					KEESEE					
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN		
1	0.00	0.00	68.61	113093.94	:	0.00	0.00	0.91	1493.09	:	0.00	0.00	0.00	0.00	9.56	
2	0.00	0.00	24.40	113069.54	:	0.00	0.00	0.32	1492.77	:	0.00	0.00	0.00	0.00	9.56	
3	0.00	0.00	22.18	113047.36	:	0.00	0.00	0.29	1492.48	:	0.00	0.00	0.00	0.00	9.56	
4	0.00	0.00	14.74	113032.62	:	0.00	0.00	0.19	1492.29	:	0.00	0.00	0.00	0.00	9.56	
5	0.00	0.00	12.12	113020.50	:	0.00	0.00	0.16	1492.13	:	0.00	0.00	0.00	0.00	9.56	
6	0.00	0.00	12.10	113008.40	:	0.00	0.00	0.16	1491.97	:	0.00	0.00	0.00	0.00	9.56	
7	0.00	0.00	19.41	112988.99	:	0.00	0.00	0.26	1491.71	:	0.00	0.00	0.00	0.00	9.56	
8	0.00	0.00	19.37	112969.62	:	0.00	0.00	0.26	1491.45	:	0.00	0.00	0.00	0.00	9.56	
9	0.00	0.00	19.35	112950.27	:	0.00	0.00	0.26	1491.19	:	0.00	0.00	0.00	0.00	9.56	
10	0.00	0.00	19.74	112930.53	:	0.00	0.00	0.26	1490.93	:	0.00	0.00	0.00	0.00	9.56	
11	0.00	0.00	19.71	112910.82	:	0.00	0.00	0.26	1490.67	:	0.00	0.00	0.00	0.00	9.56	
12	0.00	0.00	19.67	112891.15	:	0.00	0.00	0.26	1490.41	:	0.00	0.00	0.00	0.00	9.56	
13	0.00	0.00	19.64	112871.51	:	0.00	0.00	0.26	1490.15	:	0.00	0.00	0.00	0.00	9.56	
14	0.00	0.00	19.59	112851.92	:	0.00	0.00	0.26	1489.89	:	0.00	0.00	0.00	0.00	9.56	
15	0.00	0.00	19.56	112832.36	:	0.00	0.00	0.26	1489.63	:	0.00	0.00	0.00	0.00	9.56	
16	0.00	0.00	19.53	112812.83	:	0.00	0.00	0.26	1489.37	:	0.00	0.00	0.00	0.00	9.56	
17	0.00	0.00	19.50	112793.33	:	0.00	0.00	0.26	1489.11	:	0.00	0.00	0.00	0.00	9.56	
18	0.00	0.00	19.46	112773.87	:	0.00	0.00	0.26	1488.85	:	0.00	0.00	0.00	0.00	9.56	
19	0.00	0.00	19.43	112754.44	:	0.00	0.00	0.26	1488.59	:	0.00	0.00	0.00	0.00	9.56	
20	0.00	0.00	19.42	112735.02	:	0.00	0.00	0.26	1488.33	:	0.00	0.00	0.00	0.00	9.56	
21	0.00	0.00	19.38	112715.64	:	0.00	0.00	0.26	1488.07	:	0.00	0.00	0.00	0.00	9.56	
22	0.00	0.00	19.36	112696.28	:	0.00	0.00	0.26	1487.81	:	0.00	0.00	0.00	0.00	9.56	
23	0.00	0.00	19.35	112676.93	:	0.00	0.00	0.26	1487.55	:	0.00	0.00	0.00	0.00	9.56	
24	0.00	0.00	19.32	112657.61	:	0.00	0.00	0.26	1487.29	:	0.00	0.00	0.00	0.00	9.56	
25	0.00	0.00	19.30	112638.31	:	0.00	0.00	0.26	1487.03	:	0.00	0.00	0.00	0.00	9.56	
26	0.00	0.00	19.28	112619.03	:	0.00	0.00	0.25	1486.78	:	0.00	0.00	0.00	0.00	9.56	
27	0.00	0.00	19.25	112599.78	:	0.00	0.00	0.25	1486.53	:	0.00	0.00	0.00	0.00	9.56	
28	0.00	0.00	19.22	112580.56	:	0.00	0.00	0.25	1486.28	:	0.00	0.00	0.00	0.00	9.56	
29	0.00	0.00	19.59	112560.97	:	0.00	0.00	0.26	1486.02	:	0.00	0.00	0.00	0.00	9.56	
30	0.00	0.00	19.56	112541.41	:	0.00	0.00	0.26	1485.76	:	0.00	0.00	0.00	0.00	9.56	
31	0.00	0.00	19.50	112521.91	:	0.00	0.00	0.26	1485.50	:	0.00	0.00	0.00	0.00	9.56	
TOT	0.00	0.00	640.64		:	0.00	0.00	8.50		:	0.00	0.00	0.00	0.00		
SUMMER STORED WATER												LAMAR				PG 2
DEC 1998:	FT. BENT					AMITY					LAMAR					
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN		
1	0.00	0.00	0.92	1510.38	:	0.00	0.00	4.79	7898.06	:	0.00	0.00	0.05	81.85		
2	0.00	0.00	0.33	1509.46	:	0.00	0.00	1.70	7893.27	:	0.00	0.00	0.02	81.80		
3	0.00	0.00	0.30	1509.13	:	0.00	0.00	1.55	7891.57	:	0.00	0.00	0.02	81.78		
4	0.00	0.00	0.20	1508.83	:	0.00	0.00	1.03	7888.99	:	0.00	0.00	0.01	81.75		
5	0.00	0.00	0.16	1508.47	:	0.00	0.00	0.85	7888.14	:	0.00	0.00	0.01	81.74		
6	0.00	0.00	0.16	1508.31	:	0.00	0.00	0.85	7887.29	:	0.00	0.00	0.01	81.73		
7	0.00	0.00	0.26	1508.05	:	0.00	0.00	1.35	7885.94	:	0.00	0.00	0.01	81.72		
8	0.00	0.00	0.26	1507.79	:	0.00	0.00	1.35	7884.59	:	0.00	0.00	0.01	81.71		
9	0.00	0.00	0.26	1507.53	:	0.00	0.00	1.35	7883.24	:	0.00	0.00	0.01	81.70		
10	0.00	0.00	0.26	1507.27	:	0.00	0.00	1.38	7881.86	:	0.00	0.00	0.01	81.69		
11	0.00	0.00	0.26	1507.01	:	0.00	0.00	1.38	7880.48	:	0.00	0.00	0.01	81.68		
12	0.00	0.00	0.26	1506.75	:	0.00	0.00	1.37	7879.11	:	0.00	0.00	0.02	81.66		
13	0.00	0.00	0.26	1506.49	:	0.00	0.00	1.37	7877.74	:	0.00	0.00	0.01	81.65		
14	0.00	0.00	0.26	1506.23	:	0.00	0.00	1.37	7876.37	:	0.00	0.00	0.01	81.64		
15	0.00	0.00	0.26	1505.97	:	0.00	0.00	1.37	7875.00	:	0.00	0.00	0.01	81.63		
16	0.00	0.00	0.26	1505.71	:	0.00	0.00	1.36	7873.64	:	0.00	0.00	0.01	81.62		
17	0.00	0.00	0.26	1505.45	:	0.00	0.00	1.36	7872.28	:	0.00	0.00	0.01	81.61		
18	0.00	0.00	0.26	1505.19	:	0.00	0.00	1.36	7870.92	:	0.00	0.00	0.01	81.60		
19	0.00	0.00	0.26	1504.93	:	0.00	0.00	1.36	7869.56	:	0.00	0.00	0.01	81.59		
20	0.00	0.00	0.26	1504.67	:	0.00	0.00	1.35	7868.21	:	0.00	0.00	0.01	81.58		
21	0.00	0.00	0.26	1504.41	:	0.00	0.00	1.35	7866.86	:	0.00	0.00	0.01	81.57		
22	0.00	0.00	0.26	1504.15	:	0.00	0.00	1.35	7865.51	:	0.00	0.00	0.01	81.56		
23	0.00	0.00	0.26	1503.89	:	0.00	0.00	1.35	7864.16	:	0.00	0.00	0.01	81.55		
24	0.00	0.00	0.26	1503.63	:	0.00	0.00	1.35	7862.81	:	0.00	0.00	0.01	81.54		
25	0.00	0.00	0.26	1503.37	:	0.00	0.00	1.35	7861.46	:	0.00	0.00	0.01	81.53		
26	0.00	0.00	0.26	1503.11	:	0.00	0.00	1.34	7860.12	:	0.00	0.00	0.01	81.52		
27	0.00	0.00	0.26	1502.85	:	0.00	0.00	1.34	7858.78	:	0.00	0.00	0.01	81.51		
28	0.00	0.00	0.26	1502.59	:	0.00	0.00	1.34	7857.44	:	0.00	0.00	0.01	81.50		
29	0.00	0.00	0.26	1502.33	:	0.00	0.00	1.37	7856.07	:	0.00	0.00	0.01	81.49		
30	0.00	0.00	0.26	1502.07	:	0.00	0.00	1.37	7854.70	:	0.00	0.00	0.01	81.48		
31	0.00	0.00	0.26	1501.81	:	0.00	0.00	1.36	7853.34	:	0.00	0.00	0.01	81.47		
TOT	0.00	0.00	8.57		:	0.00	0.00	44.72		:	0.00	0.00	0.38			

SUMMER STORED WATER													PG 3
DEC 1998:	HYDE				MANVEL				X-Y				OWN
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.48	793.03	0.00	0.00	3.56	5863.72	0.00	0.00	5.73	9445.82	9440.09
2	0.00	0.00	0.17	792.86	0.00	0.00	1.27	5862.45	0.00	0.00	2.04	9438.05	9438.05
3	0.00	0.00	0.15	792.71	0.00	0.00	1.15	5861.30	0.00	0.00	1.85	9436.20	9436.20
4	0.00	0.00	0.10	792.61	0.00	0.00	0.77	5860.53	0.00	0.00	1.23	9434.97	9434.97
5	0.00	0.00	0.08	792.53	0.00	0.00	0.63	5859.90	0.00	0.00	1.01	9433.96	9433.96
6	0.00	0.00	0.09	792.44	0.00	0.00	0.63	5859.27	0.00	0.00	1.01	9432.95	9432.95
7	0.00	0.00	0.14	792.30	0.00	0.00	1.01	5858.26	0.00	0.00	1.62	9431.33	9431.33
8	0.00	0.00	0.14	792.16	0.00	0.00	1.01	5857.25	0.00	0.00	1.62	9429.71	9429.71
9	0.00	0.00	0.14	792.02	0.00	0.00	1.00	5856.25	0.00	0.00	1.61	9428.10	9428.10
10	0.00	0.00	0.14	791.88	0.00	0.00	1.02	5855.23	0.00	0.00	1.65	9426.45	9426.45
11	0.00	0.00	0.14	791.74	0.00	0.00	1.02	5854.21	0.00	0.00	1.65	9424.80	9424.80
12	0.00	0.00	0.14	791.60	0.00	0.00	1.02	5853.19	0.00	0.00	1.64	9423.16	9423.16
13	0.00	0.00	0.14	791.46	0.00	0.00	1.02	5852.17	0.00	0.00	1.64	9421.52	9421.52
14	0.00	0.00	0.14	791.32	0.00	0.00	1.02	5851.15	0.00	0.00	1.63	9419.89	9419.89
15	0.00	0.00	0.14	791.18	0.00	0.00	1.01	5850.14	0.00	0.00	1.63	9418.26	9418.26
16	0.00	0.00	0.14	791.04	0.00	0.00	1.01	5849.13	0.00	0.00	1.63	9416.63	9416.63
17	0.00	0.00	0.14	790.90	0.00	0.00	1.01	5848.12	0.00	0.00	1.63	9415.00	9415.00
18	0.00	0.00	0.14	790.76	0.00	0.00	1.01	5847.11	0.00	0.00	1.62	9413.38	9413.38
19	0.00	0.00	0.14	790.62	0.00	0.00	1.01	5846.10	0.00	0.00	1.62	9411.76	9411.76
20	0.00	0.00	0.14	790.48	0.00	0.00	1.01	5845.09	0.00	0.00	1.62	9410.14	9410.14
21	0.00	0.00	0.14	790.34	0.00	0.00	1.01	5844.08	0.00	0.00	1.62	9408.52	9408.52
22	0.00	0.00	0.14	790.20	0.00	0.00	1.00	5843.08	0.00	0.00	1.62	9406.90	9406.90
23	0.00	0.00	0.14	790.06	0.00	0.00	1.00	5842.08	0.00	0.00	1.61	9405.29	9405.29
24	0.00	0.00	0.14	789.92	0.00	0.00	1.00	5841.08	0.00	0.00	1.61	9403.68	9403.68
25	0.00	0.00	0.13	789.79	0.00	0.00	1.00	5840.08	0.00	0.00	1.61	9402.07	9402.07
26	0.00	0.00	0.14	789.65	0.00	0.00	1.00	5839.08	0.00	0.00	1.61	9400.46	9400.46
27	0.00	0.00	0.13	789.52	0.00	0.00	1.00	5838.08	0.00	0.00	1.61	9398.85	9398.85
28	0.00	0.00	0.14	789.38	0.00	0.00	1.00	5837.08	0.00	0.00	1.60	9397.25	9397.25
29	0.00	0.00	0.14	789.24	0.00	0.00	1.02	5836.06	0.00	0.00	1.63	9395.62	9395.62
30	0.00	0.00	0.14	789.10	0.00	0.00	1.01	5835.05	0.00	0.00	1.63	9393.99	9393.99
31	0.00	0.00	0.14	788.96	0.00	0.00	1.01	5834.04	0.00	0.00	1.63	9392.36	9392.36
TOT	0.00	0.00	4.55		0.00	0.00	33.24		0.00	0.00	53.46		
SUMMER STORED WATER													PG 3
DEC 1998:	BUFFALO				SISSON				TOTAL				OWN
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	12.15	20026.22	0.00	0.00	1.67	2750.19	0.00	0.00	29.35	48396.69	48367.34
2	0.00	0.00	4.32	20021.90	0.00	0.00	0.59	2749.60	0.00	0.00	10.44	48356.90	48347.41
3	0.00	0.00	3.93	20017.97	0.00	0.00	0.54	2749.06	0.00	0.00	9.49	48341.10	48341.10
4	0.00	0.00	2.61	20015.36	0.00	0.00	0.36	2748.70	0.00	0.00	6.31	48335.91	48335.91
5	0.00	0.00	2.15	20013.21	0.00	0.00	0.30	2748.40	0.00	0.00	5.19	48330.73	48330.73
6	0.00	0.00	2.14	20011.07	0.00	0.00	0.29	2748.11	0.00	0.00	5.18	48322.43	48322.43
7	0.00	0.00	3.44	20007.63	0.00	0.00	0.47	2747.64	0.00	0.00	8.30	48314.14	48314.14
8	0.00	0.00	3.43	20004.20	0.00	0.00	0.47	2747.17	0.00	0.00	8.29	48305.87	48305.87
9	0.00	0.00	3.43	20000.77	0.00	0.00	0.47	2746.70	0.00	0.00	8.27	48297.43	48297.43
10	0.00	0.00	3.50	19997.27	0.00	0.00	0.48	2746.22	0.00	0.00	8.44	48289.00	48289.00
11	0.00	0.00	3.49	19993.78	0.00	0.00	0.48	2745.74	0.00	0.00	8.43	48280.59	48280.59
12	0.00	0.00	3.48	19990.30	0.00	0.00	0.48	2745.26	0.00	0.00	8.41	48272.19	48272.19
13	0.00	0.00	3.48	19986.82	0.00	0.00	0.48	2744.78	0.00	0.00	8.40	48263.81	48263.81
14	0.00	0.00	3.47	19983.35	0.00	0.00	0.48	2744.30	0.00	0.00	8.36	48255.45	48255.45
15	0.00	0.00	3.46	19979.89	0.00	0.00	0.48	2743.82	0.00	0.00	8.35	48247.10	48247.10
16	0.00	0.00	3.46	19976.43	0.00	0.00	0.48	2743.34	0.00	0.00	8.34	48238.76	48238.76
17	0.00	0.00	3.45	19972.98	0.00	0.00	0.48	2742.86	0.00	0.00	8.32	48230.44	48230.44
18	0.00	0.00	3.45	19969.53	0.00	0.00	0.47	2742.39	0.00	0.00	8.31	48222.13	48222.13
19	0.00	0.00	3.44	19966.09	0.00	0.00	0.47	2741.92	0.00	0.00	8.30	48213.83	48213.83
20	0.00	0.00	3.44	19962.65	0.00	0.00	0.47	2741.45	0.00	0.00	8.29	48205.54	48205.54
21	0.00	0.00	3.43	19959.22	0.00	0.00	0.47	2740.98	0.00	0.00	8.28	48197.26	48197.26
22	0.00	0.00	3.43	19955.79	0.00	0.00	0.47	2740.51	0.00	0.00	8.27	48188.99	48188.99
23	0.00	0.00	3.43	19952.36	0.00	0.00	0.47	2740.04	0.00	0.00	8.25	48172.47	48172.47
24	0.00	0.00	3.43	19948.93	0.00	0.00	0.47	2739.57	0.00	0.00	8.24	48164.23	48164.23
25	0.00	0.00	3.42	19945.51	0.00	0.00	0.47	2739.10	0.00	0.00	8.23	48156.00	48156.00
26	0.00	0.00	3.41	19942.10	0.00	0.00	0.47	2738.63	0.00	0.00	8.22	48147.78	48147.78
27	0.00	0.00	3.41	19938.69	0.00	0.00	0.47	2738.16	0.00	0.00	8.21	48139.40	48139.40
28	0.00	0.00	3.40	19935.29	0.00	0.00	0.47	2737.69	0.00	0.00	8.20	48131.04	48131.04
29	0.00	0.00	3.47	19931.82	0.00	0.00	0.48	2737.21	0.00	0.00	8.19	48122.70	48122.70
30	0.00	0.00	3.46	19928.36	0.00	0.00	0.48	2736.73	0.00	0.00	8.18		
31	0.00	0.00	3.45	19924.91	0.00	0.00	0.48	2736.25	0.00	0.00	8.17		
TOT	0.00	0.00	113.46		0.00	0.00	15.61		0.00	0.00	273.99		

## ARTICLE III

## FT. LYON

PG 4  
LAS ANIMAS CONSOL.

DEC 1998:	AMITY				FT. LYON				LAS ANIMAS CONSOL.			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	5.26	8677.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	1.87	8670.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	1.70	8668.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	1.13	8667.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.93	8666.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.93	8665.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	1.49	8664.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	1.48	8662.68	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	1.48	8661.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	1.52	8659.68	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	1.51	8658.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	1.51	8656.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	1.50	8655.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	1.50	8653.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	1.50	8652.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	1.50	8650.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	1.49	8649.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	1.49	8647.68	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	1.49	8646.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	1.49	8644.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	1.49	8643.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	1.48	8641.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	1.48	8640.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	1.48	8638.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	1.48	8637.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	1.48	8635.81	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	1.48	8634.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	1.47	8632.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	1.50	8631.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	1.50	8629.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	1.50	8628.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	49.11		0.00	0.00	0.00		0.00	0.00	0.00	

## ARTICLE III

## JOHN MARTIN RESERVOIR

PG 4

DEC 1998:	TOTAL				OFFSET ACCOUNT				FLOOD POOL			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	5.26	8677.47	0.00	0.00	3.10	5116.87	0.00	0.00	0.00	0.00
2	0.00	0.00	1.87	8670.34	0.00	0.00	1.10	5113.77	0.00	0.00	0.00	0.00
3	0.00	0.00	1.70	8668.64	0.00	0.00	1.00	5111.67	0.00	0.00	0.00	0.00
4	0.00	0.00	1.13	8667.51	0.00	0.00	0.67	5111.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.93	8666.58	0.00	0.00	0.55	5110.45	0.00	0.00	0.00	0.00
6	0.00	0.00	0.93	8665.65	0.00	0.00	0.55	5109.90	0.00	0.00	0.00	0.00
7	0.00	0.00	1.49	8664.16	0.00	0.00	0.88	5109.02	0.00	0.00	0.00	0.00
8	0.00	0.00	1.48	8662.68	0.00	0.00	0.88	5108.14	0.00	0.00	0.00	0.00
9	0.00	0.00	1.48	8661.20	0.00	0.00	0.87	5107.27	0.00	0.00	0.00	0.00
10	0.00	0.00	1.52	8659.68	0.00	0.00	0.89	5106.38	0.00	0.00	0.00	0.00
11	0.00	0.00	1.51	8658.17	0.00	0.00	0.89	5105.49	0.00	0.00	0.00	0.00
12	0.00	0.00	1.51	8656.66	0.00	0.00	0.89	5104.60	0.00	0.00	0.00	0.00
13	0.00	0.00	1.50	8655.16	0.00	0.00	0.89	5103.71	0.00	0.00	0.00	0.00
14	0.00	0.00	1.50	8653.66	0.00	0.00	0.89	5102.82	0.00	0.00	0.00	0.00
15	0.00	0.00	1.50	8652.16	0.00	0.00	0.88	5101.94	0.00	0.00	0.00	0.00
16	0.00	0.00	1.50	8650.66	0.00	0.00	0.88	5101.06	0.00	0.00	0.00	0.00
17	0.00	0.00	1.49	8649.17	0.00	0.00	0.88	5100.18	0.00	0.00	0.00	0.00
18	0.00	0.00	1.49	8647.68	0.00	0.00	0.88	5099.30	0.00	0.00	0.00	0.00
19	0.00	0.00	1.49	8646.19	0.00	0.00	0.88	5098.42	0.00	0.00	0.00	0.00
20	0.00	0.00	1.49	8644.70	0.00	0.00	0.88	5097.54	0.00	0.00	0.00	0.00
21	0.00	0.00	1.49	8643.21	0.00	0.00	0.88	5096.66	0.00	0.00	0.00	0.00
22	0.00	0.00	1.48	8641.73	0.00	0.00	0.88	5095.78	0.00	0.00	0.00	0.00
23	0.00	0.00	1.48	8640.25	0.00	0.00	0.87	5094.91	0.00	0.00	0.00	0.00
24	0.00	0.00	1.48	8638.77	0.00	0.00	0.87	5094.04	0.00	0.00	0.00	0.00
25	0.00	0.00	1.48	8637.29	0.00	0.00	0.87	5093.17	0.00	0.00	0.00	0.00
26	0.00	0.00	1.48	8635.81	0.00	0.00	0.87	5092.30	0.00	0.00	0.00	0.00
27	0.00	0.00	1.48	8634.33	0.00	0.00	0.87	5091.43	0.00	0.00	0.00	0.00
28	0.00	0.00	1.47	8632.86	0.00	0.00	0.87	5090.56	0.00	0.00	0.00	0.00
29	0.00	0.00	1.50	8631.36	0.00	0.00	0.89	5089.67	0.00	0.00	0.00	0.00
30	0.00	0.00	1.50	8629.86	0.00	0.00	0.89	5088.78	0.00	0.00	0.00	0.00
31	0.00	0.00	1.50	8628.36	0.00	0.00	0.88	5087.90	0.00	0.00	0.00	0.00
TOT	0.00	0.00	49.11		0.00	0.00	28.97		0.00	0.00	0.00	

## 1998 WINTER STORED WATER

DEC 1998:	KEESEE				FT. BENT				AMITY				PG 5
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.59	965.58	0.00	0.00	3.73	6156.05	0.00	0.00	15.10	24903.37	24888.27
2	0.00	0.00	0.21	965.37	0.00	0.00	1.33	6154.72	0.00	0.00	5.37	24882.90	24882.90
3	0.00	0.00	0.19	965.18	0.00	0.00	1.21	6153.51	0.00	0.00	4.88	24878.02	24878.02
4	0.00	0.00	0.13	965.05	0.00	0.00	0.80	6152.71	0.00	0.00	3.25	24874.77	24874.77
5	0.00	0.00	0.10	964.95	0.00	0.00	0.66	6152.05	0.00	0.00	2.67	24872.10	24872.10
6	0.00	0.00	0.10	964.85	0.00	0.00	0.66	6151.39	0.00	0.00	2.66	24869.44	24869.44
7	0.00	0.00	0.17	964.68	0.00	0.00	1.06	6150.33	0.00	0.00	4.27	24865.17	24865.17
8	0.00	0.00	0.17	964.51	0.00	0.00	1.05	6149.28	0.00	0.00	4.26	24860.91	24860.91
9	0.00	0.00	0.17	964.34	0.00	0.00	1.05	6148.23	0.00	0.00	4.26	24856.65	24856.65
10	0.00	0.00	0.17	964.17	0.00	0.00	1.07	6147.16	0.00	0.00	4.35	24852.30	24852.30
11	0.00	0.00	0.17	964.00	0.00	0.00	1.07	6146.09	0.00	0.00	4.34	24847.96	24847.96
12	0.00	0.00	0.17	963.83	0.00	0.00	1.07	6145.02	0.00	0.00	4.33	24843.63	24843.63
13	0.00	0.00	0.17	963.66	0.00	0.00	1.07	6143.95	0.00	0.00	4.32	24839.31	24839.31
14	0.00	0.00	0.17	963.49	0.00	0.00	1.07	6142.88	0.00	0.00	4.31	24835.00	24835.00
15	0.00	0.00	0.17	963.32	0.00	0.00	1.06	6141.82	0.00	0.00	4.31	24830.69	24830.69
16	0.00	0.00	0.17	963.15	0.00	0.00	1.06	6140.76	0.00	0.00	4.30	24826.39	24826.39
17	0.00	0.00	0.17	962.98	0.00	0.00	1.06	6139.70	0.00	0.00	4.29	24822.10	24822.10
18	0.00	0.00	0.17	962.81	0.00	0.00	1.06	6138.64	0.00	0.00	4.28	24817.82	24817.82
19	0.00	0.00	0.17	962.64	0.00	0.00	1.06	6137.58	0.00	0.00	4.28	24813.54	24813.54
20	0.00	0.00	0.17	962.47	0.00	0.00	1.06	6136.52	0.00	0.00	4.27	24809.27	24809.27
21	0.00	0.00	0.17	962.30	0.00	0.00	1.05	6135.47	0.00	0.00	4.26	24805.01	24805.01
22	0.00	0.00	0.16	962.14	0.00	0.00	1.05	6134.42	0.00	0.00	4.26	24800.75	24800.75
23	0.00	0.00	0.17	961.97	0.00	0.00	1.05	6133.37	0.00	0.00	4.26	24796.49	24796.49
24	0.00	0.00	0.17	961.80	0.00	0.00	1.05	6132.32	0.00	0.00	4.25	24792.24	24792.24
25	0.00	0.00	0.16	961.64	0.00	0.00	1.05	6131.27	0.00	0.00	4.25	24787.99	24787.99
26	0.00	0.00	0.16	961.48	0.00	0.00	1.05	6130.22	0.00	0.00	4.24	24783.75	24783.75
27	0.00	0.00	0.16	961.32	0.00	0.00	1.05	6129.17	0.00	0.00	4.23	24779.52	24779.52
28	0.00	0.00	0.16	961.16	0.00	0.00	1.05	6128.12	0.00	0.00	4.23	24775.29	24775.29
29	0.00	0.00	0.17	960.99	0.00	0.00	1.07	6127.05	0.00	0.00	4.31	24770.98	24770.98
30	0.00	0.00	0.17	960.82	0.00	0.00	1.06	6125.99	0.00	0.00	4.31	24766.67	24766.67
31	0.00	0.00	0.17	960.65	0.00	0.00	1.06	6124.93	0.00	0.00	4.29	24762.38	24762.38
TOT	0.00	0.00	5.52		0.00	0.00	34.85		0.00	0.00	140.99		

## 1998 WINTER STORED WATER

DEC 1998:	LAMAR				HYDE				MANVEL				PG 5
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	1.71	2817.42	0.00	0.00	0.88	1453.95	0.00	0.00	1.63	2683.79	2682.16
2	0.00	0.00	0.61	2815.71	0.00	0.00	0.31	1452.76	0.00	0.00	0.58	2681.58	2681.58
3	0.00	0.00	0.55	2814.55	0.00	0.00	0.28	1452.48	0.00	0.00	0.53	2681.05	2681.05
4	0.00	0.00	0.37	2814.18	0.00	0.00	0.19	1452.29	0.00	0.00	0.35	2680.70	2680.70
5	0.00	0.00	0.30	2813.88	0.00	0.00	0.16	1452.13	0.00	0.00	0.29	2680.41	2680.41
6	0.00	0.00	0.30	2813.58	0.00	0.00	0.16	1451.97	0.00	0.00	0.29	2680.12	2680.12
7	0.00	0.00	0.48	2813.10	0.00	0.00	0.25	1451.72	0.00	0.00	0.46	2679.66	2679.66
8	0.00	0.00	0.48	2812.62	0.00	0.00	0.25	1451.47	0.00	0.00	0.46	2679.20	2679.20
9	0.00	0.00	0.48	2812.14	0.00	0.00	0.25	1451.22	0.00	0.00	0.46	2678.74	2678.74
10	0.00	0.00	0.49	2811.65	0.00	0.00	0.25	1450.97	0.00	0.00	0.47	2678.27	2678.27
11	0.00	0.00	0.49	2811.16	0.00	0.00	0.25	1450.72	0.00	0.00	0.47	2677.80	2677.80
12	0.00	0.00	0.49	2810.67	0.00	0.00	0.25	1450.47	0.00	0.00	0.47	2677.33	2677.33
13	0.00	0.00	0.49	2810.18	0.00	0.00	0.25	1450.22	0.00	0.00	0.47	2676.86	2676.86
14	0.00	0.00	0.49	2809.69	0.00	0.00	0.25	1449.97	0.00	0.00	0.46	2676.40	2676.40
15	0.00	0.00	0.49	2809.20	0.00	0.00	0.25	1449.72	0.00	0.00	0.46	2675.94	2675.94
16	0.00	0.00	0.49	2808.71	0.00	0.00	0.25	1449.47	0.00	0.00	0.46	2675.48	2675.48
17	0.00	0.00	0.49	2808.22	0.00	0.00	0.25	1449.22	0.00	0.00	0.46	2675.02	2675.02
18	0.00	0.00	0.48	2807.74	0.00	0.00	0.25	1448.97	0.00	0.00	0.46	2674.56	2674.56
19	0.00	0.00	0.48	2807.26	0.00	0.00	0.25	1448.72	0.00	0.00	0.46	2674.10	2674.10
20	0.00	0.00	0.48	2806.78	0.00	0.00	0.25	1448.47	0.00	0.00	0.46	2673.64	2673.64
21	0.00	0.00	0.48	2806.30	0.00	0.00	0.25	1448.22	0.00	0.00	0.46	2673.18	2673.18
22	0.00	0.00	0.48	2805.82	0.00	0.00	0.25	1447.97	0.00	0.00	0.46	2672.72	2672.72
23	0.00	0.00	0.48	2805.34	0.00	0.00	0.25	1447.72	0.00	0.00	0.46	2672.26	2672.26
24	0.00	0.00	0.48	2804.86	0.00	0.00	0.25	1447.47	0.00	0.00	0.46	2671.80	2671.80
25	0.00	0.00	0.48	2804.38	0.00	0.00	0.25	1447.22	0.00	0.00	0.46	2671.34	2671.34
26	0.00	0.00	0.48	2803.90	0.00	0.00	0.25	1446.97	0.00	0.00	0.46	2670.88	2670.88
27	0.00	0.00	0.48	2803.42	0.00	0.00	0.25	1446.72	0.00	0.00	0.46	2670.42	2670.42
28	0.00	0.00	0.48	2802.94	0.00	0.00	0.25	1446.47	0.00	0.00	0.45	2669.97	2669.97
29	0.00	0.00	0.49	2802.45	0.00	0.00	0.25	1446.22	0.00	0.00	0.46	2669.51	2669.51
30	0.00	0.00	0.49	2801.96	0.00	0.00	0.25	1445.97	0.00	0.00	0.46	2669.05	2669.05
31	0.00	0.00	0.49	2801.47	0.00	0.00	0.25	1445.72	0.00	0.00	0.46	2668.59	2668.59
TOT	0.00	0.00	15.95		0.00	0.00	8.23		0.00	0.00	15.20		

## 1998 WINTER STORED WATER

DEC 1998:	X-Y				BUFFALO				SISSON-STUBBS				PG 6
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	3.46	5700.21	5703.67	0.00	0.00	5.76	9500.39	0.00	0.00	0.81	1341.90
2	0.00	0.00	1.23	5698.98	5697.86	0.00	0.00	2.05	9498.34	0.00	0.00	0.29	1340.80
3	0.00	0.00	1.12	5697.86	5697.12	0.00	0.00	1.86	9496.48	0.00	0.00	0.26	1340.54
4	0.00	0.00	0.74	5697.12	5696.51	0.00	0.00	1.24	9495.24	0.00	0.00	0.17	1340.37
5	0.00	0.00	0.61	5696.51	5695.90	0.00	0.00	1.02	9494.22	0.00	0.00	0.14	1340.23
6	0.00	0.00	0.61	5695.90	5694.92	0.00	0.00	1.02	9493.20	0.00	0.00	0.14	1340.09
7	0.00	0.00	0.98	5694.92	5693.94	0.00	0.00	1.63	9491.57	0.00	0.00	0.23	1339.86
8	0.00	0.00	0.98	5693.94	5692.97	0.00	0.00	1.63	9489.94	0.00	0.00	0.23	1339.63
9	0.00	0.00	0.97	5692.97	5691.97	0.00	0.00	1.62	9488.32	0.00	0.00	0.23	1339.40
10	0.00	0.00	1.00	5691.97	5690.98	0.00	0.00	1.66	9486.66	0.00	0.00	0.23	1339.17
11	0.00	0.00	0.99	5690.98	5689.99	0.00	0.00	1.66	9485.00	0.00	0.00	0.23	1338.94
12	0.00	0.00	0.99	5689.99	5689.00	0.00	0.00	1.65	9483.35	0.00	0.00	0.23	1338.71
13	0.00	0.00	0.99	5688.01	5687.02	0.00	0.00	1.65	9480.05	0.00	0.00	0.23	1338.48
14	0.00	0.00	0.99	5687.02	5686.03	0.00	0.00	1.64	9478.41	0.00	0.00	0.23	1338.25
15	0.00	0.00	0.99	5686.03	5685.05	0.00	0.00	1.64	9476.77	0.00	0.00	0.23	1338.02
16	0.00	0.00	0.98	5685.05	5684.07	0.00	0.00	1.64	9475.13	0.00	0.00	0.23	1337.79
17	0.00	0.00	0.98	5684.07	5683.09	0.00	0.00	1.64	9473.49	0.00	0.00	0.23	1337.33
18	0.00	0.00	0.98	5683.09	5682.11	0.00	0.00	1.63	9471.86	0.00	0.00	0.23	1337.10
19	0.00	0.00	0.98	5682.11	5681.13	0.00	0.00	1.63	9470.23	0.00	0.00	0.23	1336.87
20	0.00	0.00	0.98	5681.13	5680.15	0.00	0.00	1.63	9468.60	0.00	0.00	0.23	1336.64
21	0.00	0.00	0.98	5680.15	5679.18	0.00	0.00	1.63	9466.97	0.00	0.00	0.23	1336.41
22	0.00	0.00	0.97	5679.18	5678.21	0.00	0.00	1.62	9465.35	0.00	0.00	0.23	1336.18
23	0.00	0.00	0.97	5678.21	5677.24	0.00	0.00	1.62	9463.73	0.00	0.00	0.23	1335.95
24	0.00	0.00	0.97	5677.24	5676.27	0.00	0.00	1.62	9462.11	0.00	0.00	0.23	1335.72
25	0.00	0.00	0.97	5676.27	5675.30	0.00	0.00	1.62	9460.49	0.00	0.00	0.23	1335.49
26	0.00	0.00	0.97	5675.30	5674.33	0.00	0.00	1.61	9458.88	0.00	0.00	0.23	1335.26
27	0.00	0.00	0.97	5674.33	5673.34	0.00	0.00	1.61	9457.27	0.00	0.00	0.23	1335.03
28	0.00	0.00	0.99	5673.34	5672.35	0.00	0.00	1.64	9455.63	0.00	0.00	0.23	1334.80
29	0.00	0.00	0.99	5672.35	5671.37	0.00	0.00	1.64	9453.99	0.00	0.00	0.23	1334.57
30	0.00	0.00	0.98	5671.37		0.00	0.00	1.64	9452.35	0.00	0.00	0.23	1334.34
TOT	0.00	0.00	32.30			0.00	0.00	53.80		0.00	0.00	7.56	

## 1998 WINTER STORED WATER

DEC 1998:	TOTAL				TOTAL				TOTAL				PG 6
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	33.67	55536.20	55502.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	0.00	0.00	11.98	55490.55	55479.67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3	0.00	0.00	10.88	55479.67	55472.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
4	0.00	0.00	7.24	55472.43	55466.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
5	0.00	0.00	5.95	55466.48	55460.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
6	0.00	0.00	5.94	55460.54	55451.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
7	0.00	0.00	9.53	55451.01	55441.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
8	0.00	0.00	9.51	55441.50	55432.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
9	0.00	0.00	9.49	55432.01	55422.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
10	0.00	0.00	9.69	55422.32	55412.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11	0.00	0.00	9.67	55412.65	55403.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
12	0.00	0.00	9.65	55403.00	55393.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
13	0.00	0.00	9.64	55393.36	55383.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
14	0.00	0.00	9.62	55383.74	55374.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
15	0.00	0.00	9.60	55374.14	55364.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
16	0.00	0.00	9.59	55364.55	55354.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
17	0.00	0.00	9.57	55354.98	55345.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
18	0.00	0.00	9.55	55345.43	55335.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
19	0.00	0.00	9.54	55335.89	55326.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
20	0.00	0.00	9.53	55326.36	55316.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
21	0.00	0.00	9.51	55316.85	55307.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
22	0.00	0.00	9.50	55307.35	55297.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
23	0.00	0.00	9.49	55297.86	55288.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
24	0.00	0.00	9.48	55288.38	55278.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
25	0.00	0.00	9.47	55278.91	55269.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
26	0.00	0.00	9.46	55269.45	55260.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
27	0.00	0.00	9.44	55260.01	55250.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
28	0.00	0.00	9.43	55250.58	55240.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
29	0.00	0.00	9.61	55240.97	55231.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
30	0.00	0.00	9.60	55231.37	55221.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
31	0.00	0.00	9.57	55221.80		0.00	0.00	0.00	0.00	0.00	0.00	0.00	
TOT	0.00	0.00	314.40			0.00	0.00	0.00					

## **SECTION 5**

**January 1999**

## JOHN MARTIN RESERVOIR

JOHN MARTIN RESERVOIR

AGREEMENT WATER

PG 1  
SUMMER COMPACT WATER

JAN 1999:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	646.00	0.00	47.00	272377.00	:	0.00	0.00	39.08	225941.19	:	0.00	0.00	0.00	0.00
2	444.00	0.00	47.00	272774.00	:	0.00	0.00	38.99	225902.20	:	0.00	0.00	0.00	0.00
3	448.00	0.00	47.00	273175.00	:	0.00	0.00	38.92	225863.28	:	0.00	0.00	0.00	0.00
4	547.00	0.00	47.00	273675.00	:	0.00	0.00	38.86	225824.42	:	0.00	0.00	0.00	0.00
5	448.00	0.00	47.00	274076.00	:	0.00	0.00	38.78	225785.64	:	0.00	0.00	0.00	0.00
6	449.00	0.00	47.00	274478.00	:	0.00	0.00	38.72	225746.92	:	0.00	0.00	0.00	0.00
7	448.00	0.00	47.00	274879.00	:	0.00	0.00	38.66	225708.26	:	0.00	0.00	0.00	0.00
8	447.00	0.00	47.00	275279.00	:	0.00	0.00	38.59	225669.67	:	0.00	0.00	0.00	0.00
9	450.00	0.00	47.00	275682.00	:	0.00	0.00	38.53	225631.14	:	0.00	0.00	0.00	0.00
10	349.00	0.00	47.00	275984.00	:	0.00	0.00	38.47	225592.67	:	0.00	0.00	0.00	0.00
11	551.00	0.00	47.00	276488.00	:	0.00	0.00	38.42	225554.25	:	0.00	0.00	0.00	0.00
12	956.00	0.00	47.00	277397.00	:	0.00	0.00	38.34	225515.91	:	0.00	0.00	0.00	0.00
13	1260.00	0.00	47.00	278610.00	:	0.00	0.00	38.21	225477.70	:	0.00	0.00	0.00	0.00
14	1369.00	0.00	47.00	279932.00	:	0.00	0.00	38.04	225439.66	:	0.00	0.00	0.00	0.00
15	1166.00	0.00	47.00	281051.00	:	0.00	0.00	37.85	225401.81	:	0.00	0.00	0.00	0.00
16	1277.00	0.00	48.00	282280.00	:	0.00	0.00	38.50	225363.31	:	0.00	0.00	0.00	0.00
17	1176.00	0.00	48.00	283408.00	:	0.00	0.00	38.32	225324.99	:	0.00	0.00	0.00	0.00
18	1285.00	0.00	48.00	284645.00	:	0.00	0.00	38.16	225286.83	:	0.00	0.00	0.00	0.00
19	1080.00	0.00	48.00	285677.00	:	0.00	0.00	37.99	225248.84	:	0.00	0.00	0.00	0.00
20	1086.00	0.00	48.00	286715.00	:	0.00	0.00	37.85	225210.99	:	0.00	0.00	0.00	0.00
21	1505.00	0.00	49.00	288171.00	:	0.00	0.00	38.49	225172.50	:	0.00	0.00	0.00	0.00
22	1200.00	0.00	49.00	289322.00	:	0.00	0.00	38.29	225134.21	:	0.00	0.00	0.00	0.00
23	1201.00	0.00	49.00	290474.00	:	0.00	0.00	38.13	225096.08	:	0.00	0.00	0.00	0.00
24	1208.00	0.00	49.00	291633.00	:	0.00	0.00	37.97	225058.11	:	0.00	0.00	0.00	0.00
25	1106.00	0.00	49.00	292690.00	:	0.00	0.00	37.81	225020.30	:	0.00	0.00	0.00	0.00
26	1214.00	0.00	50.00	293854.00	:	0.00	0.00	38.44	224981.86	:	0.00	0.00	0.00	0.00
27	1220.00	0.00	50.00	295024.00	:	0.00	0.00	38.28	224943.58	:	0.00	0.00	0.00	0.00
28	1114.00	0.00	50.00	296088.00	:	0.00	0.00	38.12	224905.46	:	0.00	0.00	0.00	0.00
29	1547.00	0.00	50.00	297585.00	:	0.00	0.00	37.98	224867.48	:	0.00	0.00	0.00	0.00
30	1873.00	0.00	50.00	299408.00	:	0.00	0.00	37.78	224829.70	:	0.00	0.00	0.00	0.00
31	1449.00	0.00	50.00	300807.00	:	0.00	0.00	37.54	224792.16	:	0.00	0.00	0.00	0.00
TOT	30519.00	0.00	1490.00		:	0.00	0.00	1188.11		:	0.00	0.00	0.00	

## JOHN MARTIN RESERVOIR

WINTER COMPACT WATER

PERMANENT POOL

WINTER WATER

PG 1

JAN 1999:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	463.73	0.00	3.83	22173.78	:	0.00	0.00	1.55	8934.62	:	182.27	0.00	1.66	9601.43
2	281.12	0.00	3.90	22910.90	:	0.00	0.00	1.54	8933.07	:	162.88	0.00	1.69	9782.04
3	293.85	0.00	3.95	23200.80	:	0.00	0.00	1.54	8929.99	:	154.15	0.00	1.71	9943.23
4	403.51	0.00	3.99	23600.32	:	0.00	0.00	1.54	8928.45	:	143.49	0.00	1.74	10095.67
5	318.09	0.00	4.05	23914.36	:	0.00	0.00	1.54	8926.91	:	129.91	0.00	1.76	10365.57
6	290.97	0.00	4.10	24201.23	:	0.00	0.00	1.53	8925.38	:	158.03	0.00	1.78	10521.82
7	285.12	0.00	4.14	24482.21	:	0.00	0.00	1.53	8923.85	:	162.88	0.00	1.80	10682.90
8	288.00	0.00	4.19	24766.02	:	0.00	0.00	1.52	8922.33	:	159.00	0.00	1.83	10840.07
9	294.88	0.00	4.23	25056.67	:	0.00	0.00	1.52	8920.81	:	155.12	0.00	1.85	10993.34
10	193.88	0.00	4.27	25246.28	:	0.00	0.00	1.52	8919.29	:	155.12	0.00	1.87	11146.59
11	562.18	0.00	4.30	25804.16	:	0.00	0.00	1.52	8917.77	:	154.15	0.00	1.90	11298.84
12	679.69	0.00	4.39	26479.46	:	0.00	0.00	1.52	8916.25	:	276.31	0.00	1.92	11573.23
13	457.25	0.00	4.49	26932.22	:	0.00	0.00	1.51	8914.74	:	802.75	0.00	1.96	12374.02
14	408.23	0.00	4.54	27335.91	:	0.00	0.00	1.50	8913.24	:	960.77	0.00	2.09	13332.70
15	136.39	0.00	4.59	27467.71	:	0.00	0.00	1.50	8911.74	:	1029.61	0.00	2.24	14360.07
16	222.18	0.00	4.69	27685.20	:	0.00	0.00	1.52	8910.22	:	1054.82	0.00	2.45	15412.44
17	127.00	0.00	4.71	27807.49	:	0.00	0.00	1.52	8908.70	:	1049.00	0.00	2.62	16458.82
18	245.70	0.00	4.71	28048.48	:	0.00	0.00	1.51	8907.19	:	1039.30	0.00	2.79	17495.33
19	146.37	0.00	4.73	28190.12	:	0.00	0.00	1.50	8905.69	:	933.63	0.00	2.95	18426.01
20	246.41	0.00	4.74	28431.79	:	0.00	0.00	1.50	8904.19	:	839.59	0.00	3.09	19262.51
21	457.94	0.00	4.86	28884.87	:	0.00	0.00	1.52	8902.67	:	1047.06	0.00	3.29	20306.28
22	166.51	0.00	4.91	29046.47	:	0.00	0.00	1.51	8901.16	:	1033.49	0.00	3.45	21336.32
23	192.72	0.00	4.92	29234.27	:	0.00	0.00	1.51	8899.65	:	1008.28	0.00	3.61	22340.99
24	205.54	0.00	4.93	29434.88	:	0.00	0.00	1.50	8898.15	:	1002.46	0.00	3.77	23339.68
25	121.96	0.00	4.95	29551.89	:	0.00	0.00	1.50	8896.65	:	984.04	0.00	3.92	24319.80
26	216.38	0.00	5.05	29763.22	:	0.00	0.00	1.52	8895.13	:	997.62	0.00	4.15	25313.27
27	211.72	0.00	5.07	29969.87	:	0.00	0.00	1.51	8893.62	:	1008.28	0.00	4.31	26317.24
28	129.96	0.00	5.08	30094.75	:	0.00	0.00	1.51	8892.11	:	984.04	0.00	4.46	27296.82
29	561.99	0.00	5.08	30651.66	:	0.00	0.00	1.50	8890.61	:	985.01	0.00	4.61	28277.22
30	888.96	0.00	5.15	31535.47	:	0.00	0.00	1.50	8889.11	:	984.04	0.00	4.75	29256.51
31	444.60	0.00	5.27	31974.80	:	0.00	0.00	1.48	8887.63	:	1004.40	0.00	4.89	30256.02
TOT	9942.83	0.00	141.81		:	0.00	0.00	46.99		:	20741.50	0.00	86.91	

## SUMMER STORED WATER

PG 2

JAN 1999:	KANSAS					TRANSIT LOSS					KEESEE				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	19.46	112521.91	:	0.00	0.00	0.26	1485.24	:	0.00	0.00	0.00	0.00	9.56
2	0.00	0.00	19.41	112483.04	:	0.00	0.00	0.26	1484.98	:	0.00	0.00	0.00	0.00	9.56
3	0.00	0.00	19.38	112463.66	:	0.00	0.00	0.25	1484.73	:	0.00	0.00	0.00	0.00	9.56
4	0.00	0.00	19.35	112444.31	:	0.00	0.00	0.26	1484.47	:	0.00	0.00	0.00	0.00	9.56
5	0.00	0.00	19.31	112425.00	:	0.00	0.00	0.25	1484.22	:	0.00	0.00	0.00	0.00	9.56
6	0.00	0.00	19.28	112405.72	:	0.00	0.00	0.25	1483.97	:	0.00	0.00	0.00	0.00	9.56
7	0.00	0.00	19.25	112386.47	:	0.00	0.00	0.25	1483.72	:	0.00	0.00	0.00	0.00	9.56
8	0.00	0.00	19.22	112367.25	:	0.00	0.00	0.25	1483.47	:	0.00	0.00	0.00	0.00	9.56
9	0.00	0.00	19.19	112348.06	:	0.00	0.00	0.25	1483.22	:	0.00	0.00	0.00	0.00	9.56
10	0.00	0.00	19.16	112328.90	:	0.00	0.00	0.25	1482.97	:	0.00	0.00	0.00	0.00	9.56
11	0.00	0.00	19.13	112309.77	:	0.00	0.00	0.25	1482.72	:	0.00	0.00	0.00	0.00	9.56
12	0.00	0.00	19.09	112290.68	:	0.00	0.00	0.25	1482.47	:	0.00	0.00	0.00	0.00	9.56
13	0.00	0.00	19.02	112271.66	:	0.00	0.00	0.25	1482.22	:	0.00	0.00	0.00	0.00	9.56
14	0.00	0.00	18.94	112252.72	:	0.00	0.00	0.25	1481.97	:	0.00	0.00	0.00	0.00	9.56
15	0.00	0.00	18.85	112233.87	:	0.00	0.00	0.25	1481.72	:	0.00	0.00	0.00	0.00	9.56
16	0.00	0.00	19.17	112214.70	:	0.00	0.00	0.25	1481.47	:	0.00	0.00	0.00	0.00	9.56
17	0.00	0.00	19.08	112195.62	:	0.00	0.00	0.25	1481.22	:	0.00	0.00	0.00	0.00	9.56
18	0.00	0.00	19.00	112176.62	:	0.00	0.00	0.25	1480.97	:	0.00	0.00	0.00	0.00	9.56
19	0.00	0.00	18.92	112157.70	:	0.00	0.00	0.25	1480.72	:	0.00	0.00	0.00	0.00	9.56
20	0.00	0.00	18.85	112138.85	:	0.00	0.00	0.25	1480.47	:	0.00	0.00	0.00	0.00	9.56
21	0.00	0.00	19.16	112119.69	:	0.00	0.00	0.25	1480.22	:	0.00	0.00	0.00	0.00	9.56
22	0.00	0.00	19.07	112100.62	:	0.00	0.00	0.25	1479.97	:	0.00	0.00	0.00	0.00	9.56
23	0.00	0.00	18.99	112081.63	:	0.00	0.00	0.25	1479.72	:	0.00	0.00	0.00	0.00	9.56
24	0.00	0.00	18.91	112062.72	:	0.00	0.00	0.25	1479.47	:	0.00	0.00	0.00	0.00	9.56
25	0.00	0.00	18.83	112043.89	:	0.00	0.00	0.25	1479.22	:	0.00	0.00	0.00	0.00	9.56
26	0.00	0.00	19.14	112024.75	:	0.00	0.00	0.25	1478.97	:	0.00	0.00	0.00	0.00	9.56
27	0.00	0.00	19.06	112005.69	:	0.00	0.00	0.25	1478.72	:	0.00	0.00	0.00	0.00	9.56
28	0.00	0.00	18.98	111986.71	:	0.00	0.00	0.25	1478.47	:	0.00	0.00	0.00	0.00	9.56
29	0.00	0.00	18.91	111967.80	:	0.00	0.00	0.25	1478.22	:	0.00	0.00	0.00	0.00	9.56
30	0.00	0.00	18.81	111948.99	:	0.00	0.00	0.25	1477.97	:	0.00	0.00	0.00	0.00	9.56
31	0.00	0.00	18.69	111930.30	:	0.00	0.00	0.25	1477.72	:	0.00	0.00	0.00	0.00	9.56
TOT	0.00	0.00	591.61		:	0.00	0.00	7.78		:	0.00	0.00	0.00	0.00	

## SUMMER STORED WATER

PG 2

JAN 1999:	FT. BENT					AMITY					LAMAR				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.26	1501.81	:	0.00	0.00	1.36	7853.34	:	0.00	0.00	0.01	81.47	81.46
2	0.00	0.00	0.26	1501.55	:	0.00	0.00	1.35	7851.98	:	0.00	0.00	0.01	81.45	81.45
3	0.00	0.00	0.26	1501.29	:	0.00	0.00	1.35	7850.63	:	0.00	0.00	0.01	81.44	81.44
4	0.00	0.00	0.26	1501.03	:	0.00	0.00	1.35	7849.28	:	0.00	0.00	0.01	81.43	81.43
5	0.00	0.00	0.26	1500.77	:	0.00	0.00	1.35	7847.93	:	0.00	0.00	0.01	81.42	81.42
6	0.00	0.00	0.26	1500.51	:	0.00	0.00	1.35	7846.58	:	0.00	0.00	0.01	81.41	81.41
7	0.00	0.00	0.26	1500.25	:	0.00	0.00	1.35	7845.23	:	0.00	0.00	0.01	81.40	81.40
8	0.00	0.00	0.26	1499.99	:	0.00	0.00	1.34	7843.89	:	0.00	0.00	0.01	81.39	81.39
9	0.00	0.00	0.26	1499.73	:	0.00	0.00	1.34	7842.55	:	0.00	0.00	0.01	81.38	81.38
10	0.00	0.00	0.26	1499.47	:	0.00	0.00	1.34	7841.21	:	0.00	0.00	0.01	81.37	81.37
11	0.00	0.00	0.26	1498.95	:	0.00	0.00	1.33	7838.54	:	0.00	0.00	0.01	81.36	81.36
12	0.00	0.00	0.26	1498.69	:	0.00	0.00	1.33	7837.21	:	0.00	0.00	0.01	81.35	81.35
13	0.00	0.00	0.26	1498.43	:	0.00	0.00	1.33	7835.88	:	0.00	0.00	0.01	81.34	81.34
14	0.00	0.00	0.25	1498.18	:	0.00	0.00	1.32	7834.56	:	0.00	0.00	0.02	81.32	81.32
15	0.00	0.00	0.25	1497.93	:	0.00	0.00	1.32	7833.24	:	0.00	0.00	0.01	81.31	81.31
16	0.00	0.00	0.26	1497.67	:	0.00	0.00	1.34	7831.90	:	0.00	0.00	0.01	81.30	81.30
17	0.00	0.00	0.26	1497.41	:	0.00	0.00	1.33	7830.57	:	0.00	0.00	0.01	81.29	81.29
18	0.00	0.00	0.25	1497.16	:	0.00	0.00	1.33	7829.24	:	0.00	0.00	0.01	81.28	81.28
19	0.00	0.00	0.25	1496.91	:	0.00	0.00	1.32	7827.92	:	0.00	0.00	0.02	81.26	81.26
20	0.00	0.00	0.25	1496.66	:	0.00	0.00	1.32	7826.60	:	0.00	0.00	0.01	81.25	81.25
21	0.00	0.00	0.26	1496.40	:	0.00	0.00	1.34	7825.26	:	0.00	0.00	0.01	81.24	81.24
22	0.00	0.00	0.26	1496.14	:	0.00	0.00	1.33	7823.93	:	0.00	0.00	0.01	81.23	81.23
23	0.00	0.00	0.25	1495.89	:	0.00	0.00	1.33	7822.60	:	0.00	0.00	0.01	81.22	81.22
24	0.00	0.00	0.25	1495.64	:	0.00	0.00	1.32	7821.28	:	0.00	0.00	0.01	81.21	81.21
25	0.00	0.00	0.25	1495.39	:	0.00	0.00	1.32	7819.96	:	0.00	0.00	0.01	81.20	81.20
26	0.00	0.00	0.26	1495.13	:	0.00	0.00	1.34	7818.62	:	0.00	0.00	0.01	81.19	81.19
27	0.00	0.00	0.26	1494.87	:	0.00	0.00	1.33	7817.29	:	0.00	0.00	0.01	81.18	81.18
28	0.00	0.00	0.25	1494.62	:	0.00	0.00	1.33	7815.96	:	0.00	0.00	0.01	81.17	81.17
29	0.00	0.00	0.25	1494.37	:	0.00	0.00	1.32	7814.64	:	0.00	0.00	0.02	81.15	81.15
30	0.00	0.00	0.25	1494.12	:	0.00	0.00	1.32	7813.32	:	0.00	0.00	0.01	81.14	81.14
31	0.00	0.00	0.25	1493.87	:	0.00	0.00	1.31	7812.01	:	0.00	0.00	0.01	81.13	81.13
TOT	0.00	0.00	7.94		:	0.00	0.00	41.33		:	0.00	0.00	0.34		

## SUMMER STORED WATER

PG 3

## HYDE

## MANVEL

## X-Y

JAN 1999:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.14	788.96	788.82	0.00	0.00	1.01	5834.04	5833.03	0.00	0.00
2	0.00	0.00	0.14	788.68	788.54	0.00	0.00	1.01	5832.02	5831.01	0.00	0.00
3	0.00	0.00	0.14	788.40	788.26	0.00	0.00	1.00	5830.01	5829.01	0.00	0.00
4	0.00	0.00	0.14	788.13	788.00	0.00	0.00	1.00	5828.01	5827.01	0.00	0.00
5	0.00	0.00	0.13	787.86	787.73	0.00	0.00	1.00	5826.01	5825.02	0.00	0.00
6	0.00	0.00	0.13	787.60	787.47	0.00	0.00	0.99	5824.03	5823.04	0.00	0.00
7	0.00	0.00	0.13	787.34	787.21	0.00	0.00	0.99	5822.05	5821.06	0.00	0.00
8	0.00	0.00	0.13	787.08	786.95	0.00	0.00	0.98	5820.08	5819.10	0.00	0.00
9	0.00	0.00	0.13	786.82	786.69	0.00	0.00	0.99	5818.11	5817.12	0.00	0.00
10	0.00	0.00	0.13	786.56	786.43	0.00	0.00	0.99	5816.13	5815.15	0.00	0.00
11	0.00	0.00	0.13	786.30	786.17	0.00	0.00	0.98	5814.17	5813.18	0.00	0.00
12	0.00	0.00	0.13	786.04	785.91	0.00	0.00	0.99	5812.19	5811.20	0.00	0.00
13	0.00	0.00	0.13	785.78	785.65	0.00	0.00	0.98	5810.22	5809.24	0.00	0.00
14	0.00	0.00	0.13	785.52	785.39	0.00	0.00	0.99	5808.25	5807.26	0.00	0.00
15	0.00	0.00	0.13	785.26	785.13	0.00	0.00	0.99	5806.27	5805.29	0.00	0.00
16	0.00	0.00	0.13	785.00	784.87	0.00	0.00	0.97	5803.34	0.00	0.00	0.00
TOT	0.00	0.00	4.09		0.00	0.00	30.70		0.00	0.00	49.39	

## SUMMER STORED WATER

PG 3

## BUFFALO

## SISSON

## TOTAL

JAN 1999:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	3.45	19924.91	19921.46	0.00	0.00	0.47	2736.25	2735.78	0.00	0.00
2	0.00	0.00	3.44	19918.02	19914.59	0.00	0.00	0.47	2735.31	0.00	0.00	8.30
3	0.00	0.00	3.43	19911.16	19907.74	0.00	0.00	0.47	2734.84	0.00	0.00	8.29
4	0.00	0.00	3.43	19904.32	19900.91	0.00	0.00	0.47	2733.90	0.00	0.00	8.27
5	0.00	0.00	3.42	19897.51	19894.11	0.00	0.00	0.47	2732.96	0.00	0.00	8.26
6	0.00	0.00	3.41	19890.72	19887.33	0.00	0.00	0.47	2732.49	0.00	0.00	8.25
7	0.00	0.00	3.40	19883.95	19880.58	0.00	0.00	0.47	2732.02	0.00	0.00	8.23
8	0.00	0.00	3.39	19887.10	19883.64	0.00	0.00	0.47	2731.55	0.00	0.00	8.22
9	0.00	0.00	3.39	19880.58	19877.22	0.00	0.00	0.47	2731.08	0.00	0.00	8.20
10	0.00	0.00	3.38	19873.88	19870.48	0.00	0.00	0.47	2730.61	0.00	0.00	8.19
11	0.00	0.00	3.38	19867.10	19863.73	0.00	0.00	0.47	2729.23	0.00	0.00	8.18
12	0.00	0.00	3.37	19860.38	19857.04	0.00	0.00	0.46	2728.76	0.00	0.00	8.17
13	0.00	0.00	3.37	19853.64	19850.26	0.00	0.00	0.46	2728.29	0.00	0.00	8.16
14	0.00	0.00	3.36	19846.90	19843.55	0.00	0.00	0.46	2727.83	0.00	0.00	8.13
15	0.00	0.00	3.36	19840.22	19836.83	0.00	0.00	0.46	2727.37	0.00	0.00	8.09
16	0.00	0.00	3.35	19833.45	19830.09	0.00	0.00	0.47	2726.44	0.00	0.00	8.08
17	0.00	0.00	3.35	19826.74	19823.41	0.00	0.00	0.46	2725.98	0.00	0.00	8.06
18	0.00	0.00	3.33	19820.10	19817.74	0.00	0.00	0.46	2725.52	0.00	0.00	8.05
19	0.00	0.00	3.33	19817.74	19814.35	0.00	0.00	0.46	2725.06	0.00	0.00	8.04
20	0.00	0.00	3.33	19814.35	19811.00	0.00	0.00	0.46	2724.60	0.00	0.00	8.03
21	0.00	0.00	3.32	19808.95	19805.60	0.00	0.00	0.47	2724.13	0.00	0.00	8.02
22	0.00	0.00	3.32	19805.60	19802.25	0.00	0.00	0.46	2723.67	0.00	0.00	8.01
23	0.00	0.00	3.31	19802.25	19798.90	0.00	0.00	0.46	2723.21	0.00	0.00	8.00
24	0.00	0.00	3.31	19798.90	19795.55	0.00	0.00	0.46	2722.75	0.00	0.00	8.00
25	0.00	0.00	3.30	19795.55	19792.20	0.00	0.00	0.46	2722.33	0.00	0.00	8.00
26	0.00	0.00	3.30	19792.20	19788.85	0.00	0.00	0.47	2721.83	0.00	0.00	8.00
27	0.00	0.00	3.29	19788.85	19785.50	0.00	0.00	0.46	2721.41	0.00	0.00	8.00
28	0.00	0.00	3.29	19785.50	19782.15	0.00	0.00	0.46	2720.98	0.00	0.00	8.00
29	0.00	0.00	3.28	19782.15	19778.80	0.00	0.00	0.46	2720.55	0.00	0.00	8.00
30	0.00	0.00	3.28	19778.80	19775.45	0.00	0.00	0.46	2720.12	0.00	0.00	8.00
31	0.00	0.00	3.27	19775.45	19772.10	0.00	0.00	0.46	2719.69	0.00	0.00	8.00
TOT	0.00	0.00	104.81		0.00	0.00	14.42		0.00	0.00	253.02	

JAN 1999:	AMITY				FT. LYON				LAS ANIMAS CONSOL.				PG 4
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	1.49	8628.36	8626.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	1.49	8625.38	8623.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	1.49	8623.89	8622.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	1.48	8622.41	8620.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	1.48	8620.93	8619.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	1.48	8619.45	8617.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	1.48	8617.97	8616.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	1.47	8616.50	8615.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	1.47	8615.03	8613.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	1.47	8613.56	8612.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	1.47	8612.09	8610.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	1.46	8610.63	8609.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	1.46	8609.17	8607.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	1.45	8607.72	8606.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	1.44	8606.28	8604.81	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	1.47	8604.81	8603.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	1.46	8603.35	8601.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	1.46	8601.89	8600.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	1.45	8600.44	8599.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	1.44	8599.00	8597.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	1.47	8597.53	8596.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	1.46	8596.07	8588.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	1.45	8588.80	8587.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	1.45	8587.34	8585.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	1.45	8585.89	8584.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	1.44	8584.45	8583.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	1.43	8583.02	8582.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	45.34	8628.36	8626.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

JAN 1999:	ARTICLE III				JOHN MARTIN RESERVOIR				FLOOD POOL				PG 4
	TOTAL				OFFSET ACCOUNT								
INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN		
1	0.00	0.00	1.49	8628.36	8626.87	0.00	0.88	5087.90	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	1.49	8625.38	8623.89	0.00	0.88	5086.14	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	1.49	8623.89	8622.41	0.00	0.87	5085.26	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	1.48	8622.41	8620.93	0.00	0.87	5084.39	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	1.48	8620.93	8619.45	0.00	0.87	5083.52	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	1.48	8619.45	8617.97	0.00	0.87	5082.65	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	1.48	8617.97	8616.50	0.00	0.87	5081.78	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	1.47	8616.50	8615.03	0.00	0.87	5080.91	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	1.47	8615.03	8613.56	0.00	0.87	5080.04	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	1.47	8613.56	8612.09	0.00	0.87	5079.17	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	1.47	8612.09	8610.63	0.00	0.86	4912.98	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	1.46	8610.63	8609.17	0.00	0.83	4912.15	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	1.46	8609.17	8607.72	0.00	0.83	4911.32	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	1.45	8607.72	8606.28	0.00	0.83	4910.49	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	1.44	8606.28	8604.81	0.00	0.82	4909.67	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	1.47	8604.81	8603.35	0.00	0.84	4908.83	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	1.46	8603.35	8601.89	0.00	0.83	4908.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	1.46	8601.89	8600.44	0.00	0.83	4907.17	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	1.45	8600.44	8599.00	0.00	0.83	4906.34	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	1.44	8599.00	8597.53	0.00	0.82	4905.52	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	1.47	8597.53	8596.07	0.00	0.84	4904.68	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	1.46	8596.07	8588.80	0.00	0.84	4903.84	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	1.45	8594.62	8587.34	0.00	0.83	4903.01	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	1.45	8587.34	8585.89	0.00	0.83	4902.18	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	1.44	8585.89	8584.45	0.00	0.82	4901.36	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	1.47	8584.45	8583.02	0.00	0.84	4900.52	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	1.46	8583.02	8582.56	0.00	0.83	4899.69	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	1.46	8582.56	8581.89	0.00	0.83	4898.86	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	1.45	8581.89	8580.44	0.00	0.83	4898.03	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	1.44	8580.44	8579.00	0.00	0.82	4897.21	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	1.43	8579.00	8578.34	0.00	0.82	4896.39	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	45.34	8628.36	8626.87	0.00	26.18		0.00	0.00	0.00	0.00	

## 1998 WINTER STORED WATER

PG 5

JAN 1999:	KEESEE				FT. BENT				AMITY			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.17	960.48	960.65	0.00	0.00	1.06	6124.93	0.00	0.00	24762.38
2	0.00	0.00	0.17	960.31	960.14	0.00	0.00	1.06	6123.87	0.00	0.00	24758.10
3	0.00	0.00	0.17	960.14	959.98	0.00	0.00	1.05	6122.81	0.00	0.00	24753.83
4	0.00	0.00	0.16	959.98	959.81	0.00	0.00	1.05	6121.76	0.00	0.00	24749.57
5	0.00	0.00	0.17	959.81	959.65	0.00	0.00	1.05	6119.66	0.00	0.00	24745.31
6	0.00	0.00	0.16	959.65	959.49	0.00	0.00	1.05	6118.61	0.00	0.00	24741.06
7	0.00	0.00	0.16	959.49	959.33	0.00	0.00	1.05	6117.56	0.00	0.00	24736.82
8	0.00	0.00	0.16	959.33	959.17	0.00	0.00	1.04	6116.51	0.00	0.00	24732.58
9	0.00	0.00	0.16	958.85	959.01	0.00	0.00	1.04	6115.47	0.00	0.00	24728.35
10	0.00	0.00	0.16	958.69	958.53	0.00	0.00	1.04	6114.43	0.00	0.00	24724.13
11	0.00	0.00	0.16	958.53	958.37	0.00	0.00	1.03	6113.39	0.00	0.00	24719.92
12	0.00	0.00	0.16	958.37	958.21	0.00	0.00	1.03	6112.35	0.00	0.00	24715.71
13	0.00	0.00	0.16	958.21	958.05	0.00	0.00	1.04	6111.31	0.00	0.00	24711.51
14	0.00	0.00	0.16	958.05	957.89	0.00	0.00	1.04	6110.28	0.00	0.00	24707.32
15	0.00	0.00	0.16	957.89	957.73	0.00	0.00	1.04	6109.25	0.00	0.00	24703.15
16	0.00	0.00	0.16	957.73	957.57	0.00	0.00	1.03	6108.21	0.00	0.00	24699.00
17	0.00	0.00	0.16	957.57	957.41	0.00	0.00	1.04	6107.17	0.00	0.00	24694.78
18	0.00	0.00	0.16	957.41	957.25	0.00	0.00	1.04	6106.14	0.00	0.00	24690.58
19	0.00	0.00	0.16	957.25	957.09	0.00	0.00	1.03	6105.11	0.00	0.00	24686.40
20	0.00	0.00	0.16	957.09	956.93	0.00	0.00	1.03	6104.08	0.00	0.00	24682.24
21	0.00	0.00	0.16	956.93	956.77	0.00	0.00	1.04	6103.04	0.00	0.00	24678.09
22	0.00	0.00	0.16	956.77	956.61	0.00	0.00	1.04	6102.00	0.00	0.00	24673.87
23	0.00	0.00	0.16	956.61	956.45	0.00	0.00	1.03	6101.97	0.00	0.00	24669.67
24	0.00	0.00	0.16	956.45	956.29	0.00	0.00	1.03	6100.94	0.00	0.00	24665.49
25	0.00	0.00	0.16	956.29	956.13	0.00	0.00	1.03	6098.91	0.00	0.00	24661.33
26	0.00	0.00	0.16	956.13	955.97	0.00	0.00	1.04	6097.87	0.00	0.00	24657.19
27	0.00	0.00	0.16	955.97	955.81	0.00	0.00	1.04	6096.83	0.00	0.00	24652.98
28	0.00	0.00	0.16	955.81	955.65	0.00	0.00	1.03	6095.80	0.00	0.00	24648.78
29	0.00	0.00	0.16	955.65	955.50	0.00	0.00	1.03	6094.77	0.00	0.00	24644.60
30	0.00	0.00	0.16	955.50	955.35	0.00	0.00	1.02	6093.75	0.00	0.00	24636.30
31	0.00	0.00	0.16	955.35	955.20	0.00	0.00	1.02	6092.73	0.00	0.00	24632.19
TOT	0.00	0.00	5.00		0.00	0.00	32.20		0.00	0.00	130.19	

## 1998 WINTER STORED WATER

PG 5

JAN 1999:	LAMAR				HYDE				MANVEL			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.48	2801.47	2800.99	0.00	0.00	0.25	1445.72	0.00	0.00	2668.59
2	0.00	0.00	0.48	2800.51	2800.03	0.00	0.00	0.25	1445.22	0.00	0.00	2668.13
3	0.00	0.00	0.48	2800.03	2799.55	0.00	0.00	0.25	1444.97	0.00	0.00	2667.67
4	0.00	0.00	0.48	2799.55	2799.07	0.00	0.00	0.25	1444.72	0.00	0.00	2666.75
5	0.00	0.00	0.48	2799.07	2798.59	0.00	0.00	0.25	1444.47	0.00	0.00	2666.29
6	0.00	0.00	0.48	2798.59	2798.11	0.00	0.00	0.25	1444.22	0.00	0.00	2665.83
7	0.00	0.00	0.48	2798.11	2797.63	0.00	0.00	0.25	1443.97	0.00	0.00	2665.38
8	0.00	0.00	0.48	2797.63	2797.15	0.00	0.00	0.25	1443.72	0.00	0.00	2664.93
9	0.00	0.00	0.48	2797.15	2796.67	0.00	0.00	0.25	1443.47	0.00	0.00	2664.47
10	0.00	0.00	0.48	2796.67	2796.19	0.00	0.00	0.25	1443.22	0.00	0.00	2664.02
11	0.00	0.00	0.48	2796.19	2795.71	0.00	0.00	0.25	1442.97	0.00	0.00	2663.57
12	0.00	0.00	0.48	2795.71	2795.24	0.00	0.00	0.25	1442.72	0.00	0.00	2663.12
13	0.00	0.00	0.47	2795.24	2794.77	0.00	0.00	0.24	1442.48	0.00	0.00	2662.67
14	0.00	0.00	0.47	2794.77	2794.30	0.00	0.00	0.24	1442.24	0.00	0.00	2662.22
15	0.00	0.00	0.47	2794.30	2793.82	0.00	0.00	0.24	1442.00	0.00	0.00	2661.77
16	0.00	0.00	0.48	2793.82	2793.34	0.00	0.00	0.25	1441.75	0.00	0.00	2661.32
17	0.00	0.00	0.48	2793.34	2792.87	0.00	0.00	0.25	1441.50	0.00	0.00	2660.87
18	0.00	0.00	0.47	2792.87	2792.40	0.00	0.00	0.24	1441.26	0.00	0.00	2660.42
19	0.00	0.00	0.47	2792.40	2791.93	0.00	0.00	0.24	1441.02	0.00	0.00	2659.97
20	0.00	0.00	0.47	2791.93	2791.45	0.00	0.00	0.24	1440.78	0.00	0.00	2659.52
21	0.00	0.00	0.48	2791.45	2790.98	0.00	0.00	0.25	1440.53	0.00	0.00	2659.07
22	0.00	0.00	0.47	2790.98	2790.51	0.00	0.00	0.25	1440.28	0.00	0.00	2658.62
23	0.00	0.00	0.47	2790.51	2789.57	0.00	0.00	0.24	1440.04	0.00	0.00	2658.17
24	0.00	0.00	0.47	2789.57	2789.09	0.00	0.00	0.24	1439.80	0.00	0.00	2657.72
25	0.00	0.00	0.48	2789.09	2788.62	0.00	0.00	0.25	1439.56	0.00	0.00	2657.27
26	0.00	0.00	0.47	2788.62	2788.15	0.00	0.00	0.25	1439.31	0.00	0.00	2656.82
27	0.00	0.00	0.47	2788.15	2787.68	0.00	0.00	0.24	1438.82	0.00	0.00	2656.37
28	0.00	0.00	0.47	2787.68	2787.21	0.00	0.00	0.24	1438.58	0.00	0.00	2655.92
29	0.00	0.00	0.47	2787.21	2786.74	0.00	0.00	0.24	1438.34	0.00	0.00	2655.02
30	0.00	0.00	0.47	2786.74	2786.40	0.00	0.00	0.24	1438.10	0.00	0.00	2654.58
TOT	0.00	0.00	14.73		0.00	0.00	7.62		0.00	0.00	14.01	

## 1998 WINTER STORED WATER

PG 6

JAN 1999:	X-Y				BUFFALO				SISSON-STUBBS			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
:				5671.37	:				9452.35	:		
1	0.00	0.00	0.98	5670.39	:	0.00	0.00	1.64	9450.71	:	0.00	0.23
2	0.00	0.00	0.98	5669.41	:	0.00	0.00	1.63	9449.08	:	0.00	0.23
3	0.00	0.00	0.98	5668.43	:	0.00	0.00	1.63	9447.45	:	0.00	0.23
4	0.00	0.00	0.98	5667.45	:	0.00	0.00	1.63	9445.82	:	0.00	0.23
5	0.00	0.00	0.97	5666.48	:	0.00	0.00	1.62	9444.20	:	0.00	0.23
6	0.00	0.00	0.97	5665.51	:	0.00	0.00	1.62	9442.58	:	0.00	0.23
7	0.00	0.00	0.97	5664.54	:	0.00	0.00	1.62	9440.96	:	0.00	0.23
8	0.00	0.00	0.97	5663.57	:	0.00	0.00	1.61	9439.35	:	0.00	0.23
9	0.00	0.00	0.97	5662.60	:	0.00	0.00	1.61	9437.74	:	0.00	0.23
10	0.00	0.00	0.97	5661.63	:	0.00	0.00	1.61	9436.13	:	0.00	0.23
11	0.00	0.00	0.96	5660.67	:	0.00	0.00	1.61	9434.52	:	0.00	0.23
12	0.00	0.00	0.96	5659.71	:	0.00	0.00	1.60	9432.92	:	0.00	0.23
13	0.00	0.00	0.96	5658.75	:	0.00	0.00	1.60	9431.32	:	0.00	0.23
14	0.00	0.00	0.96	5657.79	:	0.00	0.00	1.59	9429.73	:	0.00	0.23
15	0.00	0.00	0.95	5656.84	:	0.00	0.00	1.58	9428.15	:	0.00	0.22
16	0.00	0.00	0.97	5655.87	:	0.00	0.00	1.61	9426.54	:	0.00	0.23
17	0.00	0.00	0.96	5654.91	:	0.00	0.00	1.60	9424.94	:	0.00	0.23
18	0.00	0.00	0.96	5653.95	:	0.00	0.00	1.60	9423.34	:	0.00	0.23
19	0.00	0.00	0.95	5653.00	:	0.00	0.00	1.59	9421.75	:	0.00	0.23
20	0.00	0.00	0.95	5652.05	:	0.00	0.00	1.58	9420.17	:	0.00	0.22
21	0.00	0.00	0.97	5651.08	:	0.00	0.00	1.61	9418.56	:	0.00	0.23
22	0.00	0.00	0.96	5650.12	:	0.00	0.00	1.60	9416.96	:	0.00	0.23
23	0.00	0.00	0.96	5649.16	:	0.00	0.00	1.60	9415.36	:	0.00	0.23
24	0.00	0.00	0.95	5648.21	:	0.00	0.00	1.59	9413.77	:	0.00	0.23
25	0.00	0.00	0.95	5647.26	:	0.00	0.00	1.58	9412.19	:	0.00	0.22
26	0.00	0.00	0.96	5646.30	:	0.00	0.00	1.61	9410.58	:	0.00	0.23
27	0.00	0.00	0.96	5645.34	:	0.00	0.00	1.60	9408.98	:	0.00	0.23
28	0.00	0.00	0.96	5644.38	:	0.00	0.00	1.59	9407.39	:	0.00	0.23
29	0.00	0.00	0.95	5643.43	:	0.00	0.00	1.59	9405.80	:	0.00	0.23
30	0.00	0.00	0.95	5642.48	:	0.00	0.00	1.58	9404.22	:	0.00	0.22
31	0.00	0.00	0.94	5641.54	:	0.00	0.00	1.57	9402.65	:	0.00	0.22
TOT	0.00	0.00	29.83		:	0.00	0.00	49.70		:	0.00	7.08

## 1998 WINTER STORED WATER

PG 6

JAN 1999:	TOTAL				INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
	INFLOW	RELEASE	EVAP	OWN								
:				55221.80	:				0.00	:		
1	0.00	0.00	9.55	55212.25	:	0.00	0.00	0.00	0.00	:		
2	0.00	0.00	9.53	55202.72	:	0.00	0.00	0.00	0.00	:		
3	0.00	0.00	9.51	55193.21	:	0.00	0.00	0.00	0.00	:		
4	0.00	0.00	9.50	55183.71	:	0.00	0.00	0.00	0.00	:		
5	0.00	0.00	9.48	55174.23	:	0.00	0.00	0.00	0.00	:		
6	0.00	0.00	9.46	55164.77	:	0.00	0.00	0.00	0.00	:		
7	0.00	0.00	9.45	55155.32	:	0.00	0.00	0.00	0.00	:		
8	0.00	0.00	9.43	55145.89	:	0.00	0.00	0.00	0.00	:		
9	0.00	0.00	9.42	55136.47	:	0.00	0.00	0.00	0.00	:		
10	0.00	0.00	9.40	55127.07	:	0.00	0.00	0.00	0.00	:		
11	0.00	0.00	9.39	55117.68	:	0.00	0.00	0.00	0.00	:		
12	0.00	0.00	9.37	55108.31	:	0.00	0.00	0.00	0.00	:		
13	0.00	0.00	9.34	55098.97	:	0.00	0.00	0.00	0.00	:		
14	0.00	0.00	9.30	55089.67	:	0.00	0.00	0.00	0.00	:		
15	0.00	0.00	9.25	55080.42	:	0.00	0.00	0.00	0.00	:		
16	0.00	0.00	9.41	55071.01	:	0.00	0.00	0.00	0.00	:		
17	0.00	0.00	9.37	55061.64	:	0.00	0.00	0.00	0.00	:		
18	0.00	0.00	9.32	55052.32	:	0.00	0.00	0.00	0.00	:		
19	0.00	0.00	9.28	55043.04	:	0.00	0.00	0.00	0.00	:		
20	0.00	0.00	9.25	55033.79	:	0.00	0.00	0.00	0.00	:		
21	0.00	0.00	9.41	55024.38	:	0.00	0.00	0.00	0.00	:		
22	0.00	0.00	9.36	55015.02	:	0.00	0.00	0.00	0.00	:		
23	0.00	0.00	9.32	55005.70	:	0.00	0.00	0.00	0.00	:		
24	0.00	0.00	9.28	54996.42	:	0.00	0.00	0.00	0.00	:		
25	0.00	0.00	9.24	54987.18	:	0.00	0.00	0.00	0.00	:		
26	0.00	0.00	9.39	54977.79	:	0.00	0.00	0.00	0.00	:		
27	0.00	0.00	9.36	54968.43	:	0.00	0.00	0.00	0.00	:		
28	0.00	0.00	9.31	54959.12	:	0.00	0.00	0.00	0.00	:		
29	0.00	0.00	9.28	54949.84	:	0.00	0.00	0.00	0.00	:		
30	0.00	0.00	9.23	54940.61	:	0.00	0.00	0.00	0.00	:		
31	0.00	0.00	9.17	54931.44	:	0.00	0.00	0.00	0.00	:		
TOT	0.00	0.00	290.36		:	0.00	0.00	0.00	0.00	:		

## **SECTION 5**

**February 1999**

JOHN MARTIN RESERVOIR

JOHN MARTIN RESERVOIR						AGREEMENT WATER				SUMMER COMPACT WATER			
										PG 1			

FEB 1999:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
				300807.00	:				224792.16	:				0.00
1	1374.00	0.00	82.00	302099.00	:	0.00	0.00	61.28	224730.88	:	0.00	0.00	0.00	0.00
2	1271.00	0.00	82.00	303288.00	:	0.00	0.00	61.00	224669.88	:	0.00	0.00	0.00	0.00
3	1161.00	0.00	82.00	304367.00	:	0.00	0.00	60.75	224609.13	:	0.00	0.00	0.00	0.00
4	1275.00	0.00	82.00	305560.00	:	0.00	0.00	60.51	224548.62	:	0.00	0.00	0.00	0.00
5	1274.00	0.00	82.00	306752.00	:	0.00	0.00	60.26	224488.36	:	0.00	0.00	0.00	0.00
6	1279.00	0.00	82.00	307949.00	:	0.00	0.00	60.01	224428.35	:	0.00	0.00	0.00	0.00
7	1173.00	0.00	83.00	309039.00	:	0.00	0.00	60.49	224367.86	:	0.00	0.00	0.00	0.00
8	1172.00	0.00	83.00	310128.00	:	0.00	0.00	60.26	224307.60	:	0.00	0.00	0.00	0.00
9	1177.00	0.00	83.00	311222.00	:	0.00	0.00	60.03	224247.57	:	0.00	0.00	0.00	0.00
10	522.00	0.00	83.00	311661.00	:	0.00	0.00	59.81	224187.76	:	0.00	0.00	0.00	0.00
11	302.00	0.00	83.00	311880.00	:	0.00	0.00	59.70	224128.06	:	0.00	0.00	0.00	0.00
12	299.00	0.00	83.00	312096.00	:	0.00	0.00	59.65	224068.41	:	0.00	0.00	0.00	0.00
13	522.00	0.00	83.00	312535.00	:	0.00	0.00	59.59	224008.82	:	0.00	0.00	0.00	0.00
14	193.00	0.00	83.00	312645.00	:	0.00	0.00	59.49	223949.33	:	0.00	0.00	0.00	0.00
15	413.00	0.00	83.00	312975.00	:	0.00	0.00	59.45	223889.88	:	0.00	0.00	0.00	0.00
16	303.00	0.00	83.00	313195.00	:	0.00	0.00	59.38	223830.50	:	0.00	0.00	0.00	0.00
17	302.00	0.00	83.00	313414.00	:	0.00	0.00	59.32	223771.18	:	0.00	0.00	0.00	0.00
18	193.00	0.00	83.00	313524.00	:	0.00	0.00	59.26	223711.92	:	0.00	0.00	0.00	0.00
19	303.00	0.00	83.00	313744.00	:	0.00	0.00	59.23	223652.69	:	0.00	0.00	0.00	0.00
20	414.00	0.00	83.00	314075.00	:	0.00	0.00	59.17	223593.52	:	0.00	0.00	0.00	0.00
21	413.00	0.00	83.00	314405.00	:	0.00	0.00	59.09	223534.43	:	0.00	0.00	0.00	0.00
22	305.00	0.00	84.00	314626.00	:	0.00	0.00	59.72	223474.71	:	0.00	0.00	0.00	0.00
23	301.00	0.00	84.00	314843.00	:	0.00	0.00	59.66	223415.05	:	0.00	0.00	0.00	0.00
24	260.66	176.66	84.00	314843.00	:	0.00	176.66	59.61	223178.78	:	0.00	0.00	0.00	0.00
25	329.29	245.29	84.00	314843.00	:	0.00	245.29	59.54	222873.95	:	0.00	0.00	0.00	0.00
26	335.83	140.83	84.00	314954.00	:	0.00	140.83	59.46	222673.66	:	0.00	0.00	0.00	0.00
27	334.83	140.83	84.00	315064.00	:	0.00	140.83	59.39	222473.44	:	0.00	0.00	0.00	0.00
28	224.83	140.83	84.00	315064.00	:	0.00	140.83	59.31	222273.30	:	0.00	0.00	0.00	0.00
TOT :	17426.44	844.44	2325.00		:	0.00	844.44	1674.42		:	0.00	0.00	0.00	0.00

FEB 1999:	WINTER COMPACT WATER					PERMANENT POOL					WINTER WATER				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
			31974.80	:				8887.63	:				30256.02		
1	350.21	0.00	8.72	32316.29	:	0.00	0.00	2.42	8885.21	:	1023.79	0.00	8.25	31271.56	
2	273.38	0.00	8.77	32580.90	:	0.00	0.00	2.41	8882.80	:	997.62	0.00	8.49	32260.69	
3	179.87	0.00	8.81	32751.96	:	0.00	0.00	2.40	8880.40	:	981.13	0.00	8.72	33233.10	
4	283.20	0.00	8.83	33026.33	:	0.00	0.00	2.39	8878.01	:	991.80	0.00	8.95	34215.95	
5	290.93	0.00	8.87	33308.39	:	0.00	0.00	2.38	8875.63	:	983.07	0.00	9.18	35189.84	
6	330.83	0.00	8.90	33630.32	:	0.00	0.00	2.37	8873.26	:	948.17	0.00	9.41	36128.60	
7	204.47	0.00	9.06	33825.73	:	0.00	0.00	2.39	8870.87	:	968.53	0.00	9.74	37087.39	
8	206.38	0.00	9.09	34023.02	:	0.00	0.00	2.38	8868.49	:	965.62	0.00	9.96	38043.05	
9	213.32	0.00	9.11	34227.23	:	0.00	0.00	2.37	8866.12	:	963.68	0.00	10.18	38996.55	
10	58.58	0.00	9.13	34276.68	:	0.00	0.00	2.36	8863.76	:	463.42	0.00	10.40	39449.57	
11	96.47	0.00	9.13	34364.02	:	0.00	0.00	2.36	8861.40	:	205.53	0.00	10.51	39644.59	
12	170.06	0.00	9.14	34524.94	:	0.00	0.00	2.36	8859.04	:	128.94	0.00	10.55	39762.98	
13	435.71	0.00	9.18	34951.47	:	0.00	0.00	2.36	8856.68	:	86.29	0.00	10.57	39838.70	
14	126.10	0.00	9.28	35068.29	:	0.00	0.00	2.35	8854.33	:	66.90	0.00	10.58	39895.02	
15	360.65	0.00	9.31	35419.63	:	0.00	0.00	2.35	8851.98	:	52.35	0.00	10.59	39936.78	
16	262.28	0.00	9.39	35672.52	:	0.00	0.00	2.35	8849.63	:	40.72	0.00	10.59	39966.91	
17	269.04	0.00	9.45	35932.11	:	0.00	0.00	2.35	8847.28	:	32.96	0.00	10.59	39989.28	
18	163.91	0.00	9.52	36086.50	:	0.00	0.00	2.34	8844.94	:	29.09	0.00	10.59	40007.78	
19	270.04	0.00	9.55	36346.99	:	0.00	0.00	2.34	8842.60	:	32.96	0.00	10.59	40030.15	
20	388.79	0.00	9.61	36726.17	:	0.00	0.00	2.34	8840.26	:	25.21	0.00	10.59	40044.77	
21	393.61	0.00	9.70	37110.08	:	0.00	0.00	2.34	8837.92	:	19.39	0.00	10.58	40053.58	
22	289.49	0.00	9.92	37389.65	:	0.00	0.00	2.36	8835.56	:	15.51	0.00	10.70	40058.39	
23	285.49	0.00	9.98	37665.16	:	0.00	0.00	2.36	8833.20	:	15.51	0.00	10.70	40063.20	
24	254.84	0.00	10.05	37909.95	:	0.00	0.00	2.35	8830.85	:	5.82	0.00	10.69	40058.33	
25	323.47	0.00	10.11	38223.31	:	0.00	0.00	2.36	8828.49	:	5.82	0.00	10.69	40053.46	
26	330.01	0.00	10.20	38543.12	:	0.00	0.00	2.35	8826.14	:	5.82	0.00	10.69	40048.59	
27	315.44	0.00	10.28	38848.28	:	0.00	0.00	2.35	8823.79	:	19.39	0.00	10.68	40057.30	
28	203.50	0.00	10.36	39041.42	:	0.00	0.00	2.35	8821.44	:	21.33	0.00	10.68	40067.95	
TOT :	7330.07	0.00	263.45		:	0.00	0.00	66.19		:	10096.37	0.00	284.44		

AGREEMENT WATER											SUMMER STORED WATER				PG 2
FEB 1999:	KANSAS					TRANSIT LOSS					KEESEE				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	30.51	111899.79	:	0.00	0.00	0.40	1477.32	:	0.00	0.00	0.00	9.56	
2	0.00	0.00	30.37	111869.42	:	0.00	0.00	0.40	1476.92	:	0.00	0.00	0.00	9.56	
3	0.00	0.00	30.25	111839.17	:	0.00	0.00	0.40	1476.52	:	0.00	0.00	0.00	9.56	
4	0.00	0.00	30.13	111809.04	:	0.00	0.00	0.40	1476.12	:	0.00	0.00	0.00	9.56	
5	0.00	0.00	30.00	111779.04	:	0.00	0.00	0.40	1475.72	:	0.00	0.00	0.00	9.56	
6	0.00	0.00	29.88	111749.16	:	0.00	0.00	0.40	1475.32	:	0.00	0.00	0.00	9.56	
7	0.00	0.00	30.12	111719.04	:	0.00	0.00	0.40	1474.92	:	0.00	0.00	0.00	9.56	
8	0.00	0.00	30.00	111689.04	:	0.00	0.00	0.40	1474.52	:	0.00	0.00	0.00	9.56	
9	0.00	0.00	29.89	111659.15	:	0.00	0.00	0.40	1474.12	:	0.00	0.00	0.00	9.56	
10	0.00	0.00	29.78	111629.37	:	0.00	0.00	0.39	1473.73	:	0.00	0.00	0.00	9.56	
11	0.00	0.00	29.73	111599.64	:	0.00	0.00	0.39	1473.34	:	0.00	0.00	0.00	9.56	
12	0.00	0.00	29.70	111569.94	:	0.00	0.00	0.39	1472.95	:	0.00	0.00	0.00	9.56	
13	0.00	0.00	29.67	111540.27	:	0.00	0.00	0.39	1472.56	:	0.00	0.00	0.00	9.56	
14	0.00	0.00	29.62	111510.65	:	0.00	0.00	0.39	1472.17	:	0.00	0.00	0.00	9.56	
15	0.00	0.00	29.60	111481.05	:	0.00	0.00	0.39	1471.78	:	0.00	0.00	0.00	9.56	
16	0.00	0.00	29.57	111451.48	:	0.00	0.00	0.39	1471.39	:	0.00	0.00	0.00	9.56	
17	0.00	0.00	29.54	111421.94	:	0.00	0.00	0.39	1471.00	:	0.00	0.00	0.00	9.56	
18	0.00	0.00	29.51	111392.43	:	0.00	0.00	0.39	1470.61	:	0.00	0.00	0.00	9.56	
19	0.00	0.00	29.49	111362.94	:	0.00	0.00	0.39	1470.22	:	0.00	0.00	0.00	9.56	
20	0.00	0.00	29.46	111333.48	:	0.00	0.00	0.39	1469.83	:	0.00	0.00	0.00	9.56	
21	0.00	0.00	29.42	111304.06	:	0.00	0.00	0.39	1469.44	:	0.00	0.00	0.00	9.56	
22	0.00	0.00	29.74	111274.32	:	0.00	0.00	0.39	1469.05	:	0.00	0.00	0.00	9.56	
23	0.00	0.00	29.71	111244.61	:	0.00	0.00	0.39	1468.66	:	0.00	0.00	0.00	9.56	
24	0.00	0.00	29.68	111214.93	:	0.00	0.00	0.39	1468.27	:	0.00	0.00	0.00	9.56	
25	0.00	0.00	29.67	111185.26	:	0.00	0.00	0.39	1467.88	:	0.00	0.00	0.00	9.56	
26	0.00	0.00	29.66	111155.60	:	0.00	0.00	0.39	1467.49	:	0.00	0.00	0.00	9.56	
27	0.00	0.00	29.65	111125.95	:	0.00	0.00	0.39	1467.10	:	0.00	0.00	0.00	9.56	
28	0.00	0.00	29.63	111096.32	:	0.00	0.00	0.39	1466.71	:	0.00	0.00	0.00	9.56	
TOT	0.00	0.00	833.98		:	0.00	0.00	11.01		:	0.00	0.00	0.00		
SUMMER STORED WATER											LAMAR				PG 2
FEB 1999:	FT. BENT					AMITY					LAMAR				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.41	1493.46	:	0.00	0.00	2.13	7812.01	:	0.00	0.00	0.02	81.13	
2	0.00	0.00	0.41	1493.05	:	0.00	0.00	2.12	7809.88	:	0.00	0.00	0.02	81.11	
3	0.00	0.00	0.40	1492.65	:	0.00	0.00	2.11	7807.76	:	0.00	0.00	0.02	81.09	
4	0.00	0.00	0.40	1492.25	:	0.00	0.00	2.10	7805.65	:	0.00	0.00	0.02	81.07	
5	0.00	0.00	0.40	1491.85	:	0.00	0.00	2.09	7803.55	:	0.00	0.00	0.02	81.05	
6	0.00	0.00	0.40	1491.45	:	0.00	0.00	2.09	7801.46	:	0.00	0.00	0.02	81.03	
7	0.00	0.00	0.40	1491.05	:	0.00	0.00	2.10	7799.37	:	0.00	0.00	0.02	81.01	
8	0.00	0.00	0.40	1490.65	:	0.00	0.00	2.09	7795.18	:	0.00	0.00	0.02	80.99	
9	0.00	0.00	0.40	1490.25	:	0.00	0.00	2.09	7793.09	:	0.00	0.00	0.02	80.95	
10	0.00	0.00	0.40	1489.85	:	0.00	0.00	2.08	7791.01	:	0.00	0.00	0.02	80.93	
11	0.00	0.00	0.40	1489.45	:	0.00	0.00	2.08	7788.93	:	0.00	0.00	0.02	80.91	
12	0.00	0.00	0.40	1489.05	:	0.00	0.00	2.07	7786.86	:	0.00	0.00	0.02	80.89	
13	0.00	0.00	0.40	1488.65	:	0.00	0.00	2.07	7784.79	:	0.00	0.00	0.02	80.87	
14	0.00	0.00	0.39	1488.26	:	0.00	0.00	2.07	7782.72	:	0.00	0.00	0.02	80.85	
15	0.00	0.00	0.40	1487.86	:	0.00	0.00	2.07	7780.65	:	0.00	0.00	0.02	80.83	
16	0.00	0.00	0.40	1487.46	:	0.00	0.00	2.06	7778.59	:	0.00	0.00	0.02	80.81	
17	0.00	0.00	0.39	1487.07	:	0.00	0.00	2.06	7776.53	:	0.00	0.00	0.02	80.79	
18	0.00	0.00	0.39	1486.68	:	0.00	0.00	2.06	7774.47	:	0.00	0.00	0.02	80.77	
19	0.00	0.00	0.39	1486.29	:	0.00	0.00	2.06	7772.41	:	0.00	0.00	0.02	80.75	
20	0.00	0.00	0.39	1485.90	:	0.00	0.00	2.05	7770.36	:	0.00	0.00	0.02	80.73	
21	0.00	0.00	0.39	1485.51	:	0.00	0.00	2.05	7768.31	:	0.00	0.00	0.02	80.71	
22	0.00	0.00	0.40	1485.11	:	0.00	0.00	2.08	7766.23	:	0.00	0.00	0.02	80.69	
23	0.00	0.00	0.40	1484.71	:	0.00	0.00	2.07	7764.16	:	0.00	0.00	0.02	80.67	
24	0.00	0.00	0.40	1484.31	:	0.00	0.00	2.07	7762.09	:	0.00	80.65	0.02	0.00	
25	0.00	0.00	0.40	1483.91	:	0.00	0.00	2.07	7760.02	:	0.00	0.00	0.00	0.00	
26	0.00	0.00	0.40	1483.51	:	0.00	0.00	2.07	7757.95	:	0.00	0.00	0.00	0.00	
27	0.00	0.00	0.40	1483.11	:	0.00	0.00	2.07	7755.88	:	0.00	0.00	0.00	0.00	
28	0.00	0.00	0.39	1482.72	:	0.00	0.00	2.07	7753.81	:	0.00	0.00	0.00	0.00	
TOT	0.00	0.00	11.15		:	0.00	0.00	58.20		:	0.00	80.65	0.48		

FEB 1999:	SUMMER STORED WATER												PG 3	
	HYDE				MANVEL				X-Y					
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN		
1	0.00	0.00	0.22	784.87	0.00	0.00	1.58	5803.34	0.00	0.00	2.55	9342.97		
2	0.00	0.00	0.21	784.65	0.00	0.00	1.57	5801.76	0.00	0.00	2.54	9340.42		
3	0.00	0.00	0.21	784.44	0.00	0.00	1.57	5800.19	0.00	0.00	2.53	9337.88		
4	0.00	0.00	0.21	784.23	0.00	0.00	1.56	5798.62	0.00	0.00	2.52	9335.35		
5	0.00	0.00	0.21	784.02	0.00	0.00	1.56	5797.06	0.00	0.00	2.51	9332.83		
6	0.00	0.00	0.21	783.81	0.00	0.00	1.55	5795.50	0.00	0.00	2.49	9330.32		
7	0.00	0.00	0.21	783.60	0.00	0.00	1.55	5793.95	0.00	0.00	2.49	9327.83		
8	0.00	0.00	0.21	783.39	0.00	0.00	1.56	5792.39	0.00	0.00	2.52	9325.31		
9	0.00	0.00	0.21	783.18	0.00	0.00	1.56	5790.83	0.00	0.00	2.51	9322.80		
10	0.00	0.00	0.21	782.97	0.00	0.00	1.55	5789.28	0.00	0.00	2.49	9320.31		
11	0.00	0.00	0.21	782.76	0.00	0.00	1.54	5787.74	0.00	0.00	2.49	9317.82		
12	0.00	0.00	0.21	782.55	0.00	0.00	1.54	5786.20	0.00	0.00	2.48	9315.34		
13	0.00	0.00	0.21	782.34	0.00	0.00	1.54	5784.66	0.00	0.00	2.48	9312.86		
14	0.00	0.00	0.21	782.13	0.00	0.00	1.54	5783.12	0.00	0.00	2.48	9310.38		
15	0.00	0.00	0.21	781.92	0.00	0.00	1.54	5781.58	0.00	0.00	2.47	9307.91		
16	0.00	0.00	0.21	781.71	0.00	0.00	1.53	5780.05	0.00	0.00	2.47	9305.44		
17	0.00	0.00	0.21	781.50	0.00	0.00	1.53	5778.52	0.00	0.00	2.47	9302.97		
18	0.00	0.00	0.21	781.29	0.00	0.00	1.53	5776.99	0.00	0.00	2.47	9300.50		
19	0.00	0.00	0.21	781.08	0.00	0.00	1.53	5775.46	0.00	0.00	2.46	9298.04		
20	0.00	0.00	0.21	780.87	0.00	0.00	1.53	5773.93	0.00	0.00	2.46	9295.58		
21	0.00	0.00	0.21	780.66	0.00	0.00	1.53	5772.40	0.00	0.00	2.46	9293.12		
22	0.00	0.00	0.21	780.45	0.00	0.00	1.52	5770.88	0.00	0.00	2.46	9290.66		
23	0.00	0.00	0.21	780.24	0.00	0.00	1.54	5769.34	0.00	0.00	2.48	9288.18		
24	0.00	0.00	0.21	780.03	0.00	0.00	1.54	5767.80	0.00	0.00	2.48	9285.70		
25	0.00	0.00	0.21	779.82	0.00	0.00	1.54	5766.26	0.00	0.00	2.48	9283.22		
26	0.00	0.00	0.21	779.61	0.00	0.00	1.54	5764.72	0.00	0.00	2.48	9280.74		
27	0.00	0.00	0.21	779.40	0.00	0.00	1.54	5763.18	0.00	0.00	2.47	9278.27		
28	0.00	0.00	0.21	779.19	0.00	0.00	1.54	5761.64	0.00	0.00	2.47	9275.80		
				778.98	0.00	0.00	1.54	5760.10	0.00	0.00	2.47	9273.33		
TOT	0.00	0.00	5.89		0.00	0.00	43.24		0.00	0.00	69.64			
SUMMER STORED WATER														
BUFFALO				SISSON				TOTAL				PG 3		
FEB 1999:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN		
1	0.00	0.00	5.40	19820.10	0.00	0.00	0.74	2721.83	0.00	0.00	13.05	47869.68		
2	0.00	0.00	5.38	19809.32	0.00	0.00	0.74	2720.35	0.00	0.00	12.99	47856.63		
3	0.00	0.00	5.36	19803.96	0.00	0.00	0.74	2719.61	0.00	0.00	12.94	47843.64		
4	0.00	0.00	5.34	19798.62	0.00	0.00	0.73	2718.88	0.00	0.00	12.88	47817.82		
5	0.00	0.00	5.31	19793.31	0.00	0.00	0.73	2718.15	0.00	0.00	12.83	47804.99		
6	0.00	0.00	5.29	19788.02	0.00	0.00	0.73	2717.42	0.00	0.00	12.78	47792.21		
7	0.00	0.00	5.34	19782.68	0.00	0.00	0.73	2716.69	0.00	0.00	12.88	47779.33		
8	0.00	0.00	5.31	19777.37	0.00	0.00	0.73	2715.96	0.00	0.00	12.83	47766.50		
9	0.00	0.00	5.29	19772.08	0.00	0.00	0.73	2715.23	0.00	0.00	12.78	47753.72		
10	0.00	0.00	5.28	19766.80	0.00	0.00	0.72	2714.51	0.00	0.00	12.74	47740.98		
11	0.00	0.00	5.26	19761.54	0.00	0.00	0.72	2713.79	0.00	0.00	12.71	47728.27		
12	0.00	0.00	5.26	19756.28	0.00	0.00	0.72	2713.07	0.00	0.00	12.70	47715.57		
13	0.00	0.00	5.25	19751.03	0.00	0.00	0.72	2712.35	0.00	0.00	12.69	47702.88		
14	0.00	0.00	5.25	19745.78	0.00	0.00	0.72	2711.63	0.00	0.00	12.67	47690.21		
15	0.00	0.00	5.24	19740.54	0.00	0.00	0.72	2710.91	0.00	0.00	12.66	47677.55		
16	0.00	0.00	5.23	19735.31	0.00	0.00	0.72	2710.19	0.00	0.00	12.64	47664.91		
17	0.00	0.00	5.23	19730.08	0.00	0.00	0.72	2709.47	0.00	0.00	12.63	47652.28		
18	0.00	0.00	5.23	19724.85	0.00	0.00	0.72	2708.75	0.00	0.00	12.62	47639.66		
19	0.00	0.00	5.22	19719.63	0.00	0.00	0.72	2708.03	0.00	0.00	12.61	47627.05		
20	0.00	0.00	5.22	19714.41	0.00	0.00	0.72	2707.31	0.00	0.00	12.60	47614.45		
21	0.00	0.00	5.21	19709.20	0.00	0.00	0.72	2706.59	0.00	0.00	12.58	47601.87		
22	0.00	0.00	5.27	19703.93	0.00	0.00	0.72	2705.87	0.00	0.00	12.72	47589.15		
23	0.00	0.00	5.26	19698.67	0.00	0.00	0.72	2705.15	0.00	0.00	12.70	47576.45		
24	0.00	0.00	5.25	19693.42	0.00	0.00	0.72	2704.43	0.00	80.65	12.69	47483.11		
25	0.00	0.00	5.25	19688.17	0.00	0.00	0.72	2703.71	0.00	0.00	12.67	47470.44		
26	0.00	0.00	5.25	19682.92	0.00	0.00	0.72	2702.99	0.00	0.00	12.66	47457.78		
27	0.00	0.00	5.25	19677.67	0.00	0.00	0.72	2702.27	0.00	0.00	12.66	47445.12		
28	0.00	0.00	5.25	19672.42	0.00	0.00	0.72	2701.55	0.00	0.00	12.65	47432.47		
TOT	0.00	0.00	147.68		0.00	0.00	20.28		0.00	80.65	356.56			

ARTICLE III

FEB 1999:	AMITY				FT. LYON				LAS ANIMAS CONSOL.				PG 4
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	2.34	8580.68	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	2.33	8578.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	2.32	8576.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	2.31	8573.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	2.30	8571.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	2.29	8569.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	2.31	8566.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	2.30	8564.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	2.29	8562.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	2.28	8559.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	2.28	8557.67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	2.28	8555.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	2.28	8553.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	2.27	8550.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	2.27	8548.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	2.27	8546.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	2.26	8544.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	2.26	8541.78	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	2.26	8539.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	2.26	8537.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	2.26	8535.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	2.28	8532.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	2.28	8530.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	2.28	8528.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	2.27	8525.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	2.28	8523.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	2.27	8521.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	2.27	8519.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	63.95		0.00	0.00	0.00		0.00	0.00	0.00	0.00	

ARTICLE III

FEB 1999:	TOTAL				OFFSET ACCOUNT				FLOOD POOL				PG 4
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	2.34	8583.02	0.00	0.00	1.33	4896.39	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	2.33	8578.35	0.00	0.00	1.33	4895.06	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	2.32	8576.03	0.00	0.00	1.32	4893.73	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	2.31	8573.72	0.00	0.00	1.32	4891.09	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	2.30	8571.42	0.00	0.00	1.31	4889.78	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	2.29	8569.13	0.00	0.00	1.31	4888.47	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	2.31	8566.82	0.00	0.00	1.32	4887.15	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	2.30	8564.52	0.00	0.00	1.31	4885.84	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	2.29	8562.23	0.00	0.00	1.31	4884.53	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	2.28	8559.95	0.00	0.00	1.30	4883.23	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	2.28	8557.67	0.00	0.00	1.30	4881.93	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	2.28	8555.39	0.00	0.00	1.30	4880.63	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	2.28	8553.11	0.00	0.00	1.30	4879.33	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	2.27	8550.84	0.00	0.00	1.30	4878.03	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	2.27	8548.57	0.00	0.00	1.30	4876.73	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	2.27	8546.30	0.00	0.00	1.29	4875.44	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	2.26	8544.04	0.00	0.00	1.29	4874.15	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	2.26	8541.78	0.00	0.00	1.29	4872.86	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	2.26	8539.52	0.00	0.00	1.29	4871.57	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	2.26	8537.26	0.00	0.00	1.29	4870.28	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	2.26	8535.00	0.00	0.00	1.29	4868.99	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	2.28	8532.72	0.00	0.00	1.30	4867.69	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	2.28	8530.44	0.00	0.00	1.30	4866.39	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	2.28	8528.16	0.00	0.00	1.30	4865.09	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	2.27	8525.89	0.00	0.00	1.30	4863.79	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	2.28	8523.61	0.00	0.00	1.30	4862.49	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	2.27	8521.34	0.00	0.00	1.30	4861.19	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	2.27	8519.07	0.00	0.00	1.30	4859.89	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	63.95		0.00	0.00	36.50		0.00	0.00	0.00	0.00	

## 1998 WINTER STORED WATER

PG 5

FEB 1999:	KEESEE				FT. BENT				AMITY			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.26	955.65	0.00	0.00	1.66	6092.73	0.00	0.00	6.72	24632.19
2	0.00	0.00	0.26	955.39	0.00	0.00	1.65	6091.07	0.00	0.00	6.69	24625.47
3	0.00	0.00	0.26	955.13	0.00	0.00	1.65	6089.42	0.00	0.00	6.65	24618.78
4	0.00	0.00	0.26	954.87	0.00	0.00	1.64	6087.77	0.00	0.00	6.63	24612.13
5	0.00	0.00	0.26	954.61	0.00	0.00	1.63	6086.13	0.00	0.00	6.60	24605.50
6	0.00	0.00	0.26	954.35	0.00	0.00	1.63	6084.50	0.00	0.00	6.60	24598.90
7	0.00	0.00	0.26	954.09	0.00	0.00	1.63	6082.87	0.00	0.00	6.57	24592.33
8	0.00	0.00	0.26	953.83	0.00	0.00	1.64	6081.23	0.00	0.00	6.63	24585.70
9	0.00	0.00	0.26	953.57	0.00	0.00	1.63	6079.60	0.00	0.00	6.60	24579.10
10	0.00	0.00	0.26	953.31	0.00	0.00	1.63	6077.97	0.00	0.00	6.58	24572.52
11	0.00	0.00	0.25	953.05	0.00	0.00	1.62	6076.35	0.00	0.00	6.56	24565.96
12	0.00	0.00	0.25	952.80	0.00	0.00	1.62	6074.73	0.00	0.00	6.54	24559.42
13	0.00	0.00	0.25	952.55	0.00	0.00	1.62	6073.11	0.00	0.00	6.54	24552.88
14	0.00	0.00	0.25	952.30	0.00	0.00	1.62	6071.49	0.00	0.00	6.53	24546.35
15	0.00	0.00	0.25	952.05	0.00	0.00	1.61	6069.88	0.00	0.00	6.52	24539.83
16	0.00	0.00	0.25	951.80	0.00	0.00	1.61	6068.27	0.00	0.00	6.52	24533.31
17	0.00	0.00	0.25	951.55	0.00	0.00	1.61	6066.66	0.00	0.00	6.51	24526.80
18	0.00	0.00	0.25	951.30	0.00	0.00	1.61	6065.05	0.00	0.00	6.50	24520.30
19	0.00	0.00	0.25	951.05	0.00	0.00	1.61	6063.44	0.00	0.00	6.49	24513.81
20	0.00	0.00	0.25	950.80	0.00	0.00	1.61	6061.83	0.00	0.00	6.49	24507.32
21	0.00	0.00	0.25	950.55	0.00	0.00	1.60	6060.23	0.00	0.00	6.48	24500.84
22	0.00	0.00	0.25	950.30	0.00	0.00	1.60	6058.63	0.00	0.00	6.48	24494.36
23	0.00	0.00	0.25	950.05	0.00	0.00	1.62	6057.01	0.00	0.00	6.54	24487.82
24	0.00	0.00	0.25	949.80	0.00	0.00	1.62	6055.39	0.00	0.00	6.54	24481.28
25	0.00	0.00	0.25	949.55	0.00	0.00	1.62	6053.77	0.00	0.00	6.53	24474.75
26	0.00	0.00	0.25	949.30	0.00	0.00	1.62	6052.15	0.00	0.00	6.53	24468.22
27	0.00	0.00	0.25	949.05	0.00	0.00	1.62	6050.53	0.00	0.00	6.53	24461.69
28	0.00	0.00	0.25	948.80	0.00	0.00	1.61	6048.92	0.00	0.00	6.53	24455.16
TOT	0.00	0.00	0.26	948.54	0.00	0.00	1.61	6047.31	0.00	0.00	6.52	24448.64

## 1998 WINTER STORED WATER

PG 5

FEB 1999:	LAMAR				HYDE				MANVEL			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.76	2786.74	0.00	0.00	0.39	1438.10	0.00	0.00	0.72	2654.58
2	0.00	0.00	0.76	2785.98	0.00	0.00	0.39	1437.71	0.00	0.00	0.72	2653.86
3	0.00	0.00	0.75	2784.47	0.00	0.00	0.39	1436.93	0.00	0.00	0.72	2652.42
4	0.00	0.00	0.75	2783.72	0.00	0.00	0.39	1436.54	0.00	0.00	0.71	2651.71
5	0.00	0.00	0.75	2782.97	0.00	0.00	0.39	1436.15	0.00	0.00	0.71	2651.00
6	0.00	0.00	0.74	2782.23	0.00	0.00	0.38	1435.77	0.00	0.00	0.71	2650.29
7	0.00	0.00	0.75	2781.48	0.00	0.00	0.38	1435.39	0.00	0.00	0.71	2649.58
8	0.00	0.00	0.75	2780.73	0.00	0.00	0.39	1435.00	0.00	0.00	0.71	2648.87
9	0.00	0.00	0.74	2779.99	0.00	0.00	0.38	1434.62	0.00	0.00	0.71	2648.16
10	0.00	0.00	0.74	2779.25	0.00	0.00	0.38	1434.24	0.00	0.00	0.71	2647.45
11	0.00	0.00	0.74	2778.51	0.00	0.00	0.38	1433.86	0.00	0.00	0.71	2646.74
12	0.00	0.00	0.74	2777.77	0.00	0.00	0.38	1433.48	0.00	0.00	0.70	2646.04
13	0.00	0.00	0.74	2777.03	0.00	0.00	0.38	1433.10	0.00	0.00	0.70	2645.34
14	0.00	0.00	0.74	2776.29	0.00	0.00	0.38	1432.72	0.00	0.00	0.70	2644.64
15	0.00	0.00	0.74	2775.55	0.00	0.00	0.38	1432.34	0.00	0.00	0.70	2643.94
16	0.00	0.00	0.74	2774.81	0.00	0.00	0.38	1431.96	0.00	0.00	0.70	2643.24
17	0.00	0.00	0.74	2774.07	0.00	0.00	0.38	1431.58	0.00	0.00	0.70	2642.54
18	0.00	0.00	0.73	2773.34	0.00	0.00	0.38	1431.20	0.00	0.00	0.70	2641.84
19	0.00	0.00	0.73	2772.61	0.00	0.00	0.38	1430.82	0.00	0.00	0.70	2641.14
20	0.00	0.00	0.73	2771.88	0.00	0.00	0.38	1430.44	0.00	0.00	0.70	2640.44
21	0.00	0.00	0.73	2771.15	0.00	0.00	0.38	1430.06	0.00	0.00	0.70	2639.74
22	0.00	0.00	0.74	2770.41	0.00	0.00	0.38	1429.68	0.00	0.00	0.71	2639.03
23	0.00	0.00	0.74	2769.67	0.00	0.00	0.38	1429.30	0.00	0.00	0.70	2638.33
24	96.01	0.74	2672.92	0.00	0.00	0.38	1428.92	0.00	0.00	0.71	2637.62	
25	245.29	0.71	2426.92	0.00	0.00	0.38	1428.54	0.00	0.00	0.71	2636.91	
26	140.83	0.65	2285.44	0.00	0.00	0.38	1428.16	0.00	0.00	0.70	2636.21	
27	140.83	0.61	2144.00	0.00	0.00	0.38	1427.78	0.00	0.00	0.70	2635.51	
28	140.83	0.57	2002.60	0.00	0.00	0.38	1427.40	0.00	0.00	0.70	2634.81	
TOT	0.00	763.79	20.35	0.00	0.00	10.70	0.00	0.00	0.00	0.00	19.77	

## 1998 WINTER STORED WATER

PG 6

FEB 1999:	X-Y				BUFFALO				SISSON-STUBBS			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	1.54	5641.54	0.00	0.00	2.57	9402.65	0.00	0.00	0.36	1327.26
2	0.00	0.00	1.53	5638.47	0.00	0.00	2.55	9397.53	0.00	0.00	0.36	1326.90
3	0.00	0.00	1.52	5636.95	0.00	0.00	2.54	9394.99	0.00	0.00	0.36	1326.54
4	0.00	0.00	1.52	5635.43	0.00	0.00	2.53	9392.46	0.00	0.00	0.36	1326.18
5	0.00	0.00	1.51	5633.92	0.00	0.00	2.52	9389.94	0.00	0.00	0.36	1325.82
6	0.00	0.00	1.51	5632.41	0.00	0.00	2.51	9387.43	0.00	0.00	0.35	1325.46
7	0.00	0.00	1.52	5630.89	0.00	0.00	2.53	9384.90	0.00	0.00	0.36	1325.11
8	0.00	0.00	1.51	5629.38	0.00	0.00	2.52	9382.38	0.00	0.00	0.36	1324.75
9	0.00	0.00	1.51	5627.87	0.00	0.00	2.51	9379.87	0.00	0.00	0.35	1324.39
10	0.00	0.00	1.50	5626.37	0.00	0.00	2.50	9377.37	0.00	0.00	0.35	1323.69
11	0.00	0.00	1.50	5624.87	0.00	0.00	2.50	9374.87	0.00	0.00	0.35	1323.34
12	0.00	0.00	1.50	5623.37	0.00	0.00	2.50	9372.37	0.00	0.00	0.35	1322.99
13	0.00	0.00	1.50	5621.87	0.00	0.00	2.49	9369.88	0.00	0.00	0.35	1322.64
14	0.00	0.00	1.50	5620.37	0.00	0.00	2.49	9367.39	0.00	0.00	0.35	1322.29
15	0.00	0.00	1.49	5618.88	0.00	0.00	2.49	9364.90	0.00	0.00	0.35	1321.94
16	0.00	0.00	1.49	5617.39	0.00	0.00	2.48	9362.42	0.00	0.00	0.35	1321.59
17	0.00	0.00	1.49	5615.90	0.00	0.00	2.48	9359.94	0.00	0.00	0.35	1321.24
18	0.00	0.00	1.49	5614.41	0.00	0.00	2.48	9357.46	0.00	0.00	0.35	1320.89
19	0.00	0.00	1.49	5612.92	0.00	0.00	2.48	9354.98	0.00	0.00	0.35	1320.54
20	0.00	0.00	1.49	5611.43	0.00	0.00	2.48	9352.50	0.00	0.00	0.35	1320.19
21	0.00	0.00	1.48	5609.95	0.00	0.00	2.47	9350.03	0.00	0.00	0.35	1319.84
22	0.00	0.00	1.50	5608.45	0.00	0.00	2.50	9347.53	0.00	0.00	0.35	1319.49
23	0.00	0.00	1.50	5606.95	0.00	0.00	2.50	9345.03	0.00	0.00	0.35	1319.14
24	0.00	0.00	1.50	5605.45	0.00	0.00	2.49	9342.54	0.00	0.00	0.35	1318.79
25	0.00	0.00	1.50	5603.95	0.00	0.00	2.49	9340.05	0.00	0.00	0.35	1318.44
26	0.00	0.00	1.50	5602.45	0.00	0.00	2.49	9337.56	0.00	0.00	0.35	1318.09
27	0.00	0.00	1.50	5600.95	0.00	0.00	2.49	9335.07	0.00	0.00	0.35	1317.74
28	0.00	0.00	1.49	5599.46	0.00	0.00	2.49	9332.58	0.00	0.00	0.35	1317.39
TOT	0.00	0.00	42.08		0.00	0.00	70.07		0.00	0.00	9.87	

## 1998 WINTER STORED WATER

PG 6

FEB 1999:	TOTAL				TOTAL				TOTAL			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	14.98	54931.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	14.91	54916.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	14.84	54886.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	14.79	54871.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	14.73	54857.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	14.66	54842.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	14.78	54827.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	14.73	54813.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	14.67	54798.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	14.62	54783.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	14.59	54769.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	14.58	54754.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	14.56	54740.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	14.54	54725.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	14.53	54710.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	14.51	54696.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	14.50	54681.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	14.48	54667.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	14.48	54652.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	14.46	54638.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	14.44	54624.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	14.59	54609.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	14.58	54594.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	96.01	14.57	54484.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	245.29	14.54	54224.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	140.83	14.47	54069.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	140.83	14.42	53913.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	140.83	14.37	53758.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	763.79	408.92		0.00	0.00	0.00		0.00	0.00		

## **SECTION 5**

**March 1999**

## JOHN MARTIN RESERVOIR

## JOHN MARTIN RESERVOIR

## AGREEMENT WATER

PG 1  
SUMMER COMPACT WATER

MAR 1999:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	275.83	140.83	135.00	315064.00	:	0.00	140.83	95.24	222273.30	:	0.00	0.00	0.00	0.00
2	275.83	140.83	135.00	315064.00	:	0.00	140.83	95.14	222037.23	:	0.00	0.00	0.00	0.00
3	439.80	83.80	135.00	315285.00	:	0.00	83.80	95.04	221622.42	:	0.00	0.00	0.00	0.00
4	292.60	47.60	135.00	315395.00	:	0.00	47.60	94.90	221479.92	:	0.00	0.00	0.00	0.00
5	262.85	17.85	135.00	315505.00	:	0.00	17.85	94.80	221367.27	:	0.00	0.00	0.00	0.00
6	246.00	0.00	135.00	315616.00	:	0.00	0.00	94.72	221272.55	:	0.00	0.00	0.00	0.00
7	245.00	0.00	135.00	315726.00	:	0.00	0.00	94.65	221177.90	:	0.00	0.00	0.00	0.00
8	368.40	12.40	135.00	315947.00	:	0.00	12.40	94.57	221070.93	:	0.00	0.00	0.00	0.00
9	296.83	50.83	135.00	316058.00	:	0.00	50.83	94.46	220925.64	:	0.00	0.00	0.00	0.00
10	457.32	101.32	135.00	316279.00	:	0.00	101.32	94.36	220729.96	:	0.00	0.00	0.00	0.00
11	254.91	119.91	135.00	316279.00	:	0.00	119.91	94.22	220515.83	:	0.00	0.00	0.00	0.00
12	1200.06	70.06	135.00	317274.00	:	0.00	70.06	94.12	220351.65	:	0.00	0.00	0.00	0.00
13	617.15	40.15	136.00	317715.00	:	0.00	40.15	94.46	220217.04	:	0.00	0.00	0.00	0.00
14	619.15	40.15	136.00	318158.00	:	0.00	40.15	94.27	220082.62	:	0.00	0.00	0.00	0.00
15	731.15	40.15	136.00	318713.00	:	0.00	40.15	94.08	219948.39	:	0.00	0.00	0.00	0.00
16	546.34	77.34	136.00	319046.00	:	0.00	77.34	93.85	219777.20	:	0.00	0.00	0.00	0.00
17	347.66	99.66	136.00	319158.00	:	41108.72	99.66	93.68	260692.58	:	0.00	0.00	0.00	0.00
18	812.97	121.97	136.00	319713.00	:	0.00	121.97	111.09	260459.52	:	0.00	0.00	0.00	0.00
19	532.85	75.85	123.00	320047.00	:	0.00	75.85	100.20	260283.47	:	0.00	0.00	0.00	0.00
20	274.15	40.15	123.00	320158.00	:	0.00	40.15	100.03	260143.29	:	0.00	0.00	0.00	0.00
21	613.15	40.15	130.00	320601.00	:	0.00	40.15	105.63	259997.51	:	0.00	0.00	0.00	0.00
22	370.23	148.23	110.00	320713.00	:	0.00	148.23	89.21	259760.07	:	0.00	0.00	0.00	0.00
23	237.07	213.07	136.00	320601.00	:	0.00	213.07	110.15	259436.85	:	0.00	0.00	0.00	0.00
24	1216.07	213.07	0.00	321604.00	:	0.00	213.07	0.00	259223.78	:	0.00	0.00	0.00	0.00
25	232.07	213.07	130.00	321493.00	:	0.00	213.07	104.78	258905.93	:	0.00	0.00	0.00	0.00
26	376.48	194.48	182.00	321493.00	:	0.00	194.48	146.57	258564.88	:	0.00	0.00	0.00	0.00
27	588.32	183.32	182.00	321716.00	:	0.00	183.32	146.38	258235.18	:	0.00	0.00	0.00	0.00
28	260.32	183.32	189.00	321604.00	:	0.00	183.32	151.71	257900.15	:	0.00	0.00	0.00	0.00
29	247.51	215.51	143.00	321493.00	:	0.00	215.51	114.67	257569.97	:	0.00	0.00	0.00	0.00
30	393.00	251.00	254.00	321381.00	:	0.00	251.00	203.50	257115.47	:	0.00	0.00	0.00	0.00
31	487.70	260.70	338.00	321270.00	:	0.00	1094.70	270.41	255750.36	:	0.00	0.00	0.00	0.00
TOT	14118.77	3436.77	4476.00		:	41108.72	4270.77	3360.89		:	0.00	0.00	0.00	

## JOHN MARTIN RESERVOIR

## WINTER COMPACT WATER

## PERMANENT POOL

## WINTER WATER

PG 1

MAR 1999:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	256.44	0.00	16.73	39041.42	:	0.00	0.00	3.78	8821.44	:	19.39	0.00	17.17	40067.95
2	258.38	0.00	16.83	39522.68	:	0.00	0.00	3.78	8817.66	:	17.45	0.00	17.17	40070.17
3	414.59	0.00	16.93	39920.34	:	0.00	0.00	3.78	8810.10	:	25.21	0.00	17.17	40078.49
4	275.15	0.00	17.09	40178.40	:	0.00	0.00	3.77	8806.33	:	17.45	0.00	17.16	40078.78
5	245.40	0.00	17.20	40406.60	:	0.00	0.00	3.77	8802.56	:	17.45	0.00	17.15	40079.08
6	228.55	0.00	17.29	40617.86	:	0.00	0.00	3.77	8798.79	:	17.45	0.00	17.15	40079.38
7	227.55	0.00	17.38	40828.03	:	0.00	0.00	3.76	8795.03	:	17.45	0.00	17.14	40079.69
8	325.74	0.00	17.46	41136.31	:	0.00	0.00	3.76	8791.27	:	42.66	0.00	17.14	40105.21
9	239.63	0.00	17.58	41358.36	:	0.00	0.00	3.75	8787.52	:	57.20	0.00	17.14	40145.27
10	408.85	0.00	17.67	41749.54	:	0.00	0.00	3.75	8783.77	:	48.47	0.00	17.15	40176.59
11	59.07	0.00	17.82	41790.79	:	0.00	0.00	3.75	8780.02	:	195.84	0.00	17.15	40355.28
12	1021.67	0.00	17.84	42794.62	:	0.00	0.00	3.75	8776.27	:	178.39	0.00	17.23	40516.44
13	438.76	0.00	18.34	43215.04	:	0.00	0.00	3.76	8772.51	:	178.39	0.00	17.37	40677.46
14	412.65	0.00	18.50	43609.19	:	0.00	0.00	3.75	8768.76	:	206.50	0.00	17.41	40866.55
15	436.42	0.00	18.64	44026.97	:	0.00	0.00	3.75	8765.01	:	294.73	0.00	17.47	41143.81
16	546.34	0.00	18.79	44554.52	:	0.00	0.00	3.74	8761.27	:	0.00	0.00	17.56	41126.25
17	347.66	0.00	18.99	44883.19	:	0.00	0.00	3.74	8757.53	:	0.00	41108.72	17.53	0.00
18	812.97	0.00	19.12	45677.04	:	0.00	0.00	3.73	8753.80	:	0.00	0.00	0.00	0.00
19	532.85	0.00	17.57	46192.32	:	0.00	0.00	3.37	8750.43	:	0.00	0.00	0.00	0.00
20	274.15	0.00	17.75	46448.72	:	0.00	0.00	3.37	8747.06	:	0.00	0.00	0.00	0.00
21	613.15	0.00	18.86	47043.01	:	0.00	0.00	3.55	8743.51	:	0.00	0.00	0.00	0.00
22	370.23	0.00	16.14	47397.10	:	0.00	0.00	3.00	8740.51	:	0.00	0.00	0.00	0.00
23	237.07	0.00	20.10	47614.07	:	0.00	0.00	3.71	8736.80	:	0.00	0.00	0.00	0.00
24	1216.07	0.00	0.00	48830.14	:	0.00	0.00	0.00	8736.80	:	0.00	0.00	0.00	0.00
25	232.07	0.00	19.74	49042.47	:	0.00	0.00	3.53	8733.27	:	0.00	0.00	0.00	0.00
26	376.48	0.00	27.76	49391.19	:	0.00	0.00	4.95	8728.32	:	0.00	0.00	0.00	0.00
27	588.32	0.00	27.96	49951.55	:	0.00	0.00	4.94	8723.38	:	0.00	0.00	0.00	0.00
28	260.32	0.00	29.35	50182.52	:	0.00	0.00	5.12	8718.26	:	0.00	0.00	0.00	0.00
29	247.51	0.00	22.31	50407.72	:	0.00	0.00	3.88	8714.38	:	0.00	0.00	0.00	0.00
30	393.00	0.00	39.83	50760.89	:	0.00	0.00	6.88	8707.50	:	0.00	0.00	0.00	0.00
31	487.70	0.00	53.39	51195.20	:	0.00	0.00	9.16	8698.34	:	0.00	0.00	0.00	0.00
TOT	12784.74	0.00	630.96		:	0.00	0.00	123.10		:	1334.03	41108.72	293.26	

## AGREEMENT WATER

## SUMMER STORED WATER

PG 2

MAR 1999:	KANSAS					TRANSIT LOSS					KEESEE				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	47.60	111096.32	:	0.00	0.00	0.63	1466.71	:	0.00	0.00	0.00	0.00	9.56
2	0.00	0.00	47.58	111048.72	:	0.00	0.00	0.63	1465.45	:	0.00	0.00	0.00	0.00	9.56
3	0.00	0.00	47.56	111001.14	:	0.00	0.00	0.63	1464.82	:	0.00	0.00	0.00	0.00	9.56
4	0.00	0.00	47.51	110953.58	:	0.00	0.00	0.63	1464.19	:	0.00	0.00	0.00	0.00	9.56
5	0.00	0.00	47.47	110906.07	:	0.00	0.00	0.63	1463.56	:	0.00	0.00	0.01	0.01	9.55
6	0.00	0.00	47.43	110858.60	:	0.00	0.00	0.63	1462.93	:	0.00	0.00	0.01	0.01	9.54
7	0.00	0.00	47.40	110811.17	:	0.00	0.00	0.63	1462.30	:	0.00	0.00	0.00	0.00	9.54
8	0.00	0.00	47.36	110763.77	:	0.00	0.00	0.63	1461.67	:	0.00	0.00	0.00	0.00	9.54
9	0.00	0.00	47.31	110669.10	:	0.00	0.00	0.62	1461.05	:	0.00	0.00	0.01	0.01	9.53
10	0.00	0.00	47.27	110621.83	:	0.00	0.00	0.62	1460.43	:	0.00	0.00	0.00	0.00	9.53
11	0.00	0.00	47.22	110574.61	:	0.00	0.00	0.62	1459.81	:	0.00	0.00	0.00	0.00	9.53
12	0.00	0.00	47.20	110527.41	:	0.00	0.00	0.62	1459.19	:	0.00	0.00	0.00	0.00	9.53
13	0.00	0.00	47.38	110480.03	:	0.00	0.00	0.63	1458.56	:	0.00	0.00	0.00	0.00	9.53
14	0.00	0.00	47.29	110432.74	:	0.00	0.00	0.63	1457.93	:	0.00	0.00	0.01	0.01	9.52
15	0.00	0.00	47.21	110385.53	:	0.00	0.00	0.62	1457.31	:	0.00	0.00	0.00	0.00	9.52
16	0.00	0.00	47.10	110338.43	:	0.00	0.00	0.62	1456.69	:	0.00	0.00	0.00	0.00	9.52
17	4445.29	0.00	47.03	114736.69	:	243.93	0.00	0.62	1700.00	:	0.00	0.00	0.00	0.00	9.52
18	0.00	0.00	48.89	114687.80	:	0.00	0.00	0.73	1699.27	:	0.00	0.00	0.01	0.01	9.51
19	0.00	0.00	44.12	114643.68	:	0.00	0.00	0.65	1698.62	:	0.00	0.00	0.00	0.00	9.51
20	0.00	0.00	44.06	114599.62	:	0.00	0.00	0.65	1697.97	:	0.00	0.00	0.00	0.00	9.51
21	0.00	0.00	46.53	114553.09	:	0.00	0.00	0.69	1697.28	:	0.00	0.00	0.01	0.01	9.50
22	0.00	0.00	39.31	114513.78	:	0.00	0.00	0.58	1696.70	:	0.00	9.50	0.00	0.00	0.00
23	0.00	0.00	48.56	114465.22	:	0.00	0.00	0.72	1695.98	:	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	114465.22	:	0.00	0.00	0.00	1695.98	:	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	46.27	114418.95	:	0.00	0.00	0.68	1695.30	:	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	64.77	114354.18	:	0.00	0.00	0.96	1694.34	:	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	64.74	114289.44	:	0.00	0.00	0.96	1693.38	:	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	67.14	114222.30	:	0.00	0.00	0.99	1692.39	:	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	50.79	114171.51	:	0.00	0.00	0.75	1691.64	:	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	90.20	114081.31	:	0.00	0.00	1.34	1690.30	:	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	119.98	113961.33	:	0.00	0.00	1.78	1688.52	:	0.00	0.00	0.00	0.00	0.00
TOT	4445.29	0.00	1580.28		:	243.93	0.00	22.12		:	0.00	9.50	0.06		

## SUMMER STORED WATER

## LAMAR

PG 2

MAR 1999:	FT. BENT					AMITY					LAMAR				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.64	1482.72	:	0.00	0.00	3.32	7753.81	:	0.00	0.00	0.00	0.00	
2	0.00	0.00	0.64	1481.44	:	0.00	0.00	3.32	7750.49	:	0.00	0.00	0.00	0.00	
3	0.00	0.00	0.64	1480.80	:	0.00	0.00	3.32	7747.17	:	0.00	0.00	0.00	0.00	
4	0.00	0.00	0.63	1480.17	:	0.00	0.00	3.32	7743.85	:	0.00	0.00	0.00	0.00	
5	0.00	0.00	0.63	1479.54	:	0.00	0.00	3.31	7740.53	:	0.00	0.00	0.00	0.00	
6	0.00	0.00	0.63	1478.91	:	0.00	0.00	3.31	7737.22	:	0.00	0.00	0.00	0.00	
7	0.00	0.00	0.63	1478.28	:	0.00	0.00	3.31	7733.91	:	0.00	0.00	0.00	0.00	
8	0.00	0.00	0.63	1477.65	:	0.00	0.00	3.31	7730.60	:	0.00	0.00	0.00	0.00	
9	0.00	30.99	0.63	1446.03	:	0.00	0.00	3.30	7723.99	:	0.00	0.00	0.00	0.00	
10	0.00	62.89	0.62	1382.52	:	0.00	0.00	3.30	7720.69	:	0.00	0.00	0.00	0.00	
11	0.00	70.32	0.59	1311.61	:	0.00	0.00	3.30	7717.39	:	0.00	0.00	0.00	0.00	
12	0.00	51.46	0.56	1259.59	:	0.00	0.00	3.29	7714.10	:	0.00	0.00	0.00	0.00	
13	0.00	40.15	0.54	1218.90	:	0.00	0.00	3.31	7710.79	:	0.00	0.00	0.00	0.00	
14	0.00	40.15	0.52	1178.23	:	0.00	0.00	3.30	7707.49	:	0.00	0.00	0.00	0.00	
15	0.00	40.15	0.50	1137.58	:	0.00	0.00	3.30	7704.19	:	0.00	0.00	0.00	0.00	
16	0.00	40.15	0.49	1096.94	:	0.00	0.00	3.29	7700.90	:	0.00	0.00	0.00	0.00	
17	0.00	40.15	0.47	1056.32	:	0.00	0.00	3.28	7697.62	:	0.00	0.00	0.00	0.00	
18	0.00	40.15	0.45	1015.72	:	0.00	0.00	3.28	7694.34	:	0.00	0.00	0.00	0.00	
19	0.00	40.15	0.39	975.18	:	0.00	0.00	2.96	7691.38	:	0.00	0.00	0.00	0.00	
20	0.00	40.15	0.37	934.66	:	0.00	0.00	2.96	7688.42	:	0.00	0.00	0.00	0.00	
21	0.00	40.15	0.38	894.13	:	0.00	0.00	3.12	7685.30	:	0.00	0.00	0.00	0.00	
22	0.00	40.15	0.31	853.67	:	0.00	0.00	2.64	7682.66	:	0.00	0.00	0.00	0.00	
23	0.00	40.15	0.36	813.16	:	0.00	0.00	3.26	7679.40	:	0.00	0.00	0.00	0.00	
24	0.00	40.15	0.00	773.01	:	0.00	0.00	0.00	7679.40	:	0.00	0.00	0.00	0.00	
25	0.00	40.15	0.31	732.55	:	0.00	0.00	3.10	7676.30	:	0.00	0.00	0.00	0.00	
26	0.00	40.15	0.41	691.99	:	0.00	0.00	4.35	7671.95	:	0.00	0.00	0.00	0.00	
27	0.00	40.15	0.39	651.45	:	0.00	0.00	4.34	7667.61	:	0.00	0.00	0.00	0.00	
28	0.00	40.15	0.38	610.92	:	0.00	0.00	4.50	7663.11	:	0.00	0.00	0.00	0.00	
29	0.00	40.15	0.27	570.50	:	0.00	0.00	3.41	7659.70	:	0.00	0.00	0.00	0.00	
30	0.00	40.15	0.45	529.90	:	0.00	0.00	6.05	7653.65	:	0.00	0.00	0.00	0.00	
31	0.00	40.15	0.56	489.19	:	0.00	0.00	8.05	7645.60	:	0.00	0.00	0.00	0.00	
TOT	0.00	978.51	15.02		:	0.00	0.00	108.21		:	0.00	0.00	0.00	0.00	

SUMMER STORED WATER													PG 3
MAR 1999:	HYDE				MANVEL				X-Y				OWN
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.33	778.98	0.00	0.00	2.47	5760.10	0.00	0.00	3.97	9273.33	9269.36
2	0.00	0.00	0.33	778.65	0.00	0.00	2.47	5757.63	0.00	0.00	3.97	9265.39	9265.39
3	0.00	0.00	0.33	778.32	0.00	0.00	2.47	5755.16	0.00	0.00	3.97	9261.42	9261.42
4	0.00	0.00	0.33	777.99	0.00	0.00	2.47	5752.69	0.00	0.00	3.97	9257.45	9257.45
5	0.00	0.00	0.33	777.66	0.00	0.00	2.46	5750.23	0.00	0.00	3.96	9253.49	9253.49
6	0.00	0.00	0.33	777.33	0.00	0.00	2.46	5747.77	0.00	0.00	3.96	9249.53	9249.53
7	0.00	0.00	0.33	777.00	0.00	0.00	2.46	5745.31	0.00	0.00	3.96	9245.57	9245.57
8	0.00	0.00	0.33	776.67	0.00	0.00	2.46	5742.85	0.00	0.00	3.95	9241.62	9241.62
9	0.00	0.00	0.33	776.34	0.00	0.00	2.45	5740.39	0.00	0.00	3.95	9237.67	9237.67
10	0.00	0.00	0.33	775.68	0.00	0.00	2.45	5735.49	0.00	0.00	3.95	9233.72	9233.72
11	0.00	0.00	0.33	775.35	0.00	0.00	2.45	5733.04	0.00	0.00	3.94	9229.78	9229.78
12	0.00	0.00	0.33	775.02	0.00	0.00	2.45	5730.59	0.00	0.00	3.94	9225.84	9225.84
13	0.00	0.00	0.33	774.69	0.00	0.00	2.46	5728.13	0.00	0.00	3.96	9221.88	9221.88
14	0.00	0.00	0.33	774.36	0.00	0.00	2.45	5725.68	0.00	0.00	3.95	9217.93	9217.93
15	0.00	0.00	0.33	774.03	0.00	0.00	2.45	5723.23	0.00	0.00	3.94	9213.99	9213.99
16	0.00	0.00	0.33	773.70	0.00	0.00	2.44	5720.79	0.00	0.00	3.93	9210.06	9210.06
17	0.00	0.00	0.33	773.37	0.00	0.00	2.44	5718.35	0.00	0.00	3.93	9206.13	9206.13
18	0.00	0.00	0.33	773.04	0.00	0.00	2.44	5715.91	0.00	0.00	3.92	9202.21	9202.21
19	0.00	0.00	0.30	772.74	0.00	0.00	2.20	5713.71	0.00	0.00	3.54	9198.67	9198.67
20	0.00	0.00	0.30	772.44	0.00	0.00	2.20	5711.51	0.00	0.00	3.53	9195.14	9195.14
21	0.00	0.00	0.31	772.13	0.00	0.00	2.32	5709.19	0.00	0.00	3.73	9191.41	9191.41
22	0.00	0.00	0.26	771.87	0.00	0.00	1.96	5707.23	0.00	0.00	3.15	9188.26	9188.26
23	0.00	0.00	0.33	771.54	0.00	0.00	2.42	5704.81	0.00	0.00	3.90	9184.36	9184.36
24	0.00	0.00	0.00	771.54	0.00	0.00	0.00	5704.81	0.00	0.00	0.00	9184.36	9184.36
25	0.00	0.00	0.31	771.23	0.00	0.00	2.31	5702.50	0.00	0.00	3.71	9180.65	9180.65
26	0.00	0.00	0.44	770.79	0.00	0.00	3.23	5699.27	0.00	0.00	5.20	9175.45	9175.45
27	0.00	0.00	0.44	770.35	0.00	0.00	3.23	5696.04	0.00	0.00	5.19	9170.26	9170.26
28	0.00	0.00	0.45	769.90	0.00	0.00	3.35	5692.69	0.00	0.00	5.39	9164.87	9164.87
29	0.00	0.00	0.34	769.56	0.00	0.00	2.53	5690.16	0.00	0.00	4.08	9160.79	9160.79
30	0.00	0.00	0.61	768.95	0.00	0.00	4.50	5685.66	0.00	0.00	7.24	9153.55	9153.55
31	0.00	0.00	0.81	768.14	0.00	0.00	5.98	5679.68	0.00	34.00	9.63	9109.92	9109.92
TOT	0.00	0.00	10.84		0.00	0.00	80.42		0.00	34.00	129.41		
SUMMER STORED WATER													PG 3
MAR 1999:	BUFFALO				SISSON				TOTAL				OWN
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	8.43	19672.42	0.00	0.00	1.16	2701.55	0.00	0.00	20.32	47432.47	47412.15
2	0.00	0.00	8.43	19655.56	0.00	0.00	1.16	2699.23	0.00	0.00	20.32	47391.83	47371.52
3	0.00	0.00	8.42	19647.14	0.00	0.00	1.16	2698.07	0.00	0.00	20.31	47351.23	47351.23
4	0.00	0.00	8.42	19638.72	0.00	0.00	1.16	2696.91	0.00	0.00	20.29	47330.96	47330.96
5	0.00	0.00	8.41	19630.31	0.00	0.00	1.16	2695.75	0.00	0.00	20.27	47310.71	47310.71
6	0.00	0.00	8.40	19621.91	0.00	0.00	1.15	2694.60	0.00	0.00	20.25	47290.47	47290.47
7	0.00	0.00	8.40	19613.51	0.00	0.00	1.15	2693.45	0.00	0.00	20.24	47270.25	47270.25
8	0.00	0.00	8.39	19605.12	0.00	0.00	1.15	2692.30	0.00	0.00	20.22	47219.06	47219.06
9	0.00	0.00	8.38	19596.74	0.00	0.00	1.15	2691.15	0.00	30.99	20.20	47136.00	47136.00
10	0.00	0.00	8.37	19588.37	0.00	0.00	1.15	2690.00	0.00	62.89	20.17	47045.56	47045.56
11	0.00	0.00	8.36	19580.01	0.00	0.00	1.15	2688.85	0.00	70.32	20.12	46973.20	46973.20
12	0.00	0.00	8.36	19571.65	0.00	0.00	1.15	2687.70	0.00	51.46	20.08	46673.13	46673.13
13	0.00	0.00	8.39	19563.26	0.00	0.00	1.15	2686.55	0.00	40.15	20.14	46613.09	46613.09
14	0.00	0.00	8.37	19554.89	0.00	0.00	1.15	2685.40	0.00	40.15	20.08	46593.50	46593.50
15	0.00	0.00	8.36	19546.53	0.00	0.00	1.15	2684.25	0.00	40.15	20.03	46793.32	46793.32
16	0.00	0.00	8.34	19538.19	0.00	0.00	1.15	2683.10	0.00	40.15	19.97	46733.20	46733.20
17	0.00	0.00	8.33	19529.86	0.00	0.00	1.14	2681.96	0.00	40.15	19.92	46673.13	46673.13
18	0.00	0.00	8.32	19521.54	0.00	0.00	1.14	2680.82	0.00	40.15	19.89	46613.09	46613.09
19	0.00	0.00	7.51	19514.03	0.00	0.00	1.03	2679.79	0.00	40.15	17.93	46555.01	46555.01
20	0.00	0.00	7.50	19506.53	0.00	0.00	1.03	2678.76	0.00	40.15	17.89	46496.97	46496.97
21	0.00	0.00	7.92	19498.61	0.00	0.00	1.09	2677.67	0.00	40.15	18.88	46437.94	46437.94
22	0.00	0.00	6.69	19491.92	0.00	0.00	0.92	2676.75	0.00	49.65	15.93	46372.36	46372.36
23	0.00	0.00	8.26	19483.66	0.00	0.00	1.13	2675.62	0.00	40.15	19.66	46312.55	46312.55
24	0.00	0.00	0.00	19483.66	0.00	0.00	0.00	2675.62	0.00	40.15	0.00	46272.40	46272.40
25	0.00	0.00	7.88	19475.78	0.00	0.00	1.08	2674.54	0.00	40.15	18.70	46213.55	46213.55
26	0.00	0.00	11.02	19464.76	0.00	0.00	1.51	2673.03	0.00	40.15	26.16	46147.24	46147.24
27	0.00	0.00	11.02	19453.74	0.00	0.00	1.51	2671.52	0.00	40.15	26.12	46080.97	46080.97
28	0.00	0.00	11.43	19442.31	0.00	0.00	1.57	2669.95	0.00	40.15	27.07	46013.75	46013.75
29	0.00	0.00	8.64	19433.67	0.00	0.00	1.19	2668.76	0.00	40.15	20.46	45953.14	45953.14
30	0.00	0.00	15.35	19418.32	0.00	0.00	2.11	2666.65	0.00	40.15	36.31	45876.68	45876.68
31	0.00	0.00	20.42	19397.90	0.00	635.25	2.80	2028.60	0.00	709.40	48.25	45119.03	45119.03
TOT	0.00	0.00	274.52		0.00	635.25	37.70		0.00	1657.26	656.18		

## ARTICLE III

PG 4  
LAS ANIMAS CONSOL.

MAR 1999:	AMITY				FT. LYON				FLOOD POOL				
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	3.65	8515.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	0.00	0.00	3.65	8511.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3	0.00	0.00	3.65	8508.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
4	0.00	0.00	3.64	8504.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
5	0.00	0.00	3.64	8500.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
6	0.00	0.00	3.64	8497.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
7	0.00	0.00	3.63	8493.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
8	0.00	0.00	3.63	8489.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
9	0.00	0.00	3.63	8486.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
10	0.00	0.00	3.62	8482.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11	0.00	0.00	3.62	8479.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
12	0.00	0.00	3.62	8475.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
13	0.00	0.00	3.63	8471.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
14	0.00	0.00	3.63	8468.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
15	0.00	0.00	3.62	8464.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
16	0.00	0.00	3.61	8460.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
17	16533.93	5786.87	3.61	19204.41	19658.19	6880.36	86.36		12777.83	4916.60	1720.82	0.00	3195.78
18	0.00	0.00	8.18	19196.23	0.00	0.00	5.45		12772.38	0.00	0.00	1.36	3194.42
19	0.00	0.00	7.39	19188.84	0.00	0.00	4.91		12767.47	0.00	0.00	1.23	3193.19
20	0.00	0.00	7.37	19181.47	0.00	0.00	4.91		12762.56	0.00	0.00	1.23	3191.96
21	0.00	0.00	7.79	19173.68	0.00	0.00	5.18		12757.38	0.00	0.00	1.30	3190.66
22	0.00	0.00	6.58	19167.10	0.00	0.00	4.38		12753.00	0.00	0.00	1.09	3189.57
23	0.00	0.00	8.13	19158.97	0.00	0.00	5.41		12747.59	0.00	0.00	1.35	3188.22
24	0.00	0.00	0.00	19158.97	0.00	0.00	0.00		12747.59	0.00	0.00	0.00	3188.22
25	0.00	0.00	7.75	19151.22	0.00	0.00	5.15		12742.44	0.00	0.00	1.29	3186.93
26	0.00	0.00	10.84	19140.38	0.00	0.00	7.21		12735.23	0.00	0.00	1.81	3185.12
27	0.00	0.00	10.84	19129.54	0.00	0.00	7.21		12728.02	0.00	0.00	1.80	3183.32
28	0.00	0.00	11.24	19118.30	0.00	0.00	7.48		12720.54	0.00	0.00	1.87	3181.45
29	0.00	0.00	8.50	19109.80	0.00	0.00	5.66		12714.88	0.00	0.00	1.41	3180.04
30	0.00	0.00	15.10	19094.70	0.00	0.00	10.05		12704.83	0.00	0.00	2.51	3177.53
31	0.00	0.00	20.08	19074.62	0.00	0.00	13.36		12691.47	0.00	0.00	3.34	3174.19
TOT :	16533.93	5786.87	191.51		19658.19	6880.36	86.36			4916.60	1720.82	21.59	

## ARTICLE III

JOHN MARTIN RESERVOIR

PG 4

MAR 1999:	TOTAL				OFFSET ACCOUNT				FLOOD POOL			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	3.65	8515.42	0.00	0.00	2.08	4859.89	0.00	0.00	0.00	0.00
2	0.00	0.00	3.65	8511.77	0.00	0.00	2.08	4855.73	0.00	0.00	0.00	0.00
3	0.00	0.00	3.65	8508.12	0.00	0.00	2.08	4853.65	0.00	0.00	0.00	0.00
4	0.00	0.00	3.64	8504.48	0.00	0.00	2.08	4851.57	0.00	0.00	0.00	0.00
5	0.00	0.00	3.64	8500.84	0.00	0.00	2.08	4849.49	0.00	0.00	0.00	0.00
6	0.00	0.00	3.64	8497.20	0.00	0.00	2.07	4847.42	0.00	0.00	0.00	0.00
7	0.00	0.00	3.63	8493.57	0.00	0.00	2.07	4845.35	0.00	0.00	0.00	0.00
8	0.00	0.00	3.63	8489.94	0.00	0.00	2.07	4843.28	0.00	0.00	0.00	0.00
9	0.00	0.00	3.63	8486.31	0.00	0.00	2.07	4841.21	0.00	0.00	0.00	0.00
10	0.00	0.00	3.62	8482.69	0.00	0.00	2.07	4839.14	0.00	0.00	0.00	0.00
11	0.00	0.00	3.62	8479.07	0.00	0.00	2.06	4837.08	0.00	0.00	0.00	0.00
12	0.00	0.00	3.62	8475.45	0.00	0.00	2.06	4835.02	0.00	0.00	0.00	0.00
13	0.00	0.00	3.63	8471.82	0.00	0.00	2.07	4832.95	0.00	0.00	0.00	0.00
14	0.00	0.00	3.63	8468.19	0.00	0.00	2.07	4830.88	0.00	0.00	0.00	0.00
15	0.00	0.00	3.62	8464.57	0.00	0.00	2.06	4828.82	0.00	0.00	0.00	0.00
16	0.00	0.00	3.61	8460.96	0.00	0.00	2.06	4826.76	0.00	0.00	0.00	0.00
17	41108.72	14388.05	3.61	35178.02	0.00	0.00	2.06	4824.70	0.00	0.00	0.00	0.00
18	0.00	0.00	14.99	35163.03	0.00	0.00	2.06	4822.64	0.00	0.00	0.00	0.00
19	0.00	0.00	13.53	35149.50	0.00	0.00	1.86	4820.78	0.00	0.00	0.00	0.00
20	0.00	0.00	13.51	35135.99	0.00	0.00	1.85	4818.93	0.00	0.00	0.00	0.00
21	0.00	0.00	14.27	35121.72	0.00	0.00	1.96	4816.97	0.00	0.00	0.00	0.00
22	0.00	0.00	12.05	35109.67	0.00	0.00	1.65	4815.32	0.00	0.00	0.00	0.00
23	0.00	0.00	14.89	35094.78	0.00	0.00	2.04	4813.28	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	35094.78	0.00	0.00	0.00	4813.28	0.00	0.00	0.00	0.00
25	0.00	0.00	14.19	35080.59	0.00	0.00	1.95	4811.33	0.00	0.00	0.00	0.00
26	0.00	0.00	19.86	35060.73	0.00	0.00	2.72	4808.61	0.00	0.00	0.00	0.00
27	0.00	0.00	19.85	35040.88	0.00	0.00	2.72	4805.89	0.00	0.00	0.00	0.00
28	0.00	0.00	20.59	35020.29	0.00	0.00	2.82	4803.07	0.00	0.00	0.00	0.00
29	0.00	0.00	15.57	35004.72	0.00	0.00	2.14	4800.93	0.00	0.00	0.00	0.00
30	0.00	0.00	27.66	34977.06	0.00	0.00	3.79	4797.14	0.00	0.00	0.00	0.00
31	0.00	0.00	36.78	34940.28	834.00	0.00	5.04	5626.10	0.00	0.00	0.00	0.00
TOT :	41108.72	14388.05	299.46		834.00	0.00	67.79			0.00	0.00	0.00

## 1998 WINTER STORED WATER

PG 5

MAR 1999:	KEESEE				FT. BENT				AMITY			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.41	948.54	0.00	0.00	2.59	6047.31	0.00	0.00	10.48	24448.64
2	0.00	0.00	0.40	948.13	0.00	0.00	2.59	6044.72	0.00	0.00	10.47	24438.16
3	0.00	0.00	0.41	947.32	0.00	0.00	2.59	6039.54	0.00	0.00	10.46	24427.69
4	0.00	0.00	0.41	946.91	0.00	0.00	2.59	6036.95	0.00	0.00	10.45	24417.23
5	0.00	0.00	0.41	946.50	0.00	0.00	2.58	6034.37	0.00	0.00	10.44	24406.78
6	0.00	0.00	0.41	946.09	0.00	0.00	2.58	6031.79	0.00	0.00	10.44	24396.34
7	0.00	0.00	0.41	945.68	0.00	0.00	2.58	6029.21	0.00	0.00	10.43	24385.90
8	0.00	0.00	0.40	945.28	0.00	0.00	2.58	6026.63	0.00	0.00	10.42	24365.05
9	0.00	0.00	0.40	944.88	0.00	0.00	2.58	6024.05	0.00	0.00	10.41	24354.64
10	0.00	0.00	0.40	944.48	0.00	0.00	2.57	6021.48	0.00	0.00	10.41	24344.23
11	0.00	0.00	0.40	944.08	0.00	0.00	2.57	6018.91	0.00	0.00	10.39	24333.84
12	0.00	0.00	0.40	943.68	0.00	0.00	2.57	6016.34	0.00	0.00	10.38	24323.46
13	0.00	0.00	0.40	943.28	0.00	0.00	2.58	6013.76	0.00	0.00	10.43	24313.03
14	0.00	0.00	0.40	942.88	0.00	0.00	2.58	6011.18	0.00	0.00	10.41	24302.62
15	0.00	0.00	0.40	942.48	0.00	0.00	2.57	6008.61	0.00	0.00	10.39	24292.23
16	0.00	0.00	0.40	942.08	0.00	0.00	2.56	6006.05	0.00	0.00	10.37	24281.86
17	0.00	0.00	0.40	941.68	0.00	0.00	2.56	6003.49	0.00	0.00	10.35	24271.51
18	0.00	0.00	0.40	941.28	0.00	0.00	2.56	6000.93	0.00	0.00	10.34	24261.17
19	0.00	0.00	0.36	940.92	0.00	0.00	2.31	5998.62	0.00	0.00	9.34	24251.83
20	0.00	0.00	0.36	940.56	0.00	0.00	2.31	5996.31	0.00	0.00	9.32	24242.51
21	0.00	0.00	0.38	940.18	0.00	0.00	2.44	5993.87	0.00	0.00	9.84	24232.67
22	0.00	5.60	0.32	934.26	0.00	0.00	2.06	5991.81	0.00	0.00	8.32	24224.35
23	0.00	24.16	0.40	909.70	0.00	0.00	2.54	5989.27	0.00	0.00	10.27	24214.08
24	0.00	24.16	0.00	885.54	0.00	0.00	0.00	5989.27	0.00	0.00	0.00	24214.08
25	0.00	24.16	0.36	861.02	0.00	0.00	2.42	5986.85	0.00	0.00	9.79	24204.29
26	0.00	24.16	0.49	836.37	0.00	0.00	3.39	5983.46	0.00	0.00	13.70	24190.59
27	0.00	24.16	0.47	811.74	0.00	0.00	3.39	5980.07	0.00	0.00	13.70	24176.89
28	0.00	24.16	0.48	787.10	0.00	0.00	3.51	5976.56	0.00	0.00	14.21	24162.68
29	0.00	31.56	0.35	755.19	0.00	0.00	2.66	5973.90	0.00	0.00	10.74	24151.94
30	0.00	39.77	0.60	714.82	0.00	0.00	4.72	5969.18	0.00	0.00	19.08	24132.86
31	0.00	42.03	0.75	672.04	0.00	0.00	6.28	5962.90	0.00	0.00	25.38	24107.48
TOT	0.00	263.92	12.58		0.00	0.00	84.41		0.00	0.00	341.16	

## 1998 WINTER STORED WATER

PG 5

MAR 1999:	LAMAR				HYDE				MANVEL			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	140.83	0.86	2002.60	0.00	0.00	0.61	1427.40	0.00	0.00	1.13	2634.81
2	0.00	140.83	0.80	1860.91	0.00	0.00	0.61	1426.79	0.00	0.00	1.13	2633.68
3	0.00	83.80	0.74	1719.28	0.00	0.00	0.61	1426.18	0.00	0.00	1.13	2632.55
4	0.00	47.60	0.70	1634.74	0.00	0.00	0.61	1425.57	0.00	0.00	1.13	2631.42
5	0.00	17.85	0.68	1586.44	0.00	0.00	0.61	1424.96	0.00	0.00	1.13	2630.29
6	0.00	0.00	0.67	1567.91	0.00	0.00	0.61	1424.35	0.00	0.00	1.13	2629.16
7	0.00	0.00	0.67	1567.24	0.00	0.00	0.61	1423.74	0.00	0.00	1.13	2628.03
8	0.00	12.40	0.67	1553.50	0.00	0.00	0.61	1422.52	0.00	0.00	1.12	2625.79
9	0.00	19.84	0.66	1533.00	0.00	0.00	0.61	1421.91	0.00	0.00	1.12	2624.67
10	0.00	38.43	0.66	1493.91	0.00	0.00	0.61	1421.30	0.00	0.00	1.12	2623.55
11	0.00	49.59	0.64	1443.68	0.00	0.00	0.61	1420.69	0.00	0.00	1.12	2622.43
12	0.00	18.60	0.62	1424.46	0.00	0.00	0.61	1420.08	0.00	0.00	1.12	2621.31
13	0.00	0.00	0.61	1423.85	0.00	0.00	0.61	1419.47	0.00	0.00	1.12	2620.19
14	0.00	0.00	0.61	1423.24	0.00	0.00	0.61	1418.86	0.00	0.00	1.12	2619.07
15	0.00	0.00	0.61	1422.63	0.00	0.00	0.61	1418.25	0.00	0.00	1.12	2617.95
16	0.00	37.19	0.61	1384.83	0.00	0.00	0.60	1417.65	0.00	0.00	1.12	2616.83
17	0.00	59.51	0.59	1324.73	0.00	0.00	0.60	1417.05	0.00	0.00	1.12	2615.71
18	0.00	81.82	0.56	1242.35	0.00	0.00	0.60	1416.45	0.00	0.00	1.12	2614.59
19	0.00	35.70	0.48	1206.17	0.00	0.00	0.54	1415.91	0.00	0.00	1.01	2613.58
20	0.00	0.00	0.46	1205.71	0.00	0.00	0.54	1415.37	0.00	0.00	1.01	2612.57
21	0.00	0.00	0.49	1205.22	0.00	0.00	0.58	1414.79	0.00	0.00	1.06	2611.51
22	0.00	92.98	0.41	1111.83	0.00	0.00	0.49	1414.30	0.00	0.00	0.90	2610.61
23	0.00	148.76	0.47	962.60	0.00	0.00	0.60	1413.70	0.00	0.00	1.11	2609.50
24	0.00	148.76	0.00	813.84	0.00	0.00	0.00	1413.70	0.00	0.00	0.00	2609.50
25	0.00	148.76	0.33	664.75	0.00	0.00	0.57	1413.13	0.00	0.00	1.05	2608.45
26	0.00	130.17	0.37	534.21	0.00	0.00	0.80	1412.33	0.00	0.00	1.48	2606.97
27	0.00	119.01	0.30	414.90	0.00	0.00	0.80	1411.53	0.00	0.00	1.47	2605.50
28	0.00	119.01	0.24	295.65	0.00	0.00	0.83	1410.70	0.00	0.00	1.53	2603.97
29	0.00	143.80	0.13	151.72	0.00	0.00	0.63	1410.07	0.00	0.00	1.16	2602.81
30	0.00	151.60	0.12	0.00	0.00	0.00	1.11	1408.96	0.00	0.00	2.06	2600.75
31	0.00	0.00	0.00	0.00	0.00	0.00	1.48	1407.48	0.00	0.00	2.74	2598.01
TOT	0.00	1986.84	15.76		0.00	0.00	19.92		0.00	0.00	36.80	

## 1998 WINTER STORED WATER

MAR 1999:	X-Y					BUFFALO					SISSON-STUBBS					PG 6
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN		
1	0.00	0.00	2.40	5597.06	:	0.00	0.00	4.00	9328.58	:	0.00	0.00	0.56	1317.39		
2	0.00	0.00	2.40	5594.66	:	0.00	0.00	4.00	9324.58	:	0.00	0.00	0.56	1316.83		
3	0.00	0.00	2.40	5592.26	:	0.00	0.00	3.99	9320.59	:	0.00	0.00	0.56	1316.27		
4	0.00	0.00	2.39	5589.87	:	0.00	0.00	3.99	9316.60	:	0.00	0.00	0.56	1315.71		
5	0.00	0.00	2.39	5587.48	:	0.00	0.00	3.99	9312.61	:	0.00	0.00	0.56	1315.15		
6	0.00	0.00	2.39	5585.09	:	0.00	0.00	3.98	9308.63	:	0.00	0.00	0.56	1314.59		
7	0.00	0.00	2.39	5582.70	:	0.00	0.00	3.98	9304.65	:	0.00	0.00	0.56	1314.03		
8	0.00	0.00	2.39	5580.31	:	0.00	0.00	3.98	9300.67	:	0.00	0.00	0.56	1313.47		
9	0.00	0.00	2.39	5577.92	:	0.00	0.00	3.97	9296.70	:	0.00	0.00	0.56	1312.91		
10	0.00	0.00	2.38	5575.54	:	0.00	0.00	3.97	9292.73	:	0.00	0.00	0.56	1312.35		
11	0.00	0.00	2.38	5573.16	:	0.00	0.00	3.97	9288.76	:	0.00	0.00	0.56	1311.79		
12	0.00	0.00	2.38	5570.78	:	0.00	0.00	3.96	9284.80	:	0.00	0.00	0.56	1311.23		
13	0.00	0.00	2.39	5568.39	:	0.00	0.00	3.98	9280.82	:	0.00	0.00	0.56	1310.67		
14	0.00	0.00	2.38	5566.01	:	0.00	0.00	3.97	9276.85	:	0.00	0.00	0.56	1310.11		
15	0.00	0.00	2.38	5563.63	:	0.00	0.00	3.96	9272.89	:	0.00	0.00	0.56	1309.55		
16	0.00	0.00	2.37	5561.26	:	0.00	0.00	3.96	9268.93	:	0.00	0.00	0.56	1308.99		
17	0.00	0.00	2.37	5558.89	:	0.00	0.00	3.95	9264.98	:	0.00	0.00	0.56	1308.43		
18	0.00	0.00	2.37	5556.52	:	0.00	0.00	3.95	9261.03	:	0.00	0.00	0.56	1307.87		
19	0.00	0.00	2.14	5554.38	:	0.00	0.00	3.56	9257.47	:	0.00	0.00	0.50	1307.31		
20	0.00	0.00	2.13	5552.25	:	0.00	0.00	3.56	9253.91	:	0.00	0.00	0.50	1306.81		
21	0.00	0.00	2.25	5550.00	:	0.00	0.00	3.76	9250.15	:	0.00	0.00	0.53	1306.31		
22	0.00	0.00	1.90	5548.10	:	0.00	0.00	3.17	9246.98	:	0.00	0.00	0.45	1305.78		
23	0.00	0.00	2.35	5545.75	:	0.00	0.00	3.92	9243.06	:	0.00	0.00	0.55	1305.33		
24	0.00	0.00	0.00	5545.75	:	0.00	0.00	0.00	9243.06	:	0.00	0.00	0.00	1304.78		
25	0.00	0.00	2.24	5543.51	:	0.00	0.00	3.74	9239.32	:	0.00	0.00	0.53	1304.25		
26	0.00	0.00	3.14	5540.37	:	0.00	0.00	5.23	9234.09	:	0.00	0.00	0.74	1303.51		
27	0.00	0.00	3.14	5537.23	:	0.00	0.00	5.23	9228.86	:	0.00	0.00	0.74	1302.77		
28	0.00	0.00	3.25	5533.98	:	0.00	0.00	5.42	9223.44	:	0.00	0.00	0.77	1302.00		
29	0.00	0.00	2.46	5531.52	:	0.00	0.00	4.10	9219.34	:	0.00	0.00	0.58	1301.42		
30	0.00	0.00	4.37	5527.15	:	0.00	0.00	7.28	9212.06	:	0.00	0.00	1.03	1300.39		
31	0.00	0.00	5.81	5521.34	:	0.00	0.00	9.69	9202.37	:	0.00	164.75	1.37	1134.27		
TOT	0.00	0.00	78.12		:	0.00	0.00	130.21		:	0.00	164.75	18.37			

## 1998 WINTER STORED WATER

MAR 1999:	TOTAL															PG 6
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN		
1	0.00	140.83	23.04	53758.73	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
2	0.00	140.83	22.96	53431.07	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
3	0.00	83.80	22.89	53324.38	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
4	0.00	47.60	22.83	53253.95	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
5	0.00	17.85	22.79	53213.31	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
6	0.00	0.00	22.77	53190.54	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
7	0.00	0.00	22.75	53167.79	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
8	0.00	12.40	22.73	53132.66	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
9	0.00	19.84	22.70	53090.12	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
10	0.00	38.43	22.68	53029.01	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
11	0.00	49.59	22.64	52956.78	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
12	0.00	18.60	22.60	52915.58	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
13	0.00	0.00	22.68	52892.90	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
14	0.00	0.00	22.64	52870.26	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
15	0.00	0.00	22.60	52847.66	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
16	0.00	37.19	22.55	52787.92	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
17	0.00	59.51	22.50	52705.91	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
18	0.00	81.82	22.46	52601.63	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
19	0.00	35.70	20.24	52545.69	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
20	0.00	0.00	20.19	52525.50	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
21	0.00	0.00	21.33	52504.17	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
22	0.00	98.58	18.02	52387.57	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
23	0.00	172.92	22.21	52192.44	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
24	0.00	172.92	0.00	52019.52	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
25	0.00	172.92	21.03	51825.57	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
26	0.00	154.33	29.34	51641.90	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
27	0.00	143.17	29.24	51469.49	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
28	0.00	143.17	30.24	51296.08	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
29	0.00	175.36	22.81	51097.91	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
30	0.00	191.37	40.37	50866.17	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
31	0.00	206.78	53.50	50605.89	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00		
TOT	0.00	2415.51	737.33		:	0.00	0.00	0.00		:	0.00	0.00	0.00			

## 1999 WINTER STORED WATER

PG 7

MAR 1999:	KEESEE					FT. BENT					AMITY				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
17	312.79	0.00	0.00	312.79	:	1338.57	0.00	0.00	1338.57	:	2869.99	0.00	0.00	2869.99	
18	0.00	0.00	0.13	312.66	:	0.00	0.00	0.57	1338.00	:	0.00	0.00	1.22	2868.77	
19	0.00	0.00	0.12	312.54	:	0.00	0.00	0.52	1337.48	:	0.00	0.00	1.10	2867.67	
20	0.00	0.00	0.12	312.42	:	0.00	0.00	0.52	1336.96	:	0.00	0.00	1.10	2866.57	
21	0.00	0.00	0.13	312.29	:	0.00	0.00	0.54	1336.42	:	0.00	0.00	1.16	2865.41	
22	0.00	0.00	0.11	312.18	:	0.00	0.00	0.46	1335.96	:	0.00	0.00	0.98	2864.43	
23	0.00	0.00	0.13	312.05	:	0.00	0.00	0.57	1335.39	:	0.00	0.00	1.22	2863.21	
24	0.00	0.00	0.00	312.05	:	0.00	0.00	0.00	1335.39	:	0.00	0.00	0.00	2863.21	
25	0.00	0.00	0.13	311.92	:	0.00	0.00	0.54	1334.85	:	0.00	0.00	1.16	2862.05	
26	0.00	0.00	0.18	311.74	:	0.00	0.00	0.76	1334.09	:	0.00	0.00	1.62	2860.43	
27	0.00	0.00	0.18	311.56	:	0.00	0.00	0.75	1333.34	:	0.00	0.00	1.62	2858.81	
28	0.00	0.00	0.18	311.38	:	0.00	0.00	0.79	1332.55	:	0.00	0.00	1.68	2857.13	
29	0.00	0.00	0.14	311.24	:	0.00	0.00	0.59	1331.96	:	0.00	0.00	1.27	2855.86	
30	0.00	0.00	0.25	310.99	:	0.00	0.00	1.05	1330.91	:	0.00	0.00	2.26	2853.60	
31	0.00	0.00	0.33	310.66	:	0.00	0.00	1.40	1329.51	:	0.00	0.00	3.00	2850.60	
TOT	312.79	0.00	2.13		:	1338.57	0.00	9.06		:	2869.99	0.00	19.39		

## 1999 WINTER STORED WATER

PG 7

MAR 1999:	LAMAR					HYDE					MANVEL				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
17	2677.13	0.00	2677.13		:	176.80	0.00	0.00	176.80	:	322.49	0.00	0.00	322.49	
18	0.00	0.00	1.14	2675.99	:	0.00	0.00	0.08	176.72	:	0.00	0.00	0.14	322.35	
19	0.00	0.00	1.03	2674.96	:	0.00	0.00	0.07	176.65	:	0.00	0.00	0.12	322.23	
20	0.00	0.00	1.03	2673.93	:	0.00	0.00	0.07	176.58	:	0.00	0.00	0.12	322.11	
21	0.00	0.00	1.08	2672.85	:	0.00	0.00	0.07	176.51	:	0.00	0.00	0.13	321.98	
22	0.00	0.00	0.92	2671.93	:	0.00	0.00	0.06	176.45	:	0.00	0.00	0.11	321.87	
23	0.00	0.00	1.13	2670.80	:	0.00	0.00	0.07	176.38	:	0.00	0.00	0.14	321.73	
24	0.00	0.00	0.00	2670.80	:	0.00	0.00	0.00	176.38	:	0.00	0.00	0.00	321.73	
25	0.00	0.00	1.08	2669.72	:	0.00	0.00	0.07	176.31	:	0.00	0.00	0.13	321.60	
26	0.00	0.00	1.51	2668.21	:	0.00	0.00	0.10	176.21	:	0.00	0.00	0.18	321.42	
27	0.00	0.00	1.51	2666.70	:	0.00	0.00	0.10	176.11	:	0.00	0.00	0.18	321.24	
28	0.00	0.00	1.57	2665.13	:	0.00	0.00	0.10	176.01	:	0.00	0.00	0.19	321.05	
29	0.00	0.00	1.18	2663.95	:	0.00	0.00	0.08	175.93	:	0.00	0.00	0.14	320.91	
30	0.00	19.48	2.10	2642.37	:	0.00	0.00	0.14	175.79	:	0.00	0.00	0.25	320.66	
31	0.00	178.52	2.78	2461.07	:	0.00	0.00	0.18	175.61	:	0.00	0.00	0.34	320.32	
TOT	2677.13	198.00	18.06		:	176.80	0.00	1.19		:	322.49	0.00	2.17		

## 1999 WINTER STORED WATER

PG 8

MAR 1999:	X-Y					BUFFALO					SISSON-STUBBS				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
17	689.69	0.00	0.00	689.69	:	1148.18	0.00	0.00	1148.18	:	163.19	0.00	0.00	0.00	163.19
18	0.00	0.00	0.29	689.40	:	0.00	0.00	0.49	1147.69	:	0.00	0.00	0.07	0.07	163.12
19	0.00	0.00	0.27	689.13	:	0.00	0.00	0.44	1147.25	:	0.00	0.00	0.06	0.06	163.06
20	0.00	0.00	0.27	688.86	:	0.00	0.00	0.44	1146.81	:	0.00	0.00	0.06	0.06	163.00
21	0.00	0.00	0.28	688.58	:	0.00	0.00	0.47	1146.34	:	0.00	0.00	0.07	0.07	162.93
22	0.00	0.00	0.24	688.34	:	0.00	0.00	0.39	1145.95	:	0.00	0.00	0.05	0.05	162.88
23	0.00	0.00	0.29	688.05	:	0.00	0.00	0.49	1145.46	:	0.00	0.00	0.07	0.07	162.81
24	0.00	0.00	0.00	688.05	:	0.00	0.00	0.00	1145.46	:	0.00	0.00	0.00	0.00	162.81
25	0.00	0.00	0.28	687.77	:	0.00	0.00	0.46	1145.00	:	0.00	0.00	0.06	0.06	162.75
26	0.00	0.00	0.39	687.38	:	0.00	0.00	0.65	1144.35	:	0.00	0.00	0.09	0.09	162.66
27	0.00	0.00	0.39	686.99	:	0.00	0.00	0.65	1143.70	:	0.00	0.00	0.09	0.09	162.57
28	0.00	0.00	0.40	686.59	:	0.00	0.00	0.67	1143.03	:	0.00	0.00	0.10	0.10	162.47
29	0.00	0.00	0.31	686.28	:	0.00	0.00	0.51	1142.52	:	0.00	0.00	0.07	0.07	162.40
30	0.00	0.00	0.54	685.74	:	0.00	0.00	0.90	1141.62	:	0.00	0.00	0.13	0.13	162.27
31	0.00	0.00	0.72	685.02	:	0.00	0.00	1.20	1140.42	:	0.00	0.00	0.17	0.17	162.10
TOT	689.69	0.00	4.67	:	1148.18	0.00	7.76	:	163.19	0.00	1.09				

## 1999 WINTER STORED WATER

PG 8

MAR 1999:	TOTAL														
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	0.00	:					:					
2	0.00	0.00	0.00	0.00	:					:					
3	0.00	0.00	0.00	0.00	:					:					
4	0.00	0.00	0.00	0.00	:					:					
5	0.00	0.00	0.00	0.00	:					:					
6	0.00	0.00	0.00	0.00	:					:					
7	0.00	0.00	0.00	0.00	:					:					
8	0.00	0.00	0.00	0.00	:					:					
9	0.00	0.00	0.00	0.00	:					:					
10	0.00	0.00	0.00	0.00	:					:					
11	0.00	0.00	0.00	0.00	:					:					
12	0.00	0.00	0.00	0.00	:					:					
13	0.00	0.00	0.00	0.00	:					:					
14	0.00	0.00	0.00	0.00	:					:					
15	0.00	0.00	0.00	0.00	:					:					
16	0.00	0.00	0.00	0.00	:					:					
17	9698.83	0.00	0.00	9698.83	:					:					
18	0.00	0.00	4.13	9694.70	:					:					
19	0.00	0.00	3.73	9690.97	:					:					
20	0.00	0.00	3.73	9687.24	:					:					
21	0.00	0.00	3.93	9683.31	:					:					
22	0.00	0.00	3.32	9679.99	:					:					
23	0.00	0.00	4.11	9675.88	:					:					
24	0.00	0.00	0.00	9675.88	:					:					
25	0.00	0.00	3.91	9671.97	:					:					
26	0.00	0.00	5.48	9666.49	:					:					
27	0.00	0.00	5.47	9661.02	:					:					
28	0.00	0.00	5.68	9655.34	:					:					
29	0.00	0.00	4.29	9651.05	:					:					
30	0.00	19.48	7.62	9623.95	:					:					
31	0.00	178.52	10.12	9435.31	:					:					
TOT	9698.83	198.00	65.52		:					:					

## **SECTION 5**

**April 1999**

## JOHN MARTIN RESERVOIR

## JOHN MARTIN RESERVOIR

## AGREEMENT WATER

PG 1  
SUMMER COMPACT WATER

APR 1999:	INFLOW	RELEASE	EVAP	OWN		INFLOW	RELEASE	EVAP	OWN		INFLOW	RELEASE	EVAP	OWN
1	254.75	276.75	201.00	321047.00	:	2479.38	276.75	160.01	257792.98	:	254.75	0.00	0.00	0.00
2	121.40	286.40	58.00	320824.00	:	2479.38	286.40	46.57	259939.39	:	121.40	0.00	0.05	376.10
3	455.40	286.40	58.00	320935.00	:	2479.38	286.40	46.99	262085.38	:	455.40	0.00	0.07	831.43
4	463.40	286.40	65.00	321047.00	:	2479.38	286.40	53.08	264225.28	:	463.40	0.00	0.17	1294.66
5	217.38	225.38	104.00	320935.00	:	2479.38	225.38	85.59	266393.69	:	217.38	0.00	0.42	1511.62
6	430.22	169.22	149.00	321047.00	:	2479.38	169.22	123.68	268580.17	:	430.22	0.00	0.70	1941.14
7	368.20	175.20	305.00	320935.00	:	2479.38	175.20	255.16	270629.19	:	368.20	0.00	1.84	2307.50
8	575.96	190.96	273.00	321047.00	:	2479.38	190.96	230.21	272687.40	:	575.96	0.00	1.96	2881.50
9	367.12	193.12	286.00	320935.00	:	2479.38	193.12	242.92	274730.74	:	367.12	0.00	2.57	3246.05
10	364.16	189.16	286.00	320824.00	:	2479.38	189.16	244.82	276776.14	:	364.16	0.00	2.89	3607.32
11	364.16	189.16	286.00	320713.00	:	2479.38	189.16	246.73	278819.63	:	364.16	0.00	3.22	3968.26
12	369.46	267.46	214.00	320601.00	:	2479.38	267.46	186.04	280845.51	:	369.46	0.00	2.65	4335.07
13	445.28	636.28	32.00	320378.00	:	2479.38	636.28	28.03	282660.58	:	445.28	0.00	0.43	4779.92
14	788.24	500.24	65.00	320601.00	:	2479.38	500.24	57.35	284582.37	:	788.24	0.00	0.97	5567.19
15	323.96	272.96	162.00	320490.00	:	2401.89	272.96	143.80	286565.50	:	323.96	0.00	2.82	5888.33
16	94.89	251.89	175.00	320158.00	:	1983.50	251.89	156.48	288142.63	:	94.89	0.00	3.21	5980.01
17	414.25	239.25	175.00	320158.00	:	1983.50	239.25	157.50	289729.38	:	414.25	0.00	3.27	6390.99
18	303.25	239.25	175.00	320047.00	:	1983.50	239.25	158.37	291315.26	:	303.25	0.00	3.49	6690.75
19	527.99	686.99	175.00	319713.00	:	1983.50	686.99	159.29	292452.48	:	527.99	0.00	3.66	7215.08
20	7.05	1015.05	214.00	318491.00	:	1983.50	1015.05	195.75	293225.18	:	7.05	0.00	4.83	7217.30
21	237.29	902.29	0.00	317826.00	:	1983.50	902.29	0.00	294306.39	:	188.15	0.00	0.00	7405.45
22	331.16	812.16	71.00	317274.00	:	1983.50	812.16	65.75	295411.98	:	287.50	89.66	1.66	7601.63
23	344.41	767.41	19.00	316832.00	:	1983.50	767.41	17.69	296610.38	:	304.48	1983.50	0.46	5922.15
24	311.44	735.44	19.00	316389.00	:	1983.50	735.44	17.79	297840.65	:	270.19	1983.50	0.35	4208.49
25	1086.44	735.44	19.00	316721.00	:	1983.50	735.44	17.89	299070.82	:	1046.37	1983.50	0.25	3271.11
26	649.44	735.44	135.00	316500.00	:	1983.50	735.44	127.48	300191.40	:	605.78	1983.50	1.39	1892.00
27	542.27	694.27	180.00	316168.00	:	1983.50	694.27	170.72	301309.91	:	487.06	1983.50	1.08	394.48
28	314.42	244.76	213.00	316024.66	:	639.54	244.76	202.99	301501.70	:	245.33	639.54	0.27	0.00
29	55.46	43.62	84.00	315952.50	:	0.00	43.62	80.14	301377.94	:	0.00	0.00	0.00	0.00
30	3527.17	210.67	0.00	319269.00	:	0.00	210.67	0.00	301167.27	:	3527.17	0.00	0.00	3527.17
TOT :	14656.02	12459.02	4198.00		:	61554.75	12459.02	3678.82		:	14218.55	10646.70	44.68	

## JOHN MARTIN RESERVOIR

## WINTER COMPACT WATER

## PERMANENT POOL

## WINTER WATER

PG 1

APR 1999:	INFLOW	RELEASE	EVAP	OWN		INFLOW	RELEASE	EVAP	OWN		INFLOW	RELEASE	EVAP	OWN
1	0.00	2479.38	32.03	48683.79	:	0.00	0.00	5.44	8698.34	:	0.00	0.00	0.00	0.00
2	0.00	2479.38	8.79	46195.62	:	0.00	0.00	1.57	8691.33	:	0.00	0.00	0.00	0.00
3	0.00	2479.38	8.35	43707.89	:	0.00	0.00	1.57	8689.76	:	0.00	0.00	0.00	0.00
4	0.00	2479.38	8.85	41219.66	:	0.00	0.00	1.76	8688.00	:	0.00	0.00	0.00	0.00
5	0.00	2479.38	13.35	38726.93	:	0.00	0.00	2.82	8685.18	:	0.00	0.00	0.00	0.00
6	0.00	2479.38	17.98	36229.57	:	0.00	0.00	4.03	8681.15	:	0.00	0.00	0.00	0.00
7	0.00	2479.38	34.42	33715.77	:	0.00	0.00	8.25	8672.90	:	0.00	0.00	0.00	0.00
8	0.00	2479.38	28.68	31207.71	:	0.00	0.00	7.38	8665.52	:	0.00	0.00	0.00	0.00
9	0.00	2479.38	27.80	28700.53	:	0.00	0.00	7.72	8657.80	:	0.00	0.00	0.00	0.00
10	0.00	2479.38	25.58	26195.57	:	0.00	0.00	7.72	8650.08	:	0.00	0.00	0.00	0.00
11	0.00	2479.38	23.35	23692.84	:	0.00	0.00	7.71	8642.37	:	0.00	0.00	0.00	0.00
12	0.00	2479.38	15.81	21197.65	:	0.00	0.00	5.77	8636.60	:	0.00	0.00	0.00	0.00
13	0.00	2479.38	2.12	18716.15	:	0.00	0.00	0.86	8635.74	:	0.00	0.00	0.00	0.00
14	0.00	2479.38	3.80	16232.97	:	0.00	0.00	1.75	8633.99	:	0.00	0.00	0.00	0.00
15	0.00	2401.89	8.20	13822.88	:	0.00	0.00	4.36	8629.63	:	0.00	0.00	0.00	0.00
16	0.00	1983.50	7.55	11831.83	:	0.00	0.00	4.71	8624.92	:	0.00	0.00	0.00	0.00
17	0.00	1983.50	6.47	9841.86	:	0.00	0.00	4.71	8620.21	:	0.00	0.00	0.00	0.00
18	0.00	1983.50	5.38	7852.98	:	0.00	0.00	4.71	8615.50	:	0.00	0.00	0.00	0.00
19	0.00	1983.50	4.29	5865.19	:	0.00	0.00	4.71	8610.79	:	0.00	0.00	0.00	0.00
20	0.00	1983.50	3.93	3877.76	:	0.00	0.00	5.76	8605.03	:	0.00	0.00	0.00	0.00
21	0.00	1983.50	0.00	1894.26	:	0.00	0.00	0.00	8605.03	:	0.00	0.00	0.00	0.00
22	0.00	1893.84	0.42	0.00	:	0.00	0.00	1.92	8603.11	:	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	:	0.00	0.00	0.51	8602.60	:	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	:	0.00	0.00	0.52	8602.08	:	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	:	0.00	0.00	0.52	8601.56	:	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	:	0.00	0.00	3.67	8597.89	:	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	:	0.00	0.00	4.89	8593.00	:	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	:	0.00	0.00	5.79	8587.21	:	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	:	0.00	0.00	2.28	8584.93	:	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8584.93	:	0.00	0.00	0.00	0.00
TOT :	0.00	50908.05	287.15		:	0.00	0.00	113.41		:	0.00	0.00	0.00	

**AGREEMENT WATER**
**SUMMER STORED WATER**
**PG 2**

APR 1999:	KANSAS					TRANSIT LOSS					KEESEE			OWN
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	
1	991.75	0.00	71.30	114881.78	:	0.00	0.00	1.06	1687.46	:	0.00	0.00	0.00	0.00
2	991.75	0.00	20.75	115852.78	:	0.00	0.00	0.30	1687.16	:	0.00	0.00	0.00	0.00
3	991.75	0.00	20.94	116823.59	:	0.00	0.00	0.31	1686.85	:	0.00	0.00	0.00	0.00
4	991.75	0.00	23.66	117791.68	:	0.00	0.00	0.34	1686.51	:	0.00	0.00	0.00	0.00
5	991.75	0.00	38.16	118745.27	:	0.00	0.00	0.55	1685.96	:	0.00	0.00	0.00	0.00
6	991.75	0.00	55.13	119681.89	:	0.00	0.00	0.78	1685.18	:	0.00	0.00	0.00	0.00
7	991.75	0.00	113.70	120559.94	:	0.00	0.00	1.60	1683.58	:	0.00	0.00	0.00	0.00
8	991.75	0.00	102.56	121449.13	:	0.00	0.00	1.43	1682.15	:	0.00	0.00	0.00	0.00
9	991.75	0.00	108.19	122332.69	:	0.00	0.00	1.50	1680.65	:	0.00	0.00	0.00	0.00
10	991.75	0.00	109.01	123215.43	:	0.00	0.00	1.50	1679.15	:	0.00	0.00	0.00	0.00
11	991.75	0.00	109.84	124097.34	:	0.00	0.00	1.50	1677.65	:	0.00	0.00	0.00	0.00
12	991.75	0.00	82.80	125006.29	:	0.00	0.00	1.12	1676.53	:	0.00	0.00	0.00	0.00
13	991.75	0.00	12.48	125985.56	:	0.00	0.00	0.17	1676.36	:	0.00	0.00	0.00	0.00
14	991.75	0.00	25.56	126951.75	:	0.00	0.00	0.34	1676.02	:	0.00	0.00	0.00	0.00
15	960.76	0.00	64.15	127848.36	:	0.00	0.00	0.85	1675.17	:	0.00	0.00	0.00	0.00
16	793.40	0.00	69.81	128571.95	:	0.00	0.00	0.91	1674.26	:	0.00	0.00	0.00	0.00
17	793.40	0.00	70.28	129295.07	:	0.00	0.00	0.92	1673.34	:	0.00	0.00	0.00	0.00
18	793.40	0.00	70.67	130017.80	:	0.00	0.00	0.91	1672.43	:	0.00	0.00	0.00	0.00
19	793.40	0.00	71.09	130740.11	:	0.00	0.00	0.91	1671.52	:	0.00	0.00	0.00	0.00
20	793.40	0.00	87.51	131446.00	:	0.00	0.00	1.12	1670.40	:	0.00	0.00	0.00	0.00
21	793.40	0.00	0.00	132239.40	:	0.00	0.00	0.00	1670.40	:	0.00	0.00	0.00	0.00
22	793.40	0.00	29.54	133003.26	:	0.00	0.00	0.38	1670.02	:	1.24	1.24	0.00	0.00
23	793.40	0.00	7.97	133788.69	:	0.00	0.00	0.10	1669.92	:	27.37	27.37	0.00	0.00
24	793.40	0.00	8.02	134574.07	:	0.00	0.00	0.10	1669.82	:	27.37	27.37	0.00	0.00
25	793.40	0.00	8.08	135359.39	:	0.00	0.00	0.10	1669.72	:	27.37	27.37	0.00	0.00
26	793.40	0.00	57.70	136095.09	:	0.00	0.00	0.71	1669.01	:	27.37	27.37	0.00	0.00
27	793.40	0.00	77.40	136811.09	:	0.00	0.00	0.95	1668.06	:	27.37	14.46	0.00	12.91
28	255.82	0.00	92.17	136974.74	:	0.00	0.00	1.12	1666.94	:	8.82	1.61	0.01	20.11
29	0.00	0.00	36.41	136938.33	:	0.00	0.00	0.44	1666.50	:	0.00	0.00	0.01	20.10
30	0.00	0.00	0.00	136938.33	:	0.00	0.00	0.00	1666.50	:	0.00	0.00	0.00	20.10
TOT	24621.88	0.00	1644.88		:	0.00	0.00	22.02		:	146.91	126.79	0.02	

**SUMMER STORED WATER**
**LAMAR**
**PG 2**

APR 1999:	FT. BENT					AMITY					LAMAR			OWN
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	
1	0.00	40.07	0.31	489.19	:	0.00	0.00	4.78	7645.60	:	0.00	0.00	0.00	0.00
2	0.00	40.03	0.08	448.81	:	0.00	0.00	1.38	7640.82	:	0.00	0.00	0.00	0.00
3	0.00	40.03	0.07	368.60	:	0.00	0.00	1.38	7639.44	:	0.00	0.00	0.00	0.00
4	0.00	40.03	0.07	328.50	:	0.00	0.00	1.55	7638.06	:	0.00	0.00	0.00	0.00
5	0.00	16.68	0.10	311.72	:	0.00	0.00	2.47	7634.04	:	0.00	0.00	0.00	0.00
6	0.00	18.79	0.15	292.78	:	0.00	0.00	3.54	7630.50	:	0.00	0.00	0.00	0.00
7	0.00	35.92	0.28	256.58	:	0.00	0.00	7.25	7623.25	:	0.00	0.00	0.00	0.00
8	0.00	40.11	0.22	216.25	:	0.00	0.00	6.48	7616.77	:	0.00	0.00	0.00	0.00
9	0.00	34.01	0.19	182.05	:	0.00	0.00	6.79	7609.98	:	0.00	0.00	0.00	0.00
10	0.00	30.05	0.16	151.84	:	0.00	0.00	6.78	7603.20	:	0.00	0.00	0.00	0.00
11	0.00	30.05	0.13	121.66	:	0.00	0.00	6.78	7596.42	:	0.00	0.00	0.00	0.00
12	0.00	46.36	0.08	75.22	:	0.00	0.00	5.07	7591.35	:	0.00	0.00	0.00	0.00
13	0.00	56.15	0.01	19.06	:	0.00	310.94	0.76	7279.65	:	0.00	0.00	0.00	0.00
14	0.00	19.06	0.00	0.00	:	0.00	203.72	1.48	7074.45	:	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	:	0.00	0.00	3.57	7070.88	:	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	:	0.00	0.00	3.86	7067.02	:	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	:	0.00	0.00	3.86	7063.16	:	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	:	0.00	0.00	3.86	7059.30	:	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	:	0.00	392.26	3.86	6663.18	:	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	:	0.00	649.26	4.46	6009.46	:	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	:	0.00	499.72	0.00	5509.74	:	0.00	0.00	0.00	0.00
22	5.33	5.33	0.00	0.00	:	26.63	401.74	1.23	5133.40	:	10.65	10.65	0.00	0.00
23	117.82	56.05	0.00	61.77	:	589.10	401.74	0.31	5320.45	:	235.64	219.01	0.00	16.63
24	117.82	56.05	0.00	123.54	:	589.10	401.74	0.32	5507.49	:	235.64	198.35	0.00	53.92
25	117.82	56.05	0.01	185.30	:	589.10	401.74	0.33	5694.52	:	235.64	198.35	0.00	91.21
26	117.82	56.05	0.08	246.99	:	589.10	401.74	2.43	5879.45	:	235.64	198.35	0.04	128.46
27	117.82	56.05	0.14	308.62	:	589.10	463.01	3.35	6002.19	:	235.64	114.46	0.07	249.57
28	37.99	18.08	0.21	328.32	:	189.94	162.26	4.04	6025.83	:	75.98	19.19	0.17	306.19
29	0.00	0.00	0.09	328.23	:	0.00	0.00	1.60	6024.23	:	0.00	0.00	0.08	306.11
30	0.00	0.00	0.00	328.23	:	0.00	172.97	0.00	5851.26	:	0.00	0.00	0.00	306.11
TOT	632.42	791.00	2.38		:	3162.07	4862.84	93.57		:	1264.83	958.36	0.36	

APR 1999:	SUMMER STORED WATER												PG 3	
	HYDE				MANVEL				X-Y					
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN		
1	0.00	0.00	0.48	768.14	0.00	0.00	3.55	5679.68	0.00	0.00	5.70	9109.92		
2	0.00	0.00	0.14	767.52	0.00	0.00	1.03	5676.13	0.00	0.00	1.64	9104.22		
3	0.00	0.00	0.14	767.38	0.00	0.00	1.03	5674.07	0.00	0.00	1.65	9102.58		
4	0.00	0.00	0.16	767.22	0.00	0.00	1.15	5672.92	0.00	0.00	1.84	9100.93		
5	0.00	0.00	0.25	766.97	0.00	0.00	1.84	5671.08	0.00	0.00	2.95	9099.09		
6	0.00	0.00	0.36	766.61	0.00	0.00	2.63	5668.45	0.00	0.00	4.22	9096.14		
7	0.00	0.00	0.73	765.88	0.00	0.00	5.38	5663.07	0.00	0.00	8.64	9091.92		
8	0.00	0.00	0.65	765.23	0.00	0.00	4.82	5658.25	0.00	0.00	7.73	9083.28		
9	0.00	0.00	0.68	764.55	0.00	0.00	5.04	5653.21	0.00	0.00	8.08	9075.55		
10	0.00	0.00	0.68	763.87	0.00	0.00	5.04	5648.17	0.00	0.00	8.08	9067.47		
11	0.00	0.00	0.68	763.19	0.00	0.00	5.03	5643.14	0.00	0.00	8.08	9059.39		
12	0.00	0.00	0.51	762.68	0.00	0.00	3.77	5639.37	0.00	0.00	6.04	9051.31		
13	0.00	0.00	0.08	762.60	0.00	0.00	0.56	5638.81	0.00	0.00	0.90	9045.27		
14	0.00	0.00	0.15	762.45	0.00	0.00	1.14	5637.67	0.00	0.00	1.84	9044.37		
15	0.00	0.00	0.38	762.07	0.00	0.00	2.85	5634.82	0.00	0.00	4.57	9042.53		
16	0.00	0.00	0.42	761.65	0.00	0.00	3.08	5631.74	0.00	0.00	4.93	9037.96		
17	0.00	0.00	0.42	761.23	0.00	0.00	3.08	5628.66	0.00	0.00	4.94	9033.03		
18	0.00	0.00	0.42	760.81	0.00	0.00	3.08	5625.58	0.00	0.00	4.93	9028.09		
19	0.00	0.00	0.42	760.39	0.00	0.00	3.08	5622.50	0.00	0.00	4.93	9023.16		
20	0.00	0.00	0.51	759.88	0.00	0.00	3.76	5618.74	0.00	0.00	6.04	9018.23		
21	0.00	0.00	0.00	759.88	0.00	0.00	0.00	5618.74	0.00	0.00	0.00	9012.19		
22	0.70	0.00	0.17	760.41	1.29	0.00	1.26	5618.77	2.74	0.00	2.01	9012.92		
23	15.47	0.00	0.04	775.84	28.56	0.00	0.34	5646.99	60.70	0.00	0.54	9073.08		
24	15.47	0.00	0.05	791.26	28.56	0.00	0.34	5675.21	60.70	0.00	0.54	9133.24		
25	15.47	0.00	0.05	806.68	28.56	0.00	0.34	5703.43	60.70	0.00	0.55	9193.39		
26	15.47	0.00	0.34	821.81	28.56	0.00	2.43	5729.56	60.70	0.00	3.92	9250.17		
27	15.47	0.00	0.47	836.81	28.56	0.00	3.26	5754.86	60.70	0.00	5.26	9305.61		
28	4.99	0.00	0.56	841.24	9.21	0.00	3.88	5760.19	19.57	0.00	6.27	9318.91		
29	0.00	0.00	0.22	841.02	0.00	0.00	1.53	5758.66	0.00	0.00	2.48	9316.43		
30	0.00	0.00	0.00	841.02	0.00	0.00	0.00	5758.66	0.00	0.00	0.00	9316.43		
TOT	83.04	0.00	10.16		153.30	0.00	74.32		325.81	0.00	119.30			

APR 1999:	SUMMER STORED WATER												PG 3	
	BUFFALO				SISSON				TOTAL					
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN		
1	0.00	0.00	12.14	19397.90	0.00	0.00	1.27	2028.60	0.00	40.07	28.23	45119.03		
2	0.00	0.00	3.50	19382.26	0.00	0.00	0.37	2026.96	0.00	40.03	8.14	45002.56		
3	0.00	0.00	3.50	19378.76	0.00	0.00	0.37	2026.59	0.00	40.03	8.14	44954.39		
4	0.00	0.00	3.93	19374.83	0.00	0.00	0.41	2026.18	0.00	40.03	9.11	44905.25		
5	0.00	0.00	6.28	19368.55	0.00	0.00	0.66	2025.52	0.00	16.68	14.55	44874.02		
6	0.00	0.00	8.99	19359.56	0.00	0.00	0.94	2024.58	0.00	18.79	20.83	44834.40		
7	0.00	0.00	18.39	19341.17	0.00	0.00	1.92	2022.66	0.00	35.92	42.59	44755.89		
8	0.00	0.00	16.45	19324.72	0.00	0.00	1.72	2020.94	0.00	40.11	38.07	44677.71		
9	0.00	0.00	17.22	19307.50	0.00	0.00	1.80	2019.14	0.00	34.01	39.80	44603.90		
10	0.00	0.00	17.21	19290.29	0.00	0.00	1.80	2017.34	0.00	30.05	39.75	44534.10		
11	0.00	0.00	17.20	19273.09	0.00	0.00	1.80	2015.54	0.00	30.05	39.70	44464.35		
12	0.00	0.00	12.86	19260.23	0.00	0.00	1.34	2014.20	0.00	46.36	29.67	44388.32		
13	0.00	0.00	1.92	19258.31	0.00	0.00	0.20	2014.00	0.00	367.09	4.43	44016.80		
14	0.00	0.00	3.91	19254.40	0.00	0.00	0.41	2013.59	0.00	222.78	8.93	43785.09		
15	0.00	0.00	9.73	19244.67	0.00	0.00	1.02	2012.57	0.00	0.00	22.12	43762.97		
16	0.00	0.00	10.51	19234.16	0.00	0.00	1.10	2011.47	0.00	0.00	23.90	43739.07		
17	0.00	0.00	10.51	19223.65	0.00	0.00	1.10	2010.37	0.00	0.00	23.91	43715.16		
18	0.00	0.00	10.51	19213.14	0.00	0.00	1.10	2009.27	0.00	0.00	23.90	43691.26		
19	0.00	23.15	10.50	19179.49	0.00	0.00	1.10	2008.17	0.00	415.41	23.89	43251.96		
20	0.00	38.32	12.84	19128.33	0.00	0.00	1.34	2006.83	0.00	687.58	28.95	42535.43		
21	0.00	38.32	0.00	19090.01	0.00	0.00	0.00	2006.83	0.00	538.04	0.00	41997.39		
22	4.57	38.32	4.26	19052.00	0.65	0.00	0.45	2007.03	53.80	457.28	9.38	41584.53		
23	101.16	38.32	1.14	19113.70	14.28	0.00	0.12	2021.19	1190.10	742.49	2.49	42029.65		
24	101.16	38.32	1.15	19175.39	14.28	0.00	0.12	2035.35	1190.10	721.83	2.52	42495.40		
25	101.16	38.32	1.15	19237.08	14.28	0.00	0.12	2049.51	1190.10	721.83	2.55	42961.12		
26	101.16	38.32	8.20	19291.72	14.28	0.00	0.87	2062.92	1190.10	721.83	18.31	43411.08		
27	101.16	34.23	10.97	19347.68	14.28	0.00	1.17	2076.03	1190.10	682.21	24.69	43894.28		
28	32.62	31.56	13.03	19335.71	4.60	0.00	1.40	2079.23	383.72	232.70	29.57	44015.73		
29	0.00	31.56	5.14	19299.01	0.00	0.00	0.55	2078.68	0.00	31.56	11.70	43972.47		
30	0.00	25.64	0.00	19273.37	0.00	0.00	0.00	2078.68	0.00	198.61	0.00	43773.86		
TOT	542.99	414.38	253.14		76.65	0.00	26.57		6388.02	7153.37	579.82			

APR 1999:	AMITY					FT. LYON					LAS ANIMAS CONSOL.				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	11.93	19062.69	19074.62	0.00	0.00	7.94	12683.53	12691.47	0.00	0.00	1.99	3174.19	
2	0.00	0.00	3.45	19059.24	19055.79	0.00	0.00	2.29	12681.24	12683.53	0.00	0.00	0.57	3172.20	
3	0.00	0.00	3.45	19055.79	19051.93	0.00	0.00	2.29	12678.95	12676.38	0.00	0.00	0.57	3171.63	
4	0.00	0.00	3.86	19051.93	19045.76	0.00	0.00	2.57	12672.28	12666.39	0.00	0.00	0.64	3170.42	
5	0.00	0.00	6.17	19045.76	19036.92	0.00	0.00	4.10	12654.36	12643.59	0.00	0.00	1.03	3169.39	
6	0.00	0.00	8.84	19036.92	18995.72	0.00	0.00	5.89	12632.33	12621.07	0.00	0.00	1.47	3167.92	
7	0.00	0.00	18.09	19018.83	18968.80	0.00	0.00	12.03	12621.07	12601.41	0.00	0.00	3.01	3164.91	
8	0.00	0.00	16.18	19002.65	18951.89	0.00	0.00	10.77	12609.82	12592.86	0.00	0.00	2.69	3162.22	
9	0.00	0.00	16.93	18951.89	18939.25	0.00	0.00	11.26	12578.24	12526.36	0.00	0.00	2.82	3159.40	
10	0.00	0.00	16.92	18939.25	18937.36	0.00	0.00	11.25	12482.89	12464.01	0.00	0.00	2.81	3156.59	
11	0.00	0.00	16.91	18937.36	18933.52	0.00	0.00	12.06	12445.14	12426.28	0.00	0.00	2.81	3153.78	
12	0.00	0.00	12.64	18933.52	18940.20	0.00	0.00	7.29	12407.42	12374.99	0.00	0.00	2.11	3151.67	
13	0.00	0.00	1.89	18940.20	18946.70	0.00	0.00	12.06	12374.99	12360.16	0.00	0.00	0.31	3151.36	
14	0.00	0.00	3.84	18946.70	18942.47	0.00	0.00	12.06	12345.14	12346.56	0.00	0.00	0.64	3150.72	
15	76.94	0.00	9.57	18942.47	18941.34	0.00	0.00	12.06	12334.56	12321.76	0.00	0.00	1.59	3149.13	
16	0.00	0.00	10.37	18941.34	18940.20	0.00	0.00	12.06	12321.76	12285.39	0.00	0.00	1.72	3147.41	
17	0.00	0.00	10.38	18940.20	18939.06	0.00	0.00	12.06	12285.39	12265.05	0.00	0.00	1.72	3145.69	
18	0.00	0.00	10.38	18939.06	18938.10	0.00	0.00	12.06	12265.05	12249.73	0.00	0.00	1.72	3143.97	
19	0.00	0.00	10.37	18938.10	18937.36	0.00	0.00	12.06	12249.73	12237.67	0.00	0.00	1.72	3142.25	
20	0.00	0.00	12.69	18937.36	18936.99	0.00	0.00	12.06	12237.67	12227.00	0.00	0.00	2.10	3140.15	
21	0.00	0.00	0.00	18936.99	18936.99	0.00	0.00	12.06	12227.00	12217.00	0.00	0.00	0.00	3140.15	
22	0.00	0.00	4.23	18936.99	18942.47	0.00	0.00	12.06	12217.00	12207.00	0.00	0.00	0.70	3139.45	
23	0.00	0.00	1.13	18942.47	18941.34	0.00	0.00	12.06	12207.00	12197.00	0.00	0.00	0.19	3139.26	
24	0.00	0.00	1.14	18941.34	18940.20	0.00	0.00	12.06	12197.00	12187.05	0.00	0.00	0.19	3139.07	
25	0.00	0.00	1.14	18940.20	18939.06	0.00	0.00	12.06	12187.05	12177.00	0.00	0.00	0.19	3138.88	
26	0.00	0.00	8.07	18939.06	18938.10	0.00	0.00	12.06	12177.00	12167.00	0.00	0.00	1.34	3137.54	
27	0.00	0.00	10.77	18938.10	18937.36	0.00	0.00	12.06	12167.00	12157.00	0.00	0.00	1.78	3135.76	
28	0.00	0.00	12.75	18937.36	18936.99	0.00	0.00	12.06	12157.00	12147.00	0.00	0.00	2.11	3133.65	
29	0.00	0.00	5.03	18936.99	18936.99	0.00	0.00	12.06	12147.00	12137.00	0.00	0.00	0.83	3132.82	
30	0.00	0.00	0.00	18936.99	18936.99	0.00	0.00	12.06	12137.00	12127.00	0.00	0.00	0.00	3132.82	
TOT	76.94	0.00	249.12			0.00	289.25	164.55			0.00	0.00	41.37		

APR 1999:	TOTAL					JOHN MARTIN RESERVOIR					FLOOD POOL				
	OFFSET ACCOUNT														
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	21.86	34918.42	34940.28	0.00	0.00	3.52	5626.10	5622.58	0.00	0.00	0.00	0.00	
2	0.00	0.00	6.31	34912.11	34887.43	0.00	0.00	1.02	5621.56	5620.54	0.00	0.00	0.00	0.00	
3	0.00	0.00	6.31	34905.80	34887.73	0.00	0.00	1.02	5619.40	5617.58	0.00	0.00	0.00	0.00	
4	0.00	0.00	7.07	34887.73	34871.23	0.00	0.00	1.14	5614.97	5614.97	0.00	0.00	0.00	0.00	
5	0.00	0.00	11.30	34871.23	34746.46	0.00	0.00	1.82	5599.88	5594.89	0.00	0.00	0.00	0.00	
6	0.00	0.00	16.20	34746.46	34715.49	0.00	0.00	2.61	5589.90	5586.17	0.00	0.00	0.00	0.00	
7	0.00	0.00	33.13	34715.49	34692.33	0.00	0.00	5.33	5586.17	5585.61	0.00	0.00	0.00	0.00	
8	0.00	0.00	29.64	34692.33	34681.58	0.00	0.00	4.77	5584.48	5581.66	0.00	0.00	0.00	0.00	
9	0.00	0.00	31.01	34681.58	34662.48	0.00	0.00	1.13	5578.61	5575.56	0.00	0.00	0.00	0.00	
10	0.00	0.00	30.99	34662.48	34461.84	49.14	0.00	4.99	5572.51	5569.46	0.00	0.00	0.00	0.00	
11	0.00	0.00	30.97	34461.84	34442.08	43.66	0.00	3.05	5566.87	5563.73	0.00	0.00	0.00	0.00	
12	0.00	0.00	2.06	34442.08	34427.96	39.93	0.00	0.34	5561.87	5558.78	0.00	0.00	0.00	0.00	
13	0.00	0.00	2.07	34427.96	34413.83	41.25	0.00	0.34	5558.78	5555.72	0.00	0.00	0.00	0.00	
14	0.00	0.00	2.07	34413.83	34399.70	40.07	0.00	0.34	5555.72	5552.66	0.00	0.00	0.00	0.00	
15	0.00	0.00	14.66	34399.70	34372.98	43.66	0.00	2.46	5548.16	5545.10	0.00	0.00	0.00	0.00	
16	0.00	0.00	19.55	34372.98	34341.37	55.21	0.00	3.31	5545.10	5542.04	0.00	0.00	0.00	0.00	
17	0.00	0.00	23.14	34341.37	34306.17	69.09	0.00	3.95	5537.78	5534.72	0.00	0.00	0.00	0.00	
18	0.00	0.00	9.12	34306.17	34284.99	55.46	0.00	1.58	5524.72	5521.66	0.00	0.00	0.00	0.00	
19	0.00	0.00	34284.99	34272.93		0.00	0.00	0.00	5518.71	5515.65	0.00	0.00	0.00	0.00	
20	0.00	0.00	212.31	455.04		437.47	0.00	73.94			0.00	0.00	0.00	0.00	

## 1998 WINTER STORED WATER

APR 1999:	KEESEE				FT. BENT				AMITY				PG 5
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	45.77	0.42	625.85	672.04	0.00	0.00	3.73	5959.17	0.00	0.00	15.08	24107.48
2	0.00	48.02	0.11	577.72	0.00	0.00	1.08	5958.09	0.00	0.00	4.35	24092.40	
3	0.00	48.02	0.10	529.60	0.00	0.00	1.08	5957.01	0.00	0.00	4.35	24088.05	
4	0.00	48.02	0.11	481.47	0.00	0.00	1.21	5955.80	0.00	0.00	4.88	24083.70	
5	0.00	49.19	0.15	432.13	0.00	0.00	1.93	5953.87	0.00	0.00	7.80	24078.82	
6	0.00	50.02	0.20	381.91	0.00	0.00	2.76	5951.11	0.00	0.00	11.18	24059.84	
7	0.00	50.02	0.36	331.53	0.00	0.00	5.65	5945.46	0.00	0.00	22.86	24036.98	
8	0.00	50.02	0.28	281.23	0.00	0.00	5.06	5940.40	0.00	0.00	20.45	24016.53	
9	0.00	50.02	0.25	230.96	0.00	0.00	5.29	5935.11	0.00	0.00	21.40	23995.13	
10	0.00	50.02	0.21	180.73	0.00	0.00	5.29	5929.82	0.00	0.00	21.38	23973.75	
11	0.00	50.02	0.16	130.55	0.00	0.00	5.29	5924.53	0.00	0.00	21.37	23952.38	
12	0.00	50.02	0.09	80.44	0.00	0.00	3.95	5920.58	0.00	0.00	15.98	23936.40	
13	0.00	53.63	0.01	26.80	0.00	0.00	0.59	5919.99	0.00	0.00	2.38	23934.02	
14	0.00	26.79	0.01	0.00	0.00	37.09	1.20	5881.70	0.00	0.00	4.86	23929.16	
15	0.00	0.00	0.00	0.00	0.00	56.15	2.97	5822.58	0.00	0.00	12.09	23917.07	
16	0.00	0.00	0.00	0.00	0.00	56.15	3.18	5763.25	0.00	0.00	13.06	23904.01	
17	0.00	0.00	0.00	0.00	0.00	56.15	3.15	5703.95	0.00	0.00	13.07	23890.94	
18	0.00	0.00	0.00	0.00	0.00	56.15	3.12	5644.68	0.00	0.00	13.06	23877.88	
19	0.00	0.00	0.00	0.00	0.00	56.09	3.09	5585.50	0.00	0.00	13.06	23864.82	
20	0.00	0.00	0.00	0.00	0.00	56.05	3.74	5525.71	0.00	0.00	15.97	23848.85	
21	0.00	0.00	0.00	0.00	0.00	56.05	0.00	5469.66	0.00	0.00	0.00	23848.85	
22	0.00	0.00	0.00	0.00	0.00	50.72	1.22	5417.72	0.00	0.00	5.33	23843.52	
23	0.00	0.00	0.00	0.00	0.00	0.00	0.32	5417.40	0.00	0.00	1.43	23842.09	
24	0.00	0.00	0.00	0.00	0.00	0.00	0.32	5417.08	0.00	0.00	1.43	23840.66	
25	0.00	0.00	0.00	0.00	0.00	0.00	0.33	5416.75	0.00	0.00	1.43	23839.23	
26	0.00	0.00	0.00	0.00	0.00	0.00	2.31	5414.44	0.00	0.00	10.16	23829.07	
27	0.00	0.00	0.00	0.00	0.00	0.00	3.08	5411.36	0.00	0.00	13.55	23815.52	
28	0.00	0.00	0.00	0.00	0.00	0.00	3.65	5407.71	0.00	0.00	16.04	23799.48	
29	0.00	0.00	0.00	0.00	0.00	0.00	1.44	5406.27	0.00	0.00	6.33	23793.15	
30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5406.27	0.00	0.00	0.00	23793.15	
TOT	0.00	669.58	2.46		0.00	480.60	76.03		0.00	0.00	314.33		

## 1998 WINTER STORED WATER

APR 1999:	LAMAR				HYDE				MANVEL				PG 5
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	0.00	0.00	0.00	0.88	1407.48	0.00	0.00	1.63	2598.01	
2	0.00	0.00	0.00	0.00	0.00	0.00	0.25	1406.60	0.00	0.00	0.47	2596.38	
3	0.00	0.00	0.00	0.00	0.00	0.00	0.25	1406.35	0.00	0.00	0.47	2595.91	
4	0.00	0.00	0.00	0.00	0.00	0.00	0.28	1405.82	0.00	0.00	0.52	2595.44	
5	0.00	0.00	0.00	0.00	0.00	0.00	0.45	1405.37	0.00	0.00	0.84	2594.08	
6	0.00	0.00	0.00	0.00	0.00	0.00	0.65	1404.72	0.00	0.00	1.20	2592.88	
7	0.00	0.00	0.00	0.00	0.00	0.00	1.33	1403.39	0.00	0.00	2.46	2590.42	
8	0.00	0.00	0.00	0.00	0.00	0.00	1.19	1402.20	0.00	0.00	2.20	2588.22	
9	0.00	0.00	0.00	0.00	0.00	0.00	1.25	1400.95	0.00	0.00	2.30	2585.92	
10	0.00	0.00	0.00	0.00	0.00	0.00	1.25	1399.70	0.00	0.00	2.30	2583.62	
11	0.00	0.00	0.00	0.00	0.00	0.00	1.25	1398.45	0.00	0.00	2.30	2581.32	
12	0.00	0.00	0.00	0.00	0.00	0.00	0.94	1397.51	0.00	0.00	1.72	2579.60	
13	0.00	0.00	0.00	0.00	0.00	0.00	0.14	1397.37	0.00	0.00	0.26	2579.34	
14	0.00	0.00	0.00	0.00	0.00	0.00	0.28	1397.09	0.00	0.00	0.52	2578.82	
15	0.00	0.00	0.00	0.00	0.00	0.00	0.71	1396.38	0.00	0.00	1.30	2577.52	
16	0.00	0.00	0.00	0.00	0.00	0.00	0.76	1395.62	0.00	0.00	1.41	2576.11	
17	0.00	0.00	0.00	0.00	0.00	0.00	0.76	1394.86	0.00	0.00	1.41	2574.70	
18	0.00	0.00	0.00	0.00	0.00	0.00	0.76	1394.10	0.00	0.00	1.41	2573.29	
19	0.00	0.00	0.00	0.00	0.00	0.00	0.76	1393.34	0.00	0.00	1.41	2571.88	
20	0.00	0.00	0.00	0.00	0.00	0.00	0.93	1392.41	0.00	0.00	1.72	2570.16	
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1392.41	0.00	0.00	0.00	2570.16	
22	0.00	0.00	0.00	0.00	0.00	0.00	0.31	1392.10	0.00	0.00	0.58	2569.58	
23	0.00	0.00	0.00	0.00	0.00	0.00	0.08	1392.02	0.00	0.00	0.15	2569.43	
24	0.00	0.00	0.00	0.00	0.00	0.00	0.08	1391.94	0.00	0.00	0.15	2569.28	
25	0.00	0.00	0.00	0.00	0.00	0.00	0.08	1391.86	0.00	0.00	0.15	2569.13	
26	0.00	0.00	0.00	0.00	0.00	0.00	0.59	1391.27	0.00	0.00	1.10	2568.03	
27	0.00	0.00	0.00	0.00	0.00	0.00	0.79	1390.48	0.00	0.00	1.46	2566.57	
28	0.00	0.00	0.00	0.00	0.00	0.00	0.94	1389.54	0.00	0.00	1.73	2564.84	
29	0.00	0.00	0.00	0.00	0.00	0.00	0.37	1389.17	0.00	0.00	0.68	2564.16	
30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1389.17	0.00	0.00	0.00	2564.16	
TOT	0.00	0.00	0.00		0.00	0.00	18.31		0.00	0.00	33.85		

## 1998 WINTER STORED WATER

PG 6

APR 1999:	X-Y					BUFFALO					SISSON-STUBBS				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	3.45	5517.89	:	0.00	0.00	5.76	9196.61	:	0.00	0.00	0.71	1134.27	1133.56
2	0.00	0.00	1.00	5516.89	:	0.00	0.00	1.66	9194.95	:	0.00	0.00	0.21	1133.36	
3	0.00	0.00	1.00	5515.89	:	0.00	0.00	1.66	9193.29	:	0.00	0.00	0.21	1133.14	
4	0.00	0.00	1.12	5514.77	:	0.00	0.00	1.86	9191.43	:	0.00	0.00	0.23	1132.91	
5	0.00	0.00	1.79	5512.98	:	0.00	0.00	2.98	9188.45	:	0.00	0.00	0.37	1132.54	
6	0.00	0.00	2.56	5510.42	:	0.00	0.00	4.27	9184.18	:	0.00	0.00	0.53	1132.01	
7	0.00	0.00	5.24	5505.18	:	0.00	0.00	8.73	9175.45	:	0.00	0.00	1.08	1130.93	
8	0.00	0.00	4.68	5500.50	:	0.00	0.00	7.81	9167.64	:	0.00	0.00	0.96	1129.97	
9	0.00	0.00	4.90	5495.60	:	0.00	0.00	8.17	9159.47	:	0.00	0.00	1.01	1128.96	
10	0.00	0.00	4.90	5490.70	:	0.00	0.00	8.16	9151.31	:	0.00	0.00	1.01	1127.95	
11	0.00	0.00	4.89	5485.81	:	0.00	0.00	8.16	9143.15	:	0.00	0.00	1.01	1126.94	
12	0.00	0.00	3.66	5482.15	:	0.00	0.00	6.10	9137.05	:	0.00	0.00	0.75	1126.19	
13	0.00	0.00	0.55	5481.60	:	0.00	0.00	0.91	9136.14	:	0.00	0.00	0.11	1126.08	
14	0.00	0.00	1.11	5480.49	:	0.00	0.00	1.85	9134.29	:	0.00	0.00	0.23	1125.85	
15	0.00	0.00	2.77	5477.72	:	0.00	0.00	4.62	9129.67	:	0.00	0.00	0.57	1125.28	
16	0.00	0.00	2.99	5474.73	:	0.00	0.00	4.99	9124.68	:	0.00	0.00	0.61	1124.67	
17	0.00	0.00	2.99	5471.74	:	0.00	0.00	4.99	9119.69	:	0.00	0.00	0.61	1124.06	
18	0.00	0.00	2.99	5468.75	:	0.00	0.00	4.99	9114.70	:	0.00	0.00	0.61	1123.45	
19	0.00	0.00	2.99	5465.76	:	0.00	0.00	4.98	9109.72	:	0.00	0.00	0.61	1122.84	
20	0.00	0.00	3.66	5462.10	:	0.00	0.00	6.10	9103.62	:	0.00	0.00	0.75	1122.09	
21	0.00	0.00	0.00	5462.10	:	0.00	0.00	0.00	9103.62	:	0.00	0.00	0.00	1122.09	
22	0.00	0.00	1.22	5460.88	:	0.00	0.00	2.03	9101.59	:	0.00	0.00	0.25	1121.84	
23	0.00	0.00	0.33	5460.55	:	0.00	0.00	0.55	9101.04	:	0.00	0.00	0.07	1121.77	
24	0.00	0.00	0.33	5460.22	:	0.00	0.00	0.55	9100.49	:	0.00	0.00	0.07	1121.70	
25	0.00	0.00	0.33	5459.89	:	0.00	0.00	0.55	9099.94	:	0.00	0.00	0.07	1121.63	
26	0.00	0.00	2.33	5457.56	:	0.00	0.00	3.88	9096.06	:	0.00	0.00	0.48	1121.15	
27	0.00	0.00	3.10	5454.46	:	0.00	0.00	5.17	9090.89	:	0.00	0.00	0.64	1120.51	
28	0.00	0.00	3.67	5450.79	:	0.00	0.00	6.12	9084.77	:	0.00	0.00	0.76	1119.75	
29	0.00	0.00	1.45	5449.34	:	0.00	0.00	2.41	9082.36	:	0.00	0.00	0.30	1119.45	
30	0.00	0.00	0.00	5449.34	:	0.00	0.00	0.00	9082.36	:	0.00	0.00	0.00	1119.45	
TOT	0.00	0.00	72.00		:	0.00	0.00	120.01		:	0.00	0.00	14.82		

## 1998 WINTER STORED WATER

PG 6

APR 1999:	TOTAL					TOTAL					TOTAL				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	45.77	31.66	50605.89	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
2	0.00	48.02	9.13	50471.31	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
3	0.00	48.02	9.12	50414.17	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
4	0.00	48.02	10.21	50355.94	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
5	0.00	49.19	16.31	50290.44	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
6	0.00	50.02	23.35	50217.07	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
7	0.00	50.02	47.71	50119.34	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
8	0.00	50.02	42.63	50026.69	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
9	0.00	50.02	44.57	49932.10	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
10	0.00	50.02	44.50	49837.58	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
11	0.00	50.02	44.43	49743.13	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
12	0.00	50.02	33.19	49659.92	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
13	0.00	53.63	4.95	49601.34	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
14	0.00	63.88	10.06	49527.40	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
15	0.00	56.15	25.03	49446.22	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
16	0.00	56.15	27.00	49363.07	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
17	0.00	56.15	26.98	49279.94	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
18	0.00	56.15	26.94	49196.85	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
19	0.00	56.09	26.90	49113.86	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
20	0.00	56.05	32.87	49024.94	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
21	0.00	56.05	0.00	48968.89	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
22	0.00	50.72	10.94	48907.23	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
23	0.00	0.00	2.93	48904.30	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
24	0.00	0.00	2.93	48901.37	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
25	0.00	0.00	2.94	48898.43	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
26	0.00	0.00	20.85	48877.58	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
27	0.00	0.00	27.79	48849.79	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
28	0.00	0.00	32.91	48816.88	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
29	0.00	0.00	12.98	48803.90	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
30	0.00	0.00	0.00	48803.90	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
TOT	0.00	1150.18	651.81		:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	

## 1999 WINTER STORED WATER

PG 7

APR 1999:	KEESEE				FT. BENT				AMITY				
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	34.22	0.00	0.20	344.68	310.66	147.27	0.00	0.83	1329.51	736.38	0.00	1.78	2850.60
2	34.22	0.00	0.06	378.84	147.27	0.00	0.27	1622.95	736.38	0.00	0.65	3585.20	
3	34.22	0.00	0.07	412.99	147.27	0.00	0.29	1769.93	736.38	0.00	0.78	4320.93	
4	34.22	0.00	0.08	447.13	147.27	0.00	0.36	1916.84	736.38	0.00	1.02	5056.53	
5	34.22	0.00	0.15	481.20	147.27	0.00	0.62	2063.49	736.38	0.00	1.87	5791.89	
6	34.22	0.00	0.22	515.20	147.27	0.00	0.96	2209.80	736.38	0.00	3.03	6526.40	
7	34.22	0.00	0.49	548.93	147.27	0.00	2.10	2354.97	736.38	0.00	6.90	7259.75	
8	34.22	0.00	0.47	582.68	147.27	0.00	2.00	2500.24	736.38	0.00	6.80	7989.23	
9	34.22	0.00	0.52	616.38	147.27	0.00	2.23	2645.28	736.38	0.00	7.76	8718.81	
10	34.22	0.00	0.55	650.05	147.27	0.00	2.36	2790.19	736.38	0.00	8.42	9447.43	
11	34.22	0.00	0.58	683.69	147.27	0.00	2.49	2934.97	736.38	0.00	9.07	10175.39	
12	34.22	0.00	0.45	717.46	147.27	0.00	1.96	3080.28	736.38	0.00	7.28	10902.70	
13	34.22	0.00	0.07	751.61	147.27	0.00	0.31	3227.24	736.38	0.00	1.16	11631.80	
14	34.22	29.20	0.15	756.48	147.27	0.00	0.65	3373.86	736.38	0.00	2.51	12367.02	
15	33.15	55.99	0.38	733.26	142.67	0.00	1.71	3514.82	713.36	0.00	6.62	13100.89	
16	27.37	53.51	0.40	706.72	117.82	0.00	1.92	3630.72	589.10	0.00	7.54	13807.63	
17	27.37	52.03	0.39	681.67	117.82	0.00	1.99	3746.55	589.10	0.00	7.86	14389.19	
18	27.37	52.03	0.37	656.64	117.82	0.00	2.05	3862.32	589.10	0.00	8.18	14970.43	
19	27.37	54.46	0.36	629.19	117.82	0.00	2.11	3978.03	589.10	0.00	8.51	15551.35	
20	27.37	56.05	0.42	600.09	117.82	0.00	2.66	4093.19	589.10	0.00	10.80	16131.94	
21	27.37	56.05	0.00	571.41	117.82	0.00	0.00	4211.01	589.10	0.00	0.00	16710.24	
22	26.13	54.81	0.13	542.60	112.49	0.00	0.94	4322.56	562.47	0.00	3.86	17299.34	
23	0.00	12.86	0.03	529.71	0.00	0.00	0.26	4322.30	0.00	0.00	1.07	17855.88	
24	0.00	1.55	0.03	528.13	0.00	0.00	0.26	4322.04	0.00	0.00	1.07	17855.81	
25	0.00	1.55	0.03	526.55	0.00	0.00	0.26	4321.78	0.00	0.00	1.07	17854.74	
26	0.00	1.55	0.23	524.77	0.00	0.00	1.84	4319.94	0.00	0.00	7.61	17847.13	
27	0.00	0.00	0.30	524.47	0.00	0.00	2.46	4317.48	0.00	0.00	10.15	17836.98	
28	0.00	0.00	0.35	524.12	0.00	0.00	2.91	4314.57	0.00	0.00	12.02	17824.96	
29	0.00	0.00	0.14	523.98	0.00	0.00	1.15	4313.42	0.00	0.00	4.73	17820.23	
30	0.00	0.00	0.00	523.98	0.00	0.00	0.00	4313.42	0.00	0.00	0.00	17820.23	
TOT	702.58	481.64	7.62		3023.86	0.00	39.95		15119.75	0.00	150.12		

## 1999 WINTER STORED WATER

PG 7

APR 1999:	LAMAR				HYDE				MANVEL			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	294.55	190.91	1.54	2461.07	19.34	0.00	0.11	175.61	35.70	0.00	0.20	320.32
2	294.55	198.35	0.46	2563.17	19.34	0.00	0.04	194.84	35.70	0.00	0.06	355.82
3	294.55	198.35	0.48	2658.91	19.34	0.00	0.04	214.14	35.70	0.00	0.07	391.46
4	294.55	198.35	0.56	2754.63	19.34	0.00	0.05	233.44	35.70	0.00	0.09	427.09
5	294.55	159.51	0.92	2850.27	19.34	0.00	0.08	252.73	35.70	0.00	0.15	462.70
6	294.55	100.41	1.39	2984.39	19.34	0.00	0.13	271.99	35.70	0.00	0.23	498.25
7	294.55	89.26	3.02	3177.14	19.34	0.00	0.28	291.20	35.70	0.00	0.51	533.72
8	294.55	100.83	2.88	3379.41	19.34	0.00	0.26	310.26	35.70	0.00	0.48	568.91
9	294.55	109.09	3.18	3570.25	19.34	0.00	0.29	329.34	35.70	0.00	0.54	604.13
10	294.55	109.09	3.34	3752.53	19.34	0.00	0.31	348.39	35.70	0.00	0.57	639.29
11	294.55	109.09	3.51	3934.65	19.34	0.00	0.33	367.42	35.70	0.00	0.60	674.42
12	294.55	171.08	2.75	4116.60	19.34	0.00	0.26	386.43	35.70	0.00	0.67	709.52
13	294.55	208.27	0.42	4232.18	19.34	0.00	0.04	405.51	35.70	0.00	0.47	744.75
14	294.55	172.32	0.88	4444.53	19.34	0.00	0.09	424.81	35.70	0.00	0.16	780.37
15	285.34	148.76	2.25	4578.86	18.73	0.00	0.22	444.06	35.70	0.00	0.41	815.91
16	235.64	130.17	2.50	4681.83	15.47	0.00	0.25	462.57	34.59	0.00	0.47	850.09
17	235.64	119.01	2.56	4795.90	15.47	0.00	0.26	477.79	28.56	0.00	0.48	878.18
18	235.64	119.01	2.62	4909.91	15.47	0.00	0.27	493.00	28.56	0.00	0.48	906.26
19	235.64	148.97	2.68	4993.90	15.47	0.00	0.28	508.20	28.56	0.00	0.50	934.32
20	235.64	203.31	3.34	5022.89	15.47	0.00	0.35	523.39	28.56	0.00	0.51	962.37
21	235.64	240.09	0.00	5018.44	15.47	0.00	0.00	538.51	28.56	0.00	0.65	990.28
22	224.99	237.29	1.12	5005.02	14.77	0.00	0.12	553.98	28.56	0.00	0.00	1018.84
23	0.00	0.00	0.30	5004.72	0.00	0.00	0.04	568.63	27.27	0.00	0.23	1045.88
24	0.00	0.00	0.30	5004.42	0.00	0.00	0.04	568.59	0.00	0.00	0.06	1045.82
25	0.00	0.00	0.30	5004.12	0.00	0.00	0.04	568.55	0.00	0.00	0.06	1045.76
26	0.00	0.00	2.13	5001.99	0.00	0.00	0.24	568.51	0.00	0.00	0.06	1045.70
27	0.00	0.00	2.84	4999.15	0.00	0.00	0.32	567.95	0.00	0.00	0.45	1045.25
28	0.00	0.00	3.37	4995.78	0.00	0.00	0.38	567.57	0.00	0.00	0.59	1044.66
29	0.00	0.00	1.33	4994.45	0.00	0.00	0.15	567.42	0.00	0.00	0.28	1043.68
30	0.00	0.00	0.00	4994.45	0.00	0.00	0.00	567.42	0.00	0.00	0.00	1043.68
TOT	6047.87	3461.52	52.97		397.08	0.00	5.27		733.02	0.00	9.66	

## **1999 WINTER STORED WATER**

X-Y

BUFFALO

SISSON-STUBBS

PG 8

APR 1999:	X-1						BUFFALO						SISSON-STUBBS		
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN			
1	75.87	0.00	0.43	685.02	760.46	126.45	0.00	0.71	1266.16	17.85	0.00	0.10	162.10		
2	75.87	0.00	0.14	836.19	126.45	0.00	0.23	1392.38	17.85	0.00	0.03	179.85			
3	75.87	0.00	0.15	911.91	126.45	0.00	0.25	1518.58	17.85	0.00	0.04	197.67			
4	75.87	0.00	0.18	987.60	126.45	0.00	0.31	1644.72	17.85	0.00	0.04	215.48			
5	75.87	0.00	0.32	1063.15	126.45	0.00	0.53	1770.64	17.85	0.00	0.04	233.29			
6	75.87	0.00	0.49	1138.53	126.45	0.00	0.82	1896.27	17.85	0.00	0.08	251.06			
7	75.87	0.00	1.08	1213.32	126.45	0.00	1.80	2020.92	17.85	0.00	0.12	268.79			
8	75.87	0.00	1.03	1288.16	126.45	0.00	1.72	2145.65	17.85	0.00	0.25	286.39			
9	75.87	0.00	1.15	1362.88	126.45	0.00	1.91	2270.19	17.85	0.00	0.24	304.00			
10	75.87	0.00	1.21	1437.54	126.45	0.00	2.02	2394.62	17.85	0.00	0.27	321.58			
11	75.87	0.00	1.28	1512.13	126.45	0.00	2.13	2518.94	17.85	0.00	0.30	339.14			
12	75.87	0.00	1.01	1586.99	126.45	0.00	1.68	2643.71	17.85	0.00	0.24	356.69			
13	75.87	0.00	0.16	1662.70	126.45	0.00	0.26	2769.90	17.85	0.00	0.04	374.30			
14	75.87	0.00	0.34	1738.23	126.45	0.00	0.56	2895.79	17.85	0.00	0.08	392.11			
15	73.50	0.00	0.88	1810.85	122.50	0.00	1.46	3016.83	17.29	0.00	0.21	409.88			
16	60.70	0.00	0.99	1870.56	101.16	0.00	1.65	3116.34	14.28	0.00	0.23	426.96			
17	60.70	0.00	1.02	1930.24	101.16	0.00	1.70	3215.80	14.28	0.00	0.24	441.01			
18	60.70	0.00	1.05	1989.89	101.16	0.00	1.76	3315.20	14.28	0.00	0.25	455.05			
19	60.70	0.00	1.09	2049.50	101.16	0.00	1.81	3414.55	14.28	0.00	0.26	469.08			
20	60.70	0.00	1.37	2108.83	101.16	0.00	2.29	3513.42	14.28	0.00	0.32	483.10			
21	60.70	0.00	0.00	2169.53	101.16	0.00	0.00	3614.58	14.28	0.00	0.00	497.06			
22	57.95	0.00	0.49	2226.99	96.59	0.00	0.81	3710.36	13.64	0.00	0.11	511.34			
23	0.00	0.00	0.13	2226.86	0.00	0.00	0.22	3710.14	0.00	0.00	0.03	524.87			
24	0.00	0.00	0.14	2226.72	0.00	0.00	0.22	3709.92	0.00	0.00	0.03	524.84			
25	0.00	0.00	0.14	2226.58	0.00	0.00	0.22	3709.70	0.00	0.00	0.03	524.81			
26	0.00	0.00	0.95	2225.63	0.00	0.00	1.58	3708.12	0.00	0.00	0.22	524.78			
27	0.00	0.00	1.27	2224.36	0.00	0.00	2.11	3706.01	0.00	0.00	0.30	524.56			
28	0.00	0.00	1.50	2222.86	0.00	0.00	2.50	3703.51	0.00	0.00	0.35	524.26			
29	0.00	0.00	0.59	2222.27	0.00	0.00	0.98	3702.53	0.00	0.00	0.14	523.91			
30	0.00	0.00	0.00	2222.27	0.00	0.00	0.00	3702.53	0.00	0.00	0.00	523.77			
TOT	1557.83	0.00	20.58		2596.35	0.00	34.24		366.51	0.00	4.84				

#### **1999 WINTER STORED WATER**

**TOTAL**

PG-3

## **SECTION 5**

**May 1999**

## JOHN MARTIN RESERVOIR

## JOHN MARTIN RESERVOIR

## AGREEMENT WATER

PG 1  
SUMMER COMPACT WATER

MAY 1999:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1 :	9515.79	7.79	0.00	328777.00	:	0.00	7.79	0.00	301159.48	:	9515.79	0.00	0.00	13042.96
2 :	30816.56	684.56	202.00	358707.00	:	1549.61	15157.21	185.03	287366.85	:	30816.56	1549.61	8.01	42301.90
3 :	51065.00	3783.00	299.00	405690.00	:	2479.38	46955.02	0.00	242891.21	:	52940.97	2479.38	0.00	92763.49
4 :	29484.00	3840.00	167.00	431167.00	:	2479.38	30934.78	0.00	214435.81	:	30934.78	2479.38	0.00	121218.89
5 :	15202.00	3386.00	161.00	442822.00	:	2479.38	17311.29	0.00	199603.90	:	17311.29	2479.38	0.00	136050.80
6 :	10764.00	3616.00	236.00	449734.00	:	2479.38	19148.01	0.00	182935.27	:	19148.01	2479.38	0.00	152719.43
7 :	8674.00	4542.00	188.00	453678.00	:	2479.38	17733.79	0.00	167680.86	:	17733.79	2479.38	0.00	167973.84
8 :	7336.00	5227.00	278.00	455509.00	:	2479.38	15803.82	0.00	154356.42	:	15803.82	2479.38	0.00	181298.28
9 :	6170.00	5438.00	450.00	455791.00	:	2479.38	15102.85	0.00	141732.95	:	15102.85	2479.38	0.00	193921.75
10 :	5245.00	5422.00	247.00	455367.00	:	2479.38	15108.44	0.00	129103.89	:	15108.44	2479.38	0.00	206550.81
11 :	5081.00	5418.00	82.00	454948.00	:	2479.38	13233.94	0.00	118349.33	:	13233.94	2479.38	0.00	217305.37
12 :	5912.00	5561.00	214.00	455085.00	:	2479.38	7378.48	0.00	113450.23	:	7378.48	2479.38	0.00	222024.47
13 :	6225.00	5630.00	313.00	455367.00	:	2479.38	7553.30	0.00	108376.31	:	7553.30	2479.38	0.00	227278.39
14 :	4231.00	5639.00	280.00	453679.00	:	2479.38	5265.38	0.00	105590.31	:	5265.38	2479.38	0.00	230064.39
15 :	4017.00	5712.00	279.00	451705.00	:	2479.38	4841.34	0.00	103228.35	:	4841.34	2479.38	0.00	232426.35
16 :	3723.00	5839.00	270.00	449319.00	:	2479.38	4429.48	0.00	101278.25	:	4429.48	2479.38	0.00	234376.45
17 :	3258.00	5940.00	220.00	446417.00	:	2479.38	4075.17	0.00	99682.46	:	4075.17	2479.38	0.00	235972.24
18 :	3669.00	5930.00	365.00	443791.00	:	2479.38	4482.18	0.00	97679.66	:	4482.18	2479.38	0.00	237975.04
19 :	3365.00	5912.00	356.00	440888.00	:	2479.38	4060.93	0.00	96098.11	:	4060.93	2479.38	0.00	239556.59
20 :	2729.00	5894.00	153.00	437570.00	:	2479.38	3345.64	0.00	95231.85	:	3345.64	2479.38	0.00	240422.85
21 :	1886.00	5872.00	248.00	433336.00	:	2479.38	2472.78	0.00	95238.45	:	2472.78	2479.38	0.00	240416.25
22 :	2309.00	5857.00	246.00	429542.00	:	2479.38	2842.42	0.00	94875.41	:	2842.42	2479.38	0.00	240779.29
23 :	1090.00	5852.00	253.00	424527.00	:	2479.38	1673.41	0.00	95681.38	:	1673.41	2479.38	0.00	239973.32
24 :	1046.00	5845.00	290.00	419438.00	:	2479.38	1560.80	0.00	96599.96	:	1560.80	2479.38	0.00	239054.74
25 :	2045.00	5430.00	70.00	415983.00	:	2479.38	2541.97	0.00	96537.37	:	2541.97	2479.38	0.00	239117.33
26 :	1827.00	5369.00	178.00	412263.00	:	2479.38	2349.60	0.00	96667.15	:	2349.60	2479.38	0.00	238987.55
27 :	3235.00	5729.00	162.00	409607.00	:	2479.38	3756.26	0.00	95390.27	:	3756.26	2479.38	0.00	240264.43
28 :	4487.00	5723.00	208.00	408163.00	:	2479.38	4988.23	0.00	92881.42	:	4988.23	2479.38	0.00	242773.28
29 :	5016.00	5718.00	207.00	407254.00	:	2479.38	5601.21	0.00	89759.59	:	5601.21	2479.38	0.00	245895.11
30 :	5407.00	5714.00	215.00	406732.00	:	2479.38	5625.08	0.00	86613.89	:	5625.08	2479.38	0.00	249040.81
31 :	5415.00	5721.00	215.00	406211.00	:	2479.38	5588.68	0.00	83504.59	:	5588.68	2479.38	0.00	252150.11
TOT :	250245.35	156251.35	7052.00		:	73451.63	290929.28	185.03		:	322082.58	73451.63	8.01	

## JOHN MARTIN RESERVOIR

## WINTER COMPACT WATER

## PERMANENT POOL

## WINTER WATER

MAY 1999:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8584.93	:	0.00	0.00	0.00	0.00
2 :	0.00	0.00	0.00	0.00	:	0.00	0.00	5.28	8579.65	:	0.00	0.00	0.00	0.00
3 :	0.00	0.00	0.00	0.00	:	324.90	0.00	0.00	8904.55	:	0.00	0.00	0.00	0.00
4 :	0.00	0.00	0.00	0.00	:	95.50	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
5 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
6 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
7 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
8 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
9 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
10 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
11 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
12 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
13 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
14 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
15 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
16 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
17 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
18 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
19 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
20 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
21 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
22 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
23 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
24 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
25 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
26 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
27 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
28 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
29 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
30 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
31 :	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
TOT :	0.00	0.00	0.00	0.00	:	420.40	0.00	5.28		:	0.00	0.00	0.00	0.00

## AGREEMENT WATER

## SUMMER STORED WATER

PG 2

MAY 1999:	KANSAS					TRANSIT LOSS					KEESEE			PG 2
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	136938.33	:	0.00	0.00	0.00	1666.50	:	0.00	0.00	0.00	20.10
2	619.84	0.00	84.13	137474.04	:	0.00	0.00	1.03	1665.47	:	21.38	0.00	0.01	41.47
3	991.75	14354.88	0.00	124110.91	:	0.00	0.00	0.00	1665.47	:	34.22	57.68	0.00	18.01
4	991.75	15934.51	0.00	109168.15	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	52.23
5	991.75	8917.05	0.00	101242.85	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	86.45
6	991.75	9863.14	0.00	92371.46	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	120.67
7	991.75	9134.68	0.00	84228.53	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	154.89
8	991.75	8140.55	0.00	77079.73	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	189.11
9	991.75	7779.48	0.00	70292.00	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	223.33
10	991.75	7782.36	0.00	63501.39	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	257.55
11	991.75	6816.80	0.00	57676.34	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	291.77
12	991.75	3800.66	0.00	54867.43	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	325.99
13	991.75	3890.70	0.00	51968.48	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	360.21
14	991.75	2712.20	0.00	50248.03	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	394.43
15	991.75	2493.77	0.00	48746.01	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	428.65
16	991.75	2281.63	0.00	47456.13	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	462.87
17	991.75	2099.12	0.00	46348.76	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	497.09
18	991.75	2308.77	0.00	45031.74	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	531.31
19	991.75	2091.79	0.00	43931.70	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	565.53
20	991.75	1723.34	0.00	43200.11	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	599.75
21	991.75	1273.73	0.00	42918.13	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	633.97
22	991.75	1464.13	0.00	42445.75	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	668.19
23	991.75	861.97	0.00	42575.53	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	702.41
24	991.75	803.97	0.00	42763.31	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	736.63
25	991.75	1309.37	0.00	42445.69	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	770.85
26	991.75	1210.28	0.00	42227.16	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	805.07
27	991.75	1934.85	0.00	41284.06	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	839.29
28	991.75	2569.44	0.00	39706.37	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	873.51
29	991.75	2885.18	0.00	37812.94	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	907.73
30	991.75	2897.48	0.00	35907.21	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	941.95
31	991.75	2878.73	0.00	34020.23	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	976.17
TOT	29380.59	132214.56	84.13	:		0.00	0.00	1.03			1013.76	57.68	0.01	

## SUMMER STORED WATER

## LAMAR

PG 2

MAY 1999:	FT. BENT					AMITY					LAMAR			PG 2
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	5406.27	0.00	0.00	328.23	:	23793.15	0.00	0.00	5851.26	:	0.00	0.00	0.00	306.11
2	92.05	0.00	3.52	5734.50	:	460.24	0.00	18.22	30086.43	:	184.09	0.00	0.19	490.01
3	147.27	1062.14	0.00	4908.16	:	736.38	5020.18	0.00	25802.63	:	294.55	585.12	0.00	199.44
4	147.27	1179.02	0.00	3876.41	:	736.38	5572.60	0.00	20966.41	:	294.55	44.43	0.00	449.56
5	147.27	659.79	0.00	3363.89	:	736.38	3118.46	0.00	18584.33	:	294.55	0.00	0.00	744.11
6	147.27	729.79	0.00	2781.37	:	736.38	3449.33	0.00	15871.38	:	294.55	0.00	0.00	1038.66
7	147.27	675.89	0.00	2252.75	:	736.38	3194.57	0.00	13413.19	:	294.55	0.00	0.00	1333.21
8	147.27	602.33	0.00	1797.69	:	736.38	2846.91	0.00	11302.66	:	294.55	0.00	0.00	1627.76
9	147.27	575.62	0.00	1369.34	:	736.38	2720.63	0.00	9318.41	:	294.55	0.00	0.00	1922.31
10	147.27	408.22	0.00	1108.39	:	736.38	2721.64	0.00	7333.15	:	294.55	0.00	0.00	2216.86
11	147.27	0.00	0.00	1255.66	:	736.38	1790.97	0.00	6278.56	:	294.55	0.00	0.00	2511.41
12	147.27	0.00	0.00	1402.93	:	736.38	0.00	0.00	7014.94	:	294.55	0.00	0.00	2805.96
13	147.27	0.00	0.00	1550.20	:	736.38	0.00	0.00	7751.32	:	294.55	0.00	0.00	3100.51
14	147.27	0.00	0.00	1697.47	:	736.38	0.00	0.00	8487.70	:	294.55	0.00	0.00	3395.06
15	147.27	0.00	0.00	1844.74	:	736.38	0.00	0.00	9224.08	:	294.55	0.00	0.00	3689.61
16	147.27	0.00	0.00	1992.01	:	736.38	0.00	0.00	9960.46	:	294.55	0.00	0.00	3984.16
17	147.27	0.00	0.00	2139.28	:	736.38	0.00	0.00	10696.84	:	294.55	0.00	0.00	4278.71
18	147.27	0.00	0.00	2286.55	:	736.38	0.00	0.00	11433.22	:	294.55	0.00	0.00	4573.26
19	147.27	0.00	0.00	2433.82	:	736.38	0.00	0.00	12169.60	:	294.55	0.00	0.00	4867.81
20	147.27	0.00	0.00	2581.09	:	736.38	0.00	0.00	12905.98	:	294.55	0.00	0.00	5162.36
21	147.27	0.00	0.00	2728.36	:	736.38	0.00	0.00	13642.36	:	294.55	0.00	0.00	5456.91
22	147.27	0.00	0.00	2875.63	:	736.38	0.00	0.00	14378.74	:	294.55	0.00	0.00	5751.46
23	147.27	0.00	0.00	3022.90	:	736.38	0.00	0.00	15115.12	:	294.55	0.00	0.00	6046.01
24	147.27	0.00	0.00	3170.17	:	736.38	0.00	0.00	15851.50	:	294.55	0.00	0.00	6340.56
25	147.27	0.00	0.00	3317.44	:	736.38	0.00	0.00	16587.88	:	294.55	0.00	0.00	6635.11
26	147.27	0.00	0.00	3464.71	:	736.38	0.00	0.00	17324.26	:	294.55	0.00	0.00	6929.66
27	147.27	0.00	0.00	3611.98	:	736.38	0.00	0.00	18060.64	:	294.55	0.00	0.00	7224.21
28	147.27	0.00	0.00	3759.25	:	736.38	0.00	0.00	18797.02	:	294.55	0.00	0.00	7518.76
29	147.27	0.00	0.00	3906.52	:	736.38	0.00	0.00	19533.40	:	294.55	0.00	0.00	7813.31
30	147.27	0.00	0.00	4053.79	:	736.38	0.00	0.00	20269.78	:	294.55	0.00	0.00	8107.86
31	147.27	0.00	0.00	4201.06	:	736.38	0.00	0.00	21006.16	:	294.55	0.00	0.00	8402.41
TOT	9769.15	5892.80	3.52			45608.41	30435.29	18.22			8726.04	629.55	0.19	

## SUMMER STORED WATER

PG 3

MAY 1999:	HYDE					MANVEL					X-Y				
	INFLOW	RELEASE	EVAP	OWN		INFLOW	RELEASE	EVAP	OWN		INFLOW	RELEASE	EVAP	OWN	
1	1389.17	0.00	0.00	2230.19	841.02	2564.16	0.00	0.00	8322.82	5758.66	5449.34	0.00	0.00	9316.43	14765.77
2	12.09	0.00	1.37	2240.91	22.31	0.00	5.11	8340.02	47.42	0.00	9.07	14804.12			
3	19.34	293.24	0.00	1967.01	35.70	978.36	0.00	0.00	7397.36	75.87	1775.64	0.00	0.00	13104.35	
4	19.34	325.50	0.00	1660.85	35.70	1086.02	0.00	0.00	6347.04	75.87	1971.04	0.00	0.00	11209.18	
5	19.34	182.16	0.00	1498.03	35.70	607.74	0.00	0.00	5775.00	75.87	1103.00	0.00	0.00	10182.05	
6	19.34	201.48	0.00	1315.89	35.70	672.23	0.00	0.00	5138.47	75.87	1220.03	0.00	0.00	9037.89	
7	19.34	186.60	0.00	1148.63	35.70	622.58	0.00	0.00	4551.59	75.87	1129.92	0.00	0.00	7983.84	
8	19.34	166.29	0.00	1001.68	35.70	554.82	0.00	0.00	4032.47	75.87	1006.95	0.00	0.00	7052.76	
9	19.34	158.92	0.00	862.10	35.70	530.21	0.00	0.00	3537.96	75.87	962.29	0.00	0.00	6166.34	
10	19.34	158.97	0.00	722.47	35.70	530.41	0.00	0.00	3043.25	75.87	962.65	0.00	0.00	5279.56	
11	19.34	139.25	0.00	602.56	35.70	464.60	0.00	0.00	2614.35	75.87	843.21	0.00	0.00	4512.22	
12	19.34	77.64	0.00	544.26	35.70	259.03	0.00	0.00	2391.02	75.87	470.13	0.00	0.00	4117.96	
13	19.34	79.48	0.00	484.12	35.70	265.17	0.00	0.00	2161.55	75.87	481.27	0.00	0.00	3712.56	
14	19.34	55.40	0.00	448.06	35.70	184.85	0.00	0.00	2012.40	75.87	335.49	0.00	0.00	3452.94	
15	19.34	50.94	0.00	416.46	35.70	169.96	0.00	0.00	1878.14	75.87	308.47	0.00	0.00	3220.34	
16	19.34	46.61	0.00	389.19	35.70	155.50	0.00	0.00	1758.34	75.87	282.23	0.00	0.00	3013.98	
17	19.34	42.88	0.00	365.65	35.70	143.07	0.00	0.00	1650.97	75.87	259.65	0.00	0.00	2830.20	
18	19.34	47.16	0.00	337.83	35.70	157.36	0.00	0.00	1529.31	75.87	285.59	0.00	0.00	2620.48	
19	19.34	37.55	0.00	319.62	35.70	142.57	0.00	0.00	1422.44	75.87	258.75	0.00	0.00	2437.60	
20	19.34	0.00	0.00	338.96	35.70	117.45	0.00	0.00	1340.69	75.87	213.17	0.00	0.00	2300.30	
21	19.34	0.00	0.00	358.30	35.70	86.81	0.00	0.00	1289.58	75.87	157.55	0.00	0.00	2218.62	
22	19.34	0.00	0.00	377.64	35.70	99.79	0.00	0.00	1225.49	75.87	181.11	0.00	0.00	2113.38	
23	19.34	0.00	0.00	396.98	35.70	58.75	0.00	0.00	1202.44	75.87	106.62	0.00	0.00	2082.63	
24	19.34	0.00	0.00	416.32	35.70	54.79	0.00	0.00	1183.35	75.87	99.45	0.00	0.00	2059.05	
25	19.34	0.00	0.00	435.66	35.70	89.24	0.00	0.00	1129.81	75.87	161.96	0.00	0.00	1972.96	
26	19.34	0.00	0.00	455.00	35.70	82.49	0.00	0.00	1083.02	75.87	149.71	0.00	0.00	1899.12	
27	19.34	0.00	0.00	474.34	35.70	131.87	0.00	0.00	986.85	75.87	114.18	0.00	0.00	1860.81	
28	19.34	0.00	0.00	493.68	35.70	111.26	0.00	0.00	911.29	75.87	0.00	0.00	0.00	1936.68	
29	19.34	0.00	0.00	513.02	35.70	0.00	0.00	0.00	946.99	75.87	0.00	0.00	0.00	2012.55	
30	19.34	0.00	0.00	532.36	35.70	0.00	0.00	0.00	982.69	75.87	0.00	0.00	0.00	2088.42	
31	19.34	0.00	0.00	551.70	35.70	0.00	0.00	0.00	1018.39	75.87	0.00	0.00	0.00	2164.29	
TOT	1962.12	2250.07	1.37		3621.77	8356.93	5.11			7696.99	14840.06	9.07			

## SUMMER STORED WATER

PG 3

MAY 1999:	BUFFALO					SISSON					TOTAL				
	INFLOW	RELEASE	EVAP	OWN		INFLOW	RELEASE	EVAP	OWN		INFLOW	RELEASE	EVAP	OWN	
1	9082.36	0.00	0.00	28355.73	19273.37	1119.45	0.00	0.00	3198.13	2078.68	48803.90	0.00	0.00	43773.86	
2	79.03	0.00	17.42	28417.34	11.16	0.00	1.97	0.00	3207.32	929.77	0.00	0.00	56.88	93450.65	
3	126.45	3348.59	0.00	25195.20	17.85	389.18	0.00	0.00	2835.99	1487.63	13510.13	0.00	0.00	81428.15	
4	126.45	3717.07	0.00	21604.58	17.85	432.01	0.00	0.00	2421.83	1487.63	14327.69	0.00	0.00	68588.09	
5	126.45	2080.09	0.00	19650.94	17.85	241.76	0.00	0.00	2197.92	1487.63	7993.00	0.00	0.00	62082.72	
6	126.45	2300.79	0.00	17476.60	17.85	267.40	0.00	0.00	1948.37	1487.63	8841.05	0.00	0.00	54729.30	
7	126.45	2130.86	0.00	15472.19	17.85	247.65	0.00	0.00	1718.57	1487.63	8188.07	0.00	0.00	48028.86	
8	126.45	1898.96	0.00	13699.68	17.85	220.70	0.00	0.00	1515.72	1487.63	7296.96	0.00	0.00	42219.53	
9	126.45	1814.73	0.00	12011.40	17.85	210.91	0.00	0.00	1322.66	1487.63	6973.31	0.00	0.00	36733.85	
10	126.45	1815.40	0.00	10322.45	17.85	210.99	0.00	0.00	1129.52	1487.63	6808.28	0.00	0.00	31413.20	
11	126.45	1590.17	0.00	8858.73	17.85	184.81	0.00	0.00	962.56	1487.63	5013.01	0.00	0.00	27887.82	
12	126.45	886.58	0.00	8098.60	17.85	103.04	0.00	0.00	877.37	1487.63	1796.42	0.00	0.00	27579.03	
13	126.45	907.59	0.00	7317.46	17.85	105.48	0.00	0.00	789.74	1487.63	1838.99	0.00	0.00	27227.67	
14	126.45	632.68	0.00	6811.23	17.85	73.53	0.00	0.00	734.06	1487.63	1281.95	0.00	0.00	27433.35	
15	126.45	581.73	0.00	6355.95	17.85	67.61	0.00	0.00	684.30	1487.63	1178.71	0.00	0.00	27742.27	
16	126.45	532.24	0.00	5950.16	17.85	61.86	0.00	0.00	640.29	1487.63	1078.44	0.00	0.00	28151.46	
17	126.45	489.67	0.00	5586.94	17.85	56.91	0.00	0.00	601.23	1487.63	992.18	0.00	0.00	28646.91	
18	126.45	538.57	0.00	5174.82	17.85	62.59	0.00	0.00	556.49	1487.63	1091.27	0.00	0.00	29043.27	
19	126.45	487.95	0.00	4813.32	17.85	56.71	0.00	0.00	517.63	1487.63	983.53	0.00	0.00	29547.37	
20	126.45	402.01	0.00	4537.76	17.85	46.72	0.00	0.00	488.76	1487.63	779.35	0.00	0.00	30255.65	
21	126.45	297.12	0.00	4367.09	17.85	34.53	0.00	0.00	472.08	1487.63	576.01	0.00	0.00	31167.27	
22	126.45	341.54	0.00	4152.00	17.85	39.70	0.00	0.00	450.23	1487.63	662.14	0.00	0.00	31992.76	
23	126.45	201.07	0.00	4077.38	17.85	23.37	0.00	0.00	444.71	1487.63	389.81	0.00	0.00	33090.58	
24	126.45	187.54	0.00	4016.29	17.85	21.80	0.00	0.00	440.76	1487.63	363.58	0.00	0.00	34214.63	
25	126.45	305.44	0.00	3837.30	17.85	35.50	0.00	0.00	423.11	1487.63	592.14	0.00	0.00	35110.12	
26	126.45	282.32	0.00	3681.43	17.85	21.02	0.00	0.00	419.94	1487.63	535.54	0.00	0.00	36062.21	
27	126.45	451.35	0.00	3356.53	17.85	0.00	0.00	0.00	437.79	1487.63	697.40	0.00	0.00	36852.44	
28	126.45	255.19	0.00	3227.79	17.85	0.00	0.00	0.00	455.64	1487.63	366.45	0.00	0.00	37973.62	
29	126.45	0.00	0.00	3354.24	17.85	0.00	0.00	0.00	473.49	1487.63	0.00	0.00	0.00	39461.25	
30	126.45	0.00	0.00	3480.69	17.85	0.00	0.00	0.00	491.34	1487.63	0.00	0.00	0.00	40948.88	
31	126.45	0.00	0.00	3607.14	17.85	0.00	0.00	0.00	509.19	1487.63					

MAY 1999:	AMITY					FT. LYON					LAS ANIMAS CONSOL.				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	18902.44	:	0.00	7.79	0.00	12237.67	:	0.00	0.00	0.00	3132.82	
2	0.00	8362.23	11.61	10528.60	:	0.00	5409.61	7.51	6812.76	:	0.00	1385.37	1.93	3132.82	
3	0.00	10528.60	0.00	0.00	:	0.00	6812.76	0.00	0.00	:	0.00	1745.52	0.00	1745.52	
4	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
5	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
6	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
7	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
8	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
9	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
10	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
11	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
12	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
13	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
14	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
15	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
16	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
17	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
18	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
19	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
20	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
21	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
22	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
23	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
24	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
25	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
26	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
27	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
28	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
29	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
30	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
31	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
TOT	0.00	18890.83	11.61		:	0.00	12230.16	7.51		:	0.00	3130.89	1.93		

MAY 1999:	ARTICLE III					JOHN MARTIN RESERVOIR					FLOOD POOL				
	TOTAL					OFFSET ACCOUNT					FLOOD POOL				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	7.79	0.00	34272.93	:	0.00	0.00	0.00	5989.63	:	0.00	0.00	0.00	0.00	
2	0.00	15157.21	21.05	34265.14	:	0.00	0.00	3.68	5989.63	:	15157.21	684.56	0.00	14472.65	
3	0.00	19086.88	0.00	0.00	:	0.00	5985.95	0.00	0.00	:	50740.10	3783.00	299.00	61130.75	
4	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	29388.50	3840.00	167.00	86512.25	
5	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	15202.00	3386.00	161.00	98167.25	
6	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	10764.00	3616.00	236.00	105079.25	
7	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	8674.00	4542.00	188.00	109023.25	
8	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	7336.00	5227.00	278.00	110854.25	
9	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	6170.00	5438.00	450.00	111136.25	
10	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	5245.00	5422.00	247.00	110712.25	
11	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	5081.00	5418.00	82.00	110293.25	
12	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	5912.00	5561.00	214.00	110430.25	
13	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	6225.00	5630.00	313.00	110712.25	
14	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	4231.00	5639.00	280.00	109024.25	
15	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	4017.00	5712.00	279.00	107050.25	
16	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3723.00	5839.00	270.00	104664.25	
17	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3258.00	5940.00	220.00	101762.25	
18	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3669.00	5930.00	365.00	99136.25	
19	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3365.00	5912.00	356.00	96233.25	
20	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	2729.00	5894.00	153.00	92915.25	
21	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1886.00	5872.00	248.00	88681.25	
22	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	2309.00	5857.00	246.00	84887.25	
23	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1090.00	5852.00	253.00	79872.25	
24	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1046.00	5845.00	290.00	74783.25	
25	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	2045.00	5430.00	70.00	71328.25	
26	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1827.00	5369.00	178.00	67608.25	
27	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3235.00	5729.00	162.00	64952.25	
28	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	4487.00	5723.00	208.00	63508.25	
29	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	5016.00	5718.00	207.00	62599.25	
30	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	5407.00	5714.00	215.00	62077.25	
31	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	5415.00	5721.00	215.00	61556.25	
TOT	0.00	34251.88	21.05		:	0.00	5985.95	3.68		:	224649.81	156243.56	6850.00		



## 1998 WINTER STORED WATER

PG 6

MAY 1999:	X-Y			BUFFALO						SISSON-STUBBS				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
				5449.34	:	0.00	9082.36	0.00	9082.36	:	0.00	1119.45	0.00	1119.45
1	0.00	5449.34	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
TOT	0.00	5449.34	0.00	.....		0.00	9082.36	0.00	.....		0.00	1119.45	0.00	0.00

### **1998 WINTER STORED WATER**

PG 6

## 1999 WINTER STORED WATER

PG 7

MAY 1999:	KEESEE				FT. BENT				AMITY			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	523.98	0.00	0.00	0.00	4313.42	0.00	0.00	0.00	17820.23
2	0.00	0.00	0.32	523.66	0.00	0.00	2.65	4310.77	0.00	0.00	10.95	17809.28
3	0.00	3.13	0.00	520.53	0.00	0.00	0.00	4310.77	0.00	0.00	0.00	17809.28
4	0.00	67.50	0.00	453.03	0.00	0.00	0.00	4310.77	0.00	0.00	0.00	17809.28
5	0.00	37.77	0.00	415.26	0.00	0.00	0.00	4310.77	0.00	0.00	0.00	17809.28
6	0.00	41.78	0.00	373.48	0.00	0.00	0.00	4310.77	0.00	0.00	0.00	17809.28
7	0.00	38.70	0.00	334.78	0.00	0.00	0.00	4310.77	0.00	0.00	0.00	17809.28
8	0.00	34.49	0.00	300.29	0.00	0.00	0.00	4310.77	0.00	0.00	0.00	17809.28
9	0.00	32.96	0.00	267.33	0.00	0.00	0.00	4310.77	0.00	0.00	0.00	17809.28
10	0.00	32.97	0.00	234.36	0.00	167.61	0.00	4143.16	0.00	0.00	0.00	17809.28
11	0.00	28.88	0.00	205.48	0.00	504.39	0.00	3638.77	0.00	593.00	0.00	17216.28
12	0.00	16.10	0.00	189.38	0.00	281.22	0.00	3357.55	0.00	1329.16	0.00	15887.12
13	0.00	16.48	0.00	172.90	0.00	287.88	0.00	3069.67	0.00	1360.66	0.00	14526.46
14	0.00	11.49	0.00	161.41	0.00	200.68	0.00	2868.99	0.00	948.51	0.00	13577.95
15	0.00	10.57	0.00	150.84	0.00	184.52	0.00	2684.47	0.00	872.12	0.00	12705.83
16	0.00	9.66	0.00	141.18	0.00	168.82	0.00	2515.65	0.00	797.93	0.00	11907.90
17	0.00	8.89	0.00	132.29	0.00	155.32	0.00	2360.33	0.00	734.10	0.00	11173.80
18	0.00	9.78	0.00	122.51	0.00	170.83	0.00	2189.50	0.00	807.42	0.00	10366.38
19	0.00	8.86	0.00	113.65	0.00	154.78	0.00	2034.72	0.00	731.53	0.00	9634.85
20	0.00	7.30	0.00	106.35	0.00	127.51	0.00	1907.21	0.00	602.69	0.00	9032.16
21	0.00	5.40	0.00	100.95	0.00	94.25	0.00	1812.96	0.00	445.45	0.00	8586.71
22	0.00	6.20	0.00	94.75	0.00	108.33	0.00	1704.63	0.00	512.03	0.00	8074.68
23	0.00	3.65	0.00	91.10	0.00	63.78	0.00	1640.85	0.00	301.45	0.00	7773.23
24	0.00	3.41	0.00	87.69	0.00	59.49	0.00	1581.36	0.00	281.16	0.00	7492.07
25	0.00	5.55	0.00	82.14	0.00	96.88	0.00	1484.48	0.00	457.91	0.00	7034.16
26	0.00	5.13	0.00	77.01	0.00	89.55	0.00	1394.93	0.00	423.26	0.00	6610.90
27	0.00	8.20	0.00	68.81	0.00	143.16	0.00	1251.77	0.00	676.65	0.00	5934.25
28	0.00	10.88	0.00	57.93	0.00	190.12	0.00	1061.65	0.00	898.58	0.00	5035.67
29	0.00	12.22	0.00	45.71	0.00	213.48	0.00	848.17	0.00	1009.00	0.00	4026.67
30	0.00	12.27	0.00	33.44	0.00	214.39	0.00	633.78	0.00	1013.30	0.00	3013.37
31	0.00	12.19	0.00	21.25	0.00	213.00	0.00	420.78	0.00	1006.75	0.00	2006.62
TOT	0.00	502.41	0.32		0.00	3889.99	2.65		0.00	15802.66	10.95	

## 1999 WINTER STORED WATER

PG 7

MAY 1999:	LAMAR				HYDE				MANVEL			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	4994.45	0.00	0.00	0.00	567.42	0.00	0.00	0.00	1043.68
2	0.00	0.00	3.07	4991.38	0.00	0.00	0.35	567.07	0.00	0.00	0.64	1043.04
3	0.00	0.00	0.00	4991.38	0.00	0.00	0.00	567.07	0.00	0.00	0.00	1043.04
4	0.00	605.08	0.00	4386.30	0.00	0.00	0.00	567.07	0.00	0.00	0.00	1043.04
5	0.00	363.47	0.00	4022.83	0.00	0.00	0.00	567.07	0.00	0.00	0.00	1043.04
6	0.00	402.04	0.00	3620.79	0.00	0.00	0.00	567.07	0.00	0.00	0.00	1043.04
7	0.00	372.34	0.00	3248.45	0.00	0.00	0.00	567.07	0.00	0.00	0.00	1043.04
8	0.00	331.82	0.00	2916.63	0.00	0.00	0.00	567.07	0.00	0.00	0.00	1043.04
9	0.00	317.10	0.00	2599.53	0.00	0.00	0.00	567.07	0.00	0.00	0.00	1043.04
10	0.00	317.22	0.00	2282.31	0.00	0.00	0.00	567.07	0.00	0.00	0.00	1043.04
11	0.00	277.86	0.00	2004.45	0.00	0.00	0.00	567.07	0.00	0.00	0.00	1043.04
12	0.00	154.92	0.00	1849.53	0.00	0.00	0.00	567.07	0.00	0.00	0.00	1043.04
13	0.00	158.59	0.00	1690.94	0.00	0.00	0.00	567.07	0.00	0.00	0.00	1043.04
14	0.00	110.55	0.00	1580.39	0.00	0.00	0.00	567.07	0.00	0.00	0.00	1043.04
15	0.00	101.65	0.00	1478.74	0.00	0.00	0.00	567.07	0.00	0.00	0.00	1043.04
16	0.00	93.00	0.00	1385.74	0.00	0.00	0.00	567.07	0.00	0.00	0.00	1043.04
17	0.00	85.56	0.00	1300.18	0.00	0.00	0.00	567.07	0.00	0.00	0.00	1043.04
18	0.00	94.11	0.00	1206.07	0.00	0.00	0.00	567.07	0.00	0.00	0.00	1043.04
19	0.00	85.26	0.00	1120.81	0.00	5.18	0.00	561.89	0.00	0.00	0.00	1043.04
20	0.00	70.25	0.00	1050.56	0.00	35.20	0.00	526.69	0.00	0.00	0.00	1043.04
21	0.00	51.92	0.00	998.64	0.00	26.02	0.00	500.67	0.00	0.00	0.00	1043.04
22	0.00	59.68	0.00	938.96	0.00	29.91	0.00	470.76	0.00	0.00	0.00	1043.04
23	0.00	35.14	0.00	903.82	0.00	17.61	0.00	453.15	0.00	0.00	0.00	1043.04
24	0.00	32.77	0.00	871.05	0.00	16.42	0.00	436.73	0.00	0.00	0.00	1043.04
25	0.00	53.37	0.00	817.68	0.00	26.75	0.00	409.98	0.00	0.00	0.00	1043.04
26	0.00	49.33	0.00	768.35	0.00	24.72	0.00	385.26	0.00	0.00	0.00	1043.04
27	0.00	78.87	0.00	689.48	0.00	39.52	0.00	345.74	0.00	0.00	0.00	1043.04
28	0.00	104.73	0.00	584.75	0.00	52.49	0.00	293.25	0.00	63.86	0.00	979.18
29	0.00	117.61	0.00	467.14	0.00	58.94	0.00	234.31	0.00	196.64	0.00	782.54
30	0.00	118.11	0.00	349.03	0.00	59.19	0.00	175.12	0.00	197.48	0.00	585.06
31	0.00	117.34	0.00	231.69	0.00	58.81	0.00	116.31	0.00	196.20	0.00	388.86
TOT	0.00	4759.69	3.07		0.00	450.76	0.35		0.00	654.18	0.64	

### **1999 WINTER STORED WATER**

SISSON-STUBBS PG 8

MAY 1999:	X-Y				BUFFALO				SISSON-STUBBS			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1:	0.00	0.00	0.00	2222.27	0.00	0.00	0.00	3702.53	0.00	0.00	0.00	523.77
2:	0.00	0.00	1.37	2220.90	0.00	0.00	2.27	3700.26	0.00	0.00	0.32	523.45
3:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
4:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
5:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
6:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
7:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
8:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
9:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
10:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
11:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
12:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
13:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
14:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
15:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
16:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
17:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
18:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
19:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
20:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
21:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
22:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
23:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
24:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
25:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	0.00	0.00	523.45
26:	0.00	0.00	0.00	2220.90	0.00	0.00	0.00	3700.26	0.00	11.79	0.00	511.66
27:	0.00	125.15	0.00	2095.75	0.00	0.00	0.00	3700.26	0.00	52.46	0.00	459.20
28:	0.00	317.83	0.00	1777.92	0.00	344.19	0.00	3356.07	0.00	69.66	0.00	389.54
29:	0.00	356.89	0.00	1421.03	0.00	673.03	0.00	2683.04	0.00	78.22	0.00	311.32
30:	0.00	358.41	0.00	1062.62	0.00	675.90	0.00	2007.14	0.00	78.55	0.00	232.77
31:	0.00	356.09	0.00	706.53	0.00	671.52	0.00	1335.62	0.00	78.05	0.00	154.72
TOT:	0.00	1514.37	1.37		0.00	2364.64	2.27		0.00	368.73	0.32	

1999 WINTER STORED WATER

PG 8

## **SECTION 5**

**June 1999**

## JOHN MARTIN RESERVOIR

## JOHN MARTIN RESERVOIR

## AGREEMENT WATER

PG 1  
SUMMER COMPACT WATER

JUN 1999:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	4404.00	5868.00	230.00	404517.00	:	2479.38	4632.68	0.00	81351.29	:	4632.68	2479.38	0.00	252150.11
2	3378.00	5968.00	404.00	401523.00	:	2479.38	3634.37	0.00	80196.30	:	3634.37	2479.38	0.00	255458.40
3	3676.00	6215.00	456.00	398528.00	:	2479.38	3958.20	0.00	78717.48	:	3958.20	2479.38	0.00	256937.22
4	2307.00	6361.00	332.00	394142.00	:	2479.38	551.92	0.00	80644.94	:	551.92	2479.38	0.00	255009.76
5	2724.00	6481.00	329.00	390056.00	:	2479.38	0.00	0.00	83124.32	:	0.00	2479.38	0.00	252530.38
6	1801.00	6585.00	324.00	384948.00	:	2479.38	0.00	0.00	85603.70	:	0.00	2479.38	0.00	250051.00
7	1447.00	6423.00	400.00	379572.00	:	2479.38	0.00	0.00	88083.08	:	0.00	2479.38	0.00	247571.62
8	1616.00	6391.00	410.00	374387.00	:	2479.38	0.00	0.00	90562.46	:	0.00	2479.38	0.00	245092.24
9	1230.00	6369.00	235.00	369013.00	:	2478.63	0.00	0.00	93041.09	:	0.00	2478.63	0.00	242613.61
10	960.00	6004.00	260.00	363709.00	:	2479.38	0.00	0.00	95520.47	:	0.00	2479.38	0.00	240134.23
11	718.00	5372.00	111.00	358944.00	:	2479.38	0.00	0.00	97999.85	:	0.00	2479.38	0.00	237654.85
12	1941.00	5143.00	110.00	355632.00	:	2479.38	0.00	0.00	100479.23	:	0.00	2479.38	0.00	235175.47
13	2434.00	5140.00	117.00	352809.00	:	2479.38	0.00	0.00	102958.61	:	0.00	2479.38	0.00	232696.09
14	4995.00	5136.00	328.00	352340.00	:	2479.38	0.00	0.00	105437.99	:	0.00	2479.38	0.00	230216.71
15	3922.00	5127.00	198.00	350937.00	:	2479.38	0.00	0.00	107917.37	:	0.00	2479.38	0.00	227737.33
16	3688.00	4605.00	136.00	349884.00	:	2479.38	0.00	0.00	110396.75	:	0.00	2479.38	0.00	225257.95
17	3614.00	4254.00	177.00	349067.00	:	2479.38	0.00	0.00	112876.13	:	0.00	2479.38	0.00	222778.57
18	3665.00	4254.00	224.00	348254.00	:	2479.38	0.00	0.00	115355.51	:	0.00	2479.38	0.00	220299.19
19	4016.00	4251.00	231.00	347788.00	:	2479.38	0.00	0.00	117834.89	:	0.00	2479.38	0.00	217819.81
20	4719.00	4255.00	231.00	348021.00	:	2479.38	0.00	0.00	120314.27	:	0.00	2479.38	0.00	215340.43
21	4073.00	4247.00	292.00	347555.00	:	2479.38	0.00	0.00	122793.65	:	0.00	2479.38	0.00	212861.05
22	2776.00	4240.00	163.00	345928.00	:	2479.38	0.00	0.00	125273.03	:	0.00	2479.38	0.00	210381.67
23	3152.00	3698.00	379.00	345003.00	:	2479.38	0.00	0.00	127752.41	:	0.00	2479.38	0.00	207902.29
24	3707.00	3165.00	311.00	345234.00	:	2479.38	0.00	0.00	130231.79	:	0.00	2479.38	0.00	205422.91
25	3827.00	2876.00	257.00	345928.00	:	2479.38	0.00	0.00	132711.17	:	0.00	2479.38	0.00	202943.53
26	3162.00	2441.00	257.00	346392.00	:	2479.38	0.00	0.00	135190.55	:	0.00	2479.38	0.00	200464.15
27	3750.00	2445.00	258.00	347439.00	:	2479.38	0.00	0.00	137669.93	:	0.00	2479.38	0.00	197984.77
28	3401.00	3041.00	244.00	347555.00	:	2479.38	0.00	0.00	140149.31	:	0.00	2479.38	0.00	195505.39
29	4355.00	3576.00	197.00	348137.00	:	2479.38	0.00	0.00	142628.69	:	0.00	2479.38	0.00	193026.01
30	3059.00	3568.00	306.00	347322.00	:	2479.38	0.00	0.00	145108.07	:	0.00	2479.38	0.00	190546.63
TOT	92517.00	143499.00	7907.00		:	74380.65	12777.17	0.00		:	12777.17	74380.65	0.00	

## JOHN MARTIN RESERVOIR

## WINTER COMPACT WATER

## PERMANENT POOL

## WINTER WATER

JUN 1999:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00

AGREEMENT WATER												SUMMER STORED WATER				PG 2
JUN 1999:	KANSAS					TRANSIT LOSS					KEESEE					
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN		
1	991.75	2386.29	0.00	32625.69	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	976.17		
2	991.75	1872.06	0.00	31745.38	:	0.00	0.00	0.00	1665.47	:	34.22	0.00	0.00	1010.39		
3	991.75	1470.97	0.00	31266.16	:	0.00	1113.55	0.00	551.92	:	34.22	0.00	0.00	1044.61		
4	991.75	0.00	0.00	32257.91	:	0.00	551.92	0.00	0.00	:	34.22	0.00	0.00	1078.83		
5	991.75	0.00	0.00	33249.66	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1113.05		
6	991.75	0.00	0.00	34241.41	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1147.27		
7	991.75	0.00	0.00	35233.16	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1181.49		
8	991.75	0.00	0.00	36224.91	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1215.71		
9	991.00	0.00	0.00	37215.91	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1249.93		
10	991.75	0.00	0.00	38207.66	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1284.15		
11	991.75	0.00	0.00	39199.41	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1318.37		
12	991.75	0.00	0.00	40191.16	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1352.59		
13	991.75	0.00	0.00	41182.91	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1386.81		
14	991.75	0.00	0.00	42174.66	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1421.03		
15	991.75	0.00	0.00	43166.41	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1455.25		
16	991.75	0.00	0.00	44158.16	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1489.47		
17	991.75	0.00	0.00	45149.91	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1523.69		
18	991.75	0.00	0.00	46141.66	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1557.91		
19	991.75	0.00	0.00	47133.41	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1592.13		
20	991.75	0.00	0.00	48125.16	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1626.35		
21	991.75	0.00	0.00	49116.91	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1660.57		
22	991.75	0.00	0.00	50108.66	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1694.79		
23	991.75	0.00	0.00	51100.41	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1729.01		
24	991.75	0.00	0.00	52092.16	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1763.23		
25	991.75	0.00	0.00	53083.91	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1797.45		
26	991.75	0.00	0.00	54075.66	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1831.67		
27	991.75	0.00	0.00	55067.41	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1865.89		
28	991.75	0.00	0.00	56059.16	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1900.11		
29	991.75	0.00	0.00	57050.91	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1934.33		
30	991.75	0.00	0.00	58042.66	:	0.00	0.00	0.00	0.00	:	34.22	0.00	0.00	1968.55		
TOT	29751.75	5729.32	0.00			0.00	1665.47	0.00			1026.60	0.00	0.00			
SUMMER STORED WATER												LAMAR				PG 2
JUN 1999:	FT. BENT					AMITY					LAMAR					
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN		
1	147.27	0.00	0.00	4201.06	:	736.38	0.00	0.00	21006.16	:	294.55	0.00	0.00	8402.41		
2	147.27	0.00	0.00	4348.33	:	736.38	0.00	0.00	21742.54	:	294.55	0.00	0.00	8696.96		
3	147.27	0.00	0.00	4495.60	:	736.38	0.00	0.00	22478.92	:	294.55	0.00	0.00	8991.51		
4	147.27	0.00	0.00	4642.87	:	736.38	0.00	0.00	23215.30	:	294.55	0.00	0.00	9286.06		
5	147.27	0.00	0.00	4790.14	:	736.38	0.00	0.00	23951.68	:	294.55	0.00	0.00	9580.61		
6	147.27	0.00	0.00	4937.41	:	736.38	0.00	0.00	24688.06	:	294.55	0.00	0.00	9875.16		
7	147.27	0.00	0.00	5084.68	:	736.38	0.00	0.00	25424.44	:	294.55	0.00	0.00	10169.71		
8	147.27	0.00	0.00	5231.95	:	736.38	0.00	0.00	26160.82	:	294.55	0.00	0.00	10464.26		
9	147.27	0.00	0.00	5379.22	:	736.38	0.00	0.00	26897.20	:	294.55	0.00	0.00	10758.81		
10	147.27	0.00	0.00	5526.49	:	736.38	0.00	0.00	27633.58	:	294.55	0.00	0.00	11053.36		
11	147.27	0.00	0.00	5673.76	:	736.38	0.00	0.00	28369.96	:	294.55	0.00	0.00	11347.91		
12	147.27	0.00	0.00	5821.03	:	736.38	0.00	0.00	29106.34	:	294.55	0.00	0.00	11642.46		
13	147.27	0.00	0.00	5968.30	:	736.38	0.00	0.00	29842.72	:	294.55	0.00	0.00	11937.01		
14	147.27	0.00	0.00	6115.57	:	736.38	0.00	0.00	30579.10	:	294.55	0.00	0.00	12231.56		
15	147.27	0.00	0.00	6262.84	:	736.38	0.00	0.00	31315.48	:	294.55	0.00	0.00	12526.11		
16	147.27	0.00	0.00	6410.11	:	736.38	0.00	0.00	32051.86	:	294.55	0.00	0.00	12820.66		
17	147.27	0.00	0.00	6557.38	:	736.38	0.00	0.00	32788.24	:	294.55	0.00	0.00	13115.21		
18	147.27	0.00	0.00	6704.65	:	736.38	0.00	0.00	33524.62	:	294.55	0.00	0.00	13409.76		
19	147.27	0.00	0.00	6851.92	:	736.38	0.00	0.00	34261.00	:	294.55	0.00	0.00	13704.31		
20	147.27	0.00	0.00	6999.19	:	736.38	0.00	0.00	34997.38	:	294.55	0.00	0.00	13998.86		
21	147.27	0.00	0.00	7146.46	:	736.38	0.00	0.00	35733.76	:	294.55	0.00	0.00	14293.41		
22	147.27	0.00	0.00	7293.73	:	736.38	0.00	0.00	36470.14	:	294.55	0.00	0.00	14587.96		
23	147.27	0.00	0.00	7441.00	:	736.38	0.00	0.00	37206.52	:	294.55	0.00	0.00	14882.51		
24	147.27	0.00	0.00	7588.27	:	736.38	0.00	0.00	37942.90	:	294.55	0.00	0.00	15177.06		
25	147.27	0.00	0.00	7735.54	:	736.38	0.00	0.00	38679.28	:	294.55	0.00	0.00	15471.61		
26	147.27	0.00	0.00	7882.81	:	736.38	0.00	0.00	39415.66	:	294.55	0.00	0.00	15766.16		
27	147.27	0.00	0.00	8030.08	:	736.38	0.00	0.00	40152.04	:	294.55	0.00	0.00	16060.71		
28	147.27	0.00	0.00	8177.35	:	736.38	0.00	0.00	40888.42	:	294.55	0.00	0.00	16355.26		
29	147.27	0.00	0.00	8324.62	:	736.38	0.00	0.00	41624.80	:	294.55	0.00	0.00	16649.81		
30	147.27	0.00	0.00	8471.89	:	736.38	0.00	0.00	42361.18	:	294.55	0.00	0.00	16944.36		
TOT	4418.10	0.00	0.00	8619.16	:	736.38	0.00	0.00	43097.56	:	294.55	0.00	0.00	17238.91		

SUMMER STORED WATER													PG 3
JUN 1999:	HYDE				MANVEL				X-Y				
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	19.34	0.00	0.00	571.04	35.70	0.00	0.00	1054.09	75.87	0.00	0.00	2164.29	
2	19.34	0.00	0.00	590.38	35.70	0.00	0.00	1089.79	75.87	0.00	0.00	2240.16	
3	19.34	0.00	0.00	609.72	35.70	0.00	0.00	1125.49	75.87	0.00	0.00	2316.03	
4	19.34	0.00	0.00	629.06	35.70	0.00	0.00	1161.19	75.87	0.00	0.00	2391.90	
5	19.34	0.00	0.00	648.40	35.70	0.00	0.00	1196.89	75.87	0.00	0.00	2467.77	
6	19.34	0.00	0.00	667.74	35.70	0.00	0.00	1232.59	75.87	0.00	0.00	2543.64	
7	19.34	0.00	0.00	687.08	35.70	0.00	0.00	1268.29	75.87	0.00	0.00	2619.51	
8	19.34	0.00	0.00	706.42	35.70	0.00	0.00	1303.99	75.87	0.00	0.00	2695.38	
9	19.34	0.00	0.00	725.76	35.70	0.00	0.00	1339.69	75.87	0.00	0.00	2771.25	
10	19.34	0.00	0.00	745.10	35.70	0.00	0.00	1375.39	75.87	0.00	0.00	2847.12	
11	19.34	0.00	0.00	764.44	35.70	0.00	0.00	1411.09	75.87	0.00	0.00	2922.99	
12	19.34	0.00	0.00	783.78	35.70	0.00	0.00	1446.79	75.87	0.00	0.00	2998.86	
13	19.34	0.00	0.00	803.12	35.70	0.00	0.00	1482.49	75.87	0.00	0.00	3074.73	
14	19.34	0.00	0.00	822.46	35.70	0.00	0.00	1518.19	75.87	0.00	0.00	3150.60	
15	19.34	0.00	0.00	841.80	35.70	0.00	0.00	1553.89	75.87	0.00	0.00	3226.47	
16	19.34	0.00	0.00	861.14	35.70	0.00	0.00	1589.59	75.87	0.00	0.00	3302.34	
17	19.34	0.00	0.00	880.48	35.70	0.00	0.00	1625.29	75.87	0.00	0.00	3378.21	
18	19.34	0.00	0.00	899.82	35.70	0.00	0.00	1660.99	75.87	0.00	0.00	3454.08	
19	19.34	0.00	0.00	919.16	35.70	0.00	0.00	1696.69	75.87	0.00	0.00	3529.95	
20	19.34	0.00	0.00	938.50	35.70	0.00	0.00	1732.39	75.87	0.00	0.00	3605.82	
21	19.34	0.00	0.00	957.84	35.70	0.00	0.00	1768.09	75.87	0.00	0.00	3681.69	
22	19.34	0.00	0.00	977.18	35.70	0.00	0.00	1803.79	75.87	0.00	0.00	3757.56	
23	19.34	0.00	0.00	996.52	35.70	0.00	0.00	1839.49	75.87	0.00	0.00	3833.43	
24	19.34	0.00	0.00	1015.86	35.70	0.00	0.00	1875.19	75.87	0.00	0.00	3909.30	
25	19.34	0.00	0.00	1035.20	35.70	0.00	0.00	1910.89	75.87	0.00	0.00	3985.17	
26	19.34	0.00	0.00	1054.54	35.70	0.00	0.00	1946.59	75.87	0.00	0.00	4061.04	
27	19.34	0.00	0.00	1073.88	35.70	0.00	0.00	1982.29	75.87	0.00	0.00	4136.91	
28	19.34	0.00	0.00	1093.22	35.70	0.00	0.00	2017.99	75.87	0.00	0.00	4212.78	
29	19.34	0.00	0.00	1112.56	35.70	0.00	0.00	2053.69	75.87	0.00	0.00	4288.65	
30	19.34	0.00	0.00	1131.90	35.70	0.00	0.00	2089.39	75.87	0.00	0.00	4364.52	
TOT	580.20	0.00	0.00		1071.00	0.00	0.00		2276.10	0.00	0.00		
SUMMER STORED WATER													PG 3
JUN 1999:	BUFFALO				SISSON				TOTAL				
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	126.45	0.00	0.00	3607.14	17.85	0.00	0.00	509.19	1487.63	0.00	0.00	42436.51	
2	126.45	0.00	0.00	3733.59	17.85	0.00	0.00	527.04	1487.63	0.00	0.00	43924.14	
3	126.45	0.00	0.00	3860.04	17.85	0.00	0.00	544.89	1487.63	0.00	0.00	45411.77	
4	126.45	0.00	0.00	3986.49	17.85	0.00	0.00	562.74	1487.63	0.00	0.00	46899.40	
5	126.45	0.00	0.00	4112.94	17.85	0.00	0.00	580.59	1487.63	0.00	0.00	48387.03	
6	126.45	0.00	0.00	4239.39	17.85	0.00	0.00	598.44	1487.63	0.00	0.00	49874.66	
7	126.45	0.00	0.00	4365.84	17.85	0.00	0.00	616.29	1487.63	0.00	0.00	51362.29	
8	126.45	0.00	0.00	4492.29	17.85	0.00	0.00	634.14	1487.63	0.00	0.00	52849.92	
9	126.45	0.00	0.00	4618.74	17.85	0.00	0.00	651.99	1487.63	0.00	0.00	54337.55	
10	126.45	0.00	0.00	4745.19	17.85	0.00	0.00	669.84	1487.63	0.00	0.00	55825.18	
11	126.45	0.00	0.00	4871.64	17.85	0.00	0.00	687.69	1487.63	0.00	0.00	57312.81	
12	126.45	0.00	0.00	4998.09	17.85	0.00	0.00	705.54	1487.63	0.00	0.00	58800.44	
13	126.45	0.00	0.00	5124.54	17.85	0.00	0.00	723.39	1487.63	0.00	0.00	60288.07	
14	126.45	0.00	0.00	5250.99	17.85	0.00	0.00	741.24	1487.63	0.00	0.00	61775.70	
15	126.45	0.00	0.00	5377.44	17.85	0.00	0.00	759.09	1487.63	0.00	0.00	63263.33	
16	126.45	0.00	0.00	5503.89	17.85	0.00	0.00	776.94	1487.63	0.00	0.00	64750.96	
17	126.45	0.00	0.00	5630.34	17.85	0.00	0.00	794.79	1487.63	0.00	0.00	66238.59	
18	126.45	0.00	0.00	5756.79	17.85	0.00	0.00	812.64	1487.63	0.00	0.00	67726.22	
19	126.45	0.00	0.00	5883.24	17.85	0.00	0.00	830.49	1487.63	0.00	0.00	69213.85	
20	126.45	0.00	0.00	6009.69	17.85	0.00	0.00	848.34	1487.63	0.00	0.00	70701.48	
21	126.45	0.00	0.00	6136.14	17.85	0.00	0.00	866.19	1487.63	0.00	0.00	72189.11	
22	126.45	0.00	0.00	6262.59	17.85	0.00	0.00	884.04	1487.63	0.00	0.00	73676.74	
23	126.45	0.00	0.00	6389.04	17.85	0.00	0.00	901.89	1487.63	0.00	0.00	75164.37	
24	126.45	0.00	0.00	6515.49	17.85	0.00	0.00	919.74	1487.63	0.00	0.00	76652.00	
25	126.45	0.00	0.00	6641.94	17.85	0.00	0.00	937.59	1487.63	0.00	0.00	78139.63	
26	126.45	0.00	0.00	6768.39	17.85	0.00	0.00	955.44	1487.63	0.00	0.00	79627.26	
27	126.45	0.00	0.00	6894.84	17.85	0.00	0.00	973.29	1487.63	0.00	0.00	81114.89	
28	126.45	0.00	0.00	7021.29	17.85	0.00	0.00	991.14	1487.63	0.00	0.00	82602.52	
29	126.45	0.00	0.00	7147.74	17.85	0.00	0.00	1008.99	1487.63	0.00	0.00	84090.15	
30	126.45	0.00	0.00	7274.19	17.85	0.00	0.00	1026.84	1487.63	0.00	0.00	85577.78	
TOT	3793.50	0.00	0.00		535.50	0.00	0.00		44628.90	0.00	0.00		

PG 4

JUN 1999:	AMITY					FT. LYON					LAS ANIMAS CONSOL.				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
2	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
3	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
4	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
5	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
6	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
7	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
8	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
9	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
10	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
11	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
12	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
13	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
14	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
15	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
16	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
17	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
18	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
19	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
20	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
21	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
22	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
23	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
24	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
25	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
26	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
27	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
28	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
29	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
30	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	
TOT	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	

PG 4

JUN 1999:	ARTICLE III					JOHN MARTIN RESERVOIR									
	TOTAL					OFFSET ACCOUNT					FLOOD POOL				
INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN		
1	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	4404.00	5868.00	230.00	61556.25	
2	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3378.00	5968.00	404.00	59862.25	
3	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3676.00	6215.00	456.00	53873.25	
4	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	2307.00	6361.00	332.00	49487.25	
5	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	2724.00	6481.00	329.00	45401.25	
6	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1801.00	6585.00	324.00	40293.25	
7	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1447.00	6423.00	400.00	34917.25	
8	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1616.00	6391.00	410.00	29732.25	
9	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1230.00	6369.00	235.00	24358.25	
10	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	960.00	6004.00	260.00	19054.25	
11	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	718.00	5372.00	111.00	14289.25	
12	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1941.00	5143.00	110.00	10977.25	
13	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	2434.00	5140.00	117.00	8154.25	
14	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	4995.00	5136.00	328.00	7685.25	
15	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3922.00	5127.00	198.00	6282.25	
16	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3688.00	4605.00	136.00	5229.25	
17	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3614.00	4254.00	177.00	4412.25	
18	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3665.00	4254.00	224.00	3599.25	
19	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	4016.00	4251.00	231.00	3133.25	
20	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	4719.00	4255.00	231.00	3366.25	
21	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	4073.00	4247.00	292.00	2900.25	
22	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	2776.00	4240.00	163.00	1273.25	
23	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3152.00	3698.00	379.00	348.25	
24	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3707.00	3165.00	311.00	579.25	
25	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3827.00	2876.00	257.00	1273.25	
26	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3162.00	2441.00	257.00	1737.25	
27	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3750.00	2445.00	258.00	2784.25	
28	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3401.00	3041.00	244.00	2900.25	
29	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	4355.00	3576.00	197.00	3482.25	
30	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3059.00	3568.00	306.00	2667.25	
TOT	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	92517.00	143499.00	7907.00		

#### **1999 WINTER STORED WATER**

PG 5

KEESEE

FT. BENT

AMITY

JUN 1999:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	10.11	0.00	11.14	0.00	176.57	0.00	244.21	0.00	834.53	0.00	2006.62
2	0.00	7.93	0.00	3.21	0.00	138.52	0.00	105.69	0.00	654.70	0.00	1172.09
3	0.00	3.21	0.00	0.00	0.00	105.69	0.00	0.00	0.00	517.39	0.00	517.39
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	21.25	0.00	0.00	0.00	420.78	0.00	0.00	0.00	2006.62	0.00	0.00

TOT 0.00 21.25 0.00 . 0.00 420.78 0.00 . 0.00 2006.62 0.00

## 1999 WINTER STORED WATER

PG 5

1 AMAR

HYDE

MANVFI

TOT : 0.00 231.69 0.00 : 0.00 116.31 0.00 : 0.00 388.86 0.00

#### **1999 WINTER STORED WATER**

PG 6

X-Y

**BUFFALO**

**SISSON-STUBBS**

JUN 1999:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	295.17	0.00	411.36	0.00	556.65	0.00	778.97	0.00	64.70	0.00	154.72
2	0.00	231.57	0.00	179.79	0.00	436.70	0.00	342.27	0.00	50.75	0.00	90.02
3	0.00	179.79	0.00	0.00	0.00	342.27	0.00	0.00	0.00	39.27	0.00	39.27
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	706.53	0.00	1335.62	0.00	0.00	154.72	0.00	0.00	0.00	0.00	0.00

1999 WINTER STORED WATER

PG 6

**TOTAL**

## **SECTION 5**

**July 1999**

## JOHN MARTIN RESERVOIR

## JOHN MARTIN RESERVOIR

## AGREEMENT WATER

PG 1  
SUMMER COMPACT WATER

JUL 1999:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	2054.00	3143.00	305.00	345928.00	:	2479.38	0.00	0.00	147587.45	:	0.00	2479.38	0.00	188067.25
2	2276.00	2121.00	271.00	345812.00	:	2479.38	0.00	0.00	150066.83	:	0.00	2479.38	0.00	185587.87
3	1703.00	1479.00	454.00	345582.00	:	2479.38	0.00	0.00	152546.21	:	0.00	2479.38	0.00	183108.49
4	1443.00	1481.00	426.00	345118.00	:	2479.38	0.00	0.00	155025.59	:	0.00	2479.38	0.00	180629.11
5	1191.00	1362.00	176.00	344771.00	:	2479.38	0.00	0.00	157504.97	:	0.00	2479.38	0.00	178149.73
6	1205.00	1278.83	277.00	344420.17	:	2479.38	999.71	73.46	158911.18	:	925.88	2479.38	83.09	176513.14
7	579.00	1224.49	439.00	343335.68	:	2479.38	1224.49	202.55	159963.52	:	579.00	2479.38	224.98	174387.78
8	1065.00	1795.17	310.00	342295.51	:	2479.38	1795.17	144.43	160503.30	:	1065.00	2479.38	157.46	172815.94
9	1405.00	2424.57	222.00	341053.94	:	2479.38	2424.57	104.10	160454.01	:	1405.00	2479.38	112.08	171629.48
10	870.00	2370.66	221.00	339332.28	:	2479.38	2370.66	103.97	160458.76	:	870.00	2479.38	111.22	169908.88
11	991.00	2370.66	227.00	337725.62	:	2479.38	2370.66	107.34	160460.14	:	991.00	2479.38	113.66	168306.84
12	788.00	2195.58	226.00	336092.04	:	2479.38	2195.58	107.38	160636.56	:	788.00	2479.38	112.63	166502.83
13	911.00	1949.56	352.00	334701.48	:	2479.38	1949.56	168.24	160998.14	:	911.00	2479.38	174.38	164760.07
14	501.71	1870.78	331.00	333001.41	:	2479.38	1870.78	159.22	161447.52	:	501.71	2479.38	162.94	162619.46
15	647.38	2179.31	377.00	331092.48	:	2479.38	2179.31	182.78	161564.81	:	647.38	2479.38	184.11	160603.35
16	444.20	2591.81	204.00	328740.87	:	2479.38	2591.81	99.55	161352.83	:	444.20	2479.38	98.95	158469.22
17	964.72	2325.88	204.00	327175.71	:	2479.38	2325.88	100.13	161406.20	:	964.72	2479.38	98.34	156856.22
18	3863.10	2051.66	210.00	328777.15	:	2479.38	2051.66	103.60	161730.32	:	3863.10	2479.38	100.68	158139.26
19	4810.51	2033.83	191.00	331362.83	:	2479.38	2033.83	93.96	162081.91	:	4810.51	2479.38	91.87	160378.52
20	2446.17	1963.88	172.00	331673.12	:	2479.38	1963.88	84.13	162513.28	:	2446.17	2479.38	83.25	160262.06
21	2075.02	1930.86	376.00	331441.28	:	2479.38	1930.86	184.23	162877.57	:	2075.02	2479.38	181.68	159676.02
22	1406.94	1941.46	257.00	330649.76	:	2479.38	1941.46	126.30	163289.19	:	1406.94	2479.38	123.81	158479.77
23	1282.81	2078.26	237.00	329617.31	:	2479.38	2078.26	117.04	163573.27	:	1282.81	2479.38	113.59	157169.61
24	1065.33	2157.07	243.00	328282.57	:	2479.38	2157.07	120.59	163774.99	:	1065.33	2479.38	115.87	155639.69
25	1194.03	2157.07	243.00	327076.53	:	2479.38	2157.07	121.23	163976.07	:	1194.03	2479.38	115.21	154239.13
26	1008.90	2204.70	262.00	325618.73	:	2479.38	2204.70	131.35	164119.40	:	1008.90	2479.38	123.55	152645.10
27	683.71	2331.49	281.00	323689.95	:	2479.38	2331.49	141.63	164125.66	:	683.71	2479.38	131.73	150717.70
28	313.74	2412.81	345.00	321245.88	:	2479.38	2412.81	174.93	164017.30	:	313.74	2479.38	160.64	148391.42
29	951.11	2412.51	312.00	319472.48	:	2479.38	2412.51	159.30	163924.87	:	951.11	2479.38	144.12	146719.03
30	207.30	2412.51	259.00	317008.27	:	2479.38	2412.51	132.89	163858.85	:	207.30	2479.38	118.95	144328.00
31	1425.13	2412.51	213.00	315807.89	:	2479.38	2412.51	110.10	163815.62	:	1425.13	2479.38	96.97	143176.78
TOT :	41772.81	64663.92	8623.00		:	76860.78	54798.80	3354.43		:	32826.69	76860.78	3335.76	

## JOHN MARTIN RESERVOIR

## WINTER COMPACT WATER

## PERMANENT POOL

## WINTER WATER

JUL 1999:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	9000.05	:	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	:	0.00	0.00	4.20	8995.85	:	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	:	0.00	0.00	11.47	8984.38	:	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	:	0.00	0.00	8.11	8976.27	:	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	:	0.00	0.00	5.82	8970.45	:	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	:	0.00	0.00	5.81	8964.64	:	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	:	0.00	0.00	6.00	8958.64	:	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	:	0.00	0.00	5.99	8952.65	:	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	:	0.00	0.00	9.38	8943.27	:	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	:	0.00	0.00	8.84	8934.43	:	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	:	0.00	0.00	10.11	8924.32	:	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	:	0.00	0.00	5.50	8918.82	:	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	:	0.00	0.00	5.53	8913.29	:	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	:	0.00	0.00	5.72	8907.57	:	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	:	0.00	0.00	5.17	8902.40	:	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	:	0.00	0.00	4.62	8897.78	:	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	:	0.00	0.00	10.09	8887.69	:	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	:	0.00	0.00	6.89	8880.80	:	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	:	0.00	0.00	6.37	8874.43	:	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	:	0.00	0.00	6.54	8867.89	:	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	:	0.00	0.00	6.56	8861.33	:	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	:	0.00	0.00	7.10	8854.23	:	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	:	0.00	0.00	7.64	8846.59	:	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	:	0.00	0.00	9.43	8837.16	:	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	:	0.00	0.00	8.58	8828.58	:	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	:	0.00	0.00	7.16	8821.42	:	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	:	0.00	0.00	5.93	8815.49	:	0.00	0.00	0.00	0.00
TOT :	0.00	0.00	0.00	0.00	:	0.00	0.00	184.56		:	0.00	0.00	0.00	0.00

## AGREEMENT WATER

SUMMER STORED WATER

PG 2

## KANSAS

## TRANSIT LOSS

## KEESEE

JUL 1999:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	991.75	0.00	0.00	59034.41	58042.66	0.00	0.00	0.00	34.22	0.00	0.00	2002.77	2036.99
2	991.75	0.00	0.00	60026.16	60026.16	0.00	0.00	0.00	34.22	0.00	0.00	2071.21	
3	991.75	0.00	0.00	61017.91	61017.91	0.00	0.00	0.00	34.22	0.00	0.00	2105.43	
4	991.75	0.00	0.00	62009.66	62009.66	0.00	0.00	0.00	34.22	0.00	0.00	2139.65	
5	991.75	0.00	0.00	63001.41	63001.41	0.00	0.00	0.00	34.22	0.00	0.00	2173.87	
6	991.75	0.00	29.38	63963.78	63963.78	0.00	0.00	0.00	34.22	22.56	1.01	2184.52	
7	991.75	0.00	81.53	64874.00	64874.00	0.00	0.00	0.00	34.22	28.88	2.78	2187.08	
8	991.75	520.67	58.57	65286.51	65286.51	0.00	0.00	0.00	34.22	28.88	1.98	2190.44	
9	991.75	1190.10	42.34	65045.82	65045.82	0.00	0.00	0.00	34.22	28.88	1.42	2194.36	
10	991.75	1190.10	42.15	64805.32	64805.32	0.00	0.00	0.00	34.22	28.88	1.42	2198.28	
11	991.75	1190.10	43.35	64563.62	64563.62	0.00	0.00	0.00	34.22	28.88	1.47	2202.15	
12	991.75	1190.10	43.21	64322.06	64322.06	0.00	0.00	0.00	34.22	28.88	1.47	2206.02	
13	991.75	1190.10	67.37	64056.34	64056.34	0.00	0.00	0.00	34.22	28.88	2.31	2209.05	
14	991.75	1190.10	63.35	63794.64	63794.64	0.00	0.00	0.00	34.22	28.88	2.18	2212.21	
15	991.75	1314.07	72.22	63400.10	63400.10	0.00	0.00	0.00	34.22	30.12	2.50	2213.81	
16	991.75	1487.62	39.06	62865.17	62865.17	0.00	0.00	0.00	34.22	30.86	1.36	2215.81	
17	991.75	1388.45	39.01	62429.46	62429.46	0.00	0.00	0.00	34.22	30.86	1.37	2217.80	
18	991.75	1289.28	40.07	62091.86	62091.86	0.00	0.00	0.00	34.22	30.86	1.42	2219.74	
19	991.75	1289.28	36.07	61758.26	61758.26	0.00	0.00	0.00	34.22	30.86	1.29	2221.81	
20	991.75	1289.28	32.06	61428.67	61428.67	0.00	0.00	0.00	34.22	30.86	1.16	2224.01	
21	991.75	1289.28	69.64	61061.50	61061.50	0.00	0.00	0.00	34.22	30.86	2.52	2224.85	
22	991.75	1289.28	47.35	60716.62	60716.62	0.00	0.00	0.00	34.22	30.86	1.72	2226.49	
23	991.75	1289.28	43.52	60375.57	60375.57	0.00	0.00	0.00	34.22	30.86	1.59	2228.26	
24	991.75	1289.28	44.51	60033.53	60033.53	0.00	0.00	0.00	34.22	30.86	1.64	2229.98	
25	991.75	1289.28	44.44	59691.56	59691.56	0.00	0.00	0.00	34.22	30.86	1.65	2231.69	
26	991.75	1289.28	47.81	59346.22	59346.22	0.00	0.00	0.00	34.22	30.86	1.79	2233.26	
27	991.75	1400.85	51.21	58885.91	58885.91	0.00	0.00	0.00	34.22	30.86	1.93	2234.69	
28	991.75	1487.63	62.76	58327.27	58327.27	0.00	0.00	0.00	34.22	30.86	2.38	2235.67	
29	991.75	1487.63	56.65	57774.74	57774.74	0.00	0.00	0.00	34.22	30.86	2.17	2236.86	
30	991.75	1487.63	46.84	57232.02	57232.02	0.00	0.00	0.00	34.22	30.86	1.81	2238.41	
31	991.75	1487.63	38.46	56697.68	56697.68	0.00	0.00	0.00	34.22	30.86	1.50	2240.27	
TOT	30744.25	30806.30	1282.93		0.00	0.00	0.00		1060.82	777.48	45.84		

## SUMMER STORED WATER

LAMAR

PG 2

## FT. BENT

## AMITY

JUL 1999:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	147.27	0.00	0.00	8619.16	736.38	0.00	0.00	43097.56	294.55	0.00	0.00	17238.91	
2	147.27	0.00	0.00	8766.43	736.38	0.00	0.00	43833.94	294.55	0.00	0.00	17533.46	
3	147.27	0.00	0.00	8913.70	736.38	0.00	0.00	44570.32	294.55	0.00	0.00	17828.01	
4	147.27	0.00	0.00	9060.97	736.38	0.00	0.00	45306.70	294.55	0.00	0.00	18122.56	
5	147.27	0.00	0.00	9208.24	736.38	0.00	0.00	46043.08	294.55	0.00	0.00	18417.11	
6	147.27	73.14	4.36	9355.51	736.38	585.92	21.82	46908.10	294.55	318.09	8.73	18679.39	
7	147.27	99.84	12.01	9460.70	736.38	688.62	59.79	46896.07	294.55	407.15	23.81	18542.98	
8	147.27	91.16	8.54	9508.27	736.38	651.80	42.34	46938.31	294.55	502.66	16.74	18318.13	
9	147.27	102.27	6.17	9547.10	736.38	650.93	30.44	46993.32	294.55	452.39	11.88	18148.41	
10	147.27	113.42	6.19	9574.76	736.38	650.41	30.45	47048.84	294.55	387.85	11.76	18043.35	
11	147.27	113.42	6.41	9602.20	736.38	650.41	31.47	47103.34	294.55	387.85	12.07	17937.98	
12	147.27	119.49	6.43	9623.55	736.38	469.26	31.52	47338.94	294.55	387.85	12.00	17832.68	
13	147.27	129.66	10.08	9631.08	736.38	225.41	49.58	47800.33	294.55	375.51	18.68	17733.04	
14	147.27	133.39	9.52	9635.44	736.38	150.31	47.27	48339.13	294.55	368.10	17.54	17641.95	
15	147.27	133.39	10.91	9638.41	736.38	327.42	54.73	48693.36	294.55	374.31	19.97	17542.22	
16	147.27	144.97	5.94	9634.77	736.38	550.32	30.01	48849.41	294.55	378.04	10.81	17447.92	
17	147.27	153.25	5.98	9622.81	736.38	375.28	30.31	49180.20	294.55	378.04	10.83	17353.60	
18	147.27	153.25	6.18	9610.65	736.38	200.23	31.57	49684.78	294.55	378.04	11.14	17258.97	
19	147.27	153.25	5.58	9599.09	736.38	200.23	28.87	50192.06	294.55	360.21	10.03	17183.28	
20	147.27	153.25	4.98	9588.13	736.38	137.73	26.05	50764.66	294.55	349.51	8.92	17119.40	
21	147.27	153.25	10.87	9571.28	736.38	100.23	57.55	51343.26	294.55	349.51	19.41	17045.03	
22	147.27	153.25	7.42	9557.88	736.38	112.76	39.81	51927.07	294.55	338.27	13.22	16988.09	
23	147.27	159.48	6.85	9538.82	736.38	245.40	37.22	52380.83	294.55	331.52	12.18	16938.94	
24	147.27	163.22	7.03	9515.84	736.38	320.47	38.62	52758.12	294.55	331.52	12.49	16889.48	
25	147.27	163.22	7.04	9492.85	736.38	320.47	39.05	53134.98	294.55	331.52	12.50	16840.01	
26	147.27	173.18	7.60	9459.34	736.38	383.02	42.56	53445.78	294.55	306.64	13.49	16814.43	
27	147.27	179.15	8.16	9419.30	736.38	420.54	46.12	53715.50	294.55	278.37	14.51	16816.10	
28	147.27	192.54	10.04	9363.99	736.38	376.64	57.25	54017.99	294.55	303.42	17.92	16789.31	
29	147.27	199.00	9.09	9303.17	736.38	350.31	52.46	54351.60	294.55	322.99	16.31	16744.56	
30	147.27	199.00	7.54	9243.90	736.38	350.31	44.06	54693.61	294.55	322.99	13.57	16702.55	
31	147.27	199.00	6.21	9185.96	736.38	350.31	36.75	55042.93	294.55	322.99	11.22	16662.89	
TOT	4565.37	3801.44	197.13		22827.78	9844.74	1037.67		9131.05	9345.34	361.73		

SUMMER STORED WATER													PG 3
JUL 1999:	HYDE				MANVEL				X-Y				
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	19.34	0.00	0.00	1151.24	35.70	0.00	0.00	2125.09	75.87	0.00	0.00	4440.39	
2	19.34	0.00	0.00	1170.58	35.70	0.00	0.00	2160.79	75.87	0.00	0.00	4516.26	
3	19.34	0.00	0.00	1189.92	35.70	0.00	0.00	2196.49	75.87	0.00	0.00	4592.13	
4	19.34	0.00	0.00	1209.26	35.70	0.00	0.00	2232.19	75.87	0.00	0.00	4668.00	
5	19.34	0.00	0.00	1228.60	35.70	0.00	0.00	2267.89	75.87	0.00	0.00	4743.87	
6	19.34	0.00	0.57	1247.37	35.70	0.00	1.06	2302.53	75.87	0.00	2.25	4819.74	
7	19.34	0.00	1.59	1265.12	35.70	0.00	2.93	2335.30	75.87	0.00	6.24	4962.99	
8	19.34	0.00	1.14	1283.32	35.70	0.00	2.11	2368.89	75.87	0.00	4.48	5034.38	
9	19.34	0.00	0.83	1301.83	35.70	0.00	1.54	2403.05	75.87	0.00	3.27	5106.98	
10	19.34	0.00	0.84	1320.33	35.70	0.00	1.56	2437.19	75.87	0.00	3.31	5179.54	
11	19.34	0.00	0.88	1338.79	35.70	0.00	1.63	2471.26	75.87	0.00	3.47	5251.94	
12	19.34	0.00	0.90	1357.23	35.70	0.00	1.65	2505.31	75.87	0.00	3.51	5324.30	
13	19.34	0.00	1.42	1375.15	35.70	0.00	2.62	2538.39	75.87	0.00	5.58	5394.59	
14	19.34	0.00	1.36	1393.13	35.70	0.00	2.51	2571.58	75.87	0.00	5.34	5465.12	
15	19.34	0.00	1.58	1410.89	35.70	0.00	2.91	2604.37	75.87	0.00	6.19	5534.80	
16	19.34	0.00	0.87	1429.36	35.70	0.00	1.61	2638.46	75.87	0.00	3.41	5607.26	
17	19.34	0.00	0.89	1447.81	35.70	0.00	1.64	2672.52	75.87	0.00	3.48	5679.65	
18	19.34	0.00	0.93	1466.22	35.70	0.00	1.71	2706.51	75.87	0.00	3.64	5751.88	
19	19.34	0.00	0.85	1484.71	35.70	0.00	1.57	2740.64	75.87	0.00	3.34	5824.41	
20	19.34	0.00	0.77	1503.28	35.70	0.00	1.42	2774.92	75.87	0.00	3.02	5897.26	
21	19.34	2.53	1.70	1518.39	35.70	0.00	3.15	2807.47	75.87	0.00	6.68	5966.45	
22	19.34	4.05	1.18	1532.50	35.70	0.00	2.18	2840.99	75.87	0.00	4.63	6037.69	
23	19.34	4.05	1.10	1546.69	35.70	0.00	2.03	2874.66	75.87	0.00	4.33	6109.23	
24	19.34	4.05	1.14	1560.84	35.70	0.00	2.12	2908.24	75.87	0.00	4.50	6180.60	
25	19.34	4.05	1.16	1574.97	35.70	0.00	2.15	2941.79	75.87	0.00	4.58	6251.89	
26	19.34	4.05	1.26	1589.00	35.70	0.00	2.36	2975.13	75.87	0.00	5.01	6322.75	
27	19.34	4.05	1.37	1602.92	35.70	0.00	2.57	3008.26	75.87	0.00	5.46	6393.16	
28	19.34	4.05	1.71	1616.50	35.70	0.00	3.21	3040.75	75.87	0.00	6.82	6462.21	
29	19.34	4.05	1.57	1630.22	35.70	0.00	2.95	3073.50	75.87	0.00	6.28	6531.80	
30	19.34	4.05	1.32	1644.19	35.70	0.00	2.49	3106.71	75.87	0.00	5.30	6602.37	
31	19.34	4.05	1.11	1658.37	35.70	0.00	2.09	3140.32	75.87	0.00	4.44	6673.80	
TOT	599.54	43.03	30.04		1106.70	0.00	55.77		2351.97	0.00	118.56		
SUMMER STORED WATER													PG 3
JUL 1999:	BUFFALO				SISSON				TOTAL				
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	126.45	0.00	0.00	7400.64	17.85	0.00	0.00	1044.69	1487.63	0.00	0.00	87065.41	
2	126.45	0.00	0.00	7653.54	17.85	0.00	0.00	1062.54	1487.63	0.00	0.00	88553.04	
3	126.45	0.00	0.00	7779.99	17.85	0.00	0.00	1080.39	1487.63	0.00	0.00	90040.67	
4	126.45	0.00	0.00	7906.44	17.85	0.00	0.00	1098.24	1487.63	0.00	0.00	91528.30	
5	126.45	0.00	0.00	8032.89	17.85	0.00	0.00	1116.09	1487.63	0.00	0.00	93015.93	
6	126.45	0.00	3.75	8155.59	17.85	0.00	0.53	1133.94	1487.63	0.00	0.00	94503.56	
7	126.45	0.00	10.40	8271.64	17.85	0.00	1.47	1151.26	1487.63	999.71	44.08	94947.40	
8	126.45	0.00	7.47	8390.62	17.85	0.00	1.06	1167.64	1487.63	1224.49	121.02	95089.52	
9	126.45	0.00	5.44	8511.63	17.85	0.00	0.77	1184.43	1487.63	1274.50	85.86	95216.79	
10	126.45	0.00	5.51	8632.57	17.85	0.00	0.78	1201.51	1487.63	1234.47	61.76	95408.19	
11	126.45	0.00	5.77	8753.25	17.85	0.00	0.82	1218.58	1487.63	1180.56	61.82	95653.44	
12	126.45	0.00	5.86	8873.84	17.85	0.00	0.83	1235.61	1487.63	1180.56	63.99	95896.52	
13	126.45	0.00	9.29	8991.00	17.85	0.00	1.31	1269.17	1487.63	759.46	100.87	96941.80	
14	126.45	0.00	8.89	9108.56	17.85	0.00	1.26	1285.76	1487.63	680.68	95.87	97652.88	
15	126.45	0.00	10.31	9224.70	17.85	0.00	1.46	1302.15	1487.63	865.24	110.56	98164.71	
16	126.45	0.00	5.68	9345.47	17.85	0.00	0.80	1319.20	1487.63	1104.19	60.49	98487.66	
17	126.45	0.00	5.80	9466.12	17.85	0.00	0.82	1336.23	1487.63	937.43	61.12	98976.74	
18	126.45	0.00	6.08	9586.49	17.85	0.00	0.86	1353.22	1487.63	762.38	63.53	99638.46	
19	126.45	0.00	5.57	9707.37	17.85	0.00	0.79	1370.28	1487.63	744.55	57.89	100323.65	
20	126.45	3.25	5.04	9825.53	17.85	0.00	0.71	1387.42	1487.63	674.60	52.07	101084.61	
21	126.45	5.20	11.14	9935.64	17.85	0.00	1.57	1403.70	1487.63	641.58	114.59	101816.07	
22	126.45	12.99	7.70	10041.40	17.85	0.00	1.09	1420.46	1487.63	652.18	78.95	102572.57	
23	126.45	17.67	7.20	10142.98	17.85	0.00	1.02	1437.29	1487.63	788.98	73.52	103197.70	
24	126.45	17.67	7.48	10244.28	17.85	0.00	1.06	1454.08	1487.63	867.79	76.08	103741.46	
25	126.45	17.67	7.58	10345.48	17.85	0.00	1.08	1470.85	1487.63	867.79	76.79	104284.51	
26	126.45	17.67	8.29	10445.97	17.85	0.00	1.18	1487.52	1487.63	915.42	83.54	104773.18	
27	126.45	17.67	9.02	10545.73	17.85	0.00	1.28	1504.09	1487.63	930.64	90.42	105239.75	
28	126.45	17.67	11.24	10643.27	17.85	0.00	1.60	1520.34	1487.63	925.18	112.17	105690.03	
29	126.45	17.67	10.34	10741.71	17.85	0.00	1.48	1536.71	1487.63	924.88	102.65	106150.13	
30	126.45	17.67	8.71	10841.78	17.85	0.00	1.25	1553.31	1487.63	924.88	86.05	106626.83	
31	126.45	17.67	7.28	10943.28	17.85	0.00	1.04	1570.12	1487.63	924.88	71.64	107117.94	
TOT	3919.95	180.47	196.84		553.35	0.00	27.92		46116.53	23992.50	2071.50		



## **SECTION 5**

**August 1999**

## JOHN MARTIN RESERVOIR

## JOHN MARTIN RESERVOIR

## AGREEMENT WATER

PG 1  
SUMMER COMPACT WATER

AUG 1999:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	2348.63	2412.51	0.00	315744.01	:	2479.38	2412.51	0.00	163882.49	:	2335.29	2479.38	0.00	143176.78
2	2875.00	1329.68	13.00	317276.33	:	2479.38	1329.68	6.75	165025.44	:	2875.00	2479.38	5.89	143422.42
3	4402.00	499.92	136.00	321042.41	:	2479.38	499.92	70.74	166934.16	:	4402.00	2479.38	61.48	145283.56
4	4575.00	433.83	111.00	325072.58	:	2479.38	433.83	57.72	168921.99	:	4502.36	2479.38	50.23	147256.31
5	5157.00	366.35	315.00	329548.23	:	2479.38	366.35	163.69	170871.33	:	5089.64	2479.38	142.69	149723.88
6	6323.00	321.27	119.00	335430.96	:	2479.38	321.27	61.70	172967.74	:	6231.08	2479.38	54.07	153421.51
7	8370.00	321.27	261.00	343218.69	:	2479.38	321.27	134.59	174991.26	:	8309.93	2479.38	119.38	159132.68
8	8634.31	1284.00	217.00	350352.00	:	2479.38	979.18	110.64	176380.82	:	2936.31	2479.38	100.61	159489.00
9	6554.00	2813.00	226.00	353867.00	:	2479.38	4002.07	0.00	174858.13	:	4002.07	2479.38	0.00	161011.69
10	5946.00	4037.00	144.00	355632.00	:	2479.38	4075.41	0.00	173262.10	:	4075.41	2479.38	0.00	162607.72
11	6932.00	5177.00	337.00	357050.00	:	2479.38	5213.16	0.00	170528.32	:	5213.16	2479.38	0.00	165341.50
12	5721.00	5452.00	269.00	357050.00	:	2479.38	7981.55	0.00	165026.15	:	7981.55	2479.38	0.00	170843.67
13	3492.00	5461.00	275.00	354806.00	:	2479.38	5547.15	0.00	161958.38	:	5547.15	2479.38	0.00	173911.44
14	2664.00	5443.00	274.00	351753.00	:	2479.38	5522.73	0.00	158915.03	:	5522.73	2479.38	0.00	176954.79
15	1962.00	5422.00	272.00	348021.00	:	2479.38	5555.83	0.00	155838.58	:	5555.83	2479.38	0.00	180031.24
16	1790.00	4367.00	210.00	345234.00	:	2479.38	4490.87	0.00	153827.09	:	4490.87	2479.38	0.00	182042.73
17	1806.00	1768.00	385.00	344887.00	:	2479.38	1893.14	0.00	154413.33	:	1893.14	2479.38	0.00	181456.49
18	1357.00	991.00	250.00	345003.00	:	2479.38	1100.02	0.00	155792.69	:	1100.02	2479.38	0.00	180077.13
19	1078.00	1040.00	270.00	344771.00	:	2479.38	1147.07	0.00	157125.00	:	1147.07	2479.38	0.00	178744.82
20	1352.00	1129.00	223.00	344771.00	:	2479.38	1271.50	0.00	158332.88	:	1271.50	2479.38	0.00	177536.94
21	1649.00	1187.00	230.00	345003.00	:	2479.38	1363.80	0.00	159448.46	:	1363.80	2479.38	0.00	176421.36
22	1655.00	1194.00	230.00	345234.00	:	2479.38	1205.96	0.00	160721.88	:	1205.96	2479.38	0.00	175147.94
23	1382.00	1248.00	250.00	345118.00	:	2479.38	1259.41	0.00	161941.85	:	1259.41	2479.38	0.00	173927.97
24	1352.00	1292.00	291.00	344887.00	:	2479.38	1303.98	0.00	163117.25	:	1303.98	2479.38	0.00	172752.57
25	1128.00	1171.00	189.00	344655.00	:	2479.38	1184.10	0.00	164412.53	:	1184.10	2479.38	0.00	171457.29
26	1154.00	1088.74	290.00	344430.26	:	2479.38	1088.74	137.86	165665.31	:	1094.55	2479.38	143.77	169928.69
27	1000.00	1109.66	250.00	344070.60	:	2479.38	1109.66	120.25	166914.78	:	946.42	2479.38	123.34	168272.39
28	999.00	1120.62	250.00	343698.98	:	2479.38	1120.62	121.28	168152.26	:	952.13	2479.38	122.27	166622.87
29	1113.00	1120.62	250.00	343441.36	:	2479.38	1120.62	122.31	169388.71	:	1067.86	2479.38	121.20	165090.15
30	888.00	1120.63	256.00	342952.73	:	2479.38	1120.63	126.26	170621.20	:	847.32	2479.38	123.06	163335.03
31	699.00	1085.75	296.00	342269.98	:	2479.38	1085.75	147.26	171867.57	:	660.01	2479.38	140.98	161374.68
TOT	96357.94	62806.85	7089.00		:	76860.78	67427.78	1381.05		:	96367.65	76860.78	1308.97	

## JOHN MARTIN RESERVOIR

## WINTER COMPACT WATER

## PERMANENT POOL

## WINTER WATER

AUG 1999:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8815.49	:	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	:	0.00	0.36	0.36	8815.13	:	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	:	0.00	3.78	3.78	8811.35	:	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	:	0.00	3.05	3.05	8808.30	:	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	:	0.00	8.54	8.54	8799.76	:	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	:	0.00	3.18	3.18	8796.58	:	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	:	0.00	6.84	6.84	8789.74	:	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	:	0.00	5.56	5.56	8784.18	:	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8784.18	:	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8784.18	:	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8784.18	:	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8784.18	:	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8784.18	:	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8784.18	:	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8784.18	:	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8784.18	:	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8784.18	:	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8784.18	:	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8784.18	:	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8784.18	:	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8784.18	:	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8784.18	:	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8784.18	:	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8784.18	:	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	8784.18	:	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	:	0.00	7.37	7.37	8776.81	:	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	:	0.00	6.37	6.37	8770.44	:	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	:	0.00	6.37	6.37	8764.07	:	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	:	0.00	6.37	6.37	8757.70	:	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	:	0.00	6.53	6.53	8751.17	:	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	:	0.00	7.55	7.55	8743.62	:	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00

AGREEMENT WATER												SUMMER STORED WATER				PG 2	
KANSAS					TRANSIT LOSS					KEESEE							
AUG 1999:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN					
1	991.75	1487.63	0.00	56697.68	0.00	0.00	0.00	0.00	34.22	30.86	0.00	2240.27					
2	991.75	588.85	2.31	56201.80	0.00	0.00	0.00	0.00	34.22	12.22	0.09	2243.63					
3	991.75	0.00	24.26	57569.88	0.00	0.00	0.00	0.00	34.22	0.00	0.97	2265.54					
4	991.75	0.00	19.91	58541.72	0.00	0.00	0.00	0.00	34.22	0.00	0.79	2298.79					
5	991.75	0.00	56.73	59476.74	0.00	0.00	0.00	0.00	34.22	0.00	2.26	2332.22					
6	991.75	0.00	21.48	60447.01	0.00	0.00	0.00	0.00	34.22	0.00	0.85	2364.18					
7	991.75	0.00	47.04	61391.72	0.00	0.00	0.00	0.00	34.22	0.00	1.87	2397.55					
8	991.75	327.43	38.82	62017.22	0.00	0.00	0.00	0.00	34.22	12.94	1.54	2429.90					
9	991.75	1405.53	0.00	61603.44	0.00	0.00	0.00	0.00	34.22	55.57	0.00	2449.64					
10	991.75	1431.28	0.00	61163.91	0.00	0.00	0.00	0.00	34.22	56.58	0.00	2405.93					
11	991.75	1830.86	0.00	60324.80	0.00	0.00	0.00	0.00	34.22	72.38	0.00	2367.77					
12	991.75	2803.12	0.00	58513.43	0.00	0.00	0.00	0.00	34.22	110.82	0.00	2291.17					
13	991.75	1948.16	0.00	57557.02	0.00	0.00	0.00	0.00	34.22	77.02	0.00	2248.37					
14	991.75	1939.58	0.00	56609.19	0.00	0.00	0.00	0.00	34.22	76.68	0.00	2205.91					
15	991.75	1951.21	0.00	55649.73	0.00	0.00	0.00	0.00	34.22	77.14	0.00	2162.99					
16	991.75	1577.19	0.00	55064.29	0.00	0.00	0.00	0.00	34.22	62.35	0.00	2134.86					
17	991.75	664.87	0.00	55391.17	0.00	0.00	0.00	0.00	34.22	26.29	0.00	2142.79					
18	991.75	386.33	0.00	55996.59	0.00	0.00	0.00	0.00	34.22	15.27	0.00	2161.74					
19	991.75	402.85	0.00	56585.49	0.00	0.00	0.00	0.00	34.22	15.93	0.00	2180.03					
20	991.75	446.55	0.00	57130.69	0.00	0.00	0.00	0.00	34.22	17.65	0.00	2196.60					
21	991.75	478.97	0.00	57643.47	0.00	0.00	0.00	0.00	34.22	18.94	0.00	2211.88					
22	991.75	423.53	0.00	58211.69	0.00	0.00	0.00	0.00	34.22	16.74	0.00	2229.36					
23	991.75	442.30	0.00	58761.14	0.00	0.00	0.00	0.00	34.22	17.49	0.00	2246.09					
24	991.75	457.96	0.00	59294.93	0.00	0.00	0.00	0.00	34.22	18.10	0.00	2262.21					
25	991.75	415.86	0.00	59870.82	0.00	0.00	0.00	0.00	34.22	16.44	0.00	2279.99					
26	991.75	0.00	50.20	60812.37	0.00	0.00	0.00	0.00	34.22	47.82	1.91	2264.48					
27	991.75	0.00	44.14	61759.98	0.00	0.00	0.00	0.00	34.22	47.82	1.64	2249.24					
28	991.75	0.00	44.87	62706.86	0.00	0.00	0.00	0.00	34.22	47.82	1.63	2234.01					
29	991.75	0.00	45.61	63653.00	0.00	0.00	0.00	0.00	34.22	47.82	1.63	2218.78					
30	991.75	0.00	47.45	64597.30	0.00	0.00	0.00	0.00	34.22	36.00	1.65	2215.35					
31	991.75	0.00	55.75	65533.30	0.00	0.00	0.00	0.00	34.22	28.90	1.91	2218.76					
TOT	30744.25	21410.06	498.57		0.00	0.00	0.00		1060.82	1063.59	18.74						
SUMMER STORED WATER												LAMAR				PG 2	
FT. BENT					AMITY												
AUG 1999:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN					
1	147.27	199.00	0.00	9185.96	736.38	350.31	0.00	55042.93	294.55	322.99	0.00	16662.89					
2	147.27	118.45	0.38	9134.23	736.38	473.71	2.28	55429.00	294.55	127.85	0.69	16634.45					
3	147.27	60.98	3.93	9245.03	736.38	438.94	23.87	55689.39	294.55	0.00	7.20	16800.46					
4	147.27	39.18	3.20	9349.92	736.38	394.65	19.35	55962.96	294.55	0.00	5.91	17087.81					
5	147.27	27.95	9.06	9460.18	736.38	338.40	54.54	56285.34	294.55	0.00	17376.45						
6	147.27	27.95	3.42	9576.08	736.38	293.32	20.45	56628.78	294.55	0.00	16.84	17654.16					
7	147.27	27.95	7.45	9687.95	736.38	293.32	44.39	57051.39	294.55	0.00	6.37	17942.34					
8	147.27	55.68	6.12	9773.42	736.38	348.55	36.32	57450.06	294.55	0.00	13.96	18222.93					
9	147.27	221.48	0.00	9699.21	736.38	1312.55	0.00	57801.57	294.55	97.15	11.52	18408.81					
10	147.27	225.54	0.00	9620.94	736.38	1336.61	0.00	56625.17	294.55	417.00	0.00	18286.36					
11	147.27	288.51	0.00	9479.70	736.38	1709.75	0.00	55651.80	294.55	424.65	0.00	18156.26					
12	147.27	441.72	0.00	9185.25	736.38	2617.70	0.00	53770.48	294.55	543.20	0.00	17907.61					
13	147.27	306.99	0.00	9025.53	736.38	1819.29	0.00	52687.57	294.55	831.65	0.00	17370.51					
14	147.27	305.64	0.00	8867.16	736.38	1811.28	0.00	51612.67	294.55	578.00	0.00	17087.06					
15	147.27	307.47	0.00	8706.96	736.38	1822.14	0.00	50526.91	294.55	575.45	0.00	16806.16					
16	147.27	248.54	0.00	8605.69	736.38	1472.86	0.00	49790.43	294.55	578.90	0.00	16521.81					
17	147.27	104.77	0.00	8648.19	736.38	620.89	0.00	49905.92	294.55	467.94	0.00	16348.42					
18	147.27	60.88	0.00	8734.58	736.38	360.77	0.00	50281.53	294.55	197.26	0.00	16445.71					
19	147.27	63.48	0.00	8818.37	736.38	376.20	0.00	50641.71	294.55	114.62	0.00	16625.64					
20	147.27	70.37	0.00	8895.27	736.38	417.01	0.00	50961.08	294.55	132.49	0.00	16962.73					
21	147.27	75.48	0.00	8967.06	736.38	447.28	0.00	51250.18	294.55	142.10	0.00	17115.18					
22	147.27	66.74	0.00	9047.59	736.38	395.52	0.00	51591.04	294.55	125.66	0.00	17284.07					
23	147.27	69.70	0.00	9125.16	736.38	413.05	0.00	51914.37	294.55	131.23	0.00	17447.39					
24	147.27	72.17	0.00	9200.26	736.38	427.66	0.00	52223.09	294.55	135.87	0.00	17606.07					
25	147.27	65.53	0.00	9282.00	736.38	388.35	0.00	52571.12	294.55	123.38	0.00	17777.24					
26	147.27	101.63	7.78	9319.86	736.38	552.09	44.08	52711.33	294.55	387.20	14.91	17669.68					
27	147.27	122.55	6.76	9337.82	736.38	552.09	38.26	52857.36	294.55	387.20	12.83	17564.20					
28	147.27	133.51	6.79	9344.79	736.38	552.09	38.41	53003.24	294.55	387.20	12.76	17458.79					
29	147.27	133.51	6.80	9351.75	736.38	552.09	38.55	53148.98	294.55	387.20	12.70	17353.44					
30	147.27	133.51	6.97	9358.54	736.38	614.78	39.62	53230.96	294.55	336.34	12.94	17298.71					
31	147.27	98.64	8.08	9399.09	736.38	652.39	45.94	53269.01	294.55	305.82	14.93	17272.51					
TOT	4565.37	4275.50	76.74		22827.78	24155.64	446.06		9131.05	8377.87	143.56		</				

## SUMMER STORED WATER

PG 3

AUG 1999:	HYDE					MANVEL					X-Y				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	19.34	4.05	0.00	1673.66	:	35.70	0.00	0.00	3176.02	:	75.87	0.00	0.00	6673.80	6749.67
2	19.34	1.60	0.07	1691.33	:	35.70	0.00	0.13	3211.59	:	75.87	0.00	0.28	6825.26	
3	19.34	0.00	0.72	1709.95	:	35.70	0.00	1.38	3245.91	:	75.87	0.00	2.93	6898.20	
4	19.34	0.00	0.59	1728.70	:	35.70	0.00	1.12	3280.49	:	75.87	0.00	2.39	6971.68	
5	19.34	0.00	1.67	1746.37	:	35.70	0.00	3.18	3313.01	:	75.87	0.00	6.76	7040.79	
6	19.34	0.00	0.63	1765.08	:	35.70	0.00	1.20	3347.51	:	75.87	0.00	2.54	7114.12	
7	19.34	0.00	1.37	1783.05	:	35.70	0.00	2.60	3380.61	:	75.87	0.00	5.54	7184.45	
8	19.34	9.50	1.13	1791.76	:	35.70	18.02	2.14	3396.15	:	75.87	38.23	4.54	7217.55	
9	19.34	40.77	0.00	1770.33	:	35.70	77.38	0.00	3354.47	:	75.87	164.10	0.00	7129.32	
10	19.34	41.51	0.00	1748.16	:	35.70	78.80	0.00	3311.37	:	75.87	167.11	0.00	7038.08	
11	19.34	53.10	0.00	1714.40	:	35.70	100.79	0.00	3246.28	:	75.87	213.76	0.00	6900.19	
12	19.34	81.30	0.00	1652.44	:	35.70	154.32	0.00	3127.66	:	75.87	327.28	0.00	6648.78	
13	19.34	56.50	0.00	1615.28	:	35.70	107.25	0.00	3056.11	:	75.87	227.46	0.00	6497.19	
14	19.34	56.26	0.00	1578.36	:	35.70	106.78	0.00	2985.03	:	75.87	226.46	0.00	6346.60	
15	19.34	56.59	0.00	1541.11	:	35.70	107.42	0.00	2913.31	:	75.87	227.81	0.00	6194.66	
16	19.34	45.75	0.00	1514.70	:	35.70	86.83	0.00	2862.18	:	75.87	184.14	0.00	6086.39	
17	19.34	19.28	0.00	1514.76	:	35.70	36.60	0.00	2861.28	:	75.87	77.63	0.00	6084.63	
18	19.34	11.20	0.00	1522.90	:	35.70	21.27	0.00	2875.71	:	75.87	45.11	0.00	6115.39	
19	19.34	11.68	0.00	1530.56	:	35.70	22.18	0.00	2889.23	:	75.87	47.04	0.00	6144.22	
20	19.34	12.95	0.00	1536.95	:	35.70	24.58	0.00	2900.35	:	75.87	52.14	0.00	6167.95	
21	19.34	13.89	0.00	1542.40	:	35.70	26.37	0.00	2909.68	:	75.87	55.92	0.00	6187.90	
22	19.34	12.28	0.00	1549.46	:	35.70	23.32	0.00	2922.06	:	75.87	49.45	0.00	6214.32	
23	19.34	12.83	0.00	1555.97	:	35.70	24.35	0.00	2933.41	:	75.87	51.64	0.00	6238.55	
24	19.34	13.28	0.00	1562.03	:	35.70	25.21	0.00	2943.90	:	75.87	53.47	0.00	6260.95	
25	19.34	12.06	0.00	1569.31	:	35.70	22.89	0.00	2956.71	:	75.87	48.55	0.00	6288.27	
26	19.34	0.00	1.32	1587.33	:	35.70	0.00	2.48	2989.93	:	75.87	0.00	5.27	6358.87	
27	19.34	0.00	1.15	1605.52	:	35.70	0.00	2.17	3023.46	:	75.87	0.00	4.62	6430.12	
28	19.34	0.00	1.17	1623.69	:	35.70	0.00	2.20	3056.96	:	75.87	0.00	4.67	6501.32	
29	19.34	0.00	1.18	1641.85	:	35.70	0.00	2.22	3090.44	:	75.87	0.00	4.73	6572.46	
30	19.34	0.00	1.22	1659.97	:	35.70	0.00	2.30	3123.84	:	75.87	0.00	4.90	6643.43	
31	19.34	0.00	1.43	1677.88	:	35.70	0.00	2.70	3156.84	:	75.87	0.00	5.73	6713.57	
TOT	599.54	566.38	13.65		:	1106.70	1064.36	25.82		:	2351.97	2257.30	54.90		

## SUMMER STORED WATER

PG 3

AUG 1999:	BUFFALO					SISSON					TOTAL				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	126.45	17.67	0.00	10943.28	:	17.85	0.00	0.00	1570.12	:	1487.63	924.88	0.00	107117.94	
2	126.45	7.00	0.46	11171.05	:	17.85	0.00	0.06	1605.76	:	1487.63	740.83	4.44	108423.05	
3	126.45	0.00	4.79	11292.71	:	17.85	0.00	0.69	1622.92	:	1487.63	499.92	46.48	109364.28	
4	126.45	0.00	3.90	11415.26	:	17.85	0.00	0.56	1640.21	:	1487.63	433.83	37.81	110380.27	
5	126.45	0.00	11.06	11530.65	:	17.85	0.00	1.59	1656.47	:	1487.63	366.35	106.96	111394.59	
6	126.45	0.00	4.16	11652.94	:	17.85	0.00	0.60	1673.72	:	1487.63	321.27	40.22	112520.73	
7	126.45	0.00	9.07	11770.32	:	17.85	0.00	1.30	1690.27	:	1487.63	321.27	87.55	113599.54	
8	126.45	62.67	7.44	11826.66	:	17.85	9.01	1.07	1698.04	:	1487.63	651.75	71.82	114363.60	
9	126.45	269.00	0.00	11684.11	:	17.85	38.69	0.00	1677.20	:	1487.63	2596.54	0.00	113254.69	
10	126.45	273.93	0.00	11536.63	:	17.85	39.40	0.00	1655.65	:	1487.63	2644.13	0.00	112098.19	
11	126.45	350.41	0.00	11312.67	:	17.85	50.40	0.00	1623.10	:	1487.63	3382.30	0.00	110203.52	
12	126.45	536.48	0.00	10902.64	:	17.85	77.16	0.00	1563.79	:	1487.63	5178.43	0.00	106512.72	
13	126.45	372.86	0.00	10656.23	:	17.85	53.62	0.00	1528.02	:	1487.63	3598.99	0.00	104401.36	
14	126.45	371.21	0.00	10411.47	:	17.85	53.39	0.00	1492.48	:	1487.63	3583.15	0.00	102305.84	
15	126.45	373.44	0.00	10164.48	:	17.85	53.71	0.00	1456.62	:	1487.63	3604.62	0.00	100188.85	
16	126.45	301.86	0.00	9989.07	:	17.85	43.41	0.00	1431.06	:	1487.63	2913.68	0.00	98762.80	
17	126.45	127.25	0.00	9988.27	:	17.85	18.30	0.00	1430.61	:	1487.63	1228.27	0.00	99022.16	
18	126.45	73.94	0.00	10040.78	:	17.85	10.63	0.00	1437.83	:	1487.63	713.69	0.00	99796.10	
19	126.45	77.10	0.00	10090.13	:	17.85	11.09	0.00	1444.59	:	1487.63	744.22	0.00	100539.51	
20	126.45	85.47	0.00	10131.11	:	17.85	12.29	0.00	1450.15	:	1487.63	824.95	0.00	101202.19	
21	126.45	91.67	0.00	10165.89	:	17.85	13.18	0.00	1454.82	:	1487.63	884.83	0.00	101804.99	
22	126.45	81.06	0.00	10211.28	:	17.85	11.66	0.00	1461.01	:	1487.63	782.43	0.00	102510.19	
23	126.45	84.65	0.00	10253.08	:	17.85	12.17	0.00	1466.69	:	1487.63	817.11	0.00	103180.71	
24	126.45	87.65	0.00	10291.88	:	17.85	12.61	0.00	1471.93	:	1487.63	846.02	0.00	103822.32	
25	126.45	79.59	0.00	10338.74	:	17.85	11.45	0.00	1478.33	:	1487.63	768.24	0.00	104541.71	
26	126.45	0.00	8.67	10456.52	:	17.85	0.00	1.24	1494.94	:	1487.63	1088.74	87.66	104852.94	
27	126.45	0.00	7.59	10575.38	:	17.85	0.00	1.09	1511.70	:	1487.63	1109.66	76.11	105154.80	
28	126.45	0.00	7.68	10694.15	:	17.85	0.00	1.10	1528.45	:	1487.63	1120.62	76.41	105445.40	
29	126.45	0.00	7.78	10812.82	:	17.85	0.00	1.11	1545.19	:	1487.63	1120.62	76.70	105735.71	
30	126.45	0.00	8.06	10931.21	:	17.85	0.00	1.15	1561.89	:	1487.63	1120.63	78.81	106023.90	
31	126.45	0.00	9.44	11048.22	:	17.85	0.00	1.35	1578.39	:	1487.63	1085.75	91.51	106334.27	
TOT	3919.95	3724.91	90.10		:	553.35	532.17	12.91		:	46116.53	46017.72	882.48		

AUG 1999:	AMITY					FT. LYON					LAS ANIMAS CONSOL.				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	:	59.45	0.00	0.00	59.45	:	0.00	0.00	1.00	0.00	0.00
27	0.00	0.00	0.00	0.00	:	53.58	0.00	0.04	112.99	:	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	:	46.87	0.00	0.08	159.78	:	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	:	45.14	0.00	0.12	204.80	:	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	:	40.68	0.00	0.15	245.33	:	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	:	38.99	0.00	0.21	284.11	:	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00	0.00	:	590.04	304.82	1.11	54755.14	50429.14	4326.00				

AUG 1999:	TOTAL					OFFSET ACCOUNT					FLOOD POOL				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	0.00	:	13.34	0.00	0.00	13.34	:	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	13.34	:	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	13.34	:	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	:	72.64	0.00	0.00	85.98	:	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	:	67.36	0.00	0.08	153.26	:	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	:	91.92	0.00	0.05	245.13	:	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	:	60.07	0.00	0.19	305.01	:	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	:	0.00	304.82	0.19	0.00	:	6935.14	1237.14	0.00	5698.00	
9	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	6554.00	2813.00	226.00	9213.00	
10	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	5946.00	4037.00	144.00	10978.00	
11	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	6932.00	5177.00	337.00	12396.00	
12	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	5721.00	5452.00	269.00	12396.00	
13	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	3492.00	5461.00	275.00	10152.00	
14	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	2664.00	5443.00	274.00	7099.00	
15	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1962.00	5422.00	272.00	3367.00	
16	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1790.00	4367.00	210.00	580.00	
17	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1806.00	1768.00	385.00	233.00	
18	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1357.00	991.00	250.00	349.00	
19	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1078.00	1040.00	270.00	117.00	
20	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1352.00	1129.00	223.00	117.00	
21	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1649.00	1187.00	230.00	349.00	
22	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1655.00	1194.00	230.00	580.00	
23	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1382.00	1248.00	250.00	464.00	
24	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1352.00	1292.00	291.00	233.00	
25	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	1128.00	1171.00	189.00	1.00	
26	0.00	0.00	0.00	0.00	:	59.45	0.00	0.00	59.45	:	0.00	0.00	1.00	0.00	
27	0.00	0.00	0.00	0.00	:	53.58	0.00	0.04	112.99	:	0.00	0.00	0.00	0.00	
28	0.00	0.00	0.00	0.00	:	46.87	0.00	0.08	159.78	:	0.00	0.00	0.00	0.00	
29	0.00	0.00	0.00	0.00	:	45.14	0.00	0.12	204.80	:	0.00	0.00	0.00	0.00	
30	0.00	0.00	0.00	0.00	:	40.68	0.00	0.15	245.33	:	0.00	0.00	0.00	0.00	
31	0.00	0.00	0.00	0.00	:	38.99	0.00	0.21	284.11	:	0.00	0.00	0.00	0.00	
TOT	0.00	0.00	0.00	0.00	:	590.04	304.82	1.11	54755.14	50429.14	4326.00				

## **SECTION 5**

**September 1999**

## JOHN MARTIN RESERVOIR

## JOHN MARTIN RESERVOIR

## AGREEMENT WATER

PG 1  
SUMMER COMPACT WATER

SEP 1999:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	707.00	1119.49	383.00	341474.49	:	2479.38	1119.49	192.32	173035.14	:	625.11	2479.38	180.58	159339.83
2	775.62	1200.57	275.00	340774.54	:	2479.38	1200.57	139.35	174174.60	:	694.47	2479.38	128.32	157426.60
3	731.78	1227.94	188.00	340090.38	:	2479.38	1227.94	96.09	175329.95	:	647.42	2479.38	86.85	155507.79
4	402.78	1227.94	187.00	339078.22	:	2479.38	1227.94	96.41	176484.98	:	320.01	2479.38	85.51	153262.91
5	396.78	1227.94	187.00	338060.06	:	2479.38	1227.94	97.33	177639.09	:	315.99	2479.38	84.52	151015.00
6	628.78	1227.94	193.00	337267.90	:	2479.38	1227.94	101.41	178789.12	:	550.25	2479.38	86.22	148999.65
7	374.78	1168.17	233.00	336241.51	:	2479.38	1168.17	123.51	179976.82	:	297.42	2479.38	102.94	146714.75
8	466.78	1119.50	279.00	335309.79	:	2479.38	1119.50	149.34	181187.36	:	389.97	2479.38	121.74	144503.60
9	439.78	1072.09	173.00	334504.48	:	2479.38	1072.09	93.48	182501.17	:	377.51	2479.38	74.56	142327.17
10	445.78	998.04	239.00	333713.22	:	2479.38	998.04	130.40	183852.11	:	425.33	2479.38	101.69	140171.43
11	519.78	967.91	238.00	333027.09	:	2479.38	967.91	131.12	185232.46	:	497.42	2479.38	99.97	138089.50
12	189.78	967.91	245.00	332003.96	:	2479.38	967.91	136.27	186607.66	:	168.55	2479.38	101.59	135677.08
13	104.78	940.52	185.00	330983.22	:	2479.38	940.52	103.98	188042.54	:	81.93	2479.38	75.60	133204.03
14	356.78	903.81	257.00	330179.19	:	2479.38	903.81	146.01	189472.10	:	333.75	2479.38	103.43	130954.97
15	467.78	802.01	26.00	329818.96	:	2479.38	802.01	14.92	191134.55	:	441.98	2479.38	10.31	128907.26
16	267.78	671.42	46.00	329369.32	:	2479.38	671.42	26.66	192915.85	:	240.56	2479.38	17.98	126650.46
17	809.78	610.74	86.00	329482.36	:	2479.38	610.74	50.37	194734.12	:	788.60	2479.38	33.07	124926.61
18	355.78	606.59	86.00	329145.55	:	2479.38	606.59	50.83	196556.08	:	294.97	2479.38	32.61	122709.59
19	466.78	606.59	79.00	328926.74	:	2479.38	606.59	47.18	198381.69	:	392.39	2479.38	29.45	120593.15
20	329.78	566.92	85.00	328604.60	:	2479.38	566.92	51.27	200242.88	:	268.57	2479.38	31.16	118351.18
21	700.78	543.10	151.00	328611.28	:	2479.38	543.10	92.02	202087.14	:	641.04	2479.38	54.38	116458.46
22	393.78	517.69	112.00	328375.37	:	2479.38	517.69	68.88	203979.95	:	339.61	2479.38	39.69	114279.00
23	516.78	522.31	118.00	328251.84	:	2479.38	522.31	73.30	205863.72	:	469.90	2479.38	41.07	112228.45
24	606.76	534.23	184.00	328140.37	:	2479.38	534.23	115.40	207693.47	:	557.59	2479.38	62.91	110243.75
25	490.78	534.23	184.00	327912.92	:	2479.38	534.23	116.46	209522.16	:	444.18	2479.38	61.82	108146.73
26	262.78	534.23	177.00	327464.47	:	2479.38	534.23	113.10	211354.21	:	218.97	2479.38	58.37	105827.95
27	192.78	551.70	85.00	327020.55	:	2479.38	551.70	54.86	213227.03	:	145.44	2479.38	27.47	103466.54
28	538.78	562.17	85.00	326912.16	:	2479.38	562.17	55.42	215088.82	:	488.32	2479.38	26.89	101448.59
29	373.78	561.54	144.00	326580.40	:	2479.38	561.54	94.74	216911.92	:	327.72	2479.38	44.69	99252.24
30	458.78	543.08	138.00	326358.10	:	2479.38	543.08	91.66	218756.56	:	413.79	2479.38	41.94	97144.71
TOT :	13774.44	24638.32	5048.00		:	74381.40	24638.32	2854.09		:	12198.76	74381.40	2047.33	

## JOHN MARTIN RESERVOIR

## WINTER COMPACT WATER

## PERMANENT POOL

## WINTER WATER

PG 1

SEP 1999:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	:	45.07	0.00	9.78	8778.91	:	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	:	47.03	0.00	7.07	8818.87	:	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	:	47.03	0.00	4.86	8861.04	:	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	:	47.03	0.00	4.87	8903.20	:	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	:	47.03	0.00	4.91	8945.32	:	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	:	47.03	0.00	5.11	8987.24	:	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	:	47.03	0.00	6.21	9028.06	:	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	:	47.03	0.00	7.49	9067.60	:	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	:	39.19	0.00	4.68	9102.11	:	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	:	0.00	0.00	6.50	9095.61	:	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	:	0.00	0.00	6.49	9089.12	:	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	:	0.00	0.00	6.69	9082.43	:	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	:	0.00	0.00	5.06	9077.37	:	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	:	0.00	0.00	7.05	9070.32	:	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	:	0.00	0.00	0.72	9069.60	:	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	:	0.00	0.00	1.26	9068.34	:	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	:	0.00	0.00	2.37	9065.97	:	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	:	0.00	0.00	2.36	9063.61	:	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	:	0.00	0.00	2.17	9061.44	:	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	:	0.00	0.00	2.34	9059.10	:	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	:	0.00	0.00	4.16	9054.94	:	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	:	0.00	0.00	3.09	9051.85	:	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	:	0.00	0.00	3.25	9048.60	:	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	:	0.00	0.00	5.07	9043.53	:	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	:	0.00	0.00	5.07	9038.46	:	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	:	0.00	0.00	4.88	9033.58	:	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	:	0.00	0.00	2.35	9031.23	:	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	:	0.00	0.00	2.35	9028.88	:	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	:	0.00	0.00	3.98	9024.90	:	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	:	0.00	0.00	3.81	9021.09	:	0.00	0.00	0.00	0.00
TOT :	0.00	0.00	0.00		:	413.47	0.00	136.00		:	0.00	0.00	0.00	

AGREEMENT WATER												SUMMER STORED WATER				PG 2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
KANSAS					TRANSIT LOSS					KEESEE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
SEP 1999:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1	991.75	0.00	73.33	65533.30	0.00	0.00	0.00	0.00	34.22	28.90	2.48	2218.76	2221.60	2225.13	2229.22	2233.31	2237.40	2241.44	2245.21	2248.67	2252.83	2256.54	2260.25	2263.91	2267.97	2271.53	2271.62	2320.54	2349.17	2377.80	2406.47	2438.20	2471.30	2504.68	2538.00	2570.80	2603.58	2636.39	2652.46	2660.55	2680.68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
2	991.75	0.00	53.52	66451.72	0.00	0.00	0.00	0.00	34.22	28.90	1.79	2221.60	2225.13	2229.22	2233.31	2237.40	2241.44	2245.21	2248.67	2252.83	2256.54	2260.25	2263.91	2267.97	2271.53	2271.62	2320.54	2349.17	2377.80	2406.47	2438.20	2471.30	2504.68	2538.00	2570.80	2603.58	2636.39	2652.46	2660.55	2680.68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
3	991.75	0.00	37.18	68344.52	0.00	0.00	0.00	0.00	34.22	28.90	1.23	2225.13	2229.22	2233.31	2237.40	2241.44	2245.21	2248.67	2252.83	2256.54	2260.25	2263.91	2267.97	2271.53	2271.62	2320.54	2349.17	2377.80	2406.47	2438.20	2471.30	2504.68	2538.00	2570.80	2603.58	2636.39	2652.46	2660.55	2680.68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
4	991.75	0.00	37.58	69298.69	0.00	0.00	0.00	0.00	34.22	28.90	1.23	2225.13	2229.22	2233.31	2237.40	2241.44	2245.21	2248.67	2252.83	2256.54	2260.25	2263.91	2267.97	2271.53	2271.62	2320.54	2349.17	2377.80	2406.47	2438.20	2471.30	2504.68	2538.00	2570.80	2603.58	2636.39	2652.46	2660.55	2680.68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
5	991.75	0.00	38.22	70252.22	0.00	0.00	0.00	0.00	34.22	28.90	1.23	2225.13	2229.22	2233.31	2237.40	2241.44	2245.21	2248.67	2252.83	2256.54	2260.25	2263.91	2267.97	2271.53	2271.62	2320.54	2349.17	2377.80	2406.47	2438.20	2471.30	2504.68	2538.00	2570.80	2603.58	2636.39	2652.46	2660.55	2680.68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
6	991.75	0.00	40.11	71203.86	0.00	0.00	0.00	0.00	34.22	28.90	1.28	2224.44	2228.52	2236.70	2240.88	2249.04	2253.22	2257.40	2261.58	2265.76	2270.94	2275.12	2280.30	2284.48	2288.66	2292.84	2297.02	2301.20	2305.38	2309.56	2313.74	2317.92	2322.10	2326.28	2330.46	2334.64	2338.82	2342.00	2346.18	2350.36	2354.54	2358.72	2362.90	2367.08	2371.26	2375.44	2379.62	2383.80	2387.98	2392.16	2396.34	2400.52	2404.70	2408.88	2413.06	2417.24	2421.42	2425.60	2429.78	2433.96	2438.14	2442.32	2446.50	2450.68	2454.86	2459.04	2463.22	2467.40	2471.58	2475.76	2479.94	2484.12	2488.30	2492.48	2496.66	2500.84	2504.02	2508.20	2512.38	2516.56	2520.74	2524.92	2529.10	2533.28	2537.46	2541.64	2545.82	2549.00	2553.18	2557.36	2561.54	2565.72	2569.90	2574.08	2578.26	2582.44	2586.62	2590.80	2594.98	2599.16	2603.34	2607.52	2611.70	2615.88	2619.06	2623.24	2627.42	2631.60	2635.78	2639.96	2644.14	2648.32	2652.50	2656.68	2660.86	2665.04	2669.22	2673.40	2677.58	2681.76	2685.94	2689.12	2693.30	2697.48	2701.66	2705.84	2709.02	2713.20	2717.38	2721.56	2725.74	2729.92	2734.10	2738.28	2742.46	2746.64	2750.82	2754.00	2758.18	2762.36	2766.54	2770.72	2774.90	2779.08	2783.26	2787.44	2791.62	2795.80	2799.98	2804.16	2808.34	2812.52	2816.70	2820.88	2825.06	2829.24	2833.42	2837.60	2841.78	2845.96	2849.14	2853.32	2857.50	2861.68	2865.86	2869.04	2873.22	2877.40	2881.58	2885.76	2889.94	2894.12	2898.30	2902.48	2906.66	2910.84	2915.02	2919.20	2923.38	2927.56	2931.74	2935.92	2939.10	2943.28	2947.46	2951.64	2955.82	2959.00	2963.18	2967.36	2971.54	2975.72	2979.90	2984.08	2988.26	2992.44	2996.62	3000.80	3004.98	3009.16	3013.34	3017.52	3021.70	3025.88	3029.06	3033.24	3037.42	3041.60	3045.78	3049.96	3054.14	3058.32	3062.50	3066.68	3070.86	3075.04	3079.22	3083.40	3087.58	3091.76	3095.94	3100.12	3104.30	3108.48	3112.66	3116.84	3121.02	3125.20	3129.38	3133.56	3137.74	3141.92	3146.10	3150.28	3154.46	3158.64	3162.82	3167.00	3171.18	3175.36	3179.54	3183.72	3187.90	3192.08	3196.26	3200.44	3204.62	3208.80	3212.98	3217.16	3221.34	3225.52	3229.70	3233.88	3237.06	3241.24	3245.42	3249.60	3253.78	3257.96	3262.14	3266.32	3270.50	3274.68	3278.86	3283.04	3287.22	3291.40	3295.58	3301.76	3305.94	3310.12	3314.30	3318.48	3322.66	3326.84	3331.02	3335.20	3339.38	3343.56	3347.74	3351.92	3356.10	3360.28	3364.46	3368.64	3372.82	3377.00	3381.18	3385.36	3389.54	3393.72	3397.90	3402.08	3406.26	3410.44	3414.62	3418.80	3423.08	3427.26	3431.44	3435.62	3439.80	3444.08	3448.26	3452.44	3456.62	3460.80	3465.08	3469.26	3473.44	3477.62	3481.80	3486.08	3490.26	3494.44	3498.62	3502.80	3507.08	3511.26	3515.44	3519.62	3523.80	3527.98	3532.16	3536.34	3540.52	3544.70	3548.88	3553.06	3557.24	3561.42	3565.60	3569.78	3573.96	3578.14	3582.32	3586.50	3590.68	3594.86	3599.04	3603.22	3607.40	3611.58	3615.76	3619.94	3624.12	3628.30	3632.48	3636.66	3640.84	3645.02	3649.20	3653.38	3657.56	3661.74	3665.92	3669.10	3673.28	3677.46	3681.64	3685.82	3689.00	3693.18	3697.36	3701.54	3705.72	3709.90	3714.08	3718.26	3722.44	3726.62	3730.80	3734.98	3739.16	3743.34	3747.52	3751.70	3755.88	3759.06	3763.24	3767.42	3771.60	3775.78	3779.96	3784.14	3788.32	3792.50	3796.68	3800.86	3804.14	3808.32	3812.50	3816.68	3820.86	3825.04	3829.22	3833.40	3837.58	3841.76	3845.94	3849.12	3853.30	3857.48	3861.66	3865.84	3869.02	3873.20	3877.38	3881.56	3885.74	3889.92	3894.10	3898.28	3902.46	3906.64	3910.82	3915.00	3919.18	3923.36	3927.54	3931.72	3935.90	3939.08	3943.26	3947.44	3951.62	3955.80	3959.98	3964.16	3968.34	3972.52	3976.70	3980.88	3985.06	3989.24	3993.42	3997.60	4001.78	4005.96	4009.14	4013.32	4017.50	4021.68	4025.86	4029.04	4033.22	4037.40	4041.58	4045.76	4049.94	4054.12	4058.30	4062.48	4066.66	4070.84	4075.02	4079.20	4083.38	4087.56	4091.74	4095.92	4100.10	4104.28	4108.46	4112.64	4116.82	4121.00	4125.18	4129.36	4133.54	4137.72	4141.90	4146.08	4150.26	4154.44	4158.62	4162.80	4167.00	4171.18	4175.36	4179.54	4183.72	4187.90	4192.08	4196.26	4200.44	4204.62	4208.80	4212.98	4217.16	4221.34	4225.52	4229.70	4233.88	4237.06	4241.24	4245.42	4249.60	4253.78	4257.96	4262.14	4266.32	4270.50	4274.68	4278.86	4283.04	4287.22	4291.40	4295.58	4301.76	4305.94	4310.12	4314.30	4318.48	4322.66	4326.84	4331.02	4335.20	4339.38	4343.56	4347.74	4351.92	4356.10	4360.28	4364.46	4368.64	4372.82	4377.00	4381.18	4385.36	4389.54	4393.72	4397.90	4402.08	4406.26	4410.44	4414.62	4418.80	4423.08	4427.26	4431.44	4435.62	4439.80	4444.08	4448.26	4452.44	4456.62	4460.80	4465.08	4469.26	4473.44	4477.62	4481.80	4486.08	4490.26	4494.44	4498.62	4502.80	4507.08	4511.26	4515.44	4519.62	4523.80	4527.98	4532.16	4536.34	4540.52	4544.70	4548.88	4553.06	4557.24	4561.42	4565.60	4569.78	4573.96	4578.14	4582.32	4586.50	4590.68	4594.86	4599.04	4603.22	4607.40	4611.58	4615.76	4619.94	4624.12	4628.30	4632.48	4636.66	4640.84	4645.02	4649.20	4653.38	4657.56	4661.74	4665.92	4669.10	4673.28	4677.46	4681.64	4685.82	4689.00	4693.18	4697.36	4701.54	4705.72	4709.90	4714.08	4718.26	4722.44	4726.62	4730.80	4735.00	4739.18	4743.36	4747.54	4751.72	4755.90	4759.08	4763.26	4767.44	4771.62	4775.80	4779.98	4784.16	4788.34	4792.52	4796.70	4800.88	4805.06	4809.24	4813.42	4817.60	4821.78	4825.96	4829.14	4833.32	4837.50	4841.68	4845.86	4849.04	4853.22	4857.40	4861.58	4865.76	4869.94	4874.12	4878.30	4882.48	4886.66	4890.84	4895.02	4900.20	4904.38	4908.56	4912.74	4916.92	4921.10	4925.28	4929.46	4933.64	4937.82	4941.00	4945.18	4949.36	4953.54	4957.72	4961.90	4966.08	4970.26	4974.44	4978.62	4982.80	4987.00	4991.18	4995.36	5000.54	5004.72	5008.90	5013.08	50

SEP 1999:	SUMMER STORED WATER												PG 3	
	HYDE				MANVEL				X-Y					
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN		
1	19.34	0.00	1.88	1695.34	1677.88	35.70	0.00	3.53	3189.01	75.87	0.00	7.51	6713.57	
2	19.34	0.00	1.37	1713.31	35.70	0.00	2.57	3222.14	75.87	0.00	5.46	6852.34		
3	19.34	0.00	0.94	1731.71	35.70	0.00	1.78	3256.06	75.87	0.00	3.78	6924.43		
4	19.34	0.00	0.95	1750.10	35.70	0.00	1.79	3289.97	75.87	0.00	3.81	6996.49		
5	19.34	0.00	0.97	1768.47	35.70	0.00	1.81	3323.86	75.87	0.00	3.86	7068.50		
6	19.34	0.00	1.01	1786.80	35.70	0.00	1.90	3357.66	75.87	0.00	4.03	7140.34		
7	19.34	0.00	1.24	1804.90	35.70	0.00	2.32	3391.04	75.87	0.00	4.93	7211.28		
8	19.34	0.00	1.50	1822.74	35.70	0.00	2.81	3423.93	75.87	0.00	5.98	7281.17		
9	19.34	0.00	0.94	1841.14	35.70	0.00	1.77	3457.86	75.87	0.00	3.76	7353.28		
10	19.34	0.00	1.32	1859.16	35.70	0.00	2.47	3491.09	75.87	0.00	5.25	7423.90		
11	19.34	0.00	1.33	1877.17	35.70	0.00	2.49	3524.30	75.87	0.00	5.29	7494.48		
12	19.34	0.00	1.38	1895.13	35.70	0.00	2.59	3557.41	75.87	0.00	5.51	7564.84		
13	19.34	0.00	1.06	1913.41	35.70	0.00	1.98	3591.13	75.87	0.00	4.21	7636.50		
14	19.34	0.00	1.49	1931.26	35.70	0.00	2.79	3624.04	75.87	0.00	5.93	7706.44		
15	19.34	0.00	0.15	1950.45	35.70	0.00	0.29	3659.45	75.87	0.00	0.61	7781.70		
16	19.34	0.00	0.27	1969.52	35.70	0.00	0.51	3694.64	75.87	0.00	1.09	7856.48		
17	19.34	0.00	0.51	1988.35	35.70	0.00	0.97	3729.37	75.87	0.00	2.05	7930.30		
18	19.34	0.00	0.52	2007.17	35.70	0.00	0.97	3764.10	75.87	0.00	2.07	8004.10		
19	19.34	0.00	0.48	2026.03	35.70	0.00	0.91	3798.89	75.87	0.00	1.92	8078.05		
20	19.34	0.00	0.52	2044.85	35.70	0.00	0.98	3833.61	75.87	0.00	2.09	8151.83		
21	19.34	0.00	0.94	2063.25	35.70	0.00	1.76	3867.55	75.87	0.00	3.75	8223.95		
22	19.34	0.00	0.70	2081.89	35.70	0.00	1.32	3901.93	75.87	0.00	2.80	8297.02		
23	19.34	0.00	0.75	2100.48	35.70	0.00	1.40	3936.23	75.87	0.00	2.98	8369.91		
24	19.34	0.00	1.18	2118.64	35.70	0.00	2.21	3969.72	75.87	0.00	4.69	8441.09		
25	19.34	0.00	1.19	2136.79	35.70	0.00	2.23	4003.19	75.87	0.00	4.73	8512.23		
26	19.34	0.00	1.15	2154.98	35.70	0.00	2.16	4036.73	75.87	0.00	4.59	8583.51		
27	19.34	0.00	0.56	2173.76	35.70	0.00	1.05	4071.38	75.87	0.00	2.23	8657.15		
28	19.34	0.00	0.56	2192.54	35.70	0.00	1.06	4106.02	75.87	0.00	2.25	8730.77		
29	19.34	0.00	0.97	2210.91	35.70	0.00	1.81	4139.91	75.87	0.00	3.84	8802.80		
30	19.34	0.00	0.93	2229.32	35.70	0.00	1.75	4173.86	75.87	0.00	3.72	8874.95		
TOT	580.20	0.00	28.76		1071.00	0.00	53.98		2276.10	0.00	114.72			
SUMMER STORED WATER														
BUFFALO				SISSON				TOTAL				PG 3		
SEP 1999:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN		
1	126.45	0.00	12.36	11162.31	11048.22	17.85	0.00	1.77	1594.47	1487.63	1119.49	118.99	106334.27	
2	126.45	0.00	8.99	11279.77	17.85	0.00	1.28	1611.04	1487.63	1200.57	85.83	106784.65		
3	126.45	0.00	6.22	11400.00	17.85	0.00	0.89	1628.00	1487.63	1227.94	58.91	106985.43		
4	126.45	0.00	6.27	11520.18	17.85	0.00	0.89	1644.96	1487.63	1227.94	58.83	107186.29		
5	126.45	0.00	6.35	11640.28	17.85	0.00	0.91	1661.90	1487.63	1227.94	59.11	107386.87		
6	126.45	0.00	6.64	11760.09	17.85	0.00	0.95	1678.80	1487.63	1227.94	61.30	107585.26		
7	126.45	0.00	8.12	11878.42	17.85	0.00	1.16	1695.49	1487.63	1168.17	74.32	107830.40		
8	126.45	0.00	9.86	11995.01	17.85	0.00	1.41	1711.93	1487.63	1119.50	89.47	108109.06		
9	126.45	0.00	6.19	12115.27	17.85	0.00	0.88	1728.90	1487.63	1072.09	55.78	108468.82		
10	126.45	0.00	8.66	12233.06	17.85	0.00	1.24	1745.51	1487.63	998.04	77.50	108880.91		
11	126.45	0.00	8.72	12350.79	17.85	0.00	1.25	1762.11	1487.63	967.91	77.65	109322.98		
12	126.45	0.00	9.09	12468.15	17.85	0.00	1.30	1778.66	1487.63	967.91	80.43	109762.27		
13	126.45	0.00	6.95	12587.65	17.85	0.00	0.99	1795.52	1487.63	940.52	61.16	110248.22		
14	126.45	0.00	9.77	12704.33	17.85	0.00	1.39	1811.98	1487.63	903.81	85.60	110746.44		
15	126.45	0.00	1.00	12829.78	17.85	0.00	0.14	1829.69	1487.63	802.01	8.72	111423.34		
16	126.45	0.00	1.79	12954.44	17.85	0.00	0.26	1847.28	1487.63	671.42	15.54	112224.01		
17	126.45	0.00	3.38	13077.51	17.85	0.00	0.48	1864.65	1487.63	610.74	29.30	113071.60		
18	126.45	0.00	3.41	13200.55	17.85	0.00	0.49	1882.01	1487.63	606.59	29.51	113923.13		
19	126.45	0.00	3.17	13323.83	17.85	0.00	0.45	1899.41	1487.63	606.59	27.35	114776.82		
20	126.45	0.00	3.44	13446.84	17.85	0.00	0.49	1916.77	1487.63	566.92	29.66	115667.87		
21	126.45	0.00	6.18	13567.11	17.85	0.00	0.88	1933.74	1487.63	543.10	53.15	116559.25		
22	126.45	0.00	4.63	13688.93	17.85	0.00	0.66	1950.93	1487.63	517.69	39.73	117489.46		
23	126.45	0.00	4.92	13810.46	17.85	0.00	0.70	1968.08	1487.63	522.31	42.22	118412.56		
24	126.45	0.00	7.74	13929.17	17.85	0.00	1.10	1984.83	1487.63	534.23	66.38	119299.58		
25	126.45	0.00	7.81	14047.81	17.85	0.00	1.11	2001.57	1487.63	534.23	66.89	120186.09		
26	126.45	0.00	7.58	14166.68	17.85	0.00	1.08	2018.34	1487.63	534.23	64.88	121074.61		
27	126.45	0.00	3.68	14289.45	17.85	0.00	0.52	2035.67	1487.63	551.70	31.43	121979.11		
28	126.45	0.00	3.71	14412.19	17.85	0.00	0.53	2052.99	1487.63	562.17	31.70	122872.87		
29	126.45	0.00	6.35	14532.29	17.85	0.00	0.90	2069.94	1487.63	561.54	54.12	123744.84		
30	126.45	0.00	6.14	14652.60	17.85	0.00	0.88	2086.91	1487.63	543.08	52.29	124637.10		
TOT	3793.50	0.00	189.12		535.50	0.00	26.98		44628.90	24638.32	1687.75			

SEP 1999:	AMITY					FT. LYON					LAS ANIMAS CONSOL.					PG 4
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN		
1	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
2	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
3	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
4	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
5	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
6	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
7	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
8	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
9	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
10	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
11	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
12	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
13	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
14	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
15	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
16	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
17	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
18	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
19	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
20	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
21	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
22	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
23	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
24	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
25	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
26	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
27	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
28	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
29	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
30	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00	
TOT	0.00	0.00	0.00			0.00	0.00	0.00			0.00	0.00	0.00			

SEP 1999:	ARTICLE III					JOHN MARTIN RESERVOIR					FLOOD POOL					PG 4	
	TOTAL					OFFSET ACCOUNT											
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN			
1	0.00	0.00	0.00	0.00	:	36.82	0.00	0.32	284.11	:	0.00	0.00	0.00	0.00	0.00		
2	0.00	0.00	0.00	0.00	:	34.12	0.00	0.26	320.61	:	0.00	0.00	0.00	0.00	0.00		
3	0.00	0.00	0.00	0.00	:	37.33	0.00	0.20	354.47	:	0.00	0.00	0.00	0.00	0.00		
4	0.00	0.00	0.00	0.00	:	35.74	0.00	0.21	391.60	:	0.00	0.00	0.00	0.00	0.00		
5	0.00	0.00	0.00	0.00	:	33.76	0.00	0.24	427.13	:	0.00	0.00	0.00	0.00	0.00		
6	0.00	0.00	0.00	0.00	:	31.50	0.00	0.26	460.65	:	0.00	0.00	0.00	0.00	0.00		
7	0.00	0.00	0.00	0.00	:	30.33	0.00	0.34	491.89	:	0.00	0.00	0.00	0.00	0.00		
8	0.00	0.00	0.00	0.00	:	29.78	0.00	0.43	521.88	:	0.00	0.00	0.00	0.00	0.00		
9	0.00	0.00	0.00	0.00	:	23.08	0.00	0.28	551.23	:	0.00	0.00	0.00	0.00	0.00		
10	0.00	0.00	0.00	0.00	:	20.45	0.00	0.41	574.03	:	0.00	0.00	0.00	0.00	0.00		
11	0.00	0.00	0.00	0.00	:	22.36	0.00	0.42	594.07	:	0.00	0.00	0.00	0.00	0.00		
12	0.00	0.00	0.00	0.00	:	21.23	0.00	0.45	616.01	:	0.00	0.00	0.00	0.00	0.00		
13	0.00	0.00	0.00	0.00	:	22.85	0.00	0.36	636.79	:	0.00	0.00	0.00	0.00	0.00		
14	0.00	0.00	0.00	0.00	:	23.03	0.00	0.51	659.28	:	0.00	0.00	0.00	0.00	0.00		
15	0.00	0.00	0.00	0.00	:	25.80	0.00	0.05	681.80	:	0.00	0.00	0.00	0.00	0.00		
16	0.00	0.00	0.00	0.00	:	27.22	0.00	0.10	707.55	:	0.00	0.00	0.00	0.00	0.00		
17	0.00	0.00	0.00	0.00	:	21.18	0.00	0.19	734.67	:	0.00	0.00	0.00	0.00	0.00		
18	0.00	0.00	0.00	0.00	:	60.81	0.00	0.20	755.66	:	0.00	0.00	0.00	0.00	0.00		
19	0.00	0.00	0.00	0.00	:	74.39	0.00	0.20	816.27	:	0.00	0.00	0.00	0.00	0.00		
20	0.00	0.00	0.00	0.00	:	61.21	0.00	0.23	890.46	:	0.00	0.00	0.00	0.00	0.00		
21	0.00	0.00	0.00	0.00	:	59.74	0.00	0.44	951.44	:	0.00	0.00	0.00	0.00	0.00		
22	0.00	0.00	0.00	0.00	:	54.17	0.00	0.34	1010.74	:	0.00	0.00	0.00	0.00	0.00		
23	0.00	0.00	0.00	0.00	:	46.88	0.00	0.38	1064.57	:	0.00	0.00	0.00	0.00	0.00		
24	0.00	0.00	0.00	0.00	:	49.17	0.00	0.62	1111.07	:	0.00	0.00	0.00	0.00	0.00		
25	0.00	0.00	0.00	0.00	:	46.60	0.00	0.65	1159.62	:	0.00	0.00	0.00	0.00	0.00		
26	0.00	0.00	0.00	0.00	:	43.81	0.00	0.65	1205.57	:	0.00	0.00	0.00	0.00	0.00		
27	0.00	0.00	0.00	0.00	:	47.34	0.00	0.32	1248.73	:	0.00	0.00	0.00	0.00	0.00		
28	0.00	0.00	0.00	0.00	:	50.46	0.00	0.34	1295.75	:	0.00	0.00	0.00	0.00	0.00		
29	0.00	0.00	0.00	0.00	:	46.06	0.00	0.59	1345.87	:	0.00	0.00	0.00	0.00	0.00		
30	0.00	0.00	0.00	0.00	:	44.99	0.00	0.59	1391.34	:	0.00	0.00	0.00	0.00	0.00		
TOT	0.00	0.00	0.00			1162.21	0.00	10.58			0.00	0.00	0.00				

## **SECTION 5**

**October 1999**

## JOHN MARTIN RESERVOIR

## JOHN MARTIN RESERVOIR

## AGREEMENT WATER

## SUMMER COMPACT WATER

PG 1

OCT 1999:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
				326358.10	:	2479.38	475.09	79.10	220681.75	:	218756.56	437.94	2479.38	35.12	95068.15
1	484.78	475.09	118.00	326249.79	:	2479.38	475.09	71.02	222648.74	:	57.02	2479.38	30.60	92615.19	
2	101.78	441.37	105.00	325805.20	:	2479.38	441.37	71.75	224615.00	:	620.16	2479.38	29.85	90726.12	
3	662.78	441.37	105.00	325921.61	:	2479.38	441.37	76.50	226596.33	:	488.98	2479.38	30.90	88704.82	
4	529.78	421.55	111.00	325918.84	:	2479.38	421.55	338.15	104.98	228632.58	676.15	2479.38	41.10	86860.49	
5	717.78	338.15	151.00	326147.47	:	2479.38	279.86	156.32	230675.78	:	578.00	2479.38	59.39	84899.72	
6	616.78	279.86	223.00	326261.39	:	2479.38	270.63	27.57	232856.96	:	726.95	2479.38	10.15	83137.14	
7	761.78	270.63	39.00	326713.54	:	2479.38	270.63	93.37	234972.34	:	474.65	2479.38	33.33	81099.08	
8	516.78	270.63	131.00	326828.69	:	2479.38	270.63	99.22	237081.87	:	585.89	2479.38	34.24	79171.35	
9	634.78	270.63	138.00	327054.84	:	2479.38	270.63	100.04	239190.58	:	254.09	2479.38	33.41	76912.65	
10	296.78	270.63	138.00	326942.99	:	2479.38	270.63	95.84	241303.49	:	591.48	2479.38	30.82	74993.93	
11	628.78	270.63	131.00	327170.14	:	2479.38	270.63	107.11	245531.27	:	457.29	2479.38	25.67	72946.17	
12	496.78	270.63	112.00	327284.29	:	2479.38	270.63	152.34	247587.68	:	662.37	2479.38	43.87	68841.47	
13	300.78	270.63	144.00	327170.44	:	2479.38	270.63	290.47	249707.02	:	10.37	2479.38	19.35	66353.11	
14	695.78	270.63	203.00	327392.59	:	2479.38	270.63	64.90	251819.13	:	569.78	2479.38	17.24	64426.27	
15	43.78	290.47	92.00	327053.90	:	2479.38	302.37	65.40	253930.74	:	464.51	2479.38	16.73	62394.67	
16	603.19	302.37	85.00	327269.72	:	2479.38	302.37	66.50	258019.16	:	221.69	2479.38	0.00	60136.98	
17	497.00	302.37	85.00	327379.35	:	2479.38	424.89	72.53	260014.69	:	474.78	2479.38	15.62	58116.76	
18	264.00	378.95	0.00	327264.40	:	2479.38	411.32	75.32	269569.84	:	468.70	2479.38	16.34	56089.74	
19	512.00	424.89	85.00	327266.51	:	2479.38	415.64	93.75	261984.68	:	493.94	2479.38	20.22	54084.08	
20	506.00	411.32	92.00	327269.19	:	2479.38	485.41	68.04	263910.61	:	190.79	2479.38	14.05	51781.44	
21	533.00	415.64	118.00	327268.55	:	2479.38	501.84	501.84	267367.78	:	337.91	2479.38	11.43	42006.72	
22	236.00	485.41	85.00	326934.14	:	2479.38	501.84	70.60	265798.59	:	551.78	2479.38	13.46	49732.68	
23	503.00	522.79	85.00	326829.35	:	2479.38	501.84	87.82	275257.50	:	465.73	2479.38	14.91	47926.65	
24	741.00	522.79	98.00	326949.56	:	2479.38	501.84	116.26	277118.78	:	497.46	2479.38	13.49	46102.02	
25	717.00	509.70	92.00	327064.86	:	2479.38	501.84	122.17	278974.15	:	280.50	2479.38	16.74	35765.14	
26	381.00	501.84	105.00	326839.02	:	2479.38	501.84	123.11	280828.58	:	1188.05	2479.38	15.78	34458.03	
TOT	15478.89	12140.17	3487.00		:	76860.78	12140.17	2648.59		:	14895.19	76860.78	721.09		

## JOHN MARTIN RESERVOIR

## WINTER COMPACT WATER

## PERMANENT POOL

## WINTER WATER

PG 1

OCT 1999:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
				0.00	:	0.00	0.00	3.26	9021.09	:	0.00	0.00	0.00	0.00
1	0.00	0.00	0.00	0.00	:	0.00	0.00	2.90	9017.83	:	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	:	0.00	0.00	2.91	9012.02	:	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	:	0.00	0.00	3.07	9008.95	:	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	:	0.00	0.00	4.17	9004.78	:	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	:	0.00	0.00	6.16	8998.62	:	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	:	0.00	0.00	1.08	8997.54	:	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	:	0.00	0.00	3.61	8993.93	:	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	:	0.00	0.00	3.80	8990.13	:	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	:	0.00	0.00	3.79	8986.34	:	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	:	0.00	0.00	3.60	8982.74	:	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	:	0.00	0.00	3.07	8979.67	:	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	:	0.00	0.00	3.95	8975.72	:	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	:	0.00	0.00	5.57	8970.15	:	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	:	0.00	0.00	2.52	8967.63	:	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	:	0.00	0.00	2.33	8965.30	:	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	:	0.00	0.00	2.33	8962.97	:	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	:	0.00	0.00	2.33	8962.97	:	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	:	0.00	0.00	2.33	8960.64	:	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	:	0.00	0.00	2.52	8958.12	:	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	:	0.00	0.00	3.23	8954.89	:	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	:	0.00	0.00	2.33	8952.56	:	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	:	0.00	0.00	2.33	8950.23	:	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	:	0.00	0.00	2.68	8947.55	:	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	:	0.00	0.00	2.52	8945.03	:	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	:	0.00	0.00	2.87	8942.16	:	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	:	0.00	0.00	2.32	8939.84	:	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	:	0.00	0.00	3.94	8925.32	:	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	:	0.00	0.00	2.87	8936.97	:	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	:	0.00	0.00	3.77	8933.20	:	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	:	0.00	0.00	3.94	8929.26	:	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00	0.00	:	0.00	0.00	95.77		:	0.00	0.00	0.00	0.00

## AGREEMENT WATER

SUMMER STORED WATER

PG 2

## KANSAS

## TRANSIT LOSS

## KEESEE

OCT 1999:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	991.75	0.00	34.03	94119.46	95077.18	0.00	0.00	0.00	34.22	19.21	0.97	2680.68
2	991.75	0.00	30.60	96038.33	0.00	0.00	0.00	0.00	34.22	22.95	0.87	2694.72
3	991.75	0.00	30.95	96999.13	0.00	0.00	0.00	0.00	34.22	22.95	0.87	2705.12
4	991.75	0.00	33.04	97957.84	0.00	0.00	0.00	0.00	34.22	22.95	0.92	2715.52
5	991.75	0.00	45.38	98904.21	0.00	0.00	0.00	0.00	34.22	14.26	1.26	2725.87
6	991.75	0.00	67.62	99828.34	0.00	0.00	0.00	0.00	34.22	3.39	1.88	2744.57
7	991.75	0.00	11.93	100808.16	0.00	0.00	0.00	0.00	34.22	0.00	0.33	2773.52
8	991.75	0.00	40.42	101759.49	0.00	0.00	0.00	0.00	34.22	0.00	1.13	2807.41
9	991.75	0.00	42.97	102708.27	0.00	0.00	0.00	0.00	34.22	0.00	1.20	2840.50
10	991.75	0.00	43.34	103656.68	0.00	0.00	0.00	0.00	34.22	0.00	1.21	2873.52
11	991.75	0.00	41.53	104606.90	0.00	0.00	0.00	0.00	34.22	0.00	1.17	2906.53
12	991.75	0.00	35.81	105562.84	0.00	0.00	0.00	0.00	34.21	0.00	1.01	2939.58
13	991.75	0.00	46.45	106508.14	0.00	0.00	0.00	0.00	34.22	0.00	1.31	3005.69
14	991.75	0.00	66.08	107433.81	0.00	0.00	0.00	0.00	34.22	0.00	1.87	3038.04
15	991.75	0.00	30.19	108395.37	0.00	0.00	0.00	0.00	34.22	0.00	0.85	3071.41
16	991.75	0.00	28.17	109358.95	0.00	0.00	0.00	0.00	34.22	0.00	0.80	3104.83
17	991.75	0.00	28.40	110322.30	0.00	0.00	0.00	0.00	34.22	0.00	0.81	3138.24
18	991.75	0.00	0.00	111314.05	0.00	0.00	0.00	0.00	34.22	0.00	0.00	3172.46
19	991.75	0.00	28.91	112276.89	0.00	0.00	0.00	0.00	34.22	0.00	0.82	3205.86
20	991.75	0.00	31.56	113237.08	0.00	0.00	0.00	0.00	34.22	0.00	0.90	3239.18
21	991.75	0.00	40.83	114188.00	0.00	0.00	0.00	0.00	34.22	0.00	1.17	3272.23
22	991.75	0.00	29.66	115150.09	0.00	0.00	0.00	0.00	34.22	0.00	0.85	3305.60
23	991.75	0.00	29.94	116111.90	0.00	0.00	0.00	0.00	34.22	0.00	0.86	3338.96
24	991.75	0.00	34.82	117068.83	0.00	0.00	0.00	0.00	34.22	0.00	1.00	3372.18
25	991.75	0.00	32.94	118027.64	0.00	0.00	0.00	0.00	34.22	0.00	0.95	3405.45
26	991.75	0.00	37.89	118981.50	0.00	0.00	0.00	0.00	34.22	0.00	1.09	3438.58
27	991.75	0.00	30.94	119942.31	0.00	0.00	0.00	0.00	34.22	0.00	0.89	3471.91
28	991.75	0.00	38.53	120895.53	0.00	0.00	0.00	0.00	34.22	0.00	1.11	3505.02
29	991.75	0.00	51.06	121836.22	0.00	0.00	0.00	0.00	34.22	0.00	1.48	3537.76
30	991.75	0.00	53.71	122774.26	0.00	0.00	0.00	0.00	34.22	0.00	1.56	3570.42
31	991.75	0.00	54.18	123711.83	0.00	0.00	0.00	0.00	34.22	0.00	1.57	3603.07
TOT	30744.25	0.00	1151.88		0.00	0.00	0.00		1060.81	105.71	32.71	

## SUMMER STORED WATER

LAMAR

PG 2

## FT. BENT

## AMITY

OCT 1999:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	147.27	9.98	3.91	10829.00	736.38	289.60	22.04	60950.65	294.55	156.30	6.57	18159.13
2	147.27	9.98	3.53	11096.14	736.38	252.14	19.75	61375.39	294.55	156.30	5.89	18290.81
3	147.27	9.98	3.57	11229.86	736.38	252.14	19.93	61839.88	294.55	156.30	5.94	18423.17
4	147.27	9.98	3.82	11363.33	736.38	252.14	21.22	62304.19	294.55	156.30	5.94	18555.48
5	147.27	9.98	5.26	11495.36	736.38	189.33	29.08	62767.21	294.55	136.48	6.32	18707.23
6	147.27	6.25	7.86	11628.52	736.38	151.64	43.27	63285.18	294.55	124.58	8.67	18868.53
7	147.27	4.01	1.39	11770.39	736.38	151.64	7.63	64403.76	294.55	118.58	12.90	19031.60
8	147.27	4.01	4.72	11908.93	736.38	151.64	25.83	64962.67	294.55	114.98	7.70	19380.76
9	147.27	4.01	5.03	12047.16	736.38	151.64	27.43	65519.98	294.55	114.98	8.18	19552.15
10	147.27	4.01	5.08	12185.34	736.38	151.64	27.65	66077.07	294.55	114.98	8.25	19723.47
11	147.27	4.01	4.88	12323.72	736.38	151.64	26.48	66635.33	294.55	114.98	7.90	19895.14
12	147.27	4.01	4.22	12462.76	736.38	151.64	22.81	67197.26	294.55	114.98	6.81	20067.91
13	147.27	4.01	5.48	12600.54	736.38	151.64	29.57	67752.43	294.55	114.98	8.83	20238.65
14	147.27	4.01	7.82	12735.98	736.38	151.64	42.04	68295.13	294.55	114.98	12.56	20405.66
15	147.27	4.01	3.58	12875.66	736.38	151.64	19.19	68860.68	294.55	134.82	5.73	20559.66
16	147.27	4.01	3.34	13015.58	736.38	151.64	17.90	69427.52	294.55	146.72	5.34	20702.15
17	147.27	4.01	3.38	13155.46	736.38	151.64	18.03	69994.23	294.55	146.72	5.38	20844.60
18	147.27	4.01	0.00	13298.72	736.38	215.45	0.00	70515.16	294.55	159.49	0.00	20979.66
19	147.27	4.01	3.46	13438.52	736.38	253.73	18.32	70979.49	294.55	167.15	5.45	21101.61
20	147.27	4.01	3.78	13578.00	736.38	253.73	19.95	71442.19	294.55	153.58	5.93	21236.65
21	147.27	16.48	4.89	13703.90	736.38	253.73	25.76	71899.08	294.55	145.43	7.66	21378.11
22	147.27	23.96	3.56	13823.65	736.38	316.02	18.67	72300.77	294.55	145.43	5.55	21521.68
23	147.27	23.96	3.59	13943.37	736.38	353.40	18.79	72664.96	294.55	145.43	5.60	21665.20
24	147.27	23.96	4.18	14062.50	736.38	353.40	21.79	73026.15	294.55	145.43	6.49	21807.83
25	147.27	23.96	3.96	14181.85	736.38	353.40	20.55	73388.58	294.55	132.34	6.14	21963.90
26	147.27	23.96	4.55	14300.61	736.38	353.40	23.56	73748.00	294.55	124.48	7.05	22126.92
27	147.27	23.96	3.72	14420.20	736.38	353.40	19.18	74111.80	294.55	124.48	5.76	22291.23
28	147.27	23.96	4.63	14538.88	736.38	353.40	23.81	74470.97	294.55	124.48	7.16	22454.14
29	147.27	23.96	6.14	14656.05	736.38	353.40	31.46	74822.49	294.55	124.48	9.48	22614.73
30	147.27	23.96	6.46	14772.90	736.38	353.40	32.99	75172.48	294.55	124.48	9.97	22774.83
31	147.27	23.96	6.52	14889.69	736.38	353.40	33.17	75522.29	294.55	124.48	10.05	22934.85
TOT	4565.37	368.37	136.31		22827.78	7528.29	727.85		9131.06	4137.80	217.54	

SUMMER STORED WATER													PG 3		
OCT 1999:	HYDE					MANVEL					X-Y				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	19.34	0.00	0.81	2229.32	:	35.70	0.00	1.51	4208.05	:	75.87	0.00	3.21	8874.95	8947.61
2	19.34	0.00	0.72	2266.47	:	35.70	0.00	1.35	4242.40	:	75.87	0.00	2.88	9020.60	
3	19.34	0.00	0.73	2285.08	:	35.70	0.00	1.37	4276.73	:	75.87	0.00	2.91	9093.56	
4	19.34	0.00	0.78	2303.64	:	35.70	0.00	1.46	4310.97	:	75.87	0.00	3.10	9166.33	
5	19.34	0.00	1.07	2321.91	:	35.70	0.00	2.00	4344.67	:	75.87	0.00	4.25	9237.95	
6	19.34	0.00	1.59	2339.66	:	35.70	0.00	2.97	4377.40	:	75.87	0.00	6.32	9307.50	
7	19.34	0.00	0.28	2358.72	:	35.70	0.00	0.52	4412.58	:	75.87	0.00	1.11	9382.26	
8	19.34	0.00	0.95	2377.11	:	35.70	0.00	1.77	4446.51	:	75.87	0.00	3.76	9454.37	
9	19.34	0.00	1.00	2395.45	:	35.70	0.00	1.88	4480.33	:	75.87	0.00	3.99	9526.25	
10	19.34	0.00	1.01	2413.78	:	35.70	0.00	1.89	4514.14	:	75.87	0.00	4.02	9598.10	
11	19.34	0.00	0.97	2432.15	:	35.70	0.00	1.81	4548.03	:	75.87	0.00	3.85	9670.12	
12	19.34	0.00	0.83	2450.66	:	35.71	0.00	1.56	4582.18	:	75.87	0.00	3.31	9742.68	
13	19.34	0.00	1.08	2468.92	:	35.70	0.00	2.01	4615.87	:	75.87	0.00	4.29	9814.26	
14	19.34	0.00	1.53	2486.73	:	35.70	0.00	2.86	4648.71	:	75.87	0.00	6.09	9884.04	
15	19.34	0.00	0.70	2505.37	:	35.70	0.00	1.31	4683.10	:	75.87	0.00	2.78	9957.13	
16	19.34	0.00	0.65	2524.06	:	35.70	0.00	1.22	4717.58	:	75.87	0.00	2.59	10030.41	
17	19.34	0.00	0.66	2542.74	:	35.70	0.00	1.22	4752.06	:	75.87	0.00	2.60	10103.68	
18	19.34	0.00	0.00	2562.08	:	35.70	0.00	0.00	4787.76	:	75.87	0.00	0.00	10179.55	
19	19.34	0.00	0.67	2580.75	:	35.70	0.00	1.24	4822.22	:	75.87	0.00	2.64	10252.78	
20	19.34	0.00	0.73	2599.36	:	35.70	0.00	1.36	4856.56	:	75.87	0.00	2.88	10325.77	
21	19.34	0.00	0.94	2617.76	:	35.70	0.00	1.75	4890.51	:	75.87	0.00	3.72	10397.92	
22	19.34	0.00	0.68	2636.42	:	35.70	0.00	1.27	4924.94	:	75.87	0.00	2.70	10471.09	
23	19.34	0.00	0.69	2655.07	:	35.70	0.00	1.28	4959.36	:	75.87	0.00	2.72	10544.24	
24	19.34	0.00	0.80	2673.61	:	35.70	0.00	1.49	4993.57	:	75.87	0.00	3.16	10616.95	
25	19.34	0.00	0.75	2692.20	:	35.70	0.00	1.40	5027.87	:	75.87	0.00	2.99	10689.83	
26	19.34	0.00	0.87	2710.67	:	35.70	0.00	1.61	5061.96	:	75.87	0.00	3.43	10762.27	
27	19.34	0.00	0.70	2729.31	:	35.70	0.00	1.32	5096.34	:	75.87	0.00	2.80	10835.34	
28	19.34	0.00	0.88	2747.77	:	35.70	0.00	1.64	5130.40	:	75.87	0.00	3.48	10907.73	
29	19.34	0.00	1.16	2765.95	:	35.70	0.00	2.17	5163.93	:	75.87	0.00	4.61	10978.99	
30	19.34	0.00	1.22	2784.07	:	35.70	0.00	2.28	5197.35	:	75.87	0.00	4.84	11050.02	
31	19.34	0.00	1.23	2802.18	:	35.70	0.00	2.29	5230.76	:	75.87	0.00	4.88	11121.01	
TOT	599.54	0.00	26.68		:	1106.71	0.00	49.81		:	2351.97	0.00	105.91		
SUMMER STORED WATER													PG 3		
OCT 1999:	BUFFALO					SISSON					TOTAL				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	126.45	0.00	5.30	14652.60	:	17.85	0.00	0.75	2086.91	:	1487.63	475.09	45.07	124637.10	125604.57
2	126.45	0.00	4.75	14895.45	:	17.85	0.00	0.68	2104.01	:	1487.63	441.37	40.42	126610.41	
3	126.45	0.00	4.80	15017.10	:	17.85	0.00	0.68	2121.18	:	1487.63	441.37	40.80	127615.87	
4	126.45	0.00	5.11	15138.44	:	17.85	0.00	0.73	2138.35	:	1487.63	441.37	43.46	128638.49	
5	126.45	0.00	7.01	15257.88	:	17.85	0.00	1.00	2155.47	:	1487.63	421.55	43.46	129728.37	
6	126.45	0.00	10.43	15373.90	:	17.85	0.00	1.48	2172.32	:	1487.63	338.15	59.60	130847.44	
7	126.45	0.00	1.84	15498.51	:	17.85	0.00	0.26	2188.69	:	1487.63	279.86	88.70	132048.80	
8	126.45	0.00	6.21	15618.75	:	17.85	0.00	0.88	2206.28	:	1487.63	270.63	52.95	133212.85	
9	126.45	0.00	6.60	15738.60	:	17.85	0.00	0.94	2223.25	:	1487.63	270.63	56.25	134373.60	
10	126.45	0.00	6.64	15858.41	:	17.85	0.00	0.95	2240.16	:	1487.63	270.63	56.70	135533.90	
11	126.45	0.00	6.35	15978.51	:	17.85	0.00	0.90	2257.06	:	1487.63	270.63	54.31	136696.59	
12	126.44	0.00	5.47	16099.48	:	17.85	0.00	0.78	2274.01	:	1487.63	270.63	46.80	137866.79	
13	126.45	0.00	7.08	16218.85	:	17.85	0.00	1.01	2291.08	:	1487.63	270.63	60.66	139023.13	
14	126.45	0.00	10.06	16335.24	:	17.85	0.00	1.43	2308.34	:	1487.63	270.63	86.26	140153.87	
15	126.45	0.00	4.59	16457.10	:	17.85	0.00	0.65	2341.54	:	1487.63	290.47	39.38	141311.65	
16	126.45	0.00	4.28	16579.27	:	17.85	0.00	0.61	2358.78	:	1487.63	302.37	36.73	142460.18	
17	126.45	0.00	4.31	16701.41	:	17.85	0.00	0.61	2376.02	:	1487.63	302.37	37.00	143608.44	
18	126.45	0.00	0.00	16827.86	:	17.85	0.00	0.00	2393.87	:	1487.63	378.95	0.00	144717.12	
19	126.45	0.00	4.37	16949.94	:	17.85	0.00	0.62	2411.10	:	1487.63	424.89	37.59	145742.27	
20	126.45	0.00	4.76	17071.63	:	17.85	0.00	0.68	2428.27	:	1487.63	411.32	40.97	146777.61	
21	126.45	0.00	6.15	17191.93	:	17.85	0.00	0.88	2445.24	:	1487.63	415.64	52.92	147796.68	
22	126.45	0.00	4.46	17313.92	:	17.85	0.00	0.64	2462.45	:	1487.63	485.41	38.38	148760.52	
23	126.45	0.00	4.50	17435.87	:	17.85	0.00	0.64	2479.66	:	1487.63	522.79	38.67	149686.69	
24	126.45	0.00	5.23	17557.09	:	17.85	0.00	0.74	2496.77	:	1487.63	522.79	44.88	150606.65	
25	126.45	0.00	4.94	17678.60	:	17.85	0.00	0.70	2513.92	:	1487.63	509.70	42.38	151542.20	
26	126.45	0.00	5.68	17799.37	:	17.85	0.00	0.81	2530.96	:	1487.63	501.84	48.65	152479.34	
27	126.45	0.00	4.63	17921.19	:	17.85	0.00	0.66	2548.15	:	1487.63	501.84	39.66	153425.47	
28	126.45	0.00	5.76	18041.88	:	17.85	0.00	0.82	2565.18	:	1487.63	501.84	49.29	154361.97	
29	126.45	0.00	7.62	18160.71	:	17.85	0.00	1.08	2581.95	:	1487.63	501.84	65.20	155282.56	
30	126.45	0.00	8.00	18279.16	:	17.85	0.00	1.14	2598.66	:	1487.63	501.84	68.46	156199.89	
31	126.45	0.00	8.07	18397.54	:	17.85	0.00	1.15	2615.36	:	1487.63	501.84	68.93	157116.75	
TOT	3919.94	0.00	175.00		:	553.35	0.00	24.90		:	46116.53	12140.17	1496.71		

OCT 1999:	AMITY					FT. LYON					LAS ANIMAS CONSOL.				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00	0.00

OCT 1999:	TOTAL					OFFSET ACCOUNT					FLOOD POOL				
	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	0.00	:	46.84	0.00	0.52	1435.74	:	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	:	44.76	0.00	0.48	1482.06	:	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	:	42.62	0.00	0.49	1526.34	:	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	:	40.80	0.00	0.53	1568.47	:	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	:	41.63	0.00	0.75	1608.74	:	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	:	38.78	0.00	1.13	1649.62	:	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	:	34.83	0.00	0.20	1687.27	:	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	:	42.13	0.00	0.69	1721.90	:	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	:	48.89	0.00	0.74	1763.34	:	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	:	42.69	0.00	0.76	1811.49	:	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	:	37.30	0.00	0.74	1853.42	:	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	:	39.49	0.00	0.65	1889.98	:	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	:	33.13	0.00	0.85	1928.82	:	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	:	33.41	0.00	1.22	1961.10	:	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	:	33.41	0.00	0.56	1993.29	:	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	:	33.41	0.00	0.53	2026.14	:	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	:	32.49	0.00	0.54	2059.02	:	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	:	42.31	0.00	0.00	2090.97	:	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	:	37.22	0.00	0.55	2133.28	:	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	:	37.30	0.00	0.61	2169.95	:	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	:	39.06	0.00	0.80	2206.64	:	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	:	45.21	0.00	0.58	2244.90	:	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	:	58.92	0.00	0.60	2289.53	:	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	:	52.74	0.00	0.71	2347.85	:	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	:	48.76	0.00	0.67	2399.88	:	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	:	43.09	0.00	0.79	2447.97	:	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	:	37.22	0.00	0.65	2490.27	:	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	:	39.27	0.00	0.81	2526.84	:	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	:	40.54	0.00	1.15	2565.30	:	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	:	38.50	0.00	1.08	2604.76	:	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	:	40.97	684.02	1.17	2642.11	:	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00	0.00	:	1267.72	684.02	21.55	1997.89	:	0.00	0.00	0.00	0.00	0.00

