

ANNUAL REPORT
OF THE
OPERATIONS SECRETARY

CONCERNING THE
OPERATION OF JOHN MARTIN

1989

SUBMITTED TO THE
OPERATIONS COMMITTEE

ARKANSAS RIVER COMPACT ADMINISTRATION

INDEX

	Page
Annual Report Summary	1
Agreement dated December 3, 1989	2
Amendment to Agreement dated December 3, 1989	3
Memorandum Summarizing Approval of Operations for Lamar	4
Financial Status Statement	7
Table I Compact Water	8
Table II Winter Water	8
Table III Ft. Lyon Canal Art III Water	9
Table IV Amity Canal Art III Water	9
Table V Las Animas Cons. Art III Water	10
Table VI Agreement Accounts	10
Table VII Transit Loss Account	11
Table VIII Permanent Recreation Pool	11
Table IX Releases From Flood Pool	12
Table X Releases to Colorado Ditches	12
Table XI Releases and Deliveries to Kansas by Month	13
Table XII Releases and Deliveries to Kansas by Runs	13
Table XIII Daily Status Report - John Martin Reservoir 10/31/89	14
Monthly Accounting Sheets	

ANNUAL REPORT OF THE OPERATIONS SECRETARY
TO THE
ARKANSAS RIVER COMPACT ADMINISTRATION

November 1, 1988 to October 31, 1989

Steven J. Witte

Winter storage in John Martin Reservoir began at 0001 hour, November 1, 1988. At that time the conservation pool was empty, and the reservoir accounts contained 78,983.57 af distributed as follows: 71,550.60 af in Agreement Accounts and 7432.97 af in the Permanent Recreation Pool. Winter storage ended at 2400 hour, March 31, 1989. During this period 53,504.93 af was stored. This water was allocated to various accounts as specified in the Operating Plan, adopted by the Compact Administration on April 14, 1980.

Summer storage began at 0001 hour, April 1, 1989, and ended at 2400 hour, October 31, 1989. During this period 17,464.96 af was stored. 1,805.40 af of this was Frying Pan-Arkansas Project water stored for and released to the City of Lamar under an agreement approved by the Compact Administration. The rest was distributed to accounts under the 1980 Operating Plan.

At the close of the compact year the reservoir accounts contained 27,406.78 af, which is nearly 50,000 af below the storage level of one year ago and is the lowest the reservoir has been since 1982.

The transfer of excess water remaining in the Kansas transit loss account at the end of the irrigation year (See paragraph 5 of Agreement between Steven Frost and Steven Witte, dated December 3, 1988) was deferred by mutual consent of the parties, pending reconsideration of the matter by the Compact Administration on December 12, 1989.


A new feature has been added to the report this year. At the request of the Operations Committee, Table XII has been inserted which provides the same information as Table XI, except that it has been summarized by 'runs to Kansas'. Table XIII, (which was included for the first time in the 1988 report as Table XII) shows the amount stored in each reservoir account at 2400 hour, October 31, 1989.

The other summary tables reflect the status of various accounts during the season. Also included are daily and monthly sheets of all accounts.

December 3, 1988

AGREEMENT

1. This Agreement will expire November 1, 1989.
2. Kansas and Colorado will cooperate in all release rates to secure the most efficient delivery of water to the Stateline and to Kansas water users.
3. Credit for delivery to Kansas will stop at the Stateline 7 days after the end of the run at John Martin Reservoir. No credit for over-delivery will be carried forward to any subsequent run.
 - 3a. In the event Kansas calls for a second run before the first run's 7 days have elapsed, then there will be a meeting between the Kansas Water Commissioner and the Colorado Division Engineer to establish the delivery.
4. When the daily average flow at the Stateline exceeds the demand, delivery will be credited at not to exceed 105% of the demand.
5. 35% of all "other water" will be transferred into Kansas transit loss account. In the event that water in Kansas transit loss account exceeds the transit loss at the end of the irrigation year, the excess balance will be transferred into the Kansas and Colorado storage accounts.



Kansas State Board of Agriculture
Division of Water Resources




Steven J. Witte
Colorado Division Engineer
Division of Water Resources

A D D E N D U M


BY INSTRUMENT OF THIS ADDENDUM, the undersigned parties mutually resolve to amend their original agreement of December 3, 1988 (attached herewith), specifically as relates to Paragraph No. 5 regarding transfer of the Kansas Transit Loss Account Balance.

AS OF THIS DAY, the Kansas Transit Loss Account Balance will be considered effectively suspended and not redistributed among the Kansas and Colorado storage accounts on November 1, 1989 as was stipulated in the original agreement. This resolution shall remain operative until further revision or modification is approved by the Arkansas River Compact Administration.

THIS ADDENDUM IS THEREFORE ACKNOWLEDGED and executed among the parties this 20th day of November, 1989 upon the review and consent of David L. Pope, Chief Engineer-Director, Division of Water Resources (Kansas representative), and J. William McDonald, Director, Colorado Water Conservation Board, (Colorado representative).



Steven J. Witte
Division Engineer
Colorado Division of Water Resources



Steven K. Frost
Water Commissioner
Kansas Division of Water Resources

ROY ROMER
Governor



JERIS A. DANIELSON
State Engineer

DIVISION OF WATER RESOURCES
WATER DIVISION II

Steven J. Witte
Division Engineer
219 W. 5th Street, Room 223
P.O. Box 5728
Pueblo, Colorado 81003
(719) 542-3368

July 24, 1989

MEMORANDUM

TO: Arkansas River Compact Administration:
Chairman and Members

Steven J. Witte

FROM: Steven J. Witte-Operations Secretary

SUBJECT: Amended approval and revised operations related to
City of Lamar's Frying Pan-Arkansas Project water

By previous memo dated 7/14/89, I related facts that pertained to Lamar's original proposal as approved.

On 7/20/89 I was advised that Lamar's recharge pit was incapable of handling the release of 40.12 cfs initiated at 0900 hours MDST on 7/17/89 from John Martin Reservoir, of which 40 cfs had been delivered to the Fort Bent Ditch.

The release was reduced at the city of Lamar's request to 25.07 cfs at 0900 hours MDST on 7/20/89 which will net 25 cfs at the Fort Bent headgate. This will increase the total number of days required to evacuate from approximately 22.75 days to 34.51 days.

The members of the Arkansas River Compact Administration were requested to ratify this action by telephone with the following results:

William J. McDonald	7/20/89	approved
Carl Genova	7/20/89	aporoed
Jim Rogers	7/21/89	approved
David Pope	7/24/89	approved
Ron Clomon	7/26/89	approved
Carl Bentrup	7/27/89	approved

SJW/em

xc: Steve Frost

ROY ROMER
Governor



JERIS A. DANIELSON
State Engineer

DIVISION OF WATER RESOURCES
WATER DIVISION II

Steven J. Witte
Division Engineer
219 W. 5th Street, Room 223
P.O. Box 5728
Pueblo, Colorado 81003
(719) 542-3368

July 14, 1989

MEMORANDUM

TO: Arkansas River Compact Administration:
Chairman and Members

FROM: *Steve*
Steven J. Witte-Operations Secretary

SUBJECT: Summary of actions taken to obtain approval and initiate delivery of Frying Pan-Arkansas Project water to City of Lamar involving temporary retention/regulation at John Martin Reservoir.

The City of Lamar, Colorado made a request for the release of 2000 acre feet of Frying Pan-Arkansas Project water stored in Pueblo Reservoir on or about July 10, 1989. Their plan involved releasing this water at a rate of 200 cfs to be delivered to John Martin Reservoir where it would be immediately and continuously released at a rate of 40 cfs for delivery to the Fort Bent headgate until evacuated. At this point water would be diverted for the sole purpose of recharging the aquifer underlying Lamar's municipal well field. It was proposed that the temporary storage in John Martin Reservoir that results from the regulation be accounted a a sub account of the Fort Bent account as was done previously in 1979, 1980 and 1981 through March 4, 1982.

As Division Engineer for Water Division 2 and Operations Secretary for the Arkansas River Compact Administration, I determined that if this operation was approved it should be subject to all appropriate transportation and evaporation losses. The 2000 A.F. release from Pueblo Reservoir will net the City of Lamar 1805.40 A.F. at John Martin Reservoir to be stored at the rate of 180.54 cfs for 5.04 days. A continuous release of 40 cfs from John Martin Reservoir to the City of Lamar, will evacuate the account, less evaporation, in approximately 22.75 days. All storage for the City of Lamar will be reduced by a prorata share of evaporation during the temporary storage.

Page Two
Arkansas River Compact Administration
July 14, 1989

The members of the Arkansas River Compact Administration were polled by telephone seeking their approval with the following results:

William J. McDonald	7/13/89	approved
Carl Genova	7/12/89	approved
Jim Rogers	7/12/89	approved
David Pope	7/13/89	approved
Ron Olomon	7/12/89	approved
Carl Bentrup	7/13/89	approved

Accordingly, a release from Pueblo Reservoir was initiated for this purpose at 1800 hours MDST, July 13, 1989.

Mr. Pope suggested that a procedure should be established by which approval of such extra-ordinary operations may be reviewed and approved or disapproved which would allow for some reasonable period of consideration in the future. The Operations Secretary will consider this suggestion and attempt to prepare a proposal for Administration's consideration.

SJW/TS/em

1988-1989

FINANCIAL STATUS

OF

OPERATIONS SECRETARY

The Operations Secretary received \$6100.00 from the Compact and this was expended on the following items:

New fiscal year	\$6,100.00	
Carryover Amount from 1987-88	-\$ 16.27	
Colorado Mobile		\$ 130.16
Lewans (Daisy Wheel)		34.00
Colorado Mobile		124.89
Colorado Mobile		122.90
Colorado Mobile		120.26
Gutenberg's		86.99
Colorado Mobile		129.78
Computer Products		62.98
V. Taylor		121.28
Colorado Mobile		123.86
Colorado Mobile		116.14
Colorado Mobile		112.79
Competitive Computer Components		2,098.00
Mid-West Peripherals		335.56
Colorado Mobile		114.07
Colorado Mobile		117.94
Digitcom Electronics		238.50
Colorado Mobile		152.41
Best Buy Computers		375.00
Charles Roberts (Software)		182.51
Colorado Mobile		<u>110.21</u>
		\$1,073.50

JOHN MARTIN RESERVOIR

TABLE I
COMPACT WATER

WATER YEAR 1989 MONTH	CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
NOVEMBER	0.00	5916.02	29.00	0.00	5886.22
DECEMBER	5886.22	4850.09	55.95	0.00	10680.36
JANUARY	10680.36	5403.90	21.13	0.00	16063.13
FEBRUARY	16063.13	4534.00	29.65	0.00	20567.48
MARCH	20567.48	6667.14	441.00	0.00	26793.62
APRIL	26793.62	1735.26	138.47	28390.41	0.00
MAY	0.00	8593.61	7.71	8585.90	0.00
JUNE	0.00	2739.81	1.36	2738.45	0.00
JULY	0.00	0.00	0.00	0.00	0.00
AUGUST	0.00	0.00	0.00	0.00	0.00
SEPTEMBER	0.00	0.00	0.00	0.00	0.00
OCTOBER	0.00	0.00	0.00	0.00	0.00
TOTALS		40439.83	725.07	39714.76	

TABLE II
- WINTER WATER

WATER YEAR 1989 MONTH	CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
NOVEMBER	0.00	3356.41	6.88	0.00	3349.53
DECEMBER	3349.53	6550.91	41.12	0.00	9859.32
JANUARY	9859.32	6098.10	20.10	0.00	15937.32
FEBRUARY	15937.32	6135.00	31.57	0.00	22040.75
MARCH	22040.75	3993.36	450.26	25583.85	0.00
APRIL	0.00	134.76	0.00	134.76	0.00
MAY	0.00	0.00	0.00	0.00	0.00
JUNE	0.00	0.00	0.00	0.00	0.00
JULY	0.00	0.00	0.00	0.00	0.00
AUGUST	0.00	0.00	0.00	0.00	0.00
SEPTEMBER	0.00	0.00	0.00	0.00	0.00
OCTOBER	0.00	0.00	0.00	0.00	0.00
TOTALS		26268.54	549.93	25718.61	

TABLE III
FT. LYON CANAL
ART. III WATER

WATER YEAR 1989 MONTH	CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
NOVEMBER	0.00	0.00	0.00	0.00	0.00
DECEMBER	0.00	0.00	0.00	0.00	0.00
JANUARY	0.00	0.00	0.00	0.00	0.00
FEBRUARY	0.00	0.00	0.00	0.00	0.00
MARCH	0.00	0.00	0.00	0.00	0.00
APRIL	0.00	98.49	1.59	33.43	63.47
MAY	63.47	0.00	2.08	0.00	61.39
JUNE	61.39	0.00	1.52	59.87	0.00
JULY	0.00	0.00	0.00	0.00	0.00
AUGUST	0.00	0.00	0.00	0.00	0.00
SEPTEMBER	0.00	0.00	0.00	0.00	0.00
OCTOBER	0.00	0.00	0.00	0.00	0.00
TOTALS		98.49	5.19	93.30	

TABLE IV
AMITY CANAL
ART. III WATER

WATER YEAR 1989 MONTH	CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
NOVEMBER	8843.54	0.00	106.52	0.00	8737.02
DECEMBER	8737.02	0.00	58.76	0.00	8678.26
JANUARY	8678.26	0.00	14.98	0.00	8663.28
FEBRUARY	8663.28	0.00	13.45	0.00	8649.83
MARCH	8649.83	21976.53	157.84	7691.79	22776.73
APRIL	22776.73	31.16	488.20	12210.37	10109.32
MAY	10109.32	1627.57	160.13	7586.24	3990.52
JUNE	3990.52	0.00	125.64	184.14	3680.74
JULY	3680.74	828.55	179.54	1686.74	2643.01
AUGUST	2643.01	0.00	120.70	731.38	1790.93
SEPTEMBER	1790.93	0.00	74.08	0.00	1716.85
OCTOBER	1716.85	0.00	53.53	0.00	1663.32
TOTALS		24463.81	1553.37	30090.66	

TABLE V
LAS ANIHAS CONS.
ART. III WATER

WATER YEAR 1989 MONTH	CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
NOVEMBER	0.00	0.00	0.00	0.00	0.00
DECEMBER	0.00	0.00	0.00	0.00	0.00
JANUARY	0.00	0.00	0.00	0.00	0.00
FEBRUARY	0.00	0.00	0.00	0.00	0.00
MARCH	0.00	3607.32	0.00	1262.56	2344.76
APRIL	2344.76	5.11	61.21	1.79	2286.87
MAY	2286.87	0.00	69.20	240.06	1976.81
JUNE	1976.81	0.00	59.20	396.71	1520.90
JULY	1520.90	0.00	53.67	1372.28	94.95
AUGUST	94.95	0.00	0.38	94.57	0.00
SEPTEMBER	0.00	0.00	0.00	0.00	0.00
OCTOBER	0.00	0.00	0.00	0.00	0.00
TOTALS		3612.43	243.66	3368.77	

TABLE VI
AGREEMENT ACCOUNTS

WATER YEAR 1989 MONTH	CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
NOVEMBER	71550.60	0.00	861.79	0.00	70688.81
DECEMBER	70688.81	0.00	475.52	0.00	70213.29
JANUARY	70213.29	0.00	121.16	0.00	70092.13
FEBRUARY	70092.13	0.00	108.52	0.00	69983.61
MARCH	69983.61	25583.85	1258.09	3950.50	90358.87
APRIL	90358.87	28525.17	2550.39	27927.34	88406.31
MAY	88406.31	10213.47	2616.63	18638.09	77365.06
JUNE	77365.06	2738.45	2440.33	6088.06	71575.12
JULY	71575.12	828.55	3251.81	23845.36	45306.50
AUGUST	45306.50	0.00	1736.05	12493.28	31077.17
SEPTEMBER	31077.17	0.00	1263.09	811.99	29002.09
OCTOBER	29002.09	0.00	758.52	6289.75	21953.82
TOTALS		67889.49	17441.90	100044.37	

TABLE VII
TRANSIT LOSS ACCOUNT

WATER YEAR 1989 MONTH	CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
NOVEMBER	6263.11	0.00	75.43	0.00	6187.68
DECEMBER	6187.68	0.00	1.56	6186.12	0.00
JANUARY	0.00	0.00	0.00	0.00	0.00
FEBRUARY	0.00	0.00	0.00	0.00	0.00
MARCH	0.00	8954.35	0.00	0.00	8954.35
APRIL	8954.35	46.13	234.63	0.00	8765.85
MAY	8765.85	569.65	275.00	842.98	8216.72
JUNE	8216.72	0.00	261.00	0.00	7954.84
JULY	7954.84	289.99	397.84	1475.24	6371.75
AUGUST	6371.75	0.00	309.74	0.00	6062.01
SEPTEMBER	6062.01	0.00	250.78	0.00	5811.23
OCTOBER	5811.23	0.00	159.40	842.99	4808.84
TOTALS		9860.12	1967.06	9347.33	

TABLE VIII
PERMANENT REC. POOL

WATER YEAR 1989 MONTH	CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
NOVEMBER	7432.97	0.00	89.53	0.00	7343.44
DECEMBER	7343.44	0.00	49.41	0.00	7294.03
JANUARY	7294.03	0.00	12.61	0.00	7281.42
FEBRUARY	7281.42	0.00	11.26	0.00	7270.16
MARCH	7270.16	0.00	132.65	0.00	7137.51
APRIL	7137.51	0.00	186.14	0.00	6951.37
MAY	6951.37	0.00	226.66	0.00	6724.71
JUNE	6724.71	0.00	214.31	0.00	6510.40
JULY	6510.40	0.00	339.02	0.00	6171.38
AUGUST	6171.38	0.00	300.03	0.00	5871.35
SEPTEMBER	5871.35	0.00	242.91	0.00	5628.44
OCTOBER	5628.44	0.00	175.48	0.00	5452.96
TOTALS		0.00	1980.01	0.00	

TABLE IX
RELEASES FROM
FLOOD POOL

WATER YEAR 1989 MONTH	CONTENTS BEG. OF MONTH A.F.	INFLOW A.F.	EVAPORATION A.F.	RELEASE A.F.	CONTENTS END OF MONTH A.F.
NOVEMBER	0.00	0.00	0.00	0.00	0.00
DECEMBER	0.00	0.00	0.00	0.00	0.00
JANUARY	0.00	0.00	0.00	0.00	0.00
FEBRUARY	0.00	0.00	0.00	0.00	0.00
MARCH	0.00	0.00	0.00	0.00	0.00
APRIL	0.00	0.00	0.00	0.00	0.00
MAY	0.00	0.00	0.00	0.00	0.00
JUNE	0.00	0.00	0.00	0.00	0.00
JULY	0.00	0.00	0.00	0.00	0.00
AUGUST	0.00	0.00	0.00	0.00	0.00
SEPTEMBER	0.00	0.00	0.00	0.00	0.00
OCTOBER	0.00	0.00	0.00	0.00	0.00
TOTALS		0.00	0.00	0.00	

TABLE X
Releases to Colorado ditches

WATER YEAR 1989 MONTH	ACRE FEET
NOVEMBER	0.00
DECEMBER	0.00
JANUARY	0.00
FEBRUARY	0.00
MARCH	3950.50
APRIL	27927.34
MAY	12092.54
JUNE	6000.06
JULY	11732.05
AUGUST	3561.50
SEPTEMBER	811.99
OCTOBER	487.97
TOTALS	66651.95

Table x includes 1017.15 af of Lower Arkansas Water Management Association well augmentation water, 591.62 af of Sisson well augmentation water and 1,769.31 af of City of Lamar project water.

JOHN MARTIN RESERVOIR

TABLE XI
RELEASES AND DELIVERIES
TO KANSAS

WATER YEAR 1989 MONTH	DEMAND RELEASE A.F.	TRANSIT LOSS ACCT. RELEASE A.F.	FRONTIER DITCH A.F.	ARKANSAS @ COOLIDGE, KS. A.F.	DITCH & RIVER DELIVERY A.F.	CREDITED DELIVERY A.F.
NOVEMBER	0.00	0.00	0.00	0.00	0.00	0.00
DECEMBER	0.00	0.00	0.00	0.00	0.00	0.00
JANUARY	0.00	0.00	0.00	0.00	0.00	0.00
FEBRUARY	0.00	0.00	0.00	0.00	0.00	0.00
MARCH	0.00	0.00	0.00	0.00	0.00	0.00
APRIL	0.00	0.00	0.00	0.00	0.00	0.00
MAY	5702.57	842.98	0.00	13551.00	13551.00	9981.00
JUNE	0.00	0.00	0.00	0.00	0.00	0.00
JULY	11520.83	1475.24	1641.00	12722.00	14363.00	12905.00
AUGUST	9818.33	0.00	962.00	18107.00	19069.00	15299.00
SEPTEMBER	0.00	0.00	0.00	0.00	0.00	0.00
OCTOBER	4958.79	842.99	637.00	5524.00	6161.00	6145.00
TOTALS	32000.52	3161.21	3240.00	49904.00	53144.00	44330.00

NOTE: The May thru August stateline flows are based on provisional USGS data. The October stateline flow is based on Satellite Monitoring System data. The above table reflects only times when actual releases were being made from John Martin Reservoir plus a 7 day rundown period. "Credited delivery" refers to the limitation that credit will not be taken for more than one hundred five percent of Kansas' demand.

TABLE XII
RELEASES AND DELIVERIES
TO KANSAS
BY RUNS

RUN #	RELEASE PERIOD	RELEASED FROM KANSAS ACCOUNT ACRE FEET	A.F. CREDITED DELIVERY AT STATELINE
ONE	4/8-4/15	5702.57	9981.00
TWO	7/7-7/15	6264.55	9164.00
THREE	7/25-8/13	15074.61	19040.00
FOUR	10/2-10/12	4958.79	6145.00
TOTALS		32000.52	44330.00

TABLE XIII

DAILY STATUS REPORT
JOHN MARTIN RESERVOIR

OCT 31, 1989

ACCT	NAME	INFLOW	RELEASE	EVAP	OWN
1	JOHN MARTIN RESERVOIR	0.00	0.00	22.00	27406.78
2	AGREEMENT WATER	0.00	0.00	17.62	21953.82
3	SUMMER COMPACT WATER	0.00	0.00	0.00	0.00
4	WINTER COMPACT WATER	0.00	0.00	0.00	0.00
5	PERMANENT POOL	0.00	0.00	4.38	5452.96
6	WINTER WATER	0.00	0.00	0.00	0.00
45	FLOOD POOL	0.00	0.00	0.00	0.00
2	AGREEMENT WATER	0.00	0.00	17.62	21953.82
7	SUMMER STORED WATER	0.00	0.00	7.12	8874.06
8	KANSAS	0.00	0.00	3.95	4924.15
18	TRANSIT LOSS	0.00	0.00	3.86	4808.84
31	ARTICLE III	0.00	0.00	1.34	1663.32
35	1989 WINTER STORED WATER	0.00	0.00	1.35	1683.45
7	SUMMER STORED WATER	0.00	0.00	7.12	8874.06
9	KEESEE	0.00	0.00	0.00	0.00
10	FT. BENT	0.00	0.00	0.00	0.00
11	AMITY	0.00	0.00	0.00	0.00
12	LAMAR	0.00	0.00	0.00	0.00
13	HYDE	0.00	0.00	0.88	1096.12
14	MANVEL	0.00	0.00	0.00	0.00
15	X-Y	0.00	0.00	0.00	0.00
16	BUFFALO	0.00	0.00	4.62	5764.16
17	SISSON	0.00	0.00	1.62	2013.78
31	ARTICLE III	0.00	0.00	1.34	1663.32
32	AMITY	0.00	0.00	1.34	1663.32
33	FT. LYON	0.00	0.00	0.00	0.00
34	LAS ANIMAS CONSOLIDATED	0.00	0.00	0.00	0.00
35	1989 WINTER STORED WATER	0.00	0.00	1.35	1683.45
36	KEESEE	0.00	0.00	0.01	14.35
37	FT. BENT	0.00	0.00	0.00	0.00
38	AMITY	0.00	0.00	0.00	0.00
39	LAMAR	0.00	0.00	0.00	0.00
40	HYDE	0.00	0.00	0.16	197.66
41	MANVEL	0.00	0.00	0.00	0.00
42	X-Y	0.00	0.00	0.00	0.00
43	BUFFALO	0.00	0.00	1.03	1289.04
44	SISSON	0.00	0.00	0.15	182.40

SUMMER STORED WATER

OCT 1989:	HYDE				MANVEL				X-Y				OWN
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	1.25	191	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	0.00	0.00	1.25	189	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3	0.00	0.00	1.25	187	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
4	0.00	0.00	1.25	185	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
5	0.00	0.00	1.25	183	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
6	0.00	0.00	1.25	181	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
7	0.00	0.00	1.25	179	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
8	0.00	0.00	1.25	177	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
9	0.00	0.00	1.25	175	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
10	0.00	0.00	1.25	173	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11	0.00	0.00	1.25	171	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
12	0.00	0.00	1.25	169	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
13	0.00	0.00	1.25	167	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
14	0.00	0.00	1.25	165	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
15	0.00	0.00	1.25	163	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
16	0.00	0.00	1.25	161	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
17	0.00	0.00	1.25	159	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
18	0.00	0.00	1.25	157	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
19	0.00	0.00	1.25	155	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
20	0.00	0.00	1.25	153	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
21	0.00	0.00	1.25	151	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
22	0.00	0.00	1.25	149	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
23	0.00	0.00	1.25	147	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
24	0.00	0.00	1.25	145	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
25	0.00	0.00	1.25	143	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
26	0.00	0.00	1.25	141	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
27	0.00	0.00	1.25	139	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
28	0.00	0.00	1.25	137	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
29	0.00	0.00	1.25	135	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
30	0.00	0.00	1.25	133	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
31	0.00	0.00	1.25	131	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
TOT	0.00	59.51	35.91		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

SUMMER STORED WATER

OCT 1989:	BUFFALO				SISSON				TOTAL				OWN
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	9.21	41	0.00	0.00	1.90	2075	0.00	0.00	13.91	4638	
2	0.00	0.00	9.21	39	0.00	0.00	1.90	2073	0.00	0.00	13.91	4636	
3	0.00	0.00	9.21	37	0.00	0.00	1.90	2071	0.00	0.00	13.91	4634	
4	0.00	0.00	9.21	35	0.00	0.00	1.90	2069	0.00	0.00	13.91	4632	
5	0.00	0.00	9.21	33	0.00	0.00	1.90	2067	0.00	0.00	13.91	4630	
6	0.00	0.00	9.21	31	0.00	0.00	1.90	2065	0.00	0.00	13.91	4628	
7	0.00	0.00	9.21	29	0.00	0.00	1.90	2063	0.00	0.00	13.91	4626	
8	0.00	0.00	9.21	27	0.00	0.00	1.90	2061	0.00	0.00	13.91	4624	
9	0.00	0.00	9.21	25	0.00	0.00	1.90	2059	0.00	0.00	13.91	4622	
10	0.00	0.00	9.21	23	0.00	0.00	1.90	2057	0.00	0.00	13.91	4620	
11	0.00	0.00	9.21	21	0.00	0.00	1.90	2055	0.00	0.00	13.91	4618	
12	0.00	0.00	9.21	19	0.00	0.00	1.90	2053	0.00	0.00	13.91	4616	
13	0.00	0.00	9.21	17	0.00	0.00	1.90	2051	0.00	0.00	13.91	4614	
14	0.00	0.00	9.21	15	0.00	0.00	1.90	2049	0.00	0.00	13.91	4612	
15	0.00	0.00	9.21	13	0.00	0.00	1.90	2047	0.00	0.00	13.91	4610	
16	0.00	0.00	9.21	11	0.00	0.00	1.90	2045	0.00	0.00	13.91	4608	
17	0.00	0.00	9.21	9	0.00	0.00	1.90	2043	0.00	0.00	13.91	4606	
18	0.00	0.00	9.21	7	0.00	0.00	1.90	2041	0.00	0.00	13.91	4604	
19	0.00	0.00	9.21	5	0.00	0.00	1.90	2039	0.00	0.00	13.91	4602	
20	0.00	0.00	9.21	3	0.00	0.00	1.90	2037	0.00	0.00	13.91	4600	
21	0.00	0.00	9.21	1	0.00	0.00	1.90	2035	0.00	0.00	13.91	4598	
22	0.00	0.00	9.21		0.00	0.00	1.90	2033	0.00	0.00	13.91	4596	
23	0.00	0.00	9.21		0.00	0.00	1.90	2031	0.00	0.00	13.91	4594	
24	0.00	0.00	9.21		0.00	0.00	1.90	2029	0.00	0.00	13.91	4592	
25	0.00	0.00	9.21		0.00	0.00	1.90	2027	0.00	0.00	13.91	4590	
26	0.00	0.00	9.21		0.00	0.00	1.90	2025	0.00	0.00	13.91	4588	
27	0.00	0.00	9.21		0.00	0.00	1.90	2023	0.00	0.00	13.91	4586	
28	0.00	0.00	9.21		0.00	0.00	1.90	2021	0.00	0.00	13.91	4584	
29	0.00	0.00	9.21		0.00	0.00	1.90	2019	0.00	0.00	13.91	4582	
30	0.00	0.00	9.21		0.00	0.00	1.90	2017	0.00	0.00	13.91	4580	
31	0.00	0.00	9.21		0.00	0.00	1.90	2015	0.00	0.00	13.91	4578	
TOT	0.00	428.16	190.02		0.00	0.00	61.80		0.00	487.97	290.73		

1989 WINTER STORED WATER

PG 6

OCT 1989:	X-Y				BUFFALO				SISSON				OWN
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	0.00	0.00	0.00	1.92	1330.19	0.00	0.00	0.00	188.27	
2	0.00	0.00	0.00	0.00	0.00	0.00	1.36	1328.70	0.00	0.00	0.00	187.94	
3	0.00	0.00	0.00	0.00	0.00	0.00	1.11	1327.59	0.00	0.00	0.00	187.72	
4	0.00	0.00	0.00	0.00	0.00	0.00	1.22	1326.37	0.00	0.00	0.00	187.53	
5	0.00	0.00	0.00	0.00	0.00	0.00	1.32	1325.05	0.00	0.00	0.00	187.34	
6	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1323.74	0.00	0.00	0.00	187.15	
7	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1322.43	0.00	0.00	0.00	186.96	
8	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1321.12	0.00	0.00	0.00	186.77	
9	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1319.81	0.00	0.00	0.00	186.58	
10	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1318.50	0.00	0.00	0.00	186.39	
11	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1317.19	0.00	0.00	0.00	186.20	
12	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1315.88	0.00	0.00	0.00	186.01	
13	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1314.57	0.00	0.00	0.00	185.82	
14	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1313.26	0.00	0.00	0.00	185.63	
15	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1311.95	0.00	0.00	0.00	185.44	
16	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1310.64	0.00	0.00	0.00	185.25	
17	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1309.33	0.00	0.00	0.00	185.06	
18	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1308.02	0.00	0.00	0.00	184.87	
19	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1306.71	0.00	0.00	0.00	184.68	
20	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1305.40	0.00	0.00	0.00	184.49	
21	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1304.09	0.00	0.00	0.00	184.30	
TOT	0.00	0.00	0.00	0.00	0.00	0.00	11.15	1289.04	0.00	0.00	5.87	182.10	

1989 WINTER STORED WATER

PG 6

OCT 1989:	TOTAL				OWN
	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	3.28	1330.19	
2	0.00	0.00	2.92	1328.70	
3	0.00	0.00	2.67	1327.59	
4	0.00	0.00	2.42	1326.37	
5	0.00	0.00	2.17	1325.05	
6	0.00	0.00	1.92	1323.74	
7	0.00	0.00	1.67	1322.43	
8	0.00	0.00	1.42	1321.12	
9	0.00	0.00	1.17	1319.81	
10	0.00	0.00	0.92	1318.50	
11	0.00	0.00	0.67	1317.19	
12	0.00	0.00	0.42	1315.88	
13	0.00	0.00	0.17	1314.57	
14	0.00	0.00	0.00	1313.26	
15	0.00	0.00	0.00	1311.95	
16	0.00	0.00	0.00	1310.64	
17	0.00	0.00	0.00	1309.33	
18	0.00	0.00	0.00	1308.02	
19	0.00	0.00	0.00	1306.71	
20	0.00	0.00	0.00	1305.40	
21	0.00	0.00	0.00	1304.09	
TOT	0.00	0.00	54.14	1289.04	

HAMMERMILL

BOND

MADE IN U.S.A.

HAMMERMILL

BOND

MADE IN U.S.A.

SEP 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	65.00	369.48	0.00	0.00	51.61	10771.17	0.00	0.00	0.00	0.00
2	0.00	0.00	65.00	368.88	0.00	0.00	51.61	31022.83	0.00	0.00	0.00	0.00
3	0.00	0.00	65.00	368.88	0.00	0.00	51.61	32096.18	0.00	0.00	0.00	0.00
4	0.00	0.00	65.00	368.88	0.00	0.00	51.61	33085.99	0.00	0.00	0.00	0.00
5	0.00	0.00	65.00	368.88	0.00	0.00	51.61	34052.27	0.00	0.00	0.00	0.00
6	0.00	0.00	65.00	368.88	0.00	0.00	51.61	35007.04	0.00	0.00	0.00	0.00
7	0.00	0.00	65.00	368.88	0.00	0.00	51.61	35993.60	0.00	0.00	0.00	0.00
8	0.00	0.00	65.00	368.88	0.00	0.00	51.61	36993.19	0.00	0.00	0.00	0.00
9	0.00	0.00	65.00	368.88	0.00	0.00	51.61	38021.18	0.00	0.00	0.00	0.00
10	0.00	0.00	65.00	368.88	0.00	0.00	51.61	39093.20	0.00	0.00	0.00	0.00
11	0.00	0.00	65.00	368.88	0.00	0.00	51.61	40228.28	0.00	0.00	0.00	0.00
12	0.00	0.00	65.00	368.88	0.00	0.00	51.61	41437.91	0.00	0.00	0.00	0.00
13	0.00	0.00	65.00	368.88	0.00	0.00	51.61	42724.11	0.00	0.00	0.00	0.00
14	0.00	0.00	65.00	368.88	0.00	0.00	51.61	44099.90	0.00	0.00	0.00	0.00
15	0.00	0.00	65.00	368.88	0.00	0.00	51.61	45569.41	0.00	0.00	0.00	0.00
16	0.00	0.00	65.00	368.88	0.00	0.00	51.61	47137.74	0.00	0.00	0.00	0.00
17	0.00	0.00	65.00	368.88	0.00	0.00	51.61	48809.90	0.00	0.00	0.00	0.00
18	0.00	0.00	65.00	368.88	0.00	0.00	51.61	50590.00	0.00	0.00	0.00	0.00
19	0.00	0.00	65.00	368.88	0.00	0.00	51.61	52483.21	0.00	0.00	0.00	0.00
20	0.00	0.00	65.00	368.88	0.00	0.00	51.61	54494.54	0.00	0.00	0.00	0.00
21	0.00	0.00	65.00	368.88	0.00	0.00	51.61	56630.00	0.00	0.00	0.00	0.00
22	0.00	0.00	65.00	368.88	0.00	0.00	51.61	58895.59	0.00	0.00	0.00	0.00
23	0.00	0.00	65.00	368.88	0.00	0.00	51.61	61297.30	0.00	0.00	0.00	0.00
24	0.00	0.00	65.00	368.88	0.00	0.00	51.61	63841.13	0.00	0.00	0.00	0.00
25	0.00	0.00	65.00	368.88	0.00	0.00	51.61	66534.07	0.00	0.00	0.00	0.00
TOT	0.00	811.99	1506.00	0.00	0.00	811.99	1263.09	0.00	0.00	0.00	0.00	0.00

SEP 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	10.33	11.029	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	10.33	22.359	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	10.33	33.689	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	10.33	45.019	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	10.33	56.349	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	10.33	67.679	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	10.33	79.009	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	10.33	90.339	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	10.33	101.669	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	10.33	113.000	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	10.33	124.330	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	10.33	135.660	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	10.33	147.000	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	10.33	158.330	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	10.33	169.660	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	10.33	181.000	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	10.33	192.330	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	10.33	203.660	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	10.33	215.000	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	10.33	226.330	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	10.33	237.660	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	10.33	249.000	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	10.33	260.330	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	10.33	271.660	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	10.33	283.000	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00	0.00	0.00	0.00	242.91	0.00	0.00	0.00	0.00	0.00

1989 WINTER STORED WATER

SEP 1989:	X-Y				BUFFALO				SISSON				OWN
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1387.89	0.00	0.00	0.00	155.10	
2	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1385.45	0.00	0.00	0.00	155.10	
3	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1380.51	0.00	0.00	0.00	155.35	
4	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1378.10	0.00	0.00	0.00	154.71	
5	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1373.98	0.00	0.00	0.00	154.10	
6	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1370.56	0.00	0.00	0.00	153.92	
7	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1361.59	0.00	0.00	0.00	153.56	
8	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1352.83	0.00	0.00	0.00	153.28	
9	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1352.29	0.00	0.00	0.00	152.87	
10	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1361.52	0.00	0.00	0.00	152.77	
11	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1360.60	0.00	0.00	0.00	152.69	
12	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1359.91	0.00	0.00	0.00	152.57	
13	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1352.81	0.00	0.00	0.00	151.85	
14	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1352.81	0.00	0.00	0.00	151.85	
15	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1350.13	0.00	0.00	0.00	151.02	
16	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1346.88	0.00	0.00	0.00	150.54	
17	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1346.88	0.00	0.00	0.00	150.54	
18	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1343.25	0.00	0.00	0.00	150.30	
19	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1343.25	0.00	0.00	0.00	150.30	
20	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1341.50	0.00	0.00	0.00	149.84	
21	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1339.52	0.00	0.00	0.00	149.50	
22	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1331.57	0.00	0.00	0.00	149.22	
23	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1331.57	0.00	0.00	0.00	149.22	
24	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1332.41	0.00	0.00	0.00	148.81	
25	0.00	0.00	0.00	0.00	0.00	0.00	2.44	1332.41	0.00	0.00	0.00	148.81	
TOT	0.00	0.00	0.00	0.00	0.00	0.00	57.40		0.00	0.00	8.13		

1989 WINTER STORED WATER

SEP 1989:	TOTAL				SISSON				OWN
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	3.19	1849.58	0.00	0.00	2.44	1387.89	
2	0.00	0.00	3.19	1846.39	0.00	0.00	2.44	1385.45	
3	0.00	0.00	3.19	1803.01	0.00	0.00	2.44	1380.51	
4	0.00	0.00	3.19	1799.82	0.00	0.00	2.44	1378.10	
5	0.00	0.00	3.19	1797.63	0.00	0.00	2.44	1373.98	
6	0.00	0.00	3.19	1795.44	0.00	0.00	2.44	1370.56	
7	0.00	0.00	3.19	1788.25	0.00	0.00	2.44	1361.59	
8	0.00	0.00	3.19	1783.06	0.00	0.00	2.44	1352.83	
9	0.00	0.00	3.19	1783.06	0.00	0.00	2.44	1352.29	
10	0.00	0.00	3.19	1791.27	0.00	0.00	2.44	1361.52	
11	0.00	0.00	3.19	1790.08	0.00	0.00	2.44	1360.60	
12	0.00	0.00	3.19	1783.89	0.00	0.00	2.44	1352.81	
13	0.00	0.00	3.19	1783.89	0.00	0.00	2.44	1352.81	
14	0.00	0.00	3.19	1780.70	0.00	0.00	2.44	1346.88	
15	0.00	0.00	3.19	1777.51	0.00	0.00	2.44	1346.88	
16	0.00	0.00	3.19	1773.32	0.00	0.00	2.44	1343.25	
17	0.00	0.00	3.19	1773.32	0.00	0.00	2.44	1343.25	
18	0.00	0.00	3.19	1769.13	0.00	0.00	2.44	1340.13	
19	0.00	0.00	3.19	1769.13	0.00	0.00	2.44	1340.13	
20	0.00	0.00	3.19	1765.94	0.00	0.00	2.44	1337.25	
21	0.00	0.00	3.19	1765.94	0.00	0.00	2.44	1337.25	
22	0.00	0.00	3.19	1762.75	0.00	0.00	2.44	1333.06	
23	0.00	0.00	3.19	1762.75	0.00	0.00	2.44	1333.06	
24	0.00	0.00	3.19	1758.56	0.00	0.00	2.44	1332.41	
25	0.00	0.00	3.19	1758.56	0.00	0.00	2.44	1332.41	
TOT	0.00	0.00	74.99		0.00	0.00	8.13		

MS 62

WATERVILLE
BOND
MADE IN U.S.A.

MS 62

WATERVILLE
BOND
MADE IN U.S.A.

SUMMER STORED WATER

PG 3

HYDE

X-Y

MANVEL

AUG 1989	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	19.14	31.59	171.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	12.22	28.55	111.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	22.22	27.70	166.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	217.89	76.00		0.00	0.00	0.00		0.00	0.00	0.00	

SUMMER STORED WATER

PG 3

BUFFALO

TOTAL

SISSON

AUG 1989	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	165.80	13.24	9.05	0.00	0.00	0.00	0.00	0.00	184.94	24.83	131.00
2	0.00	165.80	13.24	9.05	0.00	0.00	0.00	0.00	0.00	190.20	19.31	106.49
3	0.00	165.80	13.24	9.05	0.00	0.00	0.00	0.00	0.00	190.20	18.95	128.38
4	0.00	165.80	13.24	9.05	0.00	0.00	0.00	0.00	0.00	161.24	11.17	121.86
5	0.00	140.29	10.32	9.05	0.00	0.00	0.00	0.00	0.00	119.24	11.86	108.00
6	0.00	125.93	10.32	9.05	0.00	0.00	0.00	0.00	0.00	119.24	11.86	108.00
7	0.00	0.00	10.32	9.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	10.32	9.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	10.32	9.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	10.32	9.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	10.32	9.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	10.32	9.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	10.32	9.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	10.32	9.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	10.32	9.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	10.32	9.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	10.32	9.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	10.32	9.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	10.32	9.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	10.32	9.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	10.32	9.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	1557.54	385.16		0.00	0.00	110.80		0.00	1805.43	571.96	

ARTICLE III
FT: LYON

AMITY :

TED

1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
AUG	0.00	0.00	1.92	2643.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	0.00	0.00	1.92	2638.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	3.38	2637.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	3.38	2623.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	3.38	2623.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	3.38	2618.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	3.38	2616.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	3.38	2600.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	3.38	2600.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	3.38	2599.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	3.38	2599.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	3.38	2590.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	3.38	2589.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	731.38	120.70		0.00	0.00	0.00	0.00	0.00	94.57	0.38	0.00

JOHN MARTIN RESERVOIR

ARTICLE III

TOTAL

1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
AUG	0.00	31.41	5.10	1701.41	0.00	0.00	1.68	897.41	0.00	0.00	0.00	0.00
1	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	896.19	0.00	0.00	0.00	0.00
2	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	895.19	0.00	0.00	0.00	0.00
3	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	894.20	0.00	0.00	0.00	0.00
4	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	893.20	0.00	0.00	0.00	0.00
5	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	892.20	0.00	0.00	0.00	0.00
6	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	891.20	0.00	0.00	0.00	0.00
7	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	890.20	0.00	0.00	0.00	0.00
8	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	889.20	0.00	0.00	0.00	0.00
9	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	888.20	0.00	0.00	0.00	0.00
10	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	887.20	0.00	0.00	0.00	0.00
11	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	886.20	0.00	0.00	0.00	0.00
12	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	885.20	0.00	0.00	0.00	0.00
13	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	884.20	0.00	0.00	0.00	0.00
14	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	883.20	0.00	0.00	0.00	0.00
15	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	882.20	0.00	0.00	0.00	0.00
16	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	881.20	0.00	0.00	0.00	0.00
17	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	880.20	0.00	0.00	0.00	0.00
18	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	879.20	0.00	0.00	0.00	0.00
19	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	878.20	0.00	0.00	0.00	0.00
20	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	877.20	0.00	0.00	0.00	0.00
21	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	876.20	0.00	0.00	0.00	0.00
22	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	875.20	0.00	0.00	0.00	0.00
23	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	874.20	0.00	0.00	0.00	0.00
24	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	873.20	0.00	0.00	0.00	0.00
25	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	872.20	0.00	0.00	0.00	0.00
26	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	871.20	0.00	0.00	0.00	0.00
27	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	870.20	0.00	0.00	0.00	0.00
28	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	869.20	0.00	0.00	0.00	0.00
29	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	868.20	0.00	0.00	0.00	0.00
30	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	867.20	0.00	0.00	0.00	0.00
31	0.00	19.84	5.10	1701.41	0.00	0.00	1.24	866.20	0.00	0.00	0.00	0.00
TOT	0.00	825.95	121.08		0.00	886.55	10.92		0.00	0.00	0.00	0.00

1989 WINTER STORED WATER

PG 6

AUG 1989:	X-Y				BUFFALO				SISSON				OWN
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	0.00	0.00	0.00	2.76	1458.80	0.00	0.00	0.31	206.43	
2	0.00	0.00	0.00	0.00	0.00	0.00	2.14	1453.91	0.00	0.00	0.30	205.73	
3	0.00	0.00	0.00	0.00	0.00	0.00	2.09	1441.00	0.00	0.00	0.30	205.39	
4	0.00	0.00	0.00	0.00	0.00	0.00	2.18	1441.11	0.00	0.00	0.30	204.19	
5	0.00	0.00	0.00	0.00	0.00	0.00	1.85	1436.44	0.00	0.00	0.28	203.39	
6	0.00	0.00	0.00	0.00	0.00	0.00	1.98	1436.44	0.00	0.00	0.28	203.39	
7	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
8	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
9	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
10	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
11	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
12	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
13	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
14	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
15	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
16	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
17	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
18	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
19	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
20	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
21	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
22	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
23	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
24	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
25	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
26	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
27	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
28	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
29	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
30	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
31	0.00	0.00	0.00	0.00	0.00	0.00	2.37	1436.44	0.00	0.00	0.28	202.65	
TOT	0.00	0.00	0.00	0.00	0.00	0.00	70.91		0.00	0.00	10.03		

1989 WINTER STORED WATER

PG 6

AUG 1989:	TOTAL				SISSON				OWN
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	3.74	3.68	1949.31	0.00	0.00	0.00	1458.80	
2	0.00	0.00	2.55	1941.04	0.00	0.00	0.00	1453.91	
3	0.00	0.00	2.81	1935.28	0.00	0.00	0.00	1441.00	
4	0.00	0.00	2.81	1930.47	0.00	0.00	0.00	1441.11	
5	0.00	6.22	2.16	1918.29	0.00	0.00	0.00	1436.44	
6	0.00	9.96	2.60	1906.33	0.00	0.00	0.00	1436.44	
7	0.00	9.96	2.60	1892.37	0.00	0.00	0.00	1436.44	
8	0.00	3.73	2.02	1887.64	0.00	0.00	0.00	1436.44	
9	0.00	0.00	3.04	1866.60	0.00	0.00	0.00	1436.44	
10	0.00	0.00	2.64	1862.96	0.00	0.00	0.00	1436.44	
11	0.00	0.00	2.55	1856.41	0.00	0.00	0.00	1436.44	
12	0.00	0.00	2.46	1852.95	0.00	0.00	0.00	1436.44	
13	0.00	0.00	2.37	1848.58	0.00	0.00	0.00	1436.44	
14	0.00	0.00	2.26	1842.32	0.00	0.00	0.00	1436.44	
15	0.00	0.00	2.18	1834.14	0.00	0.00	0.00	1436.44	
16	0.00	0.00	2.01	1831.13	0.00	0.00	0.00	1436.44	
17	0.00	0.00	1.99	1828.14	0.00	0.00	0.00	1436.44	
18	0.00	0.00	1.92	1823.22	0.00	0.00	0.00	1436.44	
19	0.00	0.00	1.75	1816.47	0.00	0.00	0.00	1436.44	
20	0.00	0.00	1.53	1812.94	0.00	0.00	0.00	1436.44	
31	0.00	0.00	4.53	1812.41	0.00	0.00	0.00	1436.44	
TOT	0.00	43.57	93.16		0.00	0.00	10.03		

MADE IN U.S.A.

BOND

WAMBERNITE

MADE IN U.S.A.

BOND

WAMBERNITE



JOHN MARTIN RESERVOIR
AGREEMENT WATER

PG 1
SUMMER COMPACT WATER

JUL 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	95.00	78090.52	0.00	0.00	87.08	115.55	0.00	0.00	0.00	0.00
2	0.00	74.69	142.00	777823.95	0.00	74.69	135.65	133.83	0.00	0.00	0.00	0.00
3	0.00	280.42	118.00	768225.57	0.00	280.42	133.60	709.97	0.00	0.00	0.00	0.00
4	0.00	358.54	167.00	752258.17	0.00	358.54	133.60	699.87	0.00	0.00	0.00	0.00
5	0.00	445.36	146.00	742281.20	0.00	445.36	133.08	699.87	0.00	0.00	0.00	0.00
6	0.00	349.13	2243.00	712819.17	0.00	349.13	11.09	633.99	0.00	0.00	0.00	0.00
7	0.00	1139.58	177.00	696661.85	0.00	1388.24	104.14	609.97	0.00	0.00	0.00	0.00
8	0.00	1138.28	177.00	682091.87	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
9	0.00	1138.28	177.00	667521.89	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
10	0.00	1138.28	177.00	652951.91	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
11	0.00	1138.28	177.00	638381.93	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
12	0.00	1138.28	177.00	623811.95	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
13	0.00	1138.28	177.00	609241.97	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
14	0.00	1138.28	177.00	594671.99	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
15	0.00	1138.28	177.00	580101.01	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
16	0.00	1138.28	177.00	565531.03	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
17	0.00	1138.28	177.00	550961.05	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
18	0.00	1138.28	177.00	536391.07	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
19	0.00	1138.28	177.00	521821.09	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
20	0.00	1138.28	177.00	507251.11	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
21	0.00	1138.28	177.00	492681.13	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
22	0.00	1138.28	177.00	478111.15	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
23	0.00	1138.28	177.00	463541.17	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
24	0.00	1138.28	177.00	448971.19	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
25	0.00	1138.28	177.00	434401.21	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
26	0.00	1138.28	177.00	419831.23	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
27	0.00	1138.28	177.00	405261.25	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
28	0.00	1138.28	177.00	390691.27	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
29	0.00	1138.28	177.00	376121.29	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
30	0.00	1138.28	177.00	361551.31	0.00	1138.28	104.19	609.97	0.00	0.00	0.00	0.00
31	0.00	1098.73	182.00	346981.33	0.00	1098.73	104.19	609.97	0.00	0.00	0.00	0.00
TOT	2633.95	24728.12	3616.00		828.55	23845.36	3231.81		0.00	0.00	0.00	0.00

JOHN MARTIN RESERVOIR
PERMANENT POOL

PG 1
WINTER WATER

JUL 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	17.35	62.48	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	12.40	52.48	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	11.27	51.55	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	11.27	51.55	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	20.97	52.52	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	20.97	52.52	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	0.00	0.00	1	51.55	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00	0.00	0.00	0.00	339.02		0.00	0.00	0.00	0.00

ARTICLE III
FT. LYON

LAS ANIMAS CONSOLIDA
PG 4

AMITY

TED JUL 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	4.48	3680.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	4.34	3676.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	4.67	3667.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	7.61	3655.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	11.83	3643.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	11.84	3631.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	11.82	3619.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	11.82	3608.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	11.85	3599.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	11.85	3590.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	11.85	3582.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	11.85	3575.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	11.85	3568.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	11.85	3561.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	11.85	3554.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	11.85	3547.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	11.85	3540.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	11.85	3533.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	11.85	3526.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	11.85	3519.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	11.85	3512.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	11.85	3505.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	11.85	3498.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	11.85	3491.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	11.85	3484.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	11.85	3477.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	11.85	3470.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	11.85	3463.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	11.85	3456.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	11.85	3449.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	11.85	3442.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	828.55	1686.74	179.54		0.00	0.00	0.00		0.00	0.00	0.00		0.00	1372.28	53.67	

ARTICLE III
TOTAL

JOHN MARTIN RESERVOIR

CTY/LAMAR PROJECT

FLOOD POOL

JUL 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	6.33	2095.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	6.18	2189.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	9.27	2179.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	9.26	2168.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	10.94	2157.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	16.45	2141.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	16.45	2125.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	11.26	2115.59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	11.26	2105.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	11.26	2094.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	11.26	2084.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	11.26	2074.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	11.26	2064.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	11.26	2053.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	11.26	2043.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	11.26	2033.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	11.26	2023.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	11.26	2012.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	11.26	2002.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	11.26	1992.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	11.26	1982.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	11.26	1971.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	11.26	1961.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	11.26	1951.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	11.26	1941.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	11.26	1930.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	11.26	1920.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	11.26	1910.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	11.26	1900.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	11.26	1889.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	11.26	1879.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	828.55	3059.02	233.21		1805.40	882.76	25.17		0.00	0.00	0.00	

1989 WINTER STORED WATER

PG 5

KEESEE

FT. BENT

AMITY

JUL 1989:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	0.28	38.54	0.00	0.00	0.58	472.57	0.00	0.00	0.00	0.00
2	0.00	0.24	0.45	25.97	0.00	0.88	0.90	471.43	0.00	0.00	0.00	0.00
3	0.00	9.98	0.46	22.00	0.00	39.81	0.76	430.45	0.00	0.00	0.00	0.00
4	0.00	9.98	0.40	22.00	0.00	63.81	0.58	366.45	0.00	0.00	0.00	0.00
5	0.00	9.98	0.65	18.41	0.00	63.81	0.77	301.45	0.00	0.00	0.00	0.00
6	0.00	9.98	0.55	16.84	0.00	63.81	0.35	172.48	0.00	0.00	0.00	0.00
7	0.00	9.98	0.42	14.77	0.00	4	0.11	103.95	0.00	0.00	0.00	0.00
8	0.00	7.07	0.22	14.00	0.00	0.00	0.10	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.17	14.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.17	13.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.21	13.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.21	13.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.22	13.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.22	13.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	6.65	0.22	13.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	9.98	0.22	11.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	9.98	0.18	10.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	9.98	0.15	9.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	9.98	0.11	7.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	199.66	8.48		0.00	466.58	5.99		0.00	0.00	0.00	

1989 WINTER STORED WATER

PG 5

LAMAR

HYDE

MANVEL

JUL 1989:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	0.97	809.50	0.00	0.00	0.28	235.71	0.00	0.00	0.18	150.42
2	0.00	28.10	0.92	789.01	0.00	0.00	0.43	235.71	0.00	0.00	0.29	114.97
3	0.00	43.01	1.15	669.01	0.00	0.00	0.49	235.71	0.00	0.00	0.51	149.47
4	0.00	43.01	1.15	629.65	0.00	0.00	0.46	235.71	0.00	0.00	0.29	148.88
5	0.00	43.01	1.15	589.65	0.00	0.00	0.76	235.71	0.00	0.00	0.48	147.44
6	0.00	43.01	1.15	549.65	0.00	0.00	0.57	235.71	0.00	0.00	0.21	147.06
7	0.00	43.01	1.26	509.65	0.00	0.00	0.23	235.71	0.00	0.00	0.16	146.54
8	0.00	43.01	1.26	469.65	0.00	0.00	0.28	235.71	0.00	0.00	0.18	146.18
9	0.00	0.00	0.46	429.65	0.00	0.00	0.28	235.71	0.00	0.00	0.18	145.79
10	0.00	0.00	0.47	389.65	0.00	0.00	0.29	235.71	0.00	0.00	0.18	145.41
11	0.00	69.14	0.59	349.65	0.00	0.00	0.29	235.71	0.00	0.00	0.18	145.03
12	0.00	69.14	0.59	309.65	0.00	0.00	0.31	235.71	0.00	0.00	0.18	144.65
13	0.00	43.01	0.32	269.65	0.00	0.00	0.31	235.71	0.00	0.00	0.18	144.27
14	0.00	43.01	0.32	229.65	0.00	0.00	0.31	235.71	0.00	0.00	0.18	143.89
15	0.00	43.01	0.32	189.65	0.00	0.00	0.31	235.71	0.00	0.00	0.18	143.51
16	0.00	43.01	0.32	149.65	0.00	0.00	0.31	235.71	0.00	0.00	0.18	143.13
17	0.00	43.01	0.32	109.65	0.00	0.00	0.31	235.71	0.00	0.00	0.18	142.75
18	0.00	43.01	0.32	69.65	0.00	0.00	0.31	235.71	0.00	0.00	0.18	142.37
19	0.00	43.01	0.32	29.65	0.00	0.00	0.31	235.71	0.00	0.00	0.18	141.99
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	781.00	19.57		0.00	0.00	12.31		0.00	144.47	5.95	

1989 WINTER STORED WATER

SISSON

BUFFALO

X-Y

JUL 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.78	644.54	0.00	0.00	1.87	1538.94	0.00	0.00	0.00	17.79
2	0.00	0.00	0.76	643.00	0.00	0.00	1.82	1537.06	0.00	0.00	0.00	21.72
3	0.00	46.25	1.22	595.39	0.00	0.00	2.23	1533.29	0.00	0.00	0.00	22.16
4	0.00	74.00	1.18	445.31	0.00	0.00	2.18	1522.29	0.00	0.00	0.00	22.15
5	0.00	74.00	1.08	370.45	0.00	0.00	1.94	1518.39	0.00	0.00	0.00	22.14
6	0.00	74.00	1.20	295.25	0.00	0.00	1.95	1511.77	0.00	0.00	0.00	22.13
7	0.00	74.00	0.72	1.20	0.00	0.00	1.23	1507.50	0.00	0.00	0.00	22.12
8	0.00	74.00	0.10	0.00	0.00	0.00	1.63	1500.92	0.00	0.00	0.00	22.11
9	0.00	0.00	0.00	0.00	0.00	0.00	1.81	1499.32	0.00	0.00	0.00	22.10
10	0.00	0.00	0.00	0.00	0.00	0.00	1.81	1497.89	0.00	0.00	0.00	22.09
11	0.00	0.00	0.00	0.00	0.00	0.00	1.82	1497.89	0.00	0.00	0.00	22.08
12	0.00	0.00	0.00	0.00	0.00	0.00	1.82	1497.89	0.00	0.00	0.00	22.07
13	0.00	0.00	0.00	0.00	0.00	0.00	1.82	1497.89	0.00	0.00	0.00	22.06
14	0.00	0.00	0.00	0.00	0.00	0.00	1.82	1497.89	0.00	0.00	0.00	22.05
15	0.00	0.00	0.00	0.00	0.00	0.00	1.82	1497.89	0.00	0.00	0.00	22.04
16	0.00	0.00	0.00	0.00	0.00	0.00	1.82	1497.89	0.00	0.00	0.00	22.03
17	0.00	0.00	0.00	0.00	0.00	0.00	1.82	1497.89	0.00	0.00	0.00	22.02
18	0.00	0.00	0.00	0.00	0.00	0.00	1.82	1497.89	0.00	0.00	0.00	22.01
19	0.00	0.00	0.00	0.00	0.00	0.00	1.82	1497.89	0.00	0.00	0.00	22.00
20	0.00	0.00	0.00	0.00	0.00	0.00	1.82	1497.89	0.00	0.00	0.00	21.99
21	0.00	0.00	0.00	0.00	0.00	0.00	1.82	1497.89	0.00	0.00	0.00	21.98
22	0.00	0.00	0.00	0.00	0.00	0.00	1.82	1497.89	0.00	0.00	0.00	21.97
23	0.00	0.00	0.00	0.00	0.00	0.00	1.82	1497.89	0.00	0.00	0.00	21.96
TOT	0.00	635.36	9.18	80.14	0.00	0.00	80.14	11.36	0.00	0.00	11.36	206.14

1989 WINTER STORED WATER

TOTAL

JUL 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	5.01	99.40	0.00	0.00	3.01	429.40	0.00	0.00	0.00	17.79
2	0.00	0.50	8.16	428.90	0.00	0.00	3.16	428.90	0.00	0.00	0.00	21.72
3	0.00	192.80	7.82	237.58	0.00	0.00	8.69	419.69	0.00	0.00	0.00	22.16
4	0.00	192.80	8.00	192.80	0.00	0.00	8.00	415.31	0.00	0.00	0.00	22.15
5	0.00	192.80	8.00	192.80	0.00	0.00	8.00	411.77	0.00	0.00	0.00	22.14
6	0.00	192.80	8.00	192.80	0.00	0.00	8.00	407.50	0.00	0.00	0.00	22.13
7	0.00	192.80	8.00	192.80	0.00	0.00	8.00	403.23	0.00	0.00	0.00	22.12
8	0.00	192.80	8.00	192.80	0.00	0.00	8.00	398.96	0.00	0.00	0.00	22.11
9	0.00	192.80	8.00	192.80	0.00	0.00	8.00	394.69	0.00	0.00	0.00	22.10
10	0.00	192.80	8.00	192.80	0.00	0.00	8.00	390.42	0.00	0.00	0.00	22.09
11	0.00	192.80	8.00	192.80	0.00	0.00	8.00	386.15	0.00	0.00	0.00	22.08
12	0.00	192.80	8.00	192.80	0.00	0.00	8.00	381.88	0.00	0.00	0.00	22.07
13	0.00	192.80	8.00	192.80	0.00	0.00	8.00	377.61	0.00	0.00	0.00	22.06
14	0.00	192.80	8.00	192.80	0.00	0.00	8.00	373.34	0.00	0.00	0.00	22.05
15	0.00	192.80	8.00	192.80	0.00	0.00	8.00	369.07	0.00	0.00	0.00	22.04
16	0.00	192.80	8.00	192.80	0.00	0.00	8.00	364.80	0.00	0.00	0.00	22.03
17	0.00	192.80	8.00	192.80	0.00	0.00	8.00	360.53	0.00	0.00	0.00	22.02
18	0.00	192.80	8.00	192.80	0.00	0.00	8.00	356.26	0.00	0.00	0.00	22.01
19	0.00	192.80	8.00	192.80	0.00	0.00	8.00	351.99	0.00	0.00	0.00	22.00
20	0.00	192.80	8.00	192.80	0.00	0.00	8.00	347.72	0.00	0.00	0.00	21.99
21	0.00	192.80	8.00	192.80	0.00	0.00	8.00	343.45	0.00	0.00	0.00	21.98
22	0.00	192.80	8.00	192.80	0.00	0.00	8.00	339.18	0.00	0.00	0.00	21.97
23	0.00	192.80	8.00	192.80	0.00	0.00	8.00	334.91	0.00	0.00	0.00	21.96
TOT	0.00	2197.07	152.98	152.98	0.00	0.00	152.98	11.36	0.00	0.00	11.36	206.14

WAMPETER
BOND

BOND

MADE IN U.S.A.

WAMPETER
BOND

BOND

MADE IN U.S.A.

JUN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	563.32	40.00	84089.17	0.00	563.32	36.80	77365.06	0.00	0.00	0.00	0.00
2	0.00	211.31	45.00	83485.25	0.00	211.31	41.25	76158.92	0.00	0.00	0.00	0.00
3	0.00	0.00	46.00	82567.00	0.00	0.00	42.28	75906.26	0.00	0.00	0.00	0.00
4	597.00	0.00	108.00	83309.00	1028.22	0.00	43.28	75820.22	597.00	0.00	0.00	395.58
5	1247.00	0.00	154.00	83448.00	194.00	0.00	49.81	76894.18	1247.00	1028.22	1.01	382.23
6	1181.00	0.00	89.00	83680.00	158.00	0.00	81.05	76993.61	194.00	181.00	0.00	0.00
7	1328.00	0.00	65.00	83862.00	202.00	0.00	99.82	77189.91	158.00	158.00	0.00	0.00
8	1494.00	0.00	81.00	84006.00	249.00	0.00	114.29	77371.91	202.00	202.00	0.00	0.00
9	1384.00	68.44	38.00	84193.00	384.29	68.44	119.86	77559.66	249.00	384.29	0.00	0.00
10	1386.00	158.41	65.00	84146.00	186.48	158.41	119.86	77355.45	384.29	186.48	0.00	0.00
11	0.00	11.00	108.00	83761.24	0.00	11.00	99.19	77081.45	19.00	19.00	0.00	0.00
12	0.00	0.00	108.00	83503.24	0.00	0.00	99.19	76882.57	0.00	0.00	0.00	0.00
13	0.00	151.49	161.00	83328.75	0.00	151.49	116.32	76687.18	0.00	0.00	0.00	0.00
14	0.00	365.23	134.00	83191.52	0.00	365.23	116.32	76481.79	0.00	0.00	0.00	0.00
15	0.00	883.31	84.00	80198.00	0.00	883.31	80.00	74406.34	0.00	0.00	0.00	0.00
16	0.00	455.20	96.00	80155.52	0.00	455.20	88.08	73990.26	0.00	0.00	0.00	0.00
17	0.00	151.32	91.00	79194.52	0.00	151.32	101.08	73627.99	0.00	0.00	0.00	0.00
18	0.00	155.46	114.00	78947.52	0.00	155.46	111.25	73207.11	0.00	0.00	0.00	0.00
19	0.00	194.51	129.00	78441.52	0.00	194.51	119.26	72904.11	0.00	0.00	0.00	0.00
20	0.00	110.51	119.00	78085.52	0.00	110.51	123.08	72681.15	0.00	0.00	0.00	0.00
TOT	2739.81	6088.06	2655.00		2738.45	6088.06	2410.33		2739.81	2738.45	1.36	

JUN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00		0.00	0.00	214.31		0.00	0.00	0.00	

AGREEMENT WATER

SUMMER STORED WATER

PG 2

KANSAS

TRANSIT LOSS

KEESEE

JUN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	21.16	340.74	0.00	0.00	3.91	16.81	0.00	0.00	0.00	89.62
2	0.00	0.00	18.18	333.29	0.00	0.00	4.12	15.29	0.00	0.00	0.00	89.38
3	0.00	0.00	18.90	333.40	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
4	0.00	0.00	19.62	333.43	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
5	0.00	0.00	22.65	333.44	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
6	0.00	0.00	22.65	333.44	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
7	0.00	0.00	22.65	333.44	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
8	0.00	0.00	22.65	333.44	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
9	0.00	0.00	22.65	333.44	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
10	0.00	0.00	22.65	333.44	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
11	0.00	0.00	22.65	333.44	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
12	0.00	0.00	22.65	333.44	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
13	0.00	0.00	22.65	333.44	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
14	0.00	0.00	22.65	333.44	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
15	0.00	0.00	22.65	333.44	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
16	0.00	0.00	22.65	333.44	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
17	0.00	0.00	22.65	333.44	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
18	0.00	0.00	22.65	333.44	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
19	0.00	0.00	22.65	333.44	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
20	0.00	0.00	22.65	333.44	0.00	0.00	4.15	15.29	0.00	0.00	0.00	89.43
TOT	1095.39	0.00	1113.93		0.00	0.00	261.88		37.80	126.33	1.09	

SUMMER STORED WATER

PG 2

FT. BENT

ANITY

LAMAR

JUN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	55.81	0.15	23.38	0.00	201.36	0.59	134.09	0.00	17.17	0.28	581.68
2	0.00	0.00	0.11	261.90	0.00	201.36	0.47	108.46	0.00	166.44	0.19	426.87
3	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
4	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
5	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
6	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
7	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
8	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
9	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
10	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
11	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
12	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
13	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
14	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
15	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
16	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
17	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
18	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
19	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
20	0.00	0.00	0.11	190.19	0.00	0.00	0.47	108.46	0.00	0.00	0.10	160.00
TOT	162.67	481.00	5.04		813.33	2031.40	27.97		325.32	903.34	3.66	

SUMMER STORED WATER
MANVEL

JUN 1989	INFLOW	RELEASE	HYDE	EVAP	OWN	INFLOW	RELEASE	MANVEL	EVAP	OWN	INFLOW	RELEASE	X-Y	EVAP	OWN
1	0.00	11.60	11.60	1.11	2346	0.00	0.00	0.00	0.06	121.70	0.00	87.66	0.10	216.57	
2	0.00	11.60	11.60	1.11	2331	0.00	0.00	0.00	0.07	121.56	0.00	87.37	0.08	218.04	
3	0.00	0.00	0.00	1.11	2305	0.00	0.00	0.00	0.07	121.42	0.00	87.00	0.03	215.55	
4	0.02	0.00	0.00	1.11	2280	1.81	0.00	0.00	0.16	119.60	31.91	0.00	0.06	212.80	
5	1.31	0.00	0.00	1.11	2255	2.12	0.00	0.00	0.15	117.45	33.74	0.00	0.10	209.24	
6	1.23	0.00	0.00	1.11	2230	2.22	0.00	0.00	0.11	115.30	4.83	0.00	0.08	207.91	
7	1.20	0.00	0.00	1.11	2205	2.32	0.00	0.00	0.11	113.15	6.58	0.00	0.11	206.58	
8	1.17	0.00	0.00	1.11	2180	2.42	0.00	0.00	0.10	111.00	8.33	0.00	0.15	205.25	
9	1.14	0.00	0.00	1.11	2155	2.52	0.00	0.00	0.10	108.85	10.08	0.00	0.12	203.92	
10	1.11	0.00	0.00	1.11	2130	2.62	0.00	0.00	0.10	106.70	11.83	0.00	0.12	202.59	
11	1.08	0.00	0.00	1.11	2105	2.72	0.00	0.00	0.10	104.55	13.58	0.00	0.15	201.26	
12	1.05	0.00	0.00	1.11	2080	2.82	0.00	0.00	0.10	102.40	15.33	0.00	0.18	199.93	
13	1.02	0.00	0.00	1.11	2055	2.92	0.00	0.00	0.10	100.25	17.08	0.00	0.21	198.60	
14	1.00	0.00	0.00	1.11	2030	3.02	0.00	0.00	0.10	98.10	18.83	0.00	0.24	197.27	
15	0.97	0.00	0.00	1.11	2005	3.12	0.00	0.00	0.10	95.95	20.58	0.00	0.27	195.94	
16	0.95	0.00	0.00	1.11	1980	3.22	0.00	0.00	0.10	93.80	22.33	0.00	0.30	194.61	
17	0.92	0.00	0.00	1.11	1955	3.32	0.00	0.00	0.10	91.65	24.08	0.00	0.33	193.28	
18	0.90	0.00	0.00	1.11	1930	3.42	0.00	0.00	0.10	89.50	25.83	0.00	0.36	191.95	
19	0.87	0.00	0.00	1.11	1905	3.52	0.00	0.00	0.10	87.35	27.58	0.00	0.39	190.62	
20	0.85	0.00	0.00	1.11	1880	3.62	0.00	0.00	0.10	85.20	29.33	0.00	0.42	189.29	
21	0.82	0.00	0.00	1.11	1855	3.72	0.00	0.00	0.10	83.05	31.08	0.00	0.45	187.96	
22	0.80	0.00	0.00	1.11	1830	3.82	0.00	0.00	0.10	80.90	32.83	0.00	0.48	186.63	
23	0.77	0.00	0.00	1.11	1805	3.92	0.00	0.00	0.10	78.75	34.58	0.00	0.51	185.30	
24	0.75	0.00	0.00	1.11	1780	4.02	0.00	0.00	0.10	76.60	36.33	0.00	0.54	183.97	
25	0.72	0.00	0.00	1.11	1755	4.12	0.00	0.00	0.10	74.45	38.08	0.00	0.57	182.64	
26	0.70	0.00	0.00	1.11	1730	4.22	0.00	0.00	0.10	72.30	39.83	0.00	0.60	181.31	
27	0.67	0.00	0.00	1.11	1705	4.32	0.00	0.00	0.10	70.15	41.58	0.00	0.63	180.00	
28	0.65	0.00	0.00	1.11	1680	4.42	0.00	0.00	0.10	68.00	43.33	0.00	0.66	178.67	
29	0.62	0.00	0.00	1.11	1655	4.52	0.00	0.00	0.10	65.85	45.08	0.00	0.69	177.34	
30	0.60	0.00	0.00	1.11	1630	4.62	0.00	0.00	0.10	63.70	46.83	0.00	0.72	176.01	
TOT	21.35	105.60	73.68			39.42	0.00		1.92		83.78	297.66	2.62		

SUMMER STORED WATER
SISSON

JUN 1989	INFLOW	RELEASE	BUFFALO	EVAP	OWN	INFLOW	RELEASE	SISSON	EVAP	OWN	INFLOW	RELEASE	X-Y	EVAP	OWN
1	0.00	46.89	46.89	1.88	1515	0.00	0.00	0.00	0.00	34.98	0.00	563.52	1.34	3810.85	
2	0.00	46.89	46.89	1.88	1500	0.00	0.00	0.00	0.00	34.84	0.00	563.25	1.32	3806.69	
3	0.00	0.00	0.00	1.88	1485	0.00	0.00	0.00	0.00	34.70	0.00	562.98	1.30	3802.53	
4	0.02	0.00	0.00	1.88	1470	1.40	0.00	0.00	0.00	34.56	6.90	0.00	0.00	3798.37	
5	0.01	0.00	0.00	1.88	1455	1.30	0.00	0.00	0.00	34.42	8.65	0.00	0.00	3794.21	
6	0.01	0.00	0.00	1.88	1440	1.20	0.00	0.00	0.00	34.28	10.40	0.00	0.00	3790.05	
7	0.01	0.00	0.00	1.88	1425	1.10	0.00	0.00	0.00	34.14	12.15	0.00	0.00	3785.89	
8	0.01	0.00	0.00	1.88	1410	1.00	0.00	0.00	0.00	34.00	13.90	0.00	0.00	3781.73	
9	0.01	0.00	0.00	1.88	1395	0.90	0.00	0.00	0.00	33.86	15.65	0.00	0.00	3777.57	
10	0.01	0.00	0.00	1.88	1380	0.80	0.00	0.00	0.00	33.72	17.40	0.00	0.00	3773.41	
11	0.01	0.00	0.00	1.88	1365	0.70	0.00	0.00	0.00	33.58	19.15	0.00	0.00	3769.25	
12	0.01	0.00	0.00	1.88	1350	0.60	0.00	0.00	0.00	33.44	20.90	0.00	0.00	3765.09	
13	0.01	0.00	0.00	1.88	1335	0.50	0.00	0.00	0.00	33.30	22.65	0.00	0.00	3760.93	
14	0.01	0.00	0.00	1.88	1320	0.40	0.00	0.00	0.00	33.16	24.40	0.00	0.00	3756.77	
15	0.01	0.00	0.00	1.88	1305	0.30	0.00	0.00	0.00	33.02	26.15	0.00	0.00	3752.61	
16	0.01	0.00	0.00	1.88	1290	0.20	0.00	0.00	0.00	32.88	27.90	0.00	0.00	3748.45	
17	0.01	0.00	0.00	1.88	1275	0.10	0.00	0.00	0.00	32.74	29.65	0.00	0.00	3744.29	
18	0.01	0.00	0.00	1.88	1260	0.00	0.00	0.00	0.00	32.60	31.40	0.00	0.00	3740.13	
19	0.01	0.00	0.00	1.88	1245	0.00	0.00	0.00	0.00	32.46	33.15	0.00	0.00	3735.97	
20	0.01	0.00	0.00	1.88	1230	0.00	0.00	0.00	0.00	32.32	34.90	0.00	0.00	3731.81	
21	0.01	0.00	0.00	1.88	1215	0.00	0.00	0.00	0.00	32.18	36.65	0.00	0.00	3727.65	
22	0.01	0.00	0.00	1.88	1200	0.00	0.00	0.00	0.00	32.04	38.40	0.00	0.00	3723.49	
23	0.01	0.00	0.00	1.88	1185	0.00	0.00	0.00	0.00	31.90	40.15	0.00	0.00	3719.33	
24	0.01	0.00	0.00	1.88	1170	0.00	0.00	0.00	0.00	31.76	41.90	0.00	0.00	3715.17	
25	0.01	0.00	0.00	1.88	1155	0.00	0.00	0.00	0.00	31.62	43.65	0.00	0.00	3711.01	
26	0.01	0.00	0.00	1.88	1140	0.00	0.00	0.00	0.00	31.48	45.40	0.00	0.00	3706.85	
27	0.01	0.00	0.00	1.88	1125	0.00	0.00	0.00	0.00	31.34	47.15	0.00	0.00	3702.69	
28	0.01	0.00	0.00	1.88	1110	0.00	0.00	0.00	0.00	31.20	48.90	0.00	0.00	3698.53	
29	0.01	0.00	0.00	1.88	1095	0.00	0.00	0.00	0.00	31.06	50.65	0.00	0.00	3694.37	
30	0.01	0.00	0.00	1.88	1080	0.00	0.00	0.00	0.00	30.92	52.40	0.00	0.00	3690.21	
TOT	412.20	757.51	497.01			19.73	272.54		102.03		1643.06	4702.84	718.02		

1989 WINTER STORED WATER

AMITY

FT. BENT

KEESEE

JUN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.16	328.19	0.00	0.00	0.35	730.19	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	328.19	0.00	0.00	0.40	729.44	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	328.19	0.00	0.00	0.41	729.04	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	328.19	0.00	0.00	0.42	728.62	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	328.19	0.00	0.00	0.94	727.68	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	328.19	0.00	0.00	0.47	726.80	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	328.19	0.00	0.00	0.54	725.49	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	328.19	0.00	0.00	0.56	724.93	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	328.19	0.00	0.00	0.50	723.67	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	328.19	0.00	0.00	0.32	722.27	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	328.19	0.00	0.00	0.63	721.18	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	328.19	0.00	0.00	0.93	720.22	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	328.19	0.00	0.00	0.93	719.33	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	328.19	0.00	0.00	1.20	717.90	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	328.19	0.00	0.00	0.61	715.26	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	328.19	0.00	0.00	0.83	714.43	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	328.19	0.00	0.00	23.88	689.54	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	328.19	0.00	0.00	43.88	645.66	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	328.19	0.00	0.00	43.88	601.78	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	328.19	0.00	0.00	16.15	585.63	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	328.19	0.00	0.00	19.88	565.75	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	328.19	0.00	0.00	21.93	543.82	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	328.19	0.00	0.00	21.93	521.89	0.00	0.00	0.00	0.00
TOT	0.00	79.84	9.81		0.00	-235.73	21.89		0.00	0.00	0.00	

1989 WINTER STORED WATER

MANVEL

HYDE

LAMAR

JUN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.51	1205.35	0.00	0.00	0.13	43.62	0.00	0.00	0.07	153.38
2	0.00	0.00	0.65	1205.35	0.00	0.00	0.14	43.22	0.00	0.00	0.09	153.22
3	0.00	0.00	0.69	1205.35	0.00	0.00	0.14	42.82	0.00	0.00	0.09	153.03
4	0.00	0.00	1.16	1205.35	0.00	0.00	0.32	42.50	0.00	0.00	0.20	152.83
5	0.00	0.00	1.16	1205.35	0.00	0.00	0.26	42.24	0.00	0.00	0.16	152.63
6	0.00	0.00	1.28	1205.35	0.00	0.00	0.18	42.06	0.00	0.00	0.12	152.43
7	0.00	0.00	0.95	1205.35	0.00	0.00	0.19	41.87	0.00	0.00	0.13	152.23
8	0.00	0.00	0.52	1205.35	0.00	0.00	0.19	41.68	0.00	0.00	0.12	152.03
9	0.00	0.00	1.13	1205.35	0.00	0.00	0.22	41.50	0.00	0.00	0.14	151.83
10	0.00	0.00	1.13	1205.35	0.00	0.00	0.31	41.19	0.00	0.00	0.20	151.63
11	0.00	0.00	0.95	1205.35	0.00	0.00	0.16	41.03	0.00	0.00	0.12	151.43
12	0.00	0.00	0.65	1205.35	0.00	0.00	0.16	40.87	0.00	0.00	0.12	151.23
13	0.00	0.00	1.16	1205.35	0.00	0.00	0.16	40.71	0.00	0.00	0.12	151.03
14	0.00	0.00	1.16	1205.35	0.00	0.00	0.16	40.55	0.00	0.00	0.12	150.83
15	0.00	0.00	0.95	1205.35	0.00	0.00	0.16	40.39	0.00	0.00	0.12	150.63
16	0.00	0.00	0.65	1205.35	0.00	0.00	0.16	40.23	0.00	0.00	0.12	150.43
17	0.00	0.00	1.16	1205.35	0.00	0.00	0.16	40.07	0.00	0.00	0.12	150.23
18	0.00	0.00	1.16	1205.35	0.00	0.00	0.16	39.91	0.00	0.00	0.12	150.03
19	0.00	0.00	0.95	1205.35	0.00	0.00	0.16	39.75	0.00	0.00	0.12	149.83
20	0.00	0.00	0.65	1205.35	0.00	0.00	0.16	39.59	0.00	0.00	0.12	149.63
21	0.00	0.00	1.16	1205.35	0.00	0.00	0.16	39.43	0.00	0.00	0.12	149.43
22	0.00	0.00	1.16	1205.35	0.00	0.00	0.16	39.27	0.00	0.00	0.12	149.23
23	0.00	0.00	0.95	1205.35	0.00	0.00	0.16	39.11	0.00	0.00	0.12	149.03
TOT	0.00	370.87	34.91		0.00	0.00	7.78		0.00	0.00	4.96	

1989 WINTER STORED WATER

PG 6

X-Y

BUFFALO

SISSON

JUN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.34	725.57	0.00	0.00	0.75	1588.59	0.00	0.00	0.11	224.86
2	0.00	0.00	0.30	723.83	0.00	0.00	0.86	1587.96	0.00	0.00	0.11	224.61
3	0.00	0.00	0.42	723.04	0.00	0.00	0.88	1588.22	0.00	0.00	0.11	224.49
4	0.00	0.00	0.44	722.68	0.00	0.00	0.92	1585.50	0.00	0.00	0.11	224.70
5	0.00	0.00	0.47	722.21	0.00	0.00	1.02	1580.22	0.00	0.00	0.11	223.93
6	0.00	0.00	0.54	720.34	0.00	0.00	1.12	1578.37	0.00	0.00	0.11	223.25
7	0.00	0.00	0.56	719.78	0.00	0.00	1.22	1576.19	0.00	0.00	0.11	223.18
8	0.00	0.00	0.59	718.99	0.00	0.00	1.32	1573.43	0.00	0.00	0.11	223.86
9	0.00	0.00	0.62	718.22	0.00	0.00	1.42	1572.00	0.00	0.00	0.11	223.89
10	0.00	0.00	0.65	717.55	0.00	0.00	1.52	1569.96	0.00	0.00	0.11	223.19
11	0.00	0.00	0.67	716.79	0.00	0.00	1.62	1567.97	0.00	0.00	0.11	223.91
12	0.00	0.00	0.69	716.11	0.00	0.00	1.72	1565.92	0.00	0.00	0.11	223.18
13	0.00	0.00	0.70	715.41	0.00	0.00	1.82	1563.81	0.00	0.00	0.11	223.86
14	0.00	0.00	0.71	714.70	0.00	0.00	1.92	1561.68	0.00	0.00	0.11	223.89
15	0.00	0.00	0.72	714.09	0.00	0.00	2.02	1559.52	0.00	0.00	0.11	223.18
16	0.00	0.00	0.73	713.49	0.00	0.00	2.12	1557.33	0.00	0.00	0.11	223.82
17	0.00	0.00	0.74	712.88	0.00	0.00	2.22	1555.11	0.00	0.00	0.11	223.53
18	0.00	0.00	0.75	712.27	0.00	0.00	2.32	1552.87	0.00	0.00	0.11	223.19
19	0.00	0.00	0.76	711.65	0.00	0.00	2.42	1550.61	0.00	0.00	0.11	223.86
20	0.00	0.00	0.77	711.03	0.00	0.00	2.52	1548.33	0.00	0.00	0.11	223.53
21	0.00	0.00	0.78	710.41	0.00	0.00	2.62	1546.03	0.00	0.00	0.11	223.18
22	0.00	0.00	0.79	709.79	0.00	0.00	2.72	1543.71	0.00	0.00	0.11	223.86
23	0.00	0.00	0.80	709.17	0.00	0.00	2.82	1541.38	0.00	0.00	0.11	223.53
TOT	0.00	58.06	22.97		0.00	0.00	50.65		0.00	0.00	7.17	

1989 WINTER STORED WATER

PG 6

TOTAL

JUN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	1.78	520.04	0.00	0.00	0.04	1588.59	0.00	0.00	0.11	224.86
2	0.00	0.00	1.82	518.22	0.00	0.00	0.05	1587.96	0.00	0.00	0.11	224.61
3	0.00	0.00	1.89	516.33	0.00	0.00	0.06	1588.22	0.00	0.00	0.11	224.49
4	0.00	0.00	1.90	514.44	0.00	0.00	0.07	1585.50	0.00	0.00	0.11	224.70
5	0.00	0.00	1.93	512.55	0.00	0.00	0.08	1580.22	0.00	0.00	0.11	223.93
6	0.00	0.00	1.95	510.66	0.00	0.00	0.09	1578.37	0.00	0.00	0.11	223.25
7	0.00	0.00	1.97	508.77	0.00	0.00	0.10	1576.19	0.00	0.00	0.11	223.18
8	0.00	0.00	1.99	506.88	0.00	0.00	0.11	1573.43	0.00	0.00	0.11	223.86
9	0.00	0.00	2.01	505.00	0.00	0.00	0.12	1572.00	0.00	0.00	0.11	223.89
10	0.00	0.00	2.03	503.11	0.00	0.00	0.13	1569.96	0.00	0.00	0.11	223.19
11	0.00	0.00	2.05	501.22	0.00	0.00	0.14	1567.97	0.00	0.00	0.11	223.91
12	0.00	0.00	2.07	499.33	0.00	0.00	0.15	1565.92	0.00	0.00	0.11	223.18
13	0.00	0.00	2.09	497.44	0.00	0.00	0.16	1563.81	0.00	0.00	0.11	223.86
14	0.00	0.00	2.11	495.55	0.00	0.00	0.17	1561.68	0.00	0.00	0.11	223.89
15	0.00	0.00	2.13	493.66	0.00	0.00	0.18	1559.52	0.00	0.00	0.11	223.18
16	0.00	0.00	2.15	491.77	0.00	0.00	0.19	1557.33	0.00	0.00	0.11	223.82
17	0.00	0.00	2.17	489.88	0.00	0.00	0.20	1555.11	0.00	0.00	0.11	223.53
18	0.00	0.00	2.19	488.00	0.00	0.00	0.21	1552.87	0.00	0.00	0.11	223.19
19	0.00	0.00	2.21	486.11	0.00	0.00	0.22	1550.61	0.00	0.00	0.11	223.86
20	0.00	0.00	2.23	484.22	0.00	0.00	0.23	1548.33	0.00	0.00	0.11	223.53
21	0.00	0.00	2.25	482.33	0.00	0.00	0.24	1546.03	0.00	0.00	0.11	223.18
22	0.00	0.00	2.27	480.44	0.00	0.00	0.25	1543.71	0.00	0.00	0.11	223.86
23	0.00	0.00	2.29	478.55	0.00	0.00	0.26	1541.38	0.00	0.00	0.11	223.53
TOT	0.00	744.50	160.14		0.00	0.00			0.00	0.00		

MADE IN U.S.A.

WAM

WAMPSTER MILL
BOND
MADE IN U.S.A.

WAM

DATE	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
MAY 1989	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	0.00	678.15	70.00	5359.01	0.00	1524.15	0.00	81406.06	0.00	0.00	0.00	0.00
2	0.00	524.15	71.00	5333.56	0.00	1391.15	0.00	81706.22	0.00	0.00	0.00	0.00
3	0.00	524.15	71.00	5308.00	0.00	1391.15	0.00	81418.24	0.00	0.00	0.00	0.00
4	0.00	524.15	71.00	5282.00	0.00	1391.15	0.00	81129.18	0.00	0.00	0.00	0.00
5	0.00	524.15	71.00	5256.00	0.00	1391.15	0.00	80840.00	0.00	0.00	0.00	0.00
6	0.00	524.15	71.00	5230.00	0.00	1391.15	0.00	80550.00	0.00	0.00	0.00	0.00
7	0.00	524.15	71.00	5204.00	0.00	1391.15	0.00	80260.00	0.00	0.00	0.00	0.00
8	0.00	524.15	71.00	5178.00	0.00	1391.15	0.00	79970.00	0.00	0.00	0.00	0.00
9	0.00	524.15	71.00	5152.00	0.00	1391.15	0.00	79680.00	0.00	0.00	0.00	0.00
10	0.00	524.15	71.00	5126.00	0.00	1391.15	0.00	79390.00	0.00	0.00	0.00	0.00
11	0.00	524.15	71.00	5100.00	0.00	1391.15	0.00	79100.00	0.00	0.00	0.00	0.00
12	0.00	524.15	71.00	5074.00	0.00	1391.15	0.00	78810.00	0.00	0.00	0.00	0.00
13	0.00	524.15	71.00	5048.00	0.00	1391.15	0.00	78520.00	0.00	0.00	0.00	0.00
14	0.00	524.15	71.00	5022.00	0.00	1391.15	0.00	78230.00	0.00	0.00	0.00	0.00
15	0.00	524.15	71.00	4996.00	0.00	1391.15	0.00	77940.00	0.00	0.00	0.00	0.00
16	0.00	524.15	71.00	4970.00	0.00	1391.15	0.00	77650.00	0.00	0.00	0.00	0.00
17	0.00	524.15	71.00	4944.00	0.00	1391.15	0.00	77360.00	0.00	0.00	0.00	0.00
18	0.00	524.15	71.00	4918.00	0.00	1391.15	0.00	77070.00	0.00	0.00	0.00	0.00
19	0.00	524.15	71.00	4892.00	0.00	1391.15	0.00	76780.00	0.00	0.00	0.00	0.00
20	0.00	524.15	71.00	4866.00	0.00	1391.15	0.00	76490.00	0.00	0.00	0.00	0.00
21	0.00	524.15	71.00	4840.00	0.00	1391.15	0.00	76200.00	0.00	0.00	0.00	0.00
22	0.00	524.15	71.00	4814.00	0.00	1391.15	0.00	75910.00	0.00	0.00	0.00	0.00
23	0.00	524.15	71.00	4788.00	0.00	1391.15	0.00	75620.00	0.00	0.00	0.00	0.00
24	0.00	524.15	71.00	4762.00	0.00	1391.15	0.00	75330.00	0.00	0.00	0.00	0.00
25	0.00	524.15	71.00	4736.00	0.00	1391.15	0.00	75040.00	0.00	0.00	0.00	0.00
26	0.00	524.15	71.00	4710.00	0.00	1391.15	0.00	74750.00	0.00	0.00	0.00	0.00
27	0.00	524.15	71.00	4684.00	0.00	1391.15	0.00	74460.00	0.00	0.00	0.00	0.00
28	0.00	524.15	71.00	4658.00	0.00	1391.15	0.00	74170.00	0.00	0.00	0.00	0.00
29	0.00	524.15	71.00	4632.00	0.00	1391.15	0.00	73880.00	0.00	0.00	0.00	0.00
30	0.00	524.15	71.00	4606.00	0.00	1391.15	0.00	73590.00	0.00	0.00	0.00	0.00
31	0.00	524.15	71.00	4580.00	0.00	1391.15	0.00	73300.00	0.00	0.00	0.00	0.00
TOT	10221.18	18638.09	2251.00	10213.17	18638.09	2616.63	8593.61	8585.90	7.71			

DATE	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
MAY 1989	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00	0.00	0.00	0.00	226.66	0.00	0.00	0.00	0.00	0.00

AGREEMENT WATER

SUMMER STORED WATER

KANSAS

KEESEE

MAY 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	1.51	189.68	0.00	0.00	4.58	85.85	22.05	57.80	0.00	0.00
2	0.00	0.00	14.05	168.16	0.00	0.00	6.52	155.82	0.00	0.00	0.00	163.24
3	0.00	0.00	11.68	221.66	0.00	0.00	8.22	149.90	0.00	0.00	0.00	109.50
4	0.00	0.00	11.92	330.02	0.00	0.00	8.43	135.98	0.00	0.00	0.00	0.00
5	0.00	0.00	10.02	330.66	0.00	0.00	11.51	129.83	0.00	0.00	0.00	0.00
6	0.00	0.00	11.52	318.11	0.00	0.00	11.23	135.98	0.00	0.00	0.00	0.00
7	0.00	0.00	11.94	317.19	0.00	0.00	11.18	135.98	0.00	0.00	0.00	0.00
8	0.00	0.00	11.33	317.19	0.00	0.00	11.16	135.98	0.00	0.00	0.00	0.00
9	0.00	0.00	11.01	317.19	0.00	0.00	11.00	135.98	0.00	0.00	0.00	0.00
10	0.00	0.00	11.01	317.19	0.00	0.00	11.00	135.98	0.00	0.00	0.00	0.00
11	0.00	0.00	11.01	317.19	0.00	0.00	11.00	135.98	0.00	0.00	0.00	0.00
12	0.00	0.00	11.01	317.19	0.00	0.00	11.00	135.98	0.00	0.00	0.00	0.00
13	0.00	0.00	11.01	317.19	0.00	0.00	11.00	135.98	0.00	0.00	0.00	0.00
14	0.00	0.00	11.01	317.19	0.00	0.00	11.00	135.98	0.00	0.00	0.00	0.00
15	0.00	0.00	11.01	317.19	0.00	0.00	11.00	135.98	0.00	0.00	0.00	0.00
16	0.00	0.00	11.01	317.19	0.00	0.00	11.00	135.98	0.00	0.00	0.00	0.00
17	0.00	0.00	11.01	317.19	0.00	0.00	11.00	135.98	0.00	0.00	0.00	0.00
18	0.00	0.00	11.01	317.19	0.00	0.00	11.00	135.98	0.00	0.00	0.00	0.00
19	0.00	0.00	11.01	317.19	0.00	0.00	11.00	135.98	0.00	0.00	0.00	0.00
20	0.00	0.00	11.01	317.19	0.00	0.00	11.00	135.98	0.00	0.00	0.00	0.00
21	0.00	0.00	11.01	317.19	0.00	0.00	11.00	135.98	0.00	0.00	0.00	0.00
TOT	3134.37	5702.57	1116.75		569.65	842.36	275.80		339.54	218.42	1.50	

AGREEMENT WATER

SUMMER STORED WATER

FT. BENT

LAMAR

MAY 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	510.01	180.01	6.63		2550.03	1277.08	26.91		1019.98	423.56	14.74	

SUNNER STORED WATER

MAY 1989	HYDE			MANVEL			X-Y			OWN	
	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE		EVAP
1	388.86	16.51	1.58	0.00	0.00	0.00	0.00	247.70	0.00	0.00	0.00
2	0.00	19.39	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	11.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31	0.00	12.16	1.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	155.91	181.88	79.00	123.63	0.00	1.87		510.18	288.01	5.97	

SUNNER STORED WATER

MAY 1989	BUFFALO			SISSON			TOTAL			OWN	
	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE		EVAP
1	2535.51	0.00	10.28	358.83	0.00	1.02	160.98	3752.09	14.30	2.00	3766.39
2	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
3	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
4	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
5	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
6	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
7	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
8	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
9	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
10	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
11	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
12	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
13	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
14	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
15	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
16	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
17	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
18	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
19	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
20	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
21	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
22	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
23	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
24	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
25	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
26	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
27	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
28	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
29	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
30	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
31	0.00	0.00	10.28	0.00	0.00	1.02	160.98	0.00	0.00	0.00	160.98
TOT	2973.39	937.61	523.63	420.65	260.62	116.11		8903.62	3800.19	776.36	

ARTICLE III
FT. LYON

AMITY

MAY 1989

	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	56.29	7.42	10109.37	0.00	0.00	0.05	67.41	0.00	0.00	1.68	2286.81
2	0.00	502.90	6.16	9537.45	0.00	0.00	0.04	4288.99	0.00	0.00	1.41	2286.81
3	0.00	483.91	3.20	89015.21	0.00	0.00	0.02	67.33	0.00	0.00	1.00	2286.81
4	0.00	411.00	7.49	81531.80	0.00	0.00	0.06	63.22	0.00	0.00	0.86	2286.81
5	0.00	328.87	7.04	66218.92	0.00	0.00	0.05	63.15	0.00	0.00	2.13	2286.81
6	0.00	322.81	11.71	66218.92	0.00	0.00	0.17	60.04	0.00	0.00	2.22	2286.81
7	0.00	322.81	15.71	66218.92	0.00	0.00	0.17	60.04	0.00	0.00	2.22	2286.81
8	0.00	322.81	19.71	66218.92	0.00	0.00	0.08	60.04	0.00	0.00	2.22	2286.81
9	0.00	410.62	22.19	62206.84	0.00	0.00	0.03	62.77	0.00	0.00	1.63	2286.81
10	0.00	400.62	22.58	62206.84	0.00	0.00	0.05	62.77	0.00	0.00	1.63	2286.81
11	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
12	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
13	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
14	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
15	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
16	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
17	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
18	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
19	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
20	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
21	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
22	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
23	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
24	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
25	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
26	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
27	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
28	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
29	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
30	0.00	378.63	22.58	62206.84	0.00	0.00	0.08	62.77	0.00	0.00	2.60	2286.81
TOT	1627.57	7586.21	160.13		0.00	0.00	2.03		0.00	210.86	69.20	

ARTICLE III
TOTAL

	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	56.29	9.16	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
2	0.00	502.90	4.08	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
3	0.00	483.91	9.06	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
4	0.00	328.87	9.06	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
5	0.00	322.81	13.04	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
6	0.00	322.81	17.02	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
7	0.00	322.81	21.00	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
8	0.00	410.62	25.08	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
9	0.00	400.62	29.06	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
10	0.00	378.63	33.04	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
11	0.00	378.63	37.02	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
12	0.00	378.63	41.00	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
13	0.00	378.63	45.08	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
14	0.00	378.63	49.06	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
15	0.00	378.63	53.04	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
16	0.00	378.63	57.02	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
17	0.00	378.63	61.00	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
18	0.00	378.63	65.08	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
19	0.00	378.63	69.06	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
20	0.00	378.63	73.04	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
21	0.00	378.63	77.02	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
22	0.00	378.63	81.00	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
23	0.00	378.63	85.08	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
24	0.00	378.63	89.06	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
25	0.00	378.63	93.04	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
26	0.00	378.63	97.02	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
27	0.00	378.63	101.00	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
28	0.00	378.63	105.08	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
29	0.00	378.63	109.06	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
30	0.00	378.63	113.04	11851.23	0.00	0.00	0.00	11851.23	0.00	0.00	0.00	0.00
TOT	1627.57	7827.10	231.41		0.00	0.00			0.00	0.00		

1989 WINTER STORED WATER

PG 5

FT. BENT

KEESEE

MAY 1989

	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	AMITY	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	45.16	0.00	1.82	0.86	1167.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.29	44.98	0.00	1.42	0.18	1149.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.11	44.81	0.00	2.23	0.98	1107.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	1.68	0.00	44.23	0.00	2.33	0.92	1071.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	3.38	0.00	43.23	0.00	2.33	1.19	996.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	3.38	0.00	41.28	0.00	2.33	1.16	911.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	3.38	0.00	40.28	0.00	2.33	1.16	860.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	3.38	0.00	39.28	0.00	2.33	1.16	809.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	3.38	0.00	38.28	0.00	2.33	1.16	758.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	3.38	0.00	37.28	0.00	2.33	1.16	707.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	3.38	0.00	36.28	0.00	2.33	1.16	656.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	3.38	0.00	35.28	0.00	2.33	1.16	605.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	3.38	0.00	34.28	0.00	2.33	1.16	554.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	3.38	0.00	33.28	0.00	2.33	1.16	503.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	3.38	0.00	32.28	0.00	2.33	1.16	452.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	3.38	0.00	31.28	0.00	2.33	1.16	401.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	3.38	0.00	30.28	0.00	2.33	1.16	350.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	3.38	0.00	29.28	0.00	2.33	1.16	299.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	3.38	0.00	28.28	0.00	2.33	1.16	248.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	3.38	0.00	27.28	0.00	2.33	1.16	197.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	3.38	0.00	26.28	0.00	2.33	1.16	146.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	3.38	0.00	25.28	0.00	2.33	1.16	95.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	3.38	0.00	24.28	0.00	2.33	1.16	44.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	3.38	0.00	23.28	0.00	2.33	1.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	105.57	12.03		0.00	410.17	27.10		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

1989 WINTER STORED WATER

PG 5

HYDE

LAMAR

MAY 1989

	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	MANVEL	RELEASE	EVAP	OWN
1	0.00	0.00	1.19	13.06	0.00	0.00	0.18	150.61	0.00	0.00	0.00	160.61	0.00	0.00	0.00	160.61
2	0.00	0.00	0.61	12.45	0.00	0.00	0.19	144.5	0.00	0.00	0.00	150.5	0.00	0.00	0.00	150.5
3	0.00	0.00	0.00	11.84	0.00	0.00	0.23	138.39	0.00	0.00	0.00	144.39	0.00	0.00	0.00	144.39
4	0.00	1.61	0.00	11.23	0.00	0.00	0.24	132.28	0.00	0.00	0.00	138.28	0.00	0.00	0.00	138.28
5	0.00	1.61	0.00	10.62	0.00	0.00	0.24	126.17	0.00	0.00	0.00	132.17	0.00	0.00	0.00	132.17
6	0.00	1.61	0.00	10.01	0.00	0.00	0.24	120.06	0.00	0.00	0.00	126.06	0.00	0.00	0.00	126.06
7	0.00	1.61	0.00	9.4	0.00	0.00	0.24	113.95	0.00	0.00	0.00	120.95	0.00	0.00	0.00	120.95
8	0.00	1.61	0.00	8.79	0.00	0.00	0.24	107.84	0.00	0.00	0.00	114.84	0.00	0.00	0.00	114.84
9	0.00	1.61	0.00	8.18	0.00	0.00	0.24	101.73	0.00	0.00	0.00	108.73	0.00	0.00	0.00	108.73
10	0.00	1.61	0.00	7.57	0.00	0.00	0.24	95.62	0.00	0.00	0.00	102.62	0.00	0.00	0.00	102.62
11	0.00	1.61	0.00	6.96	0.00	0.00	0.24	89.51	0.00	0.00	0.00	96.51	0.00	0.00	0.00	96.51
12	0.00	1.61	0.00	6.35	0.00	0.00	0.24	83.4	0.00	0.00	0.00	90.4	0.00	0.00	0.00	90.4
13	0.00	1.61	0.00	5.74	0.00	0.00	0.24	77.29	0.00	0.00	0.00	84.29	0.00	0.00	0.00	84.29
14	0.00	1.61	0.00	5.13	0.00	0.00	0.24	71.18	0.00	0.00	0.00	78.18	0.00	0.00	0.00	78.18
15	0.00	1.61	0.00	4.52	0.00	0.00	0.24	65.07	0.00	0.00	0.00	72.07	0.00	0.00	0.00	72.07
16	0.00	1.61	0.00	3.91	0.00	0.00	0.24	58.96	0.00	0.00	0.00	65.96	0.00	0.00	0.00	65.96
17	0.00	1.61	0.00	3.3	0.00	0.00	0.24	52.85	0.00	0.00	0.00	59.85	0.00	0.00	0.00	59.85
18	0.00	1.61	0.00	2.69	0.00	0.00	0.24	46.74	0.00	0.00	0.00	53.74	0.00	0.00	0.00	53.74
19	0.00	1.61	0.00	2.08	0.00	0.00	0.24	40.63	0.00	0.00	0.00	47.63	0.00	0.00	0.00	47.63
20	0.00	1.61	0.00	1.47	0.00	0.00	0.24	34.52	0.00	0.00	0.00	41.52	0.00	0.00	0.00	41.52
21	0.00	1.61	0.00	0.86	0.00	0.00	0.24	28.41	0.00	0.00	0.00	35.41	0.00	0.00	0.00	35.41
22	0.00	1.61	0.00	0.25	0.00	0.00	0.24	22.3	0.00	0.00	0.00	29.3	0.00	0.00	0.00	29.3
23	0.00	1.61	0.00	0.00	0.00	0.00	0.24	16.19	0.00	0.00	0.00	23.19	0.00	0.00	0.00	23.19
24	0.00	1.61	0.00	0.00	0.00	0.00	0.24	10.08	0.00	0.00	0.00	17.08	0.00	0.00	0.00	17.08
TOT	0.00	285.71	42.13		0.00	0.00	8.20		0.00	0.00	0.00		0.00	5.26		

1989 WINTER STORED WATER

BUFFALO

SISSON

MAY 1989	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	86.36	0.00	0.00	1.20	1643.98	0.00	0.00	1.50	232.22
2	0.00	0.00	0.00	98.51	0.00	0.00	0.71	1610.30	0.00	0.00	0.00	232.22
3	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
4	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
5	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
6	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
7	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
8	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
9	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
10	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
11	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
12	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
13	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
14	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
15	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
16	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
17	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
18	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
19	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
20	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
21	0.00	0.00	0.00	98.81	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
TOT	0.00	233.15	27.36		0.00	0.00	53.59		0.00	0.00	7.58	

1989 WINTER STORED WATER

TOTAL

MAY 1989	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1643.98	0.00	0.00	0.00	232.22
2	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1610.30	0.00	0.00	0.00	232.22
3	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
4	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
5	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
6	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
7	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
8	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
9	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
10	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
11	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
12	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
13	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
14	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
15	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
16	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
17	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
18	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
19	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
20	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
21	0.00	0.00	0.00	1.22	0.00	0.00	0.00	1633.98	0.00	0.00	0.00	232.22
TOT	0.00	1034.90	183.55		0.00	0.00			0.00	0.00		

MAR

MANUSCRIPT
BOND

MADE IN U.S.A.

MAR

MANUSCRIPT
BOND

MADE IN U.S.A.

APR 1989	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	356	787	90	124290	2560	787	65	92055	174	0	0	0
2	320	926	18	123221	2227	926	89	99509	162	0	0	0
3	183	1031	196	112211	1983	1031	71	99509	162	0	0	0
4	133	1080	16	111906	1983	1080	93	99509	162	0	0	0
5	196	1080	81	111664	1983	1080	93	99509	162	0	0	0
6	133	1080	16	111664	1983	1080	93	99509	162	0	0	0
7	196	1080	81	111664	1983	1080	93	99509	162	0	0	0
8	133	1080	16	111664	1983	1080	93	99509	162	0	0	0
9	196	1080	81	111664	1983	1080	93	99509	162	0	0	0
10	133	1080	16	111664	1983	1080	93	99509	162	0	0	0
11	196	1080	81	111664	1983	1080	93	99509	162	0	0	0
12	133	1080	16	111664	1983	1080	93	99509	162	0	0	0
13	196	1080	81	111664	1983	1080	93	99509	162	0	0	0
14	133	1080	16	111664	1983	1080	93	99509	162	0	0	0
15	196	1080	81	111664	1983	1080	93	99509	162	0	0	0
16	133	1080	16	111664	1983	1080	93	99509	162	0	0	0
17	196	1080	81	111664	1983	1080	93	99509	162	0	0	0
18	133	1080	16	111664	1983	1080	93	99509	162	0	0	0
19	196	1080	81	111664	1983	1080	93	99509	162	0	0	0
20	133	1080	16	111664	1983	1080	93	99509	162	0	0	0
21	196	1080	81	111664	1983	1080	93	99509	162	0	0	0
22	133	1080	16	111664	1983	1080	93	99509	162	0	0	0
23	196	1080	81	111664	1983	1080	93	99509	162	0	0	0
24	133	1080	16	111664	1983	1080	93	99509	162	0	0	0
25	196	1080	81	111664	1983	1080	93	99509	162	0	0	0
26	133	1080	16	111664	1983	1080	93	99509	162	0	0	0
27	196	1080	81	111664	1983	1080	93	99509	162	0	0	0
28	133	1080	16	111664	1983	1080	93	99509	162	0	0	0
29	196	1080	81	111664	1983	1080	93	99509	162	0	0	0
30	133	1080	16	111664	1983	1080	93	99509	162	0	0	0
TOT	1870.02	27927.31	2875.00	28525.17	27927.31	2550.39	1745.26	1727.08	8.18			

APR 1989	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
2	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
3	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
4	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
5	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
6	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
7	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
8	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
9	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
10	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
11	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
12	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
13	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
14	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
15	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
16	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
17	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
18	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
19	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
20	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
21	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
22	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
23	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
24	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
25	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
26	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
27	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
28	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
29	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
30	0.00	2179.33	19.10	261291	0.00	0.00	1.16	14235	81.44	81.44	0.00	0.00
TOT	0.00	26663.33	130.39	26663.33	0.00	0.00	186.14	134.76	134.76	134.76	0.00	0.00

SUMNER STORED WATER

AGREEMENT WATER

KANSAS

TRANSIT LOSS

KEESEE

APR 1989	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	73	0.00	19.61	1078	28.51	0.00	6.18	8951	0.00	0.00	0.06	91
2	73	0.00	12.11	1078	13.22	0.00	6.18	8951	0.00	0.00	0.09	88
3	73	0.00	20.22	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
4	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
5	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
6	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
7	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
8	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
9	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
10	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
11	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
12	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
13	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
14	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
15	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
16	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
17	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
18	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
19	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
20	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
21	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
22	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
23	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
24	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
25	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
26	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
27	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
28	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
29	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
30	73	0.00	0.00	1078	0.00	0.00	6.18	8951	0.00	0.00	0.06	88
TOT	11356.16	0.00	941.95		16.13	0.00	231.63		23.83	111.18	0.56	

SUMNER STORED WATER

AGREEMENT WATER

FT. DENT

TRANSIT LOSS

LAMAR

APR 1989	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	73	0.00	0.28	1102	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	102.59	474.93	1.78		512.95	512.95	0.00		205.17	205.13	0.04	

SUMNER STORED WATER

MANVEL

X-Y

APR 1989 :	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1237107-8930	0.00	27.00	1.52	94.14	0.00	83.56	0.18	244.30	0.00	25.01	0.06	102.34
1111111-8901	0.00	27.00	1.52	94.14	0.00	83.56	0.18	160.88	0.00	22.91	0.05	77.18
1111111-8901	0.00	27.00	1.52	94.14	0.00	83.56	0.18	76.81	0.00	7.47	0.02	29.14
TOT	13.17	189.56	63.13	21.87	268.80	0.37	52.85	151.98	0.21			

HYDE

SUMNER STORED WATER

SISSON

TOTAL

APR 1989 :	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1237107-8930	0.00	0.00	1.52	94.14	0.00	0.00	1.52	94.14	0.00	0.00	1.52	94.14
1111111-8901	0.00	0.00	1.52	94.14	0.00	0.00	1.52	94.14	0.00	0.00	1.52	94.14
1111111-8901	0.00	0.00	1.52	94.14	0.00	0.00	1.52	94.14	0.00	0.00	1.52	94.14
TOT	88.08	1265.16	387.35	12.44	0.00	89.88	1036.25	3482.69	543.62			

1988 WINTER STORED WATER

PG 5

KEESEE

FT. BENT

AMITY

APR 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.45	577.04	0.00	0.00	0.35	486.94	0.00	0.00	0.00	0.00
2	0.00	0.00	0.53	576.61	0.00	0.00	0.37	486.52	0.00	0.00	0.00	0.00
3	0.00	0.00	0.43	575.66	0.00	0.00	0.36	485.75	0.00	0.00	0.00	0.00
4	0.00	0.00	0.38	575.23	0.00	0.00	0.32	485.57	0.00	0.00	0.00	0.00
5	0.00	0.00	0.34	574.67	0.00	0.00	0.28	484.98	0.00	0.00	0.00	0.00
6	0.00	0.00	0.33	573.99	0.00	0.00	0.28	484.30	0.00	0.00	0.00	0.00
7	0.00	0.00	0.33	573.59	0.00	0.00	0.30	484.02	0.00	0.00	0.00	0.00
8	0.00	0.00	0.29	573.19	0.00	0.00	0.21	483.61	0.00	0.00	0.00	0.00
9	0.00	0.00	0.29	572.64	0.00	0.00	0.15	483.81	0.00	0.00	0.00	0.00
10	0.00	0.00	0.31	571.10	0.00	0.00	0.08	483.19	0.00	0.00	0.00	0.00
11	0.00	0.00	0.31	568.15	0.00	0.00	0.04	482.44	0.00	0.00	0.00	0.00
12	0.00	0.00	0.50	562.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.26	553.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.37	545.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.36	537.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.36	529.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.36	521.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.36	511.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.36	502.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.36	492.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.36	482.91	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.12	477.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.11	471.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.09	465.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	343.96	12.29		0.00	483.03	3.91		0.00	0.00	0.00	0.00

1988 WINTER STORED WATER

PG 5

LAMAR

HYDE

MANVEL

APR 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00		0.00	729.70	4.26		0.00	0.00	0.00	0.00

1988 WINTER STORED WATER

X-Y

BUFFALO

SISSON

APR 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.18	256.34	0.00	0.00	1.86	2603.47	0.00	0.00	0.00	368.70
2	0.00	0.00	0.25	255.97	0.00	0.00	5.04	2259.09	0.00	0.00	0.00	368.15
3	0.00	0.70	0.12	254.25	0.00	0.00	1.70	2392.33	0.00	0.00	0.00	367.21
4	0.00	0.00	0.15	254.10	0.00	0.00	1.52	2591.19	0.00	0.00	0.00	366.48
5	0.00	0.00	0.16	253.81	0.00	0.00	1.30	2588.07	0.00	0.00	0.00	366.07
6	0.00	0.00	0.17	253.62	0.00	0.00	1.26	2585.75	0.00	0.00	0.00	365.96
7	0.00	0.06	0.16	253.33	0.00	0.00	1.26	2582.49	0.00	0.00	0.00	365.73
8	0.00	1.00	0.27	251.76	0.00	0.00	1.77	2576.77	0.00	0.00	0.00	365.04
9	0.00	0.00	0.27	251.49	0.00	0.00	1.77	2573.49	0.00	0.00	0.00	364.25
10	0.00	0.00	0.27	251.21	0.00	0.00	1.54	2572.46	0.00	0.00	0.00	363.55
11	0.00	0.00	0.27	251.07	0.00	0.00	1.51	2569.83	0.00	0.00	0.00	363.21
12	0.00	0.00	0.27	250.80	0.00	0.00	1.51	2566.61	0.00	0.00	0.00	362.85
1	0.00	0.00	0.33	249.50	0.00	0.00	1.38	2559.07	0.00	0.00	0.00	362.18
2	0.00	0.00	0.33	249.30	0.00	0.00	1.33	2556.31	0.00	0.00	0.00	361.79
3	0.00	0.00	0.33	249.30	0.00	0.00	1.33	2553.17	0.00	0.00	0.00	361.40
4	0.00	0.00	0.33	248.85	0.00	0.00	1.33	2550.64	0.00	0.00	0.00	361.02
5	0.00	0.00	0.33	248.52	0.00	0.00	1.33	2547.95	0.00	0.00	0.00	360.65
6	0.00	0.00	0.37	248.18	0.00	0.00	1.49	2543.33	0.00	0.00	0.00	360.28
7	0.00	0.00	0.10	248.11	0.00	0.00	1.02	2539.31	0.00	0.00	0.00	359.91
8	0.00	0.00	0.10	248.11	0.00	0.00	1.02	2535.33	0.00	0.00	0.00	359.54
9	0.00	0.00	0.10	248.11	0.00	0.00	1.02	2531.33	0.00	0.00	0.00	359.17
10	0.00	0.00	0.10	248.11	0.00	0.00	1.02	2527.33	0.00	0.00	0.00	358.80
TOT	0.00	1.76	6.66		0.00	0.00	67.98		0.00	0.00	9.61	

1988 WINTER STORED WATER

TOTAL

APR 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	3.98	428.43	0.00	0.00	4.20	5142.10	0.00	0.00	0.00	368.70
2	0.00	0.00	4.02	427.97	0.00	0.00	4.16	5140.25	0.00	0.00	0.00	368.15
3	0.00	6.43	4.23	427.84	0.00	8.84	4.23	5138.13	0.00	0.00	0.00	367.21
4	0.00	8.43	4.35	427.66	0.00	11.13	4.05	5135.22	0.00	0.00	0.00	366.48
5	0.00	8.83	4.50	427.41	0.00	14.39	4.05	5131.91	0.00	0.00	0.00	366.07
6	0.00	8.83	4.61	427.16	0.00	17.63	4.05	5128.22	0.00	0.00	0.00	365.96
7	0.00	18.25	4.72	426.92	0.00	20.91	4.05	5124.16	0.00	0.00	0.00	365.73
8	0.00	18.56	4.80	426.63	0.00	24.20	4.05	5119.75	0.00	0.00	0.00	365.04
9	0.00	14.03	4.74	426.37	0.00	27.57	4.05	5115.18	0.00	0.00	0.00	364.25
10	0.00	3.00	4.39	426.20	0.00	30.91	4.05	5110.27	0.00	0.00	0.00	363.55
11	0.00	4.77	4.88	426.02	0.00	34.21	4.05	5105.02	0.00	0.00	0.00	363.21
12	0.00	7.97	4.77	425.77	0.00	37.57	4.05	5100.45	0.00	0.00	0.00	362.85
1	0.00	7.97	4.77	425.77	0.00	40.93	4.05	5095.56	0.00	0.00	0.00	362.18
2	0.00	7.97	4.77	425.77	0.00	44.28	4.05	5090.28	0.00	0.00	0.00	361.79
3	0.00	7.97	4.77	425.77	0.00	47.63	4.05	5084.61	0.00	0.00	0.00	361.40
4	0.00	7.97	4.77	425.77	0.00	50.98	4.05	5078.54	0.00	0.00	0.00	361.02
5	0.00	20.79	4.67	425.50	0.00	54.33	4.05	5072.07	0.00	0.00	0.00	360.65
6	0.00	22.77	4.67	425.24	0.00	57.68	4.05	5065.20	0.00	0.00	0.00	360.28
7	0.00	22.77	4.67	425.24	0.00	61.03	4.05	5057.93	0.00	0.00	0.00	359.91
8	0.00	22.77	4.67	425.24	0.00	64.38	4.05	5050.26	0.00	0.00	0.00	359.54
9	0.00	22.77	4.67	425.24	0.00	67.73	4.05	5042.19	0.00	0.00	0.00	359.17
10	0.00	22.77	4.67	425.24	0.00	71.08	4.05	5033.72	0.00	0.00	0.00	358.80
TOT	0.00	1558.45	115.13		0.00				0.00	0.00		

1989 WINTER STORED WATER

FT. BENT

PG 7

KEESEE

AMITY

APR 1989	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	22	0.00	0.09	7.15	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
2	22	0.00	0.15	126.78	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
3	22	0.00	0.11	118.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
4	22	0.00	0.24	120.51	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
5	22	0.00	0.10	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
6	22	0.00	0.20	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
7	22	0.00	0.18	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
8	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
9	22	0.00	0.24	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
10	22	0.00	0.18	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
11	22	0.00	0.24	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
12	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
13	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
14	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
15	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
16	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
17	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
18	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
19	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
20	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
21	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
22	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
23	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
24	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
25	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
26	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
27	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
28	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
29	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
30	22	0.00	0.12	119.52	147.27	0.00	0.00	373.87	73.38	56.44	0.05	69.79
TOT	367.94	0.00	10.14	1583.79	1583.79	751.56	38.34	7919.02	7919.02	7936.80	2.01	

1989 WINTER STORED WATER

HYDE

PG 7

LAMAR

MANVEL

APR 1989	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
2	50	0.00	0.13	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
3	50	0.00	0.17	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
4	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
5	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
6	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
7	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
8	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
9	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
10	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
11	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
12	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
13	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
14	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
15	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
16	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
17	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
18	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
19	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
20	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
21	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
22	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
23	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
24	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
25	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
26	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
27	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
28	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
29	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
30	50	0.00	0.15	41.66	193.34	0.00	0.00	499.50	33.71	0.00	0.07	89.52
TOT	3167.61	1641.88	33.60	207.96	1583.79	751.56	5.72	383.92	383.92	306.70	6.17	

1989 WINTER STORED WATER

PG 8

X-Y

SISSON

BUFFALO

APR 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	75.87	0.00	0.00	128.89	126.45	0.00	0.33	320.89	17.85	0.00	0.05	45.84
2	75.26	0.00	0.00	128.29	120.60	0.00	0.55	443.02	17.02	0.00	0.08	53.46
3	60.70	0.00	0.00	116.57	101.16	0.00	0.28	693.62	14.28	0.00	0.00	81.41
4	60.70	0.00	0.00	116.57	101.16	0.00	0.28	707.22	14.28	0.00	0.00	126.61
5	60.70	0.00	0.00	116.57	101.16	0.00	0.28	823.79	14.28	0.00	0.00	155.17
6	60.70	0.00	0.00	116.57	101.16	0.00	0.28	940.36	14.28	0.00	0.00	183.73
7	60.70	0.00	0.00	116.57	101.16	0.00	0.28	1056.93	14.28	0.00	0.00	212.29
8	60.70	0.00	0.00	116.57	101.16	0.00	0.28	1173.50	14.28	0.00	0.00	240.85
9	60.70	0.00	0.00	116.57	101.16	0.00	0.28	1290.07	14.28	0.00	0.00	269.41
10	60.70	0.00	0.00	116.57	101.16	0.00	0.28	1406.64	14.28	0.00	0.00	297.97
11	60.70	0.00	0.00	116.57	101.16	0.00	0.28	1523.21	14.28	0.00	0.00	326.53
12	60.70	0.00	0.00	116.57	101.16	0.00	0.28	1639.78	14.28	0.00	0.00	355.09
13	60.70	0.00	0.00	116.57	101.16	0.00	0.28	1756.35	14.28	0.00	0.00	383.65
14	60.70	0.00	0.00	116.57	101.16	0.00	0.28	1872.92	14.28	0.00	0.00	412.21
15	60.70	0.00	0.00	116.57	101.16	0.00	0.28	1989.49	14.28	0.00	0.00	440.77
16	60.70	0.00	0.00	116.57	101.16	0.00	0.28	2106.06	14.28	0.00	0.00	469.33
17	60.70	0.00	0.00	116.57	101.16	0.00	0.28	2222.63	14.28	0.00	0.00	497.89
18	60.70	0.00	0.00	116.57	101.16	0.00	0.28	2339.20	14.28	0.00	0.00	526.45
19	60.70	0.00	0.00	116.57	101.16	0.00	0.28	2455.77	14.28	0.00	0.00	555.01
20	60.70	0.00	0.00	116.57	101.16	0.00	0.28	2572.34	14.28	0.00	0.00	583.57
21	60.70	0.00	0.00	116.57	101.16	0.00	0.28	2688.91	14.28	0.00	0.00	612.13
22	60.70	0.00	0.00	116.57	101.16	0.00	0.28	2805.48	14.28	0.00	0.00	640.69
23	60.70	0.00	0.00	116.57	101.16	0.00	0.28	2922.05	14.28	0.00	0.00	669.25
24	60.70	0.00	0.00	116.57	101.16	0.00	0.28	3038.62	14.28	0.00	0.00	697.81
25	60.70	0.00	0.00	116.57	101.16	0.00	0.28	3155.19	14.28	0.00	0.00	726.37
26	60.70	0.00	0.00	116.57	101.16	0.00	0.28	3271.76	14.28	0.00	0.00	754.93
27	60.70	0.00	0.00	116.57	101.16	0.00	0.28	3388.33	14.28	0.00	0.00	783.49
28	60.70	0.00	0.00	116.57	101.16	0.00	0.28	3504.90	14.28	0.00	0.00	812.05
29	60.70	0.00	0.00	116.57	101.16	0.00	0.28	3621.47	14.28	0.00	0.00	840.61
30	60.70	0.00	0.00	116.57	101.16	0.00	0.28	3738.04	14.28	0.00	0.00	869.17
TOT	813.93	0.00	22.46	813.93	1359.85	0.00	37.36	191.96	0.00	0.00	5.26	

1989 WINTER STORED WATER

PG 8

TOTAL

SISSON

BUFFALO

APR 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	187.67	15.00	0.32	1212.25	126.45	0.00	0.33	320.89	17.85	0.00	0.05	45.84
2	187.67	15.00	0.32	1212.25	120.60	0.00	0.55	443.02	17.02	0.00	0.08	53.46
3	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	693.62	14.28	0.00	0.00	81.41
4	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	707.22	14.28	0.00	0.00	126.61
5	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	823.79	14.28	0.00	0.00	155.17
6	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	940.36	14.28	0.00	0.00	183.73
7	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	1056.93	14.28	0.00	0.00	212.29
8	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	1173.50	14.28	0.00	0.00	240.85
9	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	1290.07	14.28	0.00	0.00	269.41
10	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	1406.64	14.28	0.00	0.00	297.97
11	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	1523.21	14.28	0.00	0.00	326.53
12	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	1639.78	14.28	0.00	0.00	355.09
13	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	1756.35	14.28	0.00	0.00	383.65
14	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	1872.92	14.28	0.00	0.00	412.21
15	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	1989.49	14.28	0.00	0.00	440.77
16	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	2106.06	14.28	0.00	0.00	469.33
17	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	2222.63	14.28	0.00	0.00	497.89
18	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	2339.20	14.28	0.00	0.00	526.45
19	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	2455.77	14.28	0.00	0.00	555.01
20	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	2572.34	14.28	0.00	0.00	583.57
21	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	2688.91	14.28	0.00	0.00	612.13
22	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	2805.48	14.28	0.00	0.00	640.69
23	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	2922.05	14.28	0.00	0.00	669.25
24	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	3038.62	14.28	0.00	0.00	697.81
25	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	3155.19	14.28	0.00	0.00	726.37
26	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	3271.76	14.28	0.00	0.00	754.93
27	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	3388.33	14.28	0.00	0.00	783.49
28	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	3504.90	14.28	0.00	0.00	812.05
29	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	3621.47	14.28	0.00	0.00	840.61
30	187.67	15.00	0.32	1212.25	101.16	0.00	0.28	3738.04	14.28	0.00	0.00	869.17
TOT	15998.00	10686.74	161.06	15998.00	1359.85	0.00	37.36	191.96	0.00	0.00	5.26	

11AM

HAMMERMILL

BOND

MADE IN USA

11AM

HAMMERMILL

BOND

MADE IN USA

MAR 1989	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	410.00	0.00	15.00	19862.00	0.00	0.00	26.21	83.61	0.00	0.00	0.00	0.00
2	411.00	0.00	15.00	19239.00	0.00	0.00	26.09	71.15	0.00	0.00	0.00	0.00
3	352.00	0.00	15.00	12203.00	0.00	0.00	23.09	70.99	0.00	0.00	0.00	0.00
4	444.00	0.00	17.50	12226.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
5	446.00	0.00	17.50	12227.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
6	448.00	0.00	17.50	12244.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
7	449.00	0.00	17.50	12251.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
8	446.00	0.00	17.50	12252.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
9	446.00	0.00	17.50	12253.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
10	448.00	0.00	17.50	12254.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
11	449.00	0.00	17.50	12255.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
12	446.00	0.00	17.50	12256.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
13	446.00	0.00	17.50	12257.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
14	446.00	0.00	17.50	12258.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
15	446.00	0.00	17.50	12259.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
16	446.00	0.00	17.50	12260.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
17	446.00	0.00	17.50	12261.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
18	446.00	0.00	17.50	12262.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
19	446.00	0.00	17.50	12263.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
20	446.00	0.00	17.50	12264.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
21	446.00	0.00	17.50	12265.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
22	446.00	0.00	17.50	12266.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
23	446.00	0.00	17.50	12267.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
24	446.00	0.00	17.50	12268.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
25	446.00	0.00	17.50	12269.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
26	446.00	0.00	17.50	12270.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
27	446.00	0.00	17.50	12271.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
28	446.00	0.00	17.50	12272.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
29	446.00	0.00	17.50	12273.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
30	446.00	0.00	17.50	12274.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
31	446.00	0.00	17.50	12275.00	0.00	0.00	12.80	10.00	0.00	0.00	0.00	0.00
TOT	10060.50	3950.50	2382.00		25583.85	3950.50	1258.09		0.00	0.00	0.00	

MAR 1989	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	1528	0.00	17.80	16179.00	0.00	0.00	11.09	10.11	1528	0.00	17.80	16179.00
2	1528	0.00	17.80	16196.80	0.00	0.00	11.09	10.11	1528	0.00	17.80	16196.80
3	1528	0.00	17.80	16213.60	0.00	0.00	11.09	10.11	1528	0.00	17.80	16213.60
4	1528	0.00	17.80	16230.40	0.00	0.00	11.09	10.11	1528	0.00	17.80	16230.40
5	1528	0.00	17.80	16247.20	0.00	0.00	11.09	10.11	1528	0.00	17.80	16247.20
6	1528	0.00	17.80	16264.00	0.00	0.00	11.09	10.11	1528	0.00	17.80	16264.00
7	1528	0.00	17.80	16280.80	0.00	0.00	11.09	10.11	1528	0.00	17.80	16280.80
8	1528	0.00	17.80	16297.60	0.00	0.00	11.09	10.11	1528	0.00	17.80	16297.60
9	1528	0.00	17.80	16314.40	0.00	0.00	11.09	10.11	1528	0.00	17.80	16314.40
10	1528	0.00	17.80	16331.20	0.00	0.00	11.09	10.11	1528	0.00	17.80	16331.20
11	1528	0.00	17.80	16348.00	0.00	0.00	11.09	10.11	1528	0.00	17.80	16348.00
12	1528	0.00	17.80	16364.80	0.00	0.00	11.09	10.11	1528	0.00	17.80	16364.80
13	1528	0.00	17.80	16381.60	0.00	0.00	11.09	10.11	1528	0.00	17.80	16381.60
14	1528	0.00	17.80	16398.40	0.00	0.00	11.09	10.11	1528	0.00	17.80	16398.40
15	1528	0.00	17.80	16415.20	0.00	0.00	11.09	10.11	1528	0.00	17.80	16415.20
16	1528	0.00	17.80	16432.00	0.00	0.00	11.09	10.11	1528	0.00	17.80	16432.00
17	1528	0.00	17.80	16448.80	0.00	0.00	11.09	10.11	1528	0.00	17.80	16448.80
18	1528	0.00	17.80	16465.60	0.00	0.00	11.09	10.11	1528	0.00	17.80	16465.60
19	1528	0.00	17.80	16482.40	0.00	0.00	11.09	10.11	1528	0.00	17.80	16482.40
20	1528	0.00	17.80	16499.20	0.00	0.00	11.09	10.11	1528	0.00	17.80	16499.20
21	1528	0.00	17.80	16516.00	0.00	0.00	11.09	10.11	1528	0.00	17.80	16516.00
22	1528	0.00	17.80	16532.80	0.00	0.00	11.09	10.11	1528	0.00	17.80	16532.80
23	1528	0.00	17.80	16549.60	0.00	0.00	11.09	10.11	1528	0.00	17.80	16549.60
24	1528	0.00	17.80	16566.40	0.00	0.00	11.09	10.11	1528	0.00	17.80	16566.40
25	1528	0.00	17.80	16583.20	0.00	0.00	11.09	10.11	1528	0.00	17.80	16583.20
26	1528	0.00	17.80	16600.00	0.00	0.00	11.09	10.11	1528	0.00	17.80	16600.00
27	1528	0.00	17.80	16616.80	0.00	0.00	11.09	10.11	1528	0.00	17.80	16616.80
28	1528	0.00	17.80	16633.60	0.00	0.00	11.09	10.11	1528	0.00	17.80	16633.60
29	1528	0.00	17.80	16650.40	0.00	0.00	11.09	10.11	1528	0.00	17.80	16650.40
30	1528	0.00	17.80	16667.20	0.00	0.00	11.09	10.11	1528	0.00	17.80	16667.20
31	1528	0.00	17.80	16684.00	0.00	0.00	11.09	10.11	1528	0.00	17.80	16684.00
TOT	6667.14	0.00	441.00		0.00	0.00	132.65		3993.36	25583.85	150.26	

SUMMER STORED WATER

PG 2

AGREEMENT WATER

KANSAS

TRANSIT LOSS

RELEASE

EVAP

OWN

MAR 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	00	00	50	1.71	00	00	00	0.00	00	00	00	00
2	00	00	22	1.36	00	00	00	0.00	00	00	00	00
3	00	00	25	1.07	00	00	00	0.00	00	00	00	00
4	00	00	23	1.51	00	00	00	0.00	00	00	00	00
5	00	00	28	1.29	00	00	00	0.00	00	00	00	00
6	00	00	23	1.31	00	00	00	0.00	00	00	00	00
7	00	00	28	1.38	00	00	00	0.00	00	00	00	00
8	00	00	27	1.51	00	00	00	0.00	00	00	00	00
9	00	00	27	1.95	00	00	00	0.00	00	00	00	00
10	00	00	27	1.95	00	00	00	0.00	00	00	00	00
11	00	00	27	1.95	00	00	00	0.00	00	00	00	00
12	00	00	27	1.95	00	00	00	0.00	00	00	00	00
13	00	00	27	1.95	00	00	00	0.00	00	00	00	00
14	00	00	27	1.95	00	00	00	0.00	00	00	00	00
15	00	00	27	1.95	00	00	00	0.00	00	00	00	00
16	00	00	27	1.95	00	00	00	0.00	00	00	00	00
17	00	00	27	1.95	00	00	00	0.00	00	00	00	00
18	00	00	27	1.95	00	00	00	0.00	00	00	00	00
19	00	00	27	1.95	00	00	00	0.00	00	00	00	00
20	00	00	27	1.95	00	00	00	0.00	00	00	00	00
21	00	00	27	1.95	00	00	00	0.00	00	00	00	00
22	00	00	27	1.95	00	00	00	0.00	00	00	00	00
23	00	00	27	1.95	00	00	00	0.00	00	00	00	00
24	00	00	27	1.95	00	00	00	0.00	00	00	00	00
25	00	00	27	1.95	00	00	00	0.00	00	00	00	00
26	00	00	27	1.95	00	00	00	0.00	00	00	00	00
27	00	00	27	1.95	00	00	00	0.00	00	00	00	00
28	00	00	27	1.95	00	00	00	0.00	00	00	00	00
29	00	00	27	1.95	00	00	00	0.00	00	00	00	00
30	00	00	27	1.95	00	00	00	0.00	00	00	00	00
31	00	00	27	1.95	00	00	00	0.00	00	00	00	00
TOT	0.00	0.00	503.24		8951.35	0.00	0.00	8951.35	0.00	0.00	1.62	

SUMMER STORED WATER

PG 2

AGREEMENT WATER

KANSAS

TRANSIT LOSS

RELEASE

EVAP

OWN

MAR 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	00	00	11	0.04	00	00	00	0.00	00	00	00	00
2	00	00	11	0.06	00	00	00	0.00	00	00	00	00
3	00	00	11	0.06	00	00	00	0.00	00	00	00	00
4	00	00	11	0.06	00	00	00	0.00	00	00	00	00
5	00	00	11	0.06	00	00	00	0.00	00	00	00	00
6	00	00	11	0.06	00	00	00	0.00	00	00	00	00
7	00	00	11	0.06	00	00	00	0.00	00	00	00	00
8	00	00	11	0.06	00	00	00	0.00	00	00	00	00
9	00	00	11	0.06	00	00	00	0.00	00	00	00	00
10	00	00	11	0.06	00	00	00	0.00	00	00	00	00
11	00	00	11	0.06	00	00	00	0.00	00	00	00	00
12	00	00	11	0.06	00	00	00	0.00	00	00	00	00
13	00	00	11	0.06	00	00	00	0.00	00	00	00	00
14	00	00	11	0.06	00	00	00	0.00	00	00	00	00
15	00	00	11	0.06	00	00	00	0.00	00	00	00	00
16	00	00	11	0.06	00	00	00	0.00	00	00	00	00
17	00	00	11	0.06	00	00	00	0.00	00	00	00	00
18	00	00	11	0.06	00	00	00	0.00	00	00	00	00
19	00	00	11	0.06	00	00	00	0.00	00	00	00	00
20	00	00	11	0.06	00	00	00	0.00	00	00	00	00
21	00	00	11	0.06	00	00	00	0.00	00	00	00	00
22	00	00	11	0.06	00	00	00	0.00	00	00	00	00
23	00	00	11	0.06	00	00	00	0.00	00	00	00	00
24	00	00	11	0.06	00	00	00	0.00	00	00	00	00
25	00	00	11	0.06	00	00	00	0.00	00	00	00	00
26	00	00	11	0.06	00	00	00	0.00	00	00	00	00
27	00	00	11	0.06	00	00	00	0.00	00	00	00	00
28	00	00	11	0.06	00	00	00	0.00	00	00	00	00
29	00	00	11	0.06	00	00	00	0.00	00	00	00	00
30	00	00	11	0.06	00	00	00	0.00	00	00	00	00
31	00	00	11	0.06	00	00	00	0.00	00	00	00	00
TOT	0.00	0.00	6.92		153.24	153.24	2.91	8951.35	0.00	754.53	7.51	

SUMMER STORED WATER

PG 3

HYDE

MANVEL

X-Y

MAR 1989:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	1.00	81.08	0.00	0.00	0.50	1613.68	0.00	0.00	0.07	196.47
2	0.00	0.00	1.06	71.91	0.00	0.00	0.50	1613.47	0.00	0.00	0.07	196.26
3	0.00	0.00	1.06	99.91	0.00	0.00	0.50	1611.82	0.00	0.00	0.07	196.12
4	0.00	0.00	1.06	99.06	0.00	0.00	0.50	1609.81	0.00	0.00	0.12	196.08
5	0.00	0.00	1.11	95.26	0.00	0.00	0.99	1608.11	0.00	0.00	0.11	195.76
6	0.00	0.00	1.11	95.23	0.00	0.00	0.99	1606.51	0.00	0.00	0.11	195.52
7	0.00	0.00	1.11	95.23	0.00	0.00	0.98	1605.11	0.00	0.00	0.11	195.28
8	0.00	0.00	1.11	95.06	0.00	0.00	0.99	1604.11	0.00	0.00	0.11	195.06
9	0.00	0.00	1.11	95.06	0.00	0.00	0.99	1604.11	0.00	0.00	0.11	195.06
10	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1601.11	0.00	0.00	0.11	194.80
11	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1599.11	0.00	0.00	0.11	194.69
12	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1597.11	0.00	0.00	0.11	194.69
13	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1595.11	0.00	0.00	0.11	194.69
14	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1593.11	0.00	0.00	0.11	194.69
15	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1591.11	0.00	0.00	0.11	194.69
16	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1589.11	0.00	0.00	0.11	194.69
17	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1587.11	0.00	0.00	0.11	194.69
18	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1585.11	0.00	0.00	0.11	194.69
19	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1583.11	0.00	0.00	0.11	194.69
20	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1581.11	0.00	0.00	0.11	194.69
21	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1579.11	0.00	0.00	0.11	194.69
22	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1577.11	0.00	0.00	0.11	194.69
23	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1575.11	0.00	0.00	0.11	194.69
24	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1573.11	0.00	0.00	0.11	194.69
25	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1571.11	0.00	0.00	0.11	194.69
26	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1569.11	0.00	0.00	0.11	194.69
27	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1567.11	0.00	0.00	0.11	194.69
28	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1565.11	0.00	0.00	0.11	194.69
29	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1563.11	0.00	0.00	0.11	194.69
30	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1561.11	0.00	0.00	0.11	194.69
31	0.00	0.00	1.11	95.06	0.00	0.00	0.98	1559.11	0.00	0.00	0.11	194.69
TOT	0.00	97.87	51.79		0.00	1317.13	22.25		0.00	90.66	3.17	

SUMMER STORED WATER

PG 3

BUFFALO

SISSON

TOTAL

MAR 1989:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	0.50	31.01	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
2	0.00	0.00	0.50	50.91	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
3	0.00	0.00	0.50	99.91	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
4	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
5	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
6	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
7	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
8	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
9	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
10	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
11	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
12	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
13	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
14	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
15	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
16	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
17	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
18	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
19	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
20	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
21	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
22	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
23	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
24	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
25	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
26	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
27	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
28	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
29	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
30	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
31	0.00	0.00	0.50	99.06	0.00	0.00	1.31	301.01	0.00	0.00	0.50	396.01
TOT	0.00	0.00	289.21		0.00	0.00	63.92		0.00	243.13	419.60	

1988 WINTER STORED WATER

MAR 1989:	X-Y			BUFFALO			SISSON			OWN
	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	
1	0.00	0.00	0.10	0.00	0.00	1.09	0.00	0.00	0.14	375.40
2	0.00	0.00	0.10	0.00	0.00	0.99	0.00	0.00	0.14	375.26
3	0.00	0.00	0.10	0.00	0.00	0.98	0.00	0.00	0.14	375.12
4	0.00	0.00	0.16	0.00	0.00	0.98	0.00	0.00	0.23	374.98
5	0.00	0.00	0.16	0.00	0.00	1.63	0.00	0.00	0.23	374.84
6	0.00	0.00	0.16	0.00	0.00	1.63	0.00	0.00	0.23	374.69
7	0.00	0.00	0.16	0.00	0.00	1.63	0.00	0.00	0.23	374.54
8	0.00	0.00	0.16	0.00	0.00	1.63	0.00	0.00	0.23	374.39
9	0.00	0.00	0.16	0.00	0.00	1.63	0.00	0.00	0.23	374.24
10	0.00	0.00	0.16	0.00	0.00	1.63	0.00	0.00	0.23	374.09
11	0.00	0.00	0.16	0.00	0.00	1.63	0.00	0.00	0.23	373.94
12	0.00	0.00	0.16	0.00	0.00	1.63	0.00	0.00	0.23	373.79
1	0.00	0.00	0.20	0.00	0.00	1.60	0.00	0.00	0.23	373.64
2	0.00	0.00	0.20	0.00	0.00	1.60	0.00	0.00	0.23	373.49
3	0.00	0.00	0.20	0.00	0.00	1.60	0.00	0.00	0.23	373.34
4	0.00	0.00	0.20	0.00	0.00	1.60	0.00	0.00	0.23	373.19
5	0.00	0.00	0.20	0.00	0.00	1.60	0.00	0.00	0.23	373.04
6	0.00	0.00	0.20	0.00	0.00	1.60	0.00	0.00	0.23	372.89
7	0.00	0.00	0.20	0.00	0.00	1.60	0.00	0.00	0.23	372.74
8	0.00	0.00	0.20	0.00	0.00	1.60	0.00	0.00	0.23	372.59
9	0.00	0.00	0.20	0.00	0.00	1.60	0.00	0.00	0.23	372.44
10	0.00	0.00	0.20	0.00	0.00	1.60	0.00	0.00	0.23	372.29
11	0.00	0.00	0.20	0.00	0.00	1.60	0.00	0.00	0.23	372.14
12	0.00	0.00	0.20	0.00	0.00	1.60	0.00	0.00	0.23	371.99
TOT	0.00	0.00	4.77	0.00	0.00	18.41	0.00	0.00	6.81	368.10

1988 WINTER STORED WATER

MAR 1989:	TOTAL			OWN
	INFLOW	RELEASE	EVAP	
1	0.00	0.00	0.34	89.43
2	0.00	0.00	0.33	89.18
3	0.00	0.00	0.33	88.93
4	0.00	0.00	0.33	88.68
5	0.00	0.00	0.33	88.43
6	0.00	0.00	0.33	88.18
7	0.00	0.00	0.33	87.93
8	0.00	0.00	0.33	87.68
9	0.00	0.00	0.33	87.43
10	0.00	0.00	0.33	87.18
11	0.00	0.00	0.33	86.93
12	0.00	0.00	0.33	86.68
TOT	0.00	716.18	110.19	368.10

1989 WINTER STORED WATER

FT. BENT

PG 7

KEESEE

AMITY

MAR 1989:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	0.03	88	0.00	0.00	0.14	380.79	0.00	0.00	0.06	156.13
2	0.00	0.00	0.03	88	0.00	0.00	0.14	380.65	0.00	0.00	0.06	156.10
3	0.00	0.00	0.03	88	0.00	0.00	0.14	380.80	0.00	0.00	0.06	156.09
4	0.00	0.00	0.03	88	0.00	0.00	0.14	380.29	0.00	0.00	0.06	156.08
5	0.00	0.00	0.05	88	0.00	0.00	0.23	379.86	0.00	0.00	0.10	156.03
6	0.00	0.00	0.05	88	0.00	0.00	0.23	379.47	0.00	0.00	0.10	156.03
7	0.00	0.00	0.05	88	0.00	0.00	0.23	379.17	0.00	0.00	0.09	156.03
8	0.00	0.00	0.05	88	0.00	0.00	0.23	378.91	0.00	0.00	0.10	156.03
9	0.00	0.00	0.05	88	0.00	0.00	0.23	378.18	0.00	0.00	0.10	156.03
10	0.00	0.00	0.05	88	0.00	0.00	0.23	378.29	0.00	0.00	0.09	156.03
11	0.00	0.00	0.05	88	0.00	0.00	0.23	377.78	0.00	0.00	0.09	156.03
12	0.00	0.00	0.05	88	0.00	0.00	0.23	377.56	0.00	0.00	0.09	156.03
13	0.00	0.00	0.05	88	0.00	0.00	0.23	377.17	0.00	0.00	0.09	156.03
14	0.00	0.00	0.05	88	0.00	0.00	0.23	376.96	0.00	0.00	0.13	156.03
15	0.00	0.00	0.05	88	0.00	0.00	0.23	376.56	0.00	0.00	0.13	156.03
16	0.00	0.00	0.05	88	0.00	0.00	0.23	376.29	0.00	0.00	0.13	156.03
17	0.00	0.00	0.05	88	0.00	0.00	0.23	375.91	0.00	0.00	0.13	156.03
18	0.00	0.00	0.09	88	0.00	0.00	0.37	375.16	0.00	0.00	0.16	156.03
19	0.00	0.00	0.09	88	0.00	0.00	0.37	374.86	0.00	0.00	0.16	156.03
20	0.00	0.00	0.08	88	0.00	0.00	0.34	374.11	0.00	0.00	0.10	156.03
21	0.00	0.00	0.06	88	0.00	0.00	0.29	373.43	0.00	0.00	0.11	156.03
22	0.00	0.00	0.06	88	0.00	0.00	0.29	373.18	0.00	0.00	0.11	156.03
TOT	0.00	0.00	1.57		0.00	0.00	6.92		0.00	83.46	2.88	

1989 WINTER STORED WATER

HYDE

PG 7

LANAR

MANVEL

MAR 1989:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	0.29	16	0.00	0.00	0.02	50.64	0.00	0.00	0.01	91.26
2	0.00	0.00	0.28	16	0.00	0.00	0.02	50.62	0.00	0.00	0.01	91.26
3	0.00	0.00	0.28	16	0.00	0.00	0.02	50.38	0.00	0.00	0.01	91.26
4	0.00	0.00	0.28	16	0.00	0.00	0.02	50.35	0.00	0.00	0.06	91.26
5	0.00	0.00	0.27	16	0.00	0.00	0.02	50.47	0.00	0.00	0.06	91.26
6	0.00	0.00	0.26	16	0.00	0.00	0.02	50.41	0.00	0.00	0.06	91.26
7	0.00	0.00	0.26	16	0.00	0.00	0.02	50.32	0.00	0.00	0.06	91.26
8	0.00	0.00	0.26	16	0.00	0.00	0.02	50.32	0.00	0.00	0.06	91.26
9	0.00	0.00	0.26	16	0.00	0.00	0.02	50.22	0.00	0.00	0.05	91.26
10	0.00	0.00	0.26	16	0.00	0.00	0.02	50.21	0.00	0.00	0.05	91.26
11	0.00	0.00	0.26	16	0.00	0.00	0.02	50.11	0.00	0.00	0.05	91.26
12	0.00	0.00	0.26	16	0.00	0.00	0.02	50.10	0.00	0.00	0.05	91.26
13	0.00	0.00	0.26	16	0.00	0.00	0.02	50.00	0.00	0.00	0.05	91.26
14	0.00	0.00	0.26	16	0.00	0.00	0.02	49.99	0.00	0.00	0.05	91.26
15	0.00	0.00	0.26	16	0.00	0.00	0.02	49.88	0.00	0.00	0.05	91.26
16	0.00	0.00	0.26	16	0.00	0.00	0.02	49.88	0.00	0.00	0.05	91.26
17	0.00	0.00	0.26	16	0.00	0.00	0.02	49.87	0.00	0.00	0.05	91.26
18	0.00	0.00	0.26	16	0.00	0.00	0.02	49.87	0.00	0.00	0.05	91.26
19	0.00	0.00	0.26	16	0.00	0.00	0.02	49.87	0.00	0.00	0.05	91.26
20	0.00	0.00	0.26	16	0.00	0.00	0.02	49.87	0.00	0.00	0.05	91.26
21	0.00	0.00	0.26	16	0.00	0.00	0.02	49.87	0.00	0.00	0.05	91.26
TOT	0.00	0.00	12.76		0.00	0.00	0.93		0.00	0.00	1.75	

1989 WINTER STORED WATER

MAP 1989:	Y-Y				BUFFALO				SISSON			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.07	196.45	0.00	0.00	0.12	326.55	0.00	0.00	0.02	46.73
2	0.00	0.00	0.07	196.31	0.00	0.00	0.12	326.41	0.00	0.00	0.02	46.69
3	0.00	0.00	0.07	196.17	0.00	0.00	0.12	326.27	0.00	0.00	0.02	46.65
4	0.00	0.00	0.12	195.98	0.00	0.00	0.20	326.10	0.00	0.00	0.03	46.60
5	0.00	0.00	0.12	195.86	0.00	0.00	0.20	326.03	0.00	0.00	0.03	46.57
6	0.00	0.00	0.12	195.74	0.00	0.00	0.20	326.03	0.00	0.00	0.03	46.57
7	0.00	0.00	0.12	195.62	0.00	0.00	0.20	326.03	0.00	0.00	0.03	46.57
8	0.00	0.00	0.12	195.50	0.00	0.00	0.20	326.03	0.00	0.00	0.03	46.57
9	0.00	0.00	0.12	195.38	0.00	0.00	0.20	326.03	0.00	0.00	0.03	46.57
10	0.00	0.00	0.12	195.26	0.00	0.00	0.20	326.03	0.00	0.00	0.03	46.57
11	0.00	0.00	0.12	195.14	0.00	0.00	0.20	326.03	0.00	0.00	0.03	46.57
12	0.00	0.00	0.12	195.02	0.00	0.00	0.20	326.03	0.00	0.00	0.03	46.57
13	0.00	0.00	0.12	194.90	0.00	0.00	0.20	326.03	0.00	0.00	0.03	46.57
14	0.00	0.00	0.12	194.78	0.00	0.00	0.20	326.03	0.00	0.00	0.03	46.57
15	0.00	0.00	0.16	194.67	0.00	0.00	0.23	326.03	0.00	0.00	0.03	46.57
16	0.00	0.00	0.16	194.55	0.00	0.00	0.23	326.03	0.00	0.00	0.03	46.57
17	0.00	0.00	0.06	194.44	0.00	0.00	0.10	326.03	0.00	0.00	0.02	46.57
18	0.00	0.00	0.07	194.33	0.00	0.00	0.06	326.03	0.00	0.00	0.01	46.57
19	0.00	0.00	0.19	194.22	0.00	0.00	0.03	326.03	0.00	0.00	0.01	46.57
20	0.00	0.00	0.20	194.11	0.00	0.00	0.03	326.03	0.00	0.00	0.01	46.57
21	0.00	0.00	0.08	194.00	0.00	0.00	0.13	326.03	0.00	0.00	0.01	46.57
22	0.00	0.00	0.12	193.89	0.00	0.00	0.20	326.03	0.00	0.00	0.01	46.57
23	0.00	0.00	0.12	193.78	0.00	0.00	0.20	326.03	0.00	0.00	0.01	46.57
24	0.00	0.00	0.12	193.67	0.00	0.00	0.20	326.03	0.00	0.00	0.01	46.57
25	0.00	0.00	0.12	193.56	0.00	0.00	0.20	326.03	0.00	0.00	0.01	46.57
26	0.00	0.00	0.12	193.45	0.00	0.00	0.20	326.03	0.00	0.00	0.01	46.57
27	0.00	0.00	0.12	193.34	0.00	0.00	0.20	326.03	0.00	0.00	0.01	46.57
28	0.00	0.00	0.12	193.23	0.00	0.00	0.20	326.03	0.00	0.00	0.01	46.57
29	0.00	0.00	0.12	193.12	0.00	0.00	0.20	326.03	0.00	0.00	0.01	46.57
30	0.00	0.00	0.12	193.01	0.00	0.00	0.20	326.03	0.00	0.00	0.01	46.57
TOT	0.00	0.00	3.56		0.00	0.00	5.96		0.00	0.00	0.89	

1989 WINTER STORED WATER

MAP 1989:	TOTAL			
	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.79	100.56
2	0.00	0.00	0.78	199.78
3	0.00	0.00	0.78	209.87
4	0.00	0.00	0.99	209.65
5	0.00	0.00	1.22	209.53
6	0.00	0.00	1.22	209.41
7	0.00	0.00	1.22	209.29
8	0.00	0.00	1.22	209.17
9	0.00	0.00	1.22	209.05
10	0.00	0.00	1.22	208.93
11	0.00	0.00	1.22	208.81
12	0.00	0.00	1.22	208.69
13	0.00	0.00	1.22	208.57
14	0.00	0.00	1.22	208.45
15	0.00	0.00	1.22	208.33
16	0.00	0.00	1.22	208.21
17	0.00	0.00	1.22	208.09
18	0.00	0.00	1.22	207.97
19	0.00	0.00	1.22	207.85
20	0.00	0.00	1.22	207.73
21	0.00	0.00	1.22	207.61
22	0.00	0.00	1.22	207.49
23	0.00	0.00	1.22	207.37
24	0.00	0.00	1.22	207.25
25	0.00	0.00	1.22	207.13
26	0.00	0.00	1.22	207.01
27	0.00	0.00	1.22	206.89
28	0.00	0.00	1.22	206.77
29	0.00	0.00	1.22	206.65
30	0.00	0.00	1.22	206.53
TOT	0.00	790.89	37.22	

HAMMERMILL

BOND

MADE IN U.S.A.

HAMMERMILL

BOND

MADE IN U.S.A.

HAMMERMILL

BOND

MADE IN U.S.A.

JOHN MARTIN RESERVOIR

FEB 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	277.00	0.00	0.00	10937.14	0.00	0.00	0.04	70092.13	0.00	0.00	0.00	0.00
2	172.00	0.00	1.00	10960.14	0.00	0.00	0.84	70092.49	0.00	0.00	0.00	0.00
3	173.00	0.00	1.00	10997.72	0.00	0.00	0.84	70091.85	0.00	0.00	0.00	0.00
4	173.00	0.00	1.00	11011.44	0.00	0.00	0.84	70090.01	0.00	0.00	0.00	0.00
5	173.00	0.00	1.00	11028.66	0.00	0.00	0.83	70089.18	0.00	0.00	0.00	0.00
6	173.00	0.00	1.00	11045.77	0.00	0.00	0.83	70088.34	0.00	0.00	0.00	0.00
7	173.00	0.00	1.00	11062.91	0.00	0.00	0.83	70087.51	0.00	0.00	0.00	0.00
8	173.00	0.00	1.00	11080.01	0.00	0.00	0.82	70086.68	0.00	0.00	0.00	0.00
9	239.00	0.00	9.00	11102.61	0.00	0.00	5.82	70085.85	0.00	0.00	0.00	0.00
10	239.00	0.00	9.00	11129.21	0.00	0.00	5.81	70085.02	0.00	0.00	0.00	0.00
11	239.00	0.00	9.00	11155.81	0.00	0.00	5.81	70084.19	0.00	0.00	0.00	0.00
12	239.00	0.00	9.00	11182.41	0.00	0.00	5.81	70083.36	0.00	0.00	0.00	0.00
13	467.00	0.00	1.00	11209.01	0.00	0.00	5.81	70082.53	0.00	0.00	0.00	0.00
14	467.00	0.00	1.00	11235.61	0.00	0.00	5.81	70081.70	0.00	0.00	0.00	0.00
15	467.00	0.00	1.00	11262.21	0.00	0.00	5.81	70080.87	0.00	0.00	0.00	0.00
16	467.00	0.00	1.00	11288.81	0.00	0.00	5.81	70080.04	0.00	0.00	0.00	0.00
17	467.00	0.00	1.00	11315.41	0.00	0.00	5.81	70079.21	0.00	0.00	0.00	0.00
18	467.00	0.00	1.00	11342.01	0.00	0.00	5.81	70078.38	0.00	0.00	0.00	0.00
19	467.00	0.00	1.00	11368.61	0.00	0.00	5.81	70077.55	0.00	0.00	0.00	0.00
20	467.00	0.00	1.00	11395.21	0.00	0.00	5.81	70076.72	0.00	0.00	0.00	0.00
21	467.00	0.00	1.00	11421.81	0.00	0.00	5.81	70075.89	0.00	0.00	0.00	0.00
22	467.00	0.00	1.00	11448.41	0.00	0.00	5.81	70075.06	0.00	0.00	0.00	0.00
23	467.00	0.00	1.00	11475.01	0.00	0.00	5.81	70074.23	0.00	0.00	0.00	0.00
24	467.00	0.00	1.00	11501.61	0.00	0.00	5.81	70073.40	0.00	0.00	0.00	0.00
25	467.00	0.00	1.00	11528.21	0.00	0.00	5.81	70072.57	0.00	0.00	0.00	0.00
26	467.00	0.00	1.00	11554.81	0.00	0.00	5.81	70071.74	0.00	0.00	0.00	0.00
27	467.00	0.00	1.00	11581.41	0.00	0.00	5.81	70070.91	0.00	0.00	0.00	0.00
28	467.00	0.00	1.00	11608.01	0.00	0.00	5.81	70070.08	0.00	0.00	0.00	0.00
29	467.00	0.00	1.00	11634.61	0.00	0.00	5.81	70069.25	0.00	0.00	0.00	0.00
30	467.00	0.00	1.00	11661.21	0.00	0.00	5.81	70068.42	0.00	0.00	0.00	0.00
TOT	10669.00	0.00	181.00		0.00	0.00	108.52		0.00	0.00	0.00	0.00

JOHN MARTIN RESERVOIR

FEB 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	43.76	0.00	0.00	16063.16	0.00	0.00	0.00	1281.42	0.00	0.00	0.00	1937.56
2	58.57	0.00	0.15	16163.16	0.00	0.00	0.06	1281.36	0.00	0.00	0.15	1937.56
3	63.42	0.00	0.15	16228.57	0.00	0.00	0.06	1281.30	0.00	0.00	0.15	1937.56
4	64.42	0.00	0.15	16293.98	0.00	0.00	0.06	1281.24	0.00	0.00	0.15	1937.56
5	69.26	0.00	0.15	16359.39	0.00	0.00	0.06	1281.18	0.00	0.00	0.15	1937.56
6	69.26	0.00	0.15	16424.80	0.00	0.00	0.06	1281.12	0.00	0.00	0.15	1937.56
7	69.26	0.00	0.15	16490.21	0.00	0.00	0.06	1281.06	0.00	0.00	0.15	1937.56
8	69.26	0.00	0.15	16555.62	0.00	0.00	0.06	1281.00	0.00	0.00	0.15	1937.56
9	69.26	0.00	0.15	16621.03	0.00	0.00	0.06	1280.94	0.00	0.00	0.15	1937.56
10	112.03	0.00	1.33	16686.44	0.00	0.00	0.06	1280.88	0.00	0.00	1.33	1937.56
11	136.18	0.00	1.33	16751.85	0.00	0.00	0.06	1280.82	0.00	0.00	1.33	1937.56
12	158.04	0.00	1.33	16817.26	0.00	0.00	0.06	1280.76	0.00	0.00	1.33	1937.56
13	158.04	0.00	1.33	16882.67	0.00	0.00	0.06	1280.70	0.00	0.00	1.33	1937.56
14	158.04	0.00	1.33	16948.08	0.00	0.00	0.06	1280.64	0.00	0.00	1.33	1937.56
15	158.04	0.00	1.33	17013.49	0.00	0.00	0.06	1280.58	0.00	0.00	1.33	1937.56
16	158.04	0.00	1.33	17078.90	0.00	0.00	0.06	1280.52	0.00	0.00	1.33	1937.56
17	158.04	0.00	1.33	17144.31	0.00	0.00	0.06	1280.46	0.00	0.00	1.33	1937.56
18	158.04	0.00	1.33	17209.72	0.00	0.00	0.06	1280.40	0.00	0.00	1.33	1937.56
19	158.04	0.00	1.33	17275.13	0.00	0.00	0.06	1280.34	0.00	0.00	1.33	1937.56
20	158.04	0.00	1.33	17340.54	0.00	0.00	0.06	1280.28	0.00	0.00	1.33	1937.56
21	158.04	0.00	1.33	17405.95	0.00	0.00	0.06	1280.22	0.00	0.00	1.33	1937.56
22	158.04	0.00	1.33	17471.36	0.00	0.00	0.06	1280.16	0.00	0.00	1.33	1937.56
23	158.04	0.00	1.33	17536.77	0.00	0.00	0.06	1280.10	0.00	0.00	1.33	1937.56
24	158.04	0.00	1.33	17602.18	0.00	0.00	0.06	1280.04	0.00	0.00	1.33	1937.56
25	158.04	0.00	1.33	17667.59	0.00	0.00	0.06	1280.00	0.00	0.00	1.33	1937.56
26	158.04	0.00	1.33	17733.00	0.00	0.00	0.06	1279.94	0.00	0.00	1.33	1937.56
27	158.04	0.00	1.33	17798.41	0.00	0.00	0.06	1279.88	0.00	0.00	1.33	1937.56
28	158.04	0.00	1.33	17863.82	0.00	0.00	0.06	1279.82	0.00	0.00	1.33	1937.56
29	158.04	0.00	1.33	17929.23	0.00	0.00	0.06	1279.76	0.00	0.00	1.33	1937.56
30	158.04	0.00	1.33	18000.00	0.00	0.00	0.06	1279.70	0.00	0.00	1.33	1937.56
TOT	4534.00	0.00	29.55		0.00	0.00	11.26		6135.00	0.00	31.57	

AGREEMENT WATER				SUMMER STORED WATER			
FEB 1989:	KANSAS		OWN	KEESEE		OWN	PG 2
	INFLOW	RELEASE		EVAP	RELEASE		
1	0.00	0.00	27624.46	0.00	0.00	0.00	89.62
2	0.00	0.00	27624.21	0.00	0.00	0.00	89.62
3	0.00	0.00	27623.71	0.00	0.00	0.00	89.62
4	0.00	0.00	27623.21	0.00	0.00	0.00	89.62
5	0.00	0.00	27622.71	0.00	0.00	0.00	89.62
6	0.00	0.00	27622.21	0.00	0.00	0.00	89.62
7	0.00	0.00	27621.71	0.00	0.00	0.00	89.62
8	0.00	0.00	27621.21	0.00	0.00	0.00	89.62
9	0.00	0.00	27620.71	0.00	0.00	0.00	89.62
10	0.00	0.00	27619.21	0.00	0.00	0.00	89.62
11	0.00	0.00	27618.71	0.00	0.00	0.00	89.62
12	0.00	0.00	27618.21	0.00	0.00	0.00	89.62
13	0.00	0.00	27617.71	0.00	0.00	0.00	89.62
14	0.00	0.00	27617.21	0.00	0.00	0.00	89.62
15	0.00	0.00	27616.71	0.00	0.00	0.00	89.62
16	0.00	0.00	27616.21	0.00	0.00	0.00	89.62
17	0.00	0.00	27615.71	0.00	0.00	0.00	89.62
18	0.00	0.00	27615.21	0.00	0.00	0.00	89.62
19	0.00	0.00	27614.71	0.00	0.00	0.00	89.62
20	0.00	0.00	27614.21	0.00	0.00	0.00	89.62
21	0.00	0.00	27613.71	0.00	0.00	0.00	89.62
22	0.00	0.00	27613.21	0.00	0.00	0.00	89.62
23	0.00	0.00	27612.71	0.00	0.00	0.00	89.62
24	0.00	0.00	27612.21	0.00	0.00	0.00	89.62
25	0.00	0.00	27611.71	0.00	0.00	0.00	89.62
26	0.00	0.00	27611.21	0.00	0.00	0.00	89.62
27	0.00	0.00	27610.71	0.00	0.00	0.00	89.62
28	0.00	0.00	27610.21	0.00	0.00	0.00	89.62
TOT	0.00	0.00	42.75	0.00	0.00	0.00	0.12

SUMMER STORED WATER				SUMMER STORED WATER			
FEB 1989:	FT. BENT		OWN	AMITY		OWN	PG 2
	INFLOW	RELEASE		EVAP	RELEASE		
1	0.00	0.00	381.599	0.00	0.00	0.00	763.26
2	0.00	0.00	381.399	0.00	0.00	0.00	763.26
3	0.00	0.00	381.199	0.00	0.00	0.00	763.26
4	0.00	0.00	381.099	0.00	0.00	0.00	763.26
5	0.00	0.00	381.099	0.00	0.00	0.00	763.26
6	0.00	0.00	381.099	0.00	0.00	0.00	763.26
7	0.00	0.00	381.099	0.00	0.00	0.00	763.26
8	0.00	0.00	381.099	0.00	0.00	0.00	763.26
9	0.00	0.00	381.099	0.00	0.00	0.00	763.26
10	0.00	0.00	381.099	0.00	0.00	0.00	763.26
11	0.00	0.00	381.099	0.00	0.00	0.00	763.26
12	0.00	0.00	381.099	0.00	0.00	0.00	763.26
13	0.00	0.00	381.099	0.00	0.00	0.00	763.26
14	0.00	0.00	381.099	0.00	0.00	0.00	763.26
15	0.00	0.00	381.099	0.00	0.00	0.00	763.26
16	0.00	0.00	381.099	0.00	0.00	0.00	763.26
17	0.00	0.00	381.099	0.00	0.00	0.00	763.26
18	0.00	0.00	381.099	0.00	0.00	0.00	763.26
19	0.00	0.00	381.099	0.00	0.00	0.00	763.26
20	0.00	0.00	381.099	0.00	0.00	0.00	763.26
21	0.00	0.00	381.099	0.00	0.00	0.00	763.26
22	0.00	0.00	381.099	0.00	0.00	0.00	763.26
23	0.00	0.00	381.099	0.00	0.00	0.00	763.26
24	0.00	0.00	381.099	0.00	0.00	0.00	763.26
25	0.00	0.00	381.099	0.00	0.00	0.00	763.26
26	0.00	0.00	381.099	0.00	0.00	0.00	763.26
27	0.00	0.00	381.099	0.00	0.00	0.00	763.26
28	0.00	0.00	381.099	0.00	0.00	0.00	763.26
TOT	0.00	0.00	0.55	0.00	0.00	0.00	1.22

SUNNER STORED WATER

MANVEL

X-Y

HYDE

FEB 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.05	2818.56	0.00	0.00	0.02	1616.21	0.00	0.00	0.00	1616.21	0.00	0.00	0.00	196.71
2	0.00	0.00	0.03	2818.50	0.00	0.00	0.02	1616.19	0.00	0.00	0.00	1616.19	0.00	0.00	0.00	196.71
3	0.00	0.00	0.03	2818.47	0.00	0.00	0.02	1616.13	0.00	0.00	0.00	1616.13	0.00	0.00	0.00	196.71
4	0.00	0.00	0.03	2818.41	0.00	0.00	0.02	1616.10	0.00	0.00	0.00	1616.10	0.00	0.00	0.00	196.71
5	0.00	0.00	0.03	2818.35	0.00	0.00	0.02	1616.09	0.00	0.00	0.00	1616.09	0.00	0.00	0.00	196.71
6	0.00	0.00	0.03	2818.29	0.00	0.00	0.02	1616.02	0.00	0.00	0.00	1616.02	0.00	0.00	0.00	196.71
7	0.00	0.00	0.23	2818.06	0.00	0.00	0.13	1615.97	0.00	0.00	0.00	1615.97	0.00	0.00	0.02	196.71
8	0.00	0.00	0.23	2817.60	0.00	0.00	0.12	1615.84	0.00	0.00	0.00	1615.84	0.00	0.00	0.02	196.69
9	0.00	0.00	0.03	2817.57	0.00	0.00	0.01	1615.62	0.00	0.00	0.00	1615.62	0.00	0.00	0.00	196.69
10	0.00	0.00	0.03	2817.51	0.00	0.00	0.01	1615.60	0.00	0.00	0.00	1615.60	0.00	0.00	0.00	196.69
11	0.00	0.00	0.03	2817.42	0.00	0.00	0.01	1615.52	0.00	0.00	0.00	1615.52	0.00	0.00	0.00	196.69
12	0.00	0.00	0.03	2817.39	0.00	0.00	0.01	1615.32	0.00	0.00	0.00	1615.32	0.00	0.00	0.00	196.69
13	0.00	0.00	0.03	2817.15	0.00	0.00	0.01	1615.20	0.00	0.00	0.00	1615.20	0.00	0.00	0.00	196.68
14	0.00	0.00	0.12	2817.10	0.00	0.00	0.00	1615.20	0.00	0.00	0.00	1615.20	0.00	0.00	0.01	196.68
15	0.00	0.00	0.10	2816.60	0.00	0.00	0.00	1615.20	0.00	0.00	0.00	1615.20	0.00	0.00	0.03	196.66
16	0.00	0.00	0.30	2816.07	0.00	0.00	0.00	1615.18	0.00	0.00	0.00	1615.18	0.00	0.00	0.04	196.53
17	0.00	0.00	0.32	2815.72	0.00	0.00	0.00	1614.77	0.00	0.00	0.00	1614.77	0.00	0.00	0.04	196.53
18	0.00	0.00	0.67	2814.18	0.00	0.00	0.00	1614.06	0.00	0.00	0.00	1614.06	0.00	0.00	0.04	196.51
TOT	0.00	0.00	1.18		0.00	0.00	2.53		0.00	0.00	0.00		0.00	0.00	0.28	

SUNNER STORED WATER

SISSON

TOTAL

BUFFALO

FEB 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.14	1376.14	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
2	0.00	0.00	0.14	1376.06	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
3	0.00	0.00	0.14	1376.01	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
4	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
5	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
6	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
7	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
8	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
9	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
10	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
11	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
12	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
13	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
14	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
15	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
16	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
17	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
18	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
19	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
20	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
21	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
22	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
23	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
24	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
25	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
26	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
27	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
28	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
29	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
30	0.00	0.00	0.14	1376.00	0.00	0.00	0.03	3500.71	0.00	0.00	0.00	3500.71	0.00	0.00	0.00	21.20
TOT	0.00	0.00	24.56		0.00	0.00	5.40		0.00	0.00	0.00		0.00	0.00	39.36	

1988 WINTER STORED WATER

PG 6

X-Y

BUFFALO

SISSON

FEB 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	61.41	0.00	0.00	0.03	26571.90	0.00	0.00	0.00	316.09
2	0.00	0.00	0.00	261.47	0.00	0.00	0.03	26571.84	0.00	0.00	0.00	316.09
3	0.00	0.00	0.00	261.47	0.00	0.00	0.03	26571.78	0.00	0.00	0.00	316.09
4	0.00	0.00	0.00	261.47	0.00	0.00	0.02	26571.72	0.00	0.00	0.00	316.09
5	0.00	0.00	0.00	261.47	0.00	0.00	0.02	26571.70	0.00	0.00	0.00	316.09
6	0.00	0.00	0.02	261.43	0.00	0.00	0.22	26571.26	0.00	0.00	0.03	316.08
7	0.00	0.00	0.00	261.41	0.00	0.00	0.22	26571.04	0.00	0.00	0.03	316.00
8	0.00	0.00	0.00	261.41	0.00	0.00	0.23	26571.03	0.00	0.00	0.00	316.00
9	0.00	0.00	0.00	261.41	0.00	0.00	0.23	26571.03	0.00	0.00	0.00	316.00
10	0.00	0.00	0.00	261.41	0.00	0.00	0.23	26571.03	0.00	0.00	0.00	316.00
11	0.00	0.00	0.00	261.41	0.00	0.00	0.23	26571.03	0.00	0.00	0.00	316.00
12	0.00	0.00	0.00	261.41	0.00	0.00	0.23	26571.03	0.00	0.00	0.00	316.00
13	0.00	0.00	0.01	261.39	0.00	0.00	0.11	26571.63	0.00	0.00	0.02	315.98
14	0.00	0.00	0.01	261.39	0.00	0.00	0.11	26571.63	0.00	0.00	0.02	315.98
15	0.00	0.00	0.05	261.29	0.00	0.00	0.19	26571.61	0.00	0.00	0.07	315.98
16	0.00	0.00	0.05	261.29	0.00	0.00	0.19	26571.61	0.00	0.00	0.09	315.98
17	0.00	0.00	0.05	261.11	0.00	0.00	0.62	26571.39	0.00	0.00	0.09	315.98
TOT	0.00	0.00	0.36		0.00	0.00	4.13		0.00	0.00	0.55	

1988 WINTER STORED WATER

PG 6

TOTAL

FEB 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	61.49	0.00	0.00	0.00	261.49	0.00	0.00	0.00	316.09
2	0.00	0.00	0.06	261.43	0.00	0.00	0.06	261.43	0.00	0.00	0.00	316.09
3	0.00	0.00	0.06	261.37	0.00	0.00	0.06	261.37	0.00	0.00	0.00	316.09
4	0.00	0.00	0.06	261.31	0.00	0.00	0.06	261.31	0.00	0.00	0.00	316.09
5	0.00	0.00	0.06	261.25	0.00	0.00	0.06	261.25	0.00	0.00	0.00	316.09
6	0.00	0.00	0.06	261.19	0.00	0.00	0.06	261.19	0.00	0.00	0.00	316.09
7	0.00	0.00	0.06	261.13	0.00	0.00	0.06	261.13	0.00	0.00	0.00	316.09
8	0.00	0.00	0.06	261.07	0.00	0.00	0.06	261.07	0.00	0.00	0.00	316.09
9	0.00	0.00	0.06	261.01	0.00	0.00	0.06	261.01	0.00	0.00	0.00	316.09
10	0.00	0.00	0.06	260.95	0.00	0.00	0.06	260.95	0.00	0.00	0.00	316.09
11	0.00	0.00	0.06	260.89	0.00	0.00	0.06	260.89	0.00	0.00	0.00	316.09
12	0.00	0.00	0.06	260.83	0.00	0.00	0.06	260.83	0.00	0.00	0.00	316.09
13	0.00	0.00	0.06	260.77	0.00	0.00	0.06	260.77	0.00	0.00	0.00	316.09
14	0.00	0.00	0.06	260.71	0.00	0.00	0.06	260.71	0.00	0.00	0.00	316.09
15	0.00	0.00	0.06	260.65	0.00	0.00	0.06	260.65	0.00	0.00	0.00	316.09
16	0.00	0.00	0.06	260.59	0.00	0.00	0.06	260.59	0.00	0.00	0.00	316.09
17	0.00	0.00	0.06	260.53	0.00	0.00	0.06	260.53	0.00	0.00	0.00	316.09
18	0.00	0.00	0.06	260.47	0.00	0.00	0.06	260.47	0.00	0.00	0.00	316.09
19	0.00	0.00	0.06	260.41	0.00	0.00	0.06	260.41	0.00	0.00	0.00	316.09
20	0.00	0.00	0.06	260.35	0.00	0.00	0.06	260.35	0.00	0.00	0.00	316.09
21	0.00	0.00	0.06	260.29	0.00	0.00	0.06	260.29	0.00	0.00	0.00	316.09
22	0.00	0.00	0.06	260.23	0.00	0.00	0.06	260.23	0.00	0.00	0.00	316.09
23	0.00	0.00	0.06	260.17	0.00	0.00	0.06	260.17	0.00	0.00	0.00	316.09
24	0.00	0.00	0.06	260.11	0.00	0.00	0.06	260.11	0.00	0.00	0.00	316.09
TOT	0.00	0.00	9.69		0.00	0.00			0.00	0.00		

FT. BENT

KEESEE

AMITY

FEB 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	89.68	0.00	0.00	0.00	381.50	0.00	0.00	0.00	156.36
2	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.49	0.00	0.00	0.00	156.36
3	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.48	0.00	0.00	0.00	156.36
4	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.47	0.00	0.00	0.00	156.36
5	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.46	0.00	0.00	0.00	156.36
6	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.45	0.00	0.00	0.00	156.36
7	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.44	0.00	0.00	0.00	156.36
8	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.43	0.00	0.00	0.00	156.36
9	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.42	0.00	0.00	0.00	156.36
10	0.00	0.00	0.01	89.68	0.00	0.00	0.03	381.39	0.00	0.00	0.01	156.36
11	0.00	0.00	0.01	89.68	0.00	0.00	0.03	381.36	0.00	0.00	0.01	156.36
12	0.00	0.00	0.00	89.68	0.00	0.00	0.00	381.33	0.00	0.00	0.00	156.36
13	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.32	0.00	0.00	0.00	156.36
14	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.31	0.00	0.00	0.00	156.36
15	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.30	0.00	0.00	0.00	156.36
16	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.29	0.00	0.00	0.00	156.36
17	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.28	0.00	0.00	0.00	156.36
18	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.27	0.00	0.00	0.00	156.36
19	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.26	0.00	0.00	0.00	156.36
20	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.25	0.00	0.00	0.00	156.36
21	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.24	0.00	0.00	0.00	156.36
22	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.23	0.00	0.00	0.00	156.36
23	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.22	0.00	0.00	0.00	156.36
24	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.21	0.00	0.00	0.00	156.36
25	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.20	0.00	0.00	0.00	156.36
26	0.00	0.00	0.00	89.68	0.00	0.00	0.01	381.19	0.00	0.00	0.00	156.36
27	0.00	0.00	0.01	89.68	0.00	0.00	0.06	381.13	0.00	0.00	0.02	156.36
28	0.00	0.00	0.02	89.68	0.00	0.00	0.09	380.91	0.00	0.00	0.03	156.36
29	0.00	0.00	0.03	89.68	0.00	0.00	0.09	380.88	0.00	0.00	0.04	156.36
30	0.00	0.00	0.03	89.68	0.00	0.00	0.09	380.79	0.00	0.00	0.04	156.36
TOT	0.00	0.00	6.12		0.00	0.00	0.71		0.00	0.00	0.23	

1989 WINTER STORED WATER

HYDE

LAMAR

MANVEL

FEB 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
2	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
3	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
4	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
5	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
6	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
7	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
8	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
9	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
10	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
11	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
12	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
13	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
14	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
15	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
16	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
17	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
18	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
19	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
20	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
21	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
22	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
23	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
24	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
25	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
26	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
27	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
28	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
29	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
30	0.00	0.00	0.00	163.22	0.00	0.00	0.00	50.71	0.00	0.00	0.00	91.16
TOT	0.00	0.00	1.22		0.00	0.00	0.05		0.00	0.00	0.12	



JAN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	412.00	0.00	5.00	98047.00	0.00	0.00	3.53	70213.21	0.00	0.00	0.00	0.00
2	428.00	0.00	2.00	98531.00	0.00	0.00	1.41	70206.75	0.00	0.00	0.00	0.00
3	475.00	0.00	0.00	99297.00	0.00	0.00	1.41	70204.33	0.00	0.00	0.00	0.00
4	433.00	0.00	0.00	100613.00	0.00	0.00	18.61	70194.88	0.00	0.00	0.00	0.00
5	328.00	0.00	0.00	100931.00	0.00	0.00	12.57	70169.21	0.00	0.00	0.00	0.00
6	283.00	0.00	0.00	101196.00	0.00	0.00	11.57	70137.20	0.00	0.00	0.00	0.00
7	228.00	0.00	0.00	101462.00	0.00	0.00	10.37	70115.71	0.00	0.00	0.00	0.00
8	389.00	0.00	0.00	102049.00	0.00	0.00	10.33	70116.69	0.00	0.00	0.00	0.00
9	387.00	0.00	0.00	102492.00	0.00	0.00	8.25	70109.39	0.00	0.00	0.00	0.00
10	278.00	0.00	0.00	103296.00	0.00	0.00	3.40	70101.73	0.00	0.00	0.00	0.00
11	275.00	0.00	0.00	103331.00	0.00	0.00	2.70	70100.01	0.00	0.00	0.00	0.00
12	320.00	0.00	0.00	103935.00	0.00	0.00	0.00	70098.01	0.00	0.00	0.00	0.00
1	333.00	0.00	0.00	104310.00	0.00	0.00	0.00	70098.01	0.00	0.00	0.00	0.00
2	493.00	0.00	0.00	105245.00	0.00	0.00	0.00	70098.01	0.00	0.00	0.00	0.00
3	441.00	0.00	0.00	105635.00	0.00	0.00	0.66	70097.34	0.00	0.00	0.00	0.00
4	333.00	0.00	0.00	106011.00	0.00	0.00	0.66	70096.02	0.00	0.00	0.00	0.00
5	333.00	0.00	0.00	106403.00	0.00	0.00	0.00	70095.36	0.00	0.00	0.00	0.00
6	333.00	0.00	0.00	106775.00	0.00	0.00	0.00	70095.36	0.00	0.00	0.00	0.00
7	451.00	0.00	0.00	107404.00	0.00	0.00	0.63	70091.71	0.00	0.00	0.00	0.00
8	395.00	0.00	0.00	108301.00	0.00	0.00	0.63	70091.06	0.00	0.00	0.00	0.00
9	340.00	0.00	0.00	108695.00	0.00	0.00	0.64	70093.41	0.00	0.00	0.00	0.00
10	341.00	0.00	0.00	109034.00	0.00	0.00	0.64	70092.77	0.00	0.00	0.00	0.00
TOT	11502.00	0.00	175.00		0.00	0.00	121.16		0.00	0.00	0.00	0.00

JAN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	16.10	0.00	0.56	10620.36	0.00	0.00	0.00	1.11	291.69	0.00	0.00	9859.31
2	19.86	0.00	0.23	10924.38	0.00	0.00	0.00	1.15	293.21	0.00	0.00	10001.18
3	14.11	0.00	0.00	11121.05	0.00	0.00	0.00	1.38	295.19	0.00	0.00	10323.64
4	22.11	0.00	0.22	11315.25	0.00	0.00	0.00	1.31	297.10	0.00	0.00	10980.16
5	11.02	0.00	0.13	11496.69	0.00	0.00	0.00	1.20	299.00	0.00	0.00	11225.16
6	18.47	0.00	0.22	11722.91	0.00	0.00	0.00	1.28	301.00	0.00	0.00	11625.60
7	13.12	0.00	0.00	11929.12	0.00	0.00	0.00	1.08	303.00	0.00	0.00	11889.00
8	16.82	0.00	0.82	12269.94	0.00	0.00	0.00	1.06	305.00	0.00	0.00	12330.43
9	11.24	0.00	0.00	12580.76	0.00	0.00	0.00	1.11	307.00	0.00	0.00	12681.92
10	18.00	0.00	0.00	12999.01	0.00	0.00	0.00	1.33	309.00	0.00	0.00	13070.92
11	10.00	0.00	0.00	13333.00	0.00	0.00	0.00	1.00	311.00	0.00	0.00	13492.00
12	10.00	0.00	0.00	13666.00	0.00	0.00	0.00	1.00	313.00	0.00	0.00	13927.00
1	10.00	0.00	0.00	14000.00	0.00	0.00	0.00	1.00	315.00	0.00	0.00	14366.00
2	10.00	0.00	0.00	14333.00	0.00	0.00	0.00	1.00	317.00	0.00	0.00	14809.00
3	10.00	0.00	0.00	14666.00	0.00	0.00	0.00	1.00	319.00	0.00	0.00	15256.00
4	10.00	0.00	0.00	15000.00	0.00	0.00	0.00	1.00	321.00	0.00	0.00	15707.00
5	10.00	0.00	0.00	15333.00	0.00	0.00	0.00	1.00	323.00	0.00	0.00	16162.00
6	10.00	0.00	0.00	15666.00	0.00	0.00	0.00	1.00	325.00	0.00	0.00	16621.00
7	10.00	0.00	0.00	16000.00	0.00	0.00	0.00	1.00	327.00	0.00	0.00	17084.00
8	10.00	0.00	0.00	16333.00	0.00	0.00	0.00	1.00	329.00	0.00	0.00	17551.00
9	10.00	0.00	0.00	16666.00	0.00	0.00	0.00	1.00	331.00	0.00	0.00	18022.00
10	10.00	0.00	0.00	17000.00	0.00	0.00	0.00	1.00	333.00	0.00	0.00	18497.00
11	10.00	0.00	0.00	17333.00	0.00	0.00	0.00	1.00	335.00	0.00	0.00	18976.00
12	10.00	0.00	0.00	17666.00	0.00	0.00	0.00	1.00	337.00	0.00	0.00	19459.00
TOT	5403.90	0.00	21.13		0.00	0.00	12.61		6098.10	0.00	20.10	

JOHN MARTIN RESERVOIR

PERMANENT POOL

WINTER COMPACT WATER

WINTER WATER

AGREEMENT WATER

KANSAS

PG 2

SUMMER STORED WATER

JAN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	1.40	1672.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	1.05	1569.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.56	1568.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	3.32	1568.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	3.92	1567.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	4.93	1565.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	4.63	1561.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	4.08	1547.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	3.27	1534.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	2.21	1522.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	1.51	1510.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	1.00	1500.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	1491.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	1483.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	1476.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	1470.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	1465.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	1461.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	1458.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	1456.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	1455.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	1455.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	1456.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	1458.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	1461.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	1465.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	1470.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	1476.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	1483.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	1491.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	1500.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	17.17		0.00	0.00	0.00	0.00	0.00	0.00	0.12	

PG 2

LAMAR

SUMMER STORED WATER

AMITY

FT. BENT

JAN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	1564.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	1563.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	1562.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	1560.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	1559.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	1558.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	1556.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	1555.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	1554.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	1553.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	1551.81	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	1550.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	1549.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	1547.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	1546.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	1545.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	1544.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	1542.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	1541.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	1540.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	1539.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	1537.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	1536.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	1535.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	1533.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	1532.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	1531.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	1530.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	1528.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	1527.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	1526.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.65		0.00	0.00	0.27		0.00	0.00	1.35	

SUMNER STORED WATER

PG 3

HYDE

MANVEL

X-Y

JAN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.15	2853	0.00	0.00	0.08	1619	0.00	0.00	0.01	197
2	0.00	0.00	0.16	2853	0.00	0.00	0.03	1618	0.00	0.00	0.00	0.01
3	0.00	0.00	0.31	2853	0.00	0.00	0.29	1618	0.00	0.00	0.03	197
4	0.00	0.00	0.51	2853	0.00	0.00	0.29	1618	0.00	0.00	0.03	196
5	0.00	0.00	0.51	2853	0.00	0.00	0.24	1617	0.00	0.00	0.03	196
6	0.00	0.00	0.72	2853	0.00	0.00	0.24	1617	0.00	0.00	0.03	196
7	0.00	0.00	0.72	2853	0.00	0.00	0.24	1617	0.00	0.00	0.03	196
8	0.00	0.00	0.72	2853	0.00	0.00	0.24	1617	0.00	0.00	0.03	196
9	0.00	0.00	0.72	2853	0.00	0.00	0.16	1615	0.00	0.00	0.02	196
10	0.00	0.00	0.72	2853	0.00	0.00	0.13	1615	0.00	0.00	0.02	196
11	0.00	0.00	0.72	2853	0.00	0.00	0.08	1615	0.00	0.00	0.01	196
12	0.00	0.00	0.72	2853	0.00	0.00	0.06	1615	0.00	0.00	0.01	196
13	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
14	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
15	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
16	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
17	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
18	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
19	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
20	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
21	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
22	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
23	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
24	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
25	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
26	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
27	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
28	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
29	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
30	0.00	0.00	0.72	2853	0.00	0.00	0.00	1615	0.00	0.00	0.00	196
TOT	0.00	0.00	4.95		0.00	0.00	2.84		0.00	0.00	0.29	

SUMNER STORED WATER

PG 3

BUFFALO

SISSON

TOTAL

JAN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.81	1907	0.00	0.00	0.18	37	0.00	0.00	0.39	30
2	0.00	0.00	0.81	1907	0.00	0.00	0.17	37	0.00	0.00	0.31	30
3	0.00	0.00	0.99	1907	0.00	0.00	0.13	37	0.00	0.00	0.06	30
4	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
5	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
6	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
7	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
8	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
9	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
10	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
11	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
12	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
13	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
14	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
15	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
16	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
17	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
18	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
19	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
20	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
21	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
22	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
23	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
24	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
25	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
26	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
27	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
28	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
29	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
30	0.00	0.00	0.99	1907	0.00	0.00	0.63	37	0.00	0.00	0.56	30
TOT	0.00	0.00	27.42		0.00	0.00	6.04		0.00	0.00	43.93	

1988 WINTER STORED WATER

KEESEE

FT. BENT

AMITY

JAN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.03	590.25	0.00	0.00	0.02	497.47	0.00	0.00	0.00	0.00
2	0.00	0.00	0.01	590.20	0.00	0.00	0.02	497.45	0.00	0.00	0.00	0.00
3	0.00	0.00	0.07	590.18	0.00	0.00	0.01	497.44	0.00	0.00	0.00	0.00
4	0.00	0.00	0.11	590.10	0.00	0.00	0.06	497.43	0.00	0.00	0.00	0.00
5	0.00	0.00	0.11	589.99	0.00	0.00	0.09	497.28	0.00	0.00	0.00	0.00
6	0.00	0.00	0.10	589.88	0.00	0.00	0.08	497.10	0.00	0.00	0.00	0.00
7	0.00	0.00	0.09	589.59	0.00	0.00	0.07	496.95	0.00	0.00	0.00	0.00
8	0.00	0.00	0.07	589.50	0.00	0.00	0.06	496.88	0.00	0.00	0.00	0.00
9	0.00	0.00	0.06	589.43	0.00	0.00	0.05	496.82	0.00	0.00	0.00	0.00
10	0.00	0.00	0.04	589.33	0.00	0.00	0.04	496.73	0.00	0.00	0.00	0.00
11	0.00	0.00	0.03	589.30	0.00	0.00	0.02	496.71	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	589.28	0.00	0.00	0.00	496.69	0.00	0.00	0.00	0.00
TOT	0.00	0.00	1.07		0.00	0.00	0.80		0.00	0.00	0.00	

1988 WINTER STORED WATER

LAMAR

HYDE

MANVEL

JAN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.04	727.93	0.00	0.00	0.02	408.37	0.00	0.00	0.01	750.15
2	0.00	0.00	0.01	727.88	0.00	0.00	0.01	408.29	0.00	0.00	0.02	750.05
3	0.00	0.00	0.09	727.87	0.00	0.00	0.05	408.22	0.00	0.00	0.09	750.03
4	0.00	0.00	0.13	727.78	0.00	0.00	0.07	408.15	0.00	0.00	0.13	749.81
5	0.00	0.00	0.13	727.65	0.00	0.00	0.07	408.10	0.00	0.00	0.13	749.88
6	0.00	0.00	0.11	727.52	0.00	0.00	0.07	408.01	0.00	0.00	0.11	749.92
7	0.00	0.00	0.11	727.41	0.00	0.00	0.06	407.88	0.00	0.00	0.11	749.97
8	0.00	0.00	0.09	727.36	0.00	0.00	0.05	407.77	0.00	0.00	0.09	749.99
9	0.00	0.00	0.06	727.30	0.00	0.00	0.04	407.70	0.00	0.00	0.06	749.98
10	0.00	0.00	0.03	727.26	0.00	0.00	0.02	407.68	0.00	0.00	0.03	749.97
11	0.00	0.00	0.00	727.22	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.95
12	0.00	0.00	0.00	727.17	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.94
13	0.00	0.00	0.00	727.16	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.93
14	0.00	0.00	0.00	727.10	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.92
15	0.00	0.00	0.00	727.06	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.91
16	0.00	0.00	0.00	727.06	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.91
17	0.00	0.00	0.00	727.06	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.91
18	0.00	0.00	0.00	727.06	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.91
19	0.00	0.00	0.00	727.06	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.91
20	0.00	0.00	0.00	727.06	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.91
21	0.00	0.00	0.00	727.06	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.91
22	0.00	0.00	0.00	727.06	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.91
23	0.00	0.00	0.00	727.06	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.91
24	0.00	0.00	0.00	727.06	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.91
25	0.00	0.00	0.00	727.06	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.91
26	0.00	0.00	0.00	727.06	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.91
27	0.00	0.00	0.00	727.06	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.91
28	0.00	0.00	0.00	727.06	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.91
29	0.00	0.00	0.00	727.06	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.91
30	0.00	0.00	0.00	727.06	0.00	0.00	0.00	407.66	0.00	0.00	0.00	749.91
TOT	0.00	0.00	1.30		0.00	0.00	0.67		0.00	0.00	1.33	

1988 WINTER STORED WATER

SISSON

BUFFALO

X-Y

JAN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.01	261.09	0.00	0.00	0.11	266.22	0.00	0.00	0.00	327.76
2	0.00	0.00	0.01	261.08	0.00	0.00	0.14	266.22	0.00	0.00	0.00	327.76
3	0.00	0.00	0.03	261.86	0.00	0.00	0.05	266.22	0.00	0.00	0.00	327.76
4	0.00	0.00	0.03	261.83	0.00	0.00	0.32	266.61	0.00	0.00	0.00	327.76
5	0.00	0.00	0.05	261.77	0.00	0.00	0.48	266.61	0.00	0.00	0.00	327.76
6	0.00	0.00	0.02	261.80	0.00	0.00	0.15	266.60	0.00	0.00	0.00	327.76
7	0.00	0.00	0.04	261.80	0.00	0.00	0.39	266.60	0.00	0.00	0.00	327.76
8	0.00	0.00	0.03	261.53	0.00	0.00	0.31	266.60	0.00	0.00	0.00	327.76
9	0.00	0.00	0.02	261.51	0.00	0.00	0.26	266.60	0.00	0.00	0.00	327.76
10	0.00	0.00	0.02	261.49	0.00	0.00	0.21	266.60	0.00	0.00	0.00	327.76
11	0.00	0.00	0.01	261.49	0.00	0.00	0.13	266.60	0.00	0.00	0.00	327.76
12	0.00	0.00	0.00	261.41	0.00	0.00	0.00	266.60	0.00	0.00	0.00	327.76
1	0.00	0.00	0.00	261.41	0.00	0.00	0.00	266.60	0.00	0.00	0.00	327.76
2	0.00	0.00	0.00	261.41	0.00	0.00	0.00	266.60	0.00	0.00	0.00	327.76
3	0.00	0.00	0.00	261.41	0.00	0.00	0.00	266.60	0.00	0.00	0.00	327.76
4	0.00	0.00	0.00	261.41	0.00	0.00	0.00	266.60	0.00	0.00	0.00	327.76
5	0.00	0.00	0.00	261.41	0.00	0.00	0.00	266.60	0.00	0.00	0.00	327.76
6	0.00	0.00	0.00	261.41	0.00	0.00	0.00	266.60	0.00	0.00	0.00	327.76
7	0.00	0.00	0.00	261.41	0.00	0.00	0.00	266.60	0.00	0.00	0.00	327.76
8	0.00	0.00	0.00	261.41	0.00	0.00	0.00	266.60	0.00	0.00	0.00	327.76
9	0.00	0.00	0.00	261.41	0.00	0.00	0.00	266.60	0.00	0.00	0.00	327.76
10	0.00	0.00	0.00	261.41	0.00	0.00	0.00	266.60	0.00	0.00	0.00	327.76
TOT	0.00	0.00	0.43		0.00	0.00	1.63		0.00	0.00	0.63	

1988 WINTER STORED WATER

SISSON

BUFFALO

TOTAL

JAN 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.32	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
2	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
3	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
4	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
5	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
6	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
7	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
8	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
9	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
10	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
11	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
12	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
1	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
2	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
3	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
4	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
5	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
6	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
7	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
8	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
9	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
10	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01	0.00	0.00	0.00	533.01
TOT	0.00	0.00	10.86		0.00	0.00	10.86		0.00	0.00	0.00	

1989 WINTER STORED WATER

KEESEE

FT. BENT

AMITY

JAN 1989:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
12	0.00	0.00	0.00	89.78	0.00	0.00	0.02	382.23	0.00	0.00	0.01	156.62
13	0.00	0.00	0.00	89.78	0.00	0.00	0.01	382.21	0.00	0.00	0.00	156.61
14	0.00	0.00	0.00	89.78	0.00	0.00	0.01	382.21	0.00	0.00	0.00	156.61
15	0.00	0.00	0.01	89.77	0.00	0.00	0.01	382.21	0.00	0.00	0.02	156.61
16	0.00	0.00	0.01	89.76	0.00	0.00	0.07	381.99	0.00	0.00	0.03	156.61
17	0.00	0.00	0.01	89.74	0.00	0.00	0.06	381.88	0.00	0.00	0.03	156.61
18	0.00	0.00	0.01	89.73	0.00	0.00	0.06	381.87	0.00	0.00	0.02	156.61
19	0.00	0.00	0.01	89.72	0.00	0.00	0.07	381.76	0.00	0.00	0.02	156.61
20	0.00	0.00	0.01	89.71	0.00	0.00	0.07	381.65	0.00	0.00	0.02	156.61
21	0.00	0.00	0.01	89.69	0.00	0.00	0.04	381.53	0.00	0.00	0.01	156.61
22	0.00	0.00	0.01	89.68	0.00	0.00	0.03	381.41	0.00	0.00	0.01	156.61
23	0.00	0.00	0.00	89.68	0.00	0.00	0.02	381.29	0.00	0.00	0.01	156.61
24	0.00	0.00	0.00	89.68	0.00	0.00	0.00	381.17	0.00	0.00	0.00	156.61
25	0.00	0.00	0.00	89.68	0.00	0.00	0.00	381.05	0.00	0.00	0.00	156.61
26	0.00	0.00	0.00	89.68	0.00	0.00	0.00	380.93	0.00	0.00	0.00	156.61
27	0.00	0.00	0.00	89.68	0.00	0.00	0.00	380.81	0.00	0.00	0.00	156.61
28	0.00	0.00	0.00	89.68	0.00	0.00	0.00	380.69	0.00	0.00	0.00	156.61
29	0.00	0.00	0.00	89.68	0.00	0.00	0.00	380.57	0.00	0.00	0.00	156.61
30	0.00	0.00	0.00	89.68	0.00	0.00	0.00	380.45	0.00	0.00	0.00	156.61
31	0.00	0.00	0.00	89.68	0.00	0.00	0.01	380.33	0.00	0.00	0.00	156.61
TOT	0.00	0.00	0.10	89.68	0.00	0.00	0.73	380.33	0.00	0.00	0.27	156.61

1989 WINTER STORED WATER

LAMAR

HYDE

MANVEL

JAN 1989:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
12	0.00	0.00	0.01	176.11	0.00	0.00	0.00	50.99	0.00	0.00	0.01	91.60
13	0.00	0.00	0.02	176.11	0.00	0.00	0.00	50.99	0.00	0.00	0.00	91.60
14	0.00	0.00	0.09	176.11	0.00	0.00	0.00	50.99	0.00	0.00	0.00	91.60
15	0.00	0.00	0.14	176.11	0.00	0.00	0.01	50.98	0.00	0.00	0.01	91.60
16	0.00	0.00	0.13	176.11	0.00	0.00	0.01	50.98	0.00	0.00	0.02	91.60
17	0.00	0.00	0.13	176.11	0.00	0.00	0.01	50.98	0.00	0.00	0.02	91.60
18	0.00	0.00	0.11	176.11	0.00	0.00	0.01	50.98	0.00	0.00	0.01	91.60
19	0.00	0.00	0.11	176.11	0.00	0.00	0.01	50.98	0.00	0.00	0.01	91.60
20	0.00	0.00	0.19	176.11	0.00	0.00	0.01	50.98	0.00	0.00	0.01	91.60
21	0.00	0.00	0.06	176.11	0.00	0.00	0.00	50.98	0.00	0.00	0.00	91.60
22	0.00	0.00	0.03	176.11	0.00	0.00	0.00	50.98	0.00	0.00	0.00	91.60
23	0.00	0.00	0.00	176.11	0.00	0.00	0.00	50.98	0.00	0.00	0.00	91.60
24	0.00	0.00	0.00	176.11	0.00	0.00	0.00	50.98	0.00	0.00	0.00	91.60
25	0.00	0.00	0.00	176.11	0.00	0.00	0.00	50.98	0.00	0.00	0.00	91.60
26	0.00	0.00	0.00	176.11	0.00	0.00	0.00	50.98	0.00	0.00	0.00	91.60
27	0.00	0.00	0.00	176.11	0.00	0.00	0.00	50.98	0.00	0.00	0.00	91.60
28	0.00	0.00	0.00	176.11	0.00	0.00	0.00	50.98	0.00	0.00	0.00	91.60
29	0.00	0.00	0.00	176.11	0.00	0.00	0.00	50.98	0.00	0.00	0.00	91.60
30	0.00	0.00	0.00	176.11	0.00	0.00	0.00	50.98	0.00	0.00	0.00	91.60
31	0.00	0.00	0.00	176.11	0.00	0.00	0.00	50.98	0.00	0.00	0.00	91.60
TOT	0.00	0.00	1.35	176.11	0.00	0.00	0.08	50.98	0.00	0.00	0.16	91.60

HAMMERMILL
BOND

MADE IN U.S.A.

1140

HAMMERMILL
BOND

MADE IN U.S.A.

AGREEMENT WATER

KANSAS

TRANSIT LOSS

SUMMER STORED WATER

PG 2

KEESEE

DEC 1988:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	1914.21	0.00	6.54	14.96	0.00	6186.12	1.56	6187.68	90.31	0.00	0.00	0.00
2	0.00	0.00	6.97	52.63	0.00	0.00	0.00	0.00	0.00	0.00	0.02	90.31
3	0.00	0.00	7.15	84.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	90.29
4	0.00	0.00	7.22	83.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	90.25
5	0.00	0.00	7.19	82.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	90.23
6	0.00	0.00	7.16	80.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	90.20
7	0.00	0.00	7.13	79.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	90.18
8	0.00	0.00	7.10	78.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	90.16
9	0.00	0.00	7.07	77.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	90.14
10	0.00	0.00	7.04	75.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	90.12
11	0.00	0.00	7.01	74.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	90.10
12	0.00	0.00	6.98	73.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	90.08
13	0.00	0.00	6.95	72.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	90.06
14	0.00	0.00	6.92	71.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	90.04
15	0.00	0.00	6.89	69.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	90.02
16	0.00	0.00	6.86	68.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	90.00
17	0.00	0.00	6.83	67.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.98
18	0.00	0.00	6.80	66.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.96
19	0.00	0.00	6.77	64.81	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.94
20	0.00	0.00	6.74	63.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.92
21	0.00	0.00	6.71	62.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.90
22	0.00	0.00	6.68	61.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.88
23	0.00	0.00	6.65	59.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.86
24	0.00	0.00	6.62	58.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.84
25	0.00	0.00	6.59	57.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.82
26	0.00	0.00	6.56	56.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.80
27	0.00	0.00	6.53	54.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.78
28	0.00	0.00	6.50	53.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.76
29	0.00	0.00	6.47	52.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.74
30	0.00	0.00	6.44	51.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	89.72
TOT	1914.21	0.00	186.94		0.00	6186.12	1.56		90.31	0.00	0.51	

SUMMER STORED WATER

AMITY

FT. BENT

PG 2

LAMAR

DEC 1988:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	381.79	0.00	0.00	0.00	157.70	0.00	0.00	0.00	769.59	0.00	0.00	0.00
2	0.00	0.00	0.10	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.19	769.20
3	0.00	0.00	0.10	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.20	769.01
4	0.00	0.00	0.10	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.20	768.81
5	0.00	0.00	0.10	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.20	768.61
6	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	768.41
7	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	768.21
8	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	768.01
9	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	767.81
10	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	767.61
11	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	767.41
12	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	767.21
13	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	767.01
14	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	766.81
15	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	766.61
16	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	766.41
17	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	766.21
18	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	766.01
19	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	765.81
20	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	765.61
21	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	765.41
22	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	765.21
23	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	765.01
24	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	764.81
25	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	764.61
26	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	764.41
27	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	764.21
28	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	764.01
29	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	763.81
30	0.00	0.00	0.09	1.09	0.00	0.00	0.01	0.01	0.00	0.00	0.18	763.61
TOT	384.79	0.00	2.55		157.70	0.00	1.06		769.59	0.00	4.98	

SUMMER STORED WATER

HYDE

MANVEL

X-Y

DEC 1988:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	51.04	0.00	0.71	221.72	92.27	0.00	0.39	157.73	198.29	0.00	0.00	0.00
2	0.00	0.00	0.71	221.72	0.00	0.00	0.41	157.61	0.00	0.00	0.00	0.24
3	0.00	0.00	0.71	221.72	0.00	0.00	0.41	157.61	0.00	0.00	0.00	198.14
4	0.00	0.00	0.71	221.72	0.00	0.00	0.41	157.61	0.00	0.00	0.00	198.09
5	0.00	0.00	0.71	221.72	0.00	0.00	0.41	157.61	0.00	0.00	0.00	198.09
6	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
7	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
8	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
9	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
10	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
11	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
12	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
13	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
14	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
15	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
16	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
17	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
18	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
19	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
20	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
21	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
22	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
23	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
24	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
25	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
26	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
27	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
28	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
29	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
30	0.00	0.00	0.66	221.72	0.00	0.00	0.38	157.61	0.00	0.00	0.00	197.95
TOT	51.04	0.00	19.32	198.29	92.27	0.00	10.95	198.29	198.29	0.00	1.25	198.29

SUMMER STORED WATER

BUFFALO

SISSON

TOTAL

DEC 1988:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	329.82	0.00	3.92	1581.20	17.12	0.00	0.88	3150.75	2120.97	0.00	9.71	3150.75
2	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
3	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
4	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
5	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
6	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
7	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
8	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
9	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
10	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
11	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
12	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
13	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
14	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
15	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
16	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
17	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
18	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
19	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
20	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
21	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
22	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
23	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
24	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
25	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
26	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
27	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
28	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
29	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
30	0.00	0.00	4.00	1581.20	0.00	0.00	0.88	3150.75	0.00	0.00	0.00	3150.75
TOT	329.82	0.00	107.59	198.29	47.12	0.00	23.79	198.29	2120.93	0.00	172.03	198.29

1988 WINTER STORED WATER

FT. BENT

KEESEE

AMITY

DEC 1988:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	0.15	1.27	0.00	0.00	0.13	500.85	0.00	0.00	0.00	0.00
2	0.00	0.00	0.11	1.27	0.00	0.00	0.13	500.59	0.00	0.00	0.00	0.00
3	0.00	0.00	0.11	1.27	0.00	0.00	0.13	500.46	0.00	0.00	0.00	0.00
4	0.00	0.00	0.11	1.27	0.00	0.00	0.13	500.20	0.00	0.00	0.00	0.00
5	0.00	0.00	0.11	1.27	0.00	0.00	0.13	499.97	0.00	0.00	0.00	0.00
6	0.00	0.00	0.11	1.27	0.00	0.00	0.13	499.83	0.00	0.00	0.00	0.00
7	0.00	0.00	0.11	1.27	0.00	0.00	0.13	499.59	0.00	0.00	0.00	0.00
8	0.00	0.00	0.11	1.27	0.00	0.00	0.13	499.36	0.00	0.00	0.00	0.00
9	0.00	0.00	0.11	1.27	0.00	0.00	0.13	499.21	0.00	0.00	0.00	0.00
10	0.00	0.00	0.11	1.27	0.00	0.00	0.13	499.03	0.00	0.00	0.00	0.00
11	0.00	0.00	0.11	1.27	0.00	0.00	0.13	498.81	0.00	0.00	0.00	0.00
12	0.00	0.00	0.11	1.27	0.00	0.00	0.13	498.58	0.00	0.00	0.00	0.00
13	0.00	0.00	0.11	1.27	0.00	0.00	0.13	498.31	0.00	0.00	0.00	0.00
14	0.00	0.00	0.11	1.27	0.00	0.00	0.13	498.09	0.00	0.00	0.00	0.00
15	0.00	0.00	0.11	1.27	0.00	0.00	0.13	497.82	0.00	0.00	0.00	0.00
16	0.00	0.00	0.11	1.27	0.00	0.00	0.13	497.58	0.00	0.00	0.00	0.00
17	0.00	0.00	0.11	1.27	0.00	0.00	0.13	497.29	0.00	0.00	0.00	0.00
18	0.00	0.00	0.11	1.27	0.00	0.00	0.13	497.01	0.00	0.00	0.00	0.00
19	0.00	0.00	0.11	1.27	0.00	0.00	0.13	496.71	0.00	0.00	0.00	0.00
20	0.00	0.00	0.11	1.27	0.00	0.00	0.13	496.41	0.00	0.00	0.00	0.00
21	0.00	0.00	0.11	1.27	0.00	0.00	0.13	496.11	0.00	0.00	0.00	0.00
TOT	0.00	0.00	4.01		0.00	0.00	3.36		0.00	0.00	0.00	

1988 WINTER STORED WATER

HYDE

LAMAR

MANVEL

DEC 1988:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	0.10	1.27	0.00	0.00	0.10	110.93	0.00	0.00	0.19	153.01
2	0.00	0.00	0.10	1.27	0.00	0.00	0.10	110.83	0.00	0.00	0.19	152.86
3	0.00	0.00	0.10	1.27	0.00	0.00	0.10	110.61	0.00	0.00	0.20	151.66
4	0.00	0.00	0.10	1.27	0.00	0.00	0.10	110.30	0.00	0.00	0.19	151.26
5	0.00	0.00	0.10	1.27	0.00	0.00	0.10	110.21	0.00	0.00	0.19	151.08
6	0.00	0.00	0.10	1.27	0.00	0.00	0.10	110.10	0.00	0.00	0.18	150.81
7	0.00	0.00	0.10	1.27	0.00	0.00	0.10	109.91	0.00	0.00	0.17	150.53
8	0.00	0.00	0.10	1.27	0.00	0.00	0.10	109.81	0.00	0.00	0.17	150.23
9	0.00	0.00	0.10	1.27	0.00	0.00	0.10	109.69	0.00	0.00	0.17	149.93
10	0.00	0.00	0.10	1.27	0.00	0.00	0.10	109.58	0.00	0.00	0.17	149.63
11	0.00	0.00	0.10	1.27	0.00	0.00	0.10	109.49	0.00	0.00	0.17	149.33
12	0.00	0.00	0.10	1.27	0.00	0.00	0.10	109.39	0.00	0.00	0.17	149.03
13	0.00	0.00	0.10	1.27	0.00	0.00	0.10	109.29	0.00	0.00	0.17	148.73
14	0.00	0.00	0.10	1.27	0.00	0.00	0.10	109.19	0.00	0.00	0.17	148.43
15	0.00	0.00	0.10	1.27	0.00	0.00	0.10	109.10	0.00	0.00	0.17	148.13
16	0.00	0.00	0.10	1.27	0.00	0.00	0.10	109.00	0.00	0.00	0.17	147.83
17	0.00	0.00	0.10	1.27	0.00	0.00	0.10	108.91	0.00	0.00	0.17	147.53
18	0.00	0.00	0.10	1.27	0.00	0.00	0.10	108.81	0.00	0.00	0.17	147.23
19	0.00	0.00	0.10	1.27	0.00	0.00	0.10	108.71	0.00	0.00	0.17	146.93
20	0.00	0.00	0.10	1.27	0.00	0.00	0.10	108.61	0.00	0.00	0.17	146.63
21	0.00	0.00	0.10	1.27	0.00	0.00	0.10	108.51	0.00	0.00	0.17	146.33
TOT	0.00	0.00	4.92		0.00	0.00	2.70		0.00	0.00	5.08	

1989 WINTER STORED WATER

PG 7

FT. BENT

KEESEE

AMITY

DEC 1988:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	90.31	0.00	0.00	90.31	381.80	0.00	0.10	0.00	157.70	0.00	0.00	0.00
2	0.00	0.00	0.00	90.31	0.00	0.00	0.10	381.70	0.00	0.00	0.04	157.66
3	0.00	0.00	0.00	90.31	0.00	0.00	0.10	381.60	0.00	0.00	0.04	157.62
4	0.00	0.00	0.00	90.31	0.00	0.00	0.10	381.50	0.00	0.00	0.04	157.58
5	0.00	0.00	0.00	90.31	0.00	0.00	0.10	381.40	0.00	0.00	0.04	157.54
6	0.00	0.00	0.00	90.31	0.00	0.00	0.09	381.30	0.00	0.00	0.04	157.50
7	0.00	0.00	0.00	90.31	0.00	0.00	0.09	381.20	0.00	0.00	0.04	157.46
8	0.00	0.00	0.00	90.31	0.00	0.00	0.09	381.10	0.00	0.00	0.04	157.42
9	0.00	0.00	0.00	90.31	0.00	0.00	0.09	381.00	0.00	0.00	0.04	157.38
10	0.00	0.00	0.00	90.31	0.00	0.00	0.09	380.90	0.00	0.00	0.04	157.34
11	0.00	0.00	0.00	90.31	0.00	0.00	0.09	380.80	0.00	0.00	0.04	157.30
12	0.00	0.00	0.00	90.31	0.00	0.00	0.09	380.70	0.00	0.00	0.04	157.26
13	0.00	0.00	0.00	90.31	0.00	0.00	0.09	380.60	0.00	0.00	0.04	157.22
14	0.00	0.00	0.00	90.31	0.00	0.00	0.09	380.50	0.00	0.00	0.04	157.18
15	0.00	0.00	0.00	90.31	0.00	0.00	0.09	380.40	0.00	0.00	0.04	157.14
16	0.00	0.00	0.00	90.31	0.00	0.00	0.09	380.30	0.00	0.00	0.04	157.10
17	0.00	0.00	0.00	90.31	0.00	0.00	0.09	380.20	0.00	0.00	0.04	157.06
18	0.00	0.00	0.00	90.31	0.00	0.00	0.10	380.10	0.00	0.00	0.04	157.02
19	0.00	0.00	0.00	90.31	0.00	0.00	0.10	380.00	0.00	0.00	0.04	156.98
20	0.00	0.00	0.00	90.31	0.00	0.00	0.10	379.90	0.00	0.00	0.04	156.94
21	0.00	0.00	0.00	90.31	0.00	0.00	0.10	379.80	0.00	0.00	0.04	156.90
22	0.00	0.00	0.00	90.31	0.00	0.00	0.10	379.70	0.00	0.00	0.04	156.86
23	0.00	0.00	0.00	90.31	0.00	0.00	0.10	379.60	0.00	0.00	0.04	156.82
24	0.00	0.00	0.00	90.31	0.00	0.00	0.10	379.50	0.00	0.00	0.04	156.78
25	0.00	0.00	0.00	90.31	0.00	0.00	0.10	379.40	0.00	0.00	0.04	156.74
26	0.00	0.00	0.00	90.31	0.00	0.00	0.10	379.30	0.00	0.00	0.04	156.70
27	0.00	0.00	0.00	90.31	0.00	0.00	0.10	379.20	0.00	0.00	0.04	156.66
28	0.00	0.00	0.00	90.31	0.00	0.00	0.10	379.10	0.00	0.00	0.04	156.62
29	0.00	0.00	0.00	90.31	0.00	0.00	0.10	379.00	0.00	0.00	0.04	156.58
30	0.00	0.00	0.00	90.31	0.00	0.00	0.10	378.90	0.00	0.00	0.04	156.54
31	0.00	0.00	0.00	90.31	0.00	0.00	0.10	378.80	0.00	0.00	0.04	156.50
TOT	90.31	0.00	0.53	90.31	381.80	0.00	2.57	381.80	157.70	0.00	1.07	157.70

1989 WINTER STORED WATER

PG 7

HYDE

LAMAR

MANVEL

DEC 1988:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	769.60	0.00	0.00	769.60	51.05	0.00	0.00	0.00	92.28	0.00	0.00	0.00
2	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
3	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
4	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
5	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
6	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
7	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
8	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
9	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
10	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
11	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
12	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
13	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
14	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
15	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
16	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
17	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
18	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
19	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
20	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
21	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
22	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
23	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
24	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
25	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
26	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
27	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
28	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
29	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
30	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
31	0.00	0.00	0.00	769.60	0.00	0.00	0.00	769.60	0.00	0.00	0.00	92.28
TOT	769.60	0.00	4.98	769.60	51.05	0.00	0.26	769.60	92.28	0.00	0.66	92.28

1989 WINTER STORED WATER

DEC 1988:	X-Y			BUFFALO			SISSON			OWN
	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	
1	198.29	0.00	0.05	329.83	0.00	0.08	47.12	0.00	0.00	0.12
2	0.00	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.01	17.11
3	0.00	0.00	0.05	0.00	0.00	0.09	0.00	0.00	0.01	17.09
4	0.00	0.00	0.05	0.00	0.00	0.09	0.00	0.00	0.01	17.08
5	0.00	0.00	0.04	0.00	0.00	0.07	0.00	0.00	0.01	17.06
6	0.00	0.00	0.04	0.00	0.00	0.08	0.00	0.00	0.01	17.05
7	0.00	0.00	0.04	0.00	0.00	0.08	0.00	0.00	0.01	17.03
8	0.00	0.00	0.04	0.00	0.00	0.08	0.00	0.00	0.01	17.01
9	0.00	0.00	0.04	0.00	0.00	0.08	0.00	0.00	0.01	17.00
10	0.00	0.00	0.04	0.00	0.00	0.08	0.00	0.00	0.01	16.99
11	0.00	0.00	0.05	0.00	0.00	0.07	0.00	0.00	0.01	16.98
12	0.00	0.00	0.05	0.00	0.00	0.07	0.00	0.00	0.01	16.98
13	0.00	0.00	0.05	0.00	0.00	0.07	0.00	0.00	0.01	16.96
14	0.00	0.00	0.05	0.00	0.00	0.07	0.00	0.00	0.01	16.95
15	0.00	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.01	16.95
16	0.00	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.01	16.93
17	0.00	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.01	16.92
18	0.00	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.01	16.90
19	0.00	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.01	16.89
20	0.00	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.01	16.88
21	0.00	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.01	16.88
22	0.00	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.01	16.87
23	0.00	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.01	16.85
24	0.00	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.01	16.85
25	0.00	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.01	16.85
26	0.00	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.01	16.85
27	0.00	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.01	16.85
28	0.00	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.01	16.85
29	0.00	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.01	16.85
30	0.00	0.00	0.05	0.00	0.00	0.08	0.00	0.00	0.01	16.85
TOT	198.29	0.00	1.26	329.83	0.00	2.14	17.12	0.00	0.26	

1989 WINTER STORED WATER

DEC 1988:	TOTAL			OWN
	INFLOW	RELEASE	EVAP	
1	2120.98	0.00	0.05	0.00
2	0.00	0.00	0.05	120.00
3	0.00	0.00	0.05	119.98
4	0.00	0.00	0.05	119.98
5	0.00	0.00	0.05	119.98
6	0.00	0.00	0.05	119.98
7	0.00	0.00	0.05	119.98
8	0.00	0.00	0.05	119.98
9	0.00	0.00	0.05	119.98
10	0.00	0.00	0.05	119.98
11	0.00	0.00	0.05	119.98
12	0.00	0.00	0.05	119.98
13	0.00	0.00	0.05	119.98
14	0.00	0.00	0.05	119.98
15	0.00	0.00	0.05	119.98
16	0.00	0.00	0.05	119.98
17	0.00	0.00	0.05	119.98
18	0.00	0.00	0.05	119.98
19	0.00	0.00	0.05	119.98
20	0.00	0.00	0.05	119.98
21	0.00	0.00	0.05	119.98
22	0.00	0.00	0.05	119.98
23	0.00	0.00	0.05	119.98
24	0.00	0.00	0.05	119.98
25	0.00	0.00	0.05	119.98
26	0.00	0.00	0.05	119.98
27	0.00	0.00	0.05	119.98
28	0.00	0.00	0.05	119.98
29	0.00	0.00	0.05	119.98
30	0.00	0.00	0.05	119.98
TOT	2120.98	0.00	13.73	

WATERMILL

COND

EXHIBIT

WATERMILL

COND

EXHIBIT

SUMMER STORED WATER

PG 3

NOV 1988:	HYDE			MANVEL			X-Y			OWN
	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	
12	0.00	0.00	1.38	0.00	0.00	0.71	0.00	0.00	0.00	56.47
13	0.00	0.00	1.40	0.00	0.00	1.76	0.00	0.00	0.00	53.68
14	0.00	0.00	1.79	0.00	0.00	0.98	0.00	0.00	0.00	53.92
15	0.00	0.00	1.86	0.00	0.00	1.07	0.00	0.00	0.00	52.93
16	0.00	0.00	1.10	0.00	0.00	0.96	0.00	0.00	0.00	51.96
17	0.00	0.00	1.53	0.00	0.00	0.50	0.00	0.00	0.00	50.36
18	0.00	0.00	1.03	0.00	0.00	0.56	0.00	0.00	0.00	49.30
19	0.00	0.00	1.38	0.00	0.00	0.75	0.00	0.00	0.00	48.80
20	0.00	0.00	1.37	0.00	0.00	0.75	0.00	0.00	0.00	47.30
21	0.00	0.00	1.65	0.00	0.00	0.90	0.00	0.00	0.00	45.40
22	0.00	0.00	1.84	0.00	0.00	0.66	0.00	0.00	0.00	44.79
23	0.00	0.00	1.01	0.00	0.00	0.33	0.00	0.00	0.00	43.87
24	0.00	0.00	1.01	0.00	0.00	0.33	0.00	0.00	0.00	43.75
25	0.00	0.00	1.03	0.00	0.00	0.56	0.00	0.00	0.00	42.19
26	0.00	0.00	0.82	0.00	0.00	0.44	0.00	0.00	0.00	41.71
27	0.00	0.00	0.80	0.00	0.00	0.44	0.00	0.00	0.00	40.81
28	0.00	0.00	0.83	0.00	0.00	0.45	0.00	0.00	0.00	39.96
29	0.00	0.00	0.83	0.00	0.00	0.45	0.00	0.00	0.00	39.06
30	0.00	0.00	0.82	0.00	0.00	0.44	0.00	0.00	0.00	38.61
31	0.00	0.00	0.81	0.00	0.00	0.44	0.00	0.00	0.00	37.73
TOT	0.00	0.00	31.41	0.00	0.00	18.74	0.00	0.00	0.00	18.74

SUMMER STORED WATER

PG 3

NOV 1988:	BUFFALO			SISSON			TOTAL			OWN
	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	
12	0.00	0.00	7.20	0.00	0.00	1.15	0.00	0.00	0.00	53.40
13	0.00	0.00	11.79	0.00	0.00	1.12	0.00	0.00	0.00	51.92
14	0.00	0.00	9.95	0.00	0.00	1.20	0.00	0.00	0.00	51.01
15	0.00	0.00	10.90	0.00	0.00	1.26	0.00	0.00	0.00	50.54
16	0.00	0.00	9.13	0.00	0.00	1.12	0.00	0.00	0.00	49.10
17	0.00	0.00	5.12	0.00	0.00	1.17	0.00	0.00	0.00	48.22
18	0.00	0.00	7.62	0.00	0.00	1.10	0.00	0.00	0.00	47.33
19	0.00	0.00	7.76	0.00	0.00	1.09	0.00	0.00	0.00	46.59
20	0.00	0.00	9.16	0.00	0.00	1.21	0.00	0.00	0.00	45.93
21	0.00	0.00	7.76	0.00	0.00	1.22	0.00	0.00	0.00	45.39
22	0.00	0.00	9.16	0.00	0.00	1.22	0.00	0.00	0.00	44.93
23	0.00	0.00	9.16	0.00	0.00	1.22	0.00	0.00	0.00	44.47
24	0.00	0.00	9.16	0.00	0.00	1.22	0.00	0.00	0.00	44.01
25	0.00	0.00	9.16	0.00	0.00	1.22	0.00	0.00	0.00	43.55
26	0.00	0.00	9.16	0.00	0.00	1.22	0.00	0.00	0.00	43.09
27	0.00	0.00	9.16	0.00	0.00	1.22	0.00	0.00	0.00	42.63
28	0.00	0.00	9.16	0.00	0.00	1.22	0.00	0.00	0.00	42.17
29	0.00	0.00	9.16	0.00	0.00	1.22	0.00	0.00	0.00	41.71
30	0.00	0.00	9.16	0.00	0.00	1.22	0.00	0.00	0.00	41.25
TOT	0.00	0.00	191.17	0.00	0.00	42.56	0.00	0.00	0.00	286.88

1988 WINTER STORED WATER

PG 5

FT. BENT

AMITY

NOV 1988:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.27	601.51	0.00	0.00	0.23	506.93	0.00	0.00	0.00	0.00
2	0.00	0.00	0.42	600.09	0.00	0.00	0.25	506.75	0.00	0.00	0.00	0.00
3	0.00	0.00	0.38	600.72	0.00	0.00	0.32	506.43	0.00	0.00	0.00	0.00
4	0.00	0.00	0.37	599.35	0.00	0.00	0.32	505.13	0.00	0.00	0.00	0.00
5	0.00	0.00	0.23	598.12	0.00	0.00	0.20	504.93	0.00	0.00	0.00	0.00
6	0.00	0.00	0.20	596.90	0.00	0.00	0.16	504.77	0.00	0.00	0.00	0.00
7	0.00	0.00	0.22	595.68	0.00	0.00	0.18	504.59	0.00	0.00	0.00	0.00
8	0.00	0.00	0.29	594.39	0.00	0.00	0.24	504.41	0.00	0.00	0.00	0.00
9	0.00	0.00	0.29	593.10	0.00	0.00	0.24	504.24	0.00	0.00	0.00	0.00
10	0.00	0.00	0.29	591.81	0.00	0.00	0.24	503.83	0.00	0.00	0.00	0.00
11	0.00	0.00	0.35	590.46	0.00	0.00	0.29	503.49	0.00	0.00	0.00	0.00
12	0.00	0.00	0.18	589.11	0.00	0.00	0.15	503.19	0.00	0.00	0.00	0.00
13	0.00	0.00	0.21	587.86	0.00	0.00	0.18	502.83	0.00	0.00	0.00	0.00
14	0.00	0.00	0.21	586.61	0.00	0.00	0.18	502.65	0.00	0.00	0.00	0.00
15	0.00	0.00	0.22	585.36	0.00	0.00	0.18	502.47	0.00	0.00	0.00	0.00
16	0.00	0.00	0.27	584.11	0.00	0.00	0.14	502.29	0.00	0.00	0.00	0.00
17	0.00	0.00	0.17	582.86	0.00	0.00	0.14	502.11	0.00	0.00	0.00	0.00
18	0.00	0.00	0.18	581.61	0.00	0.00	0.15	501.87	0.00	0.00	0.00	0.00
19	0.00	0.00	0.11	580.36	0.00	0.00	0.11	501.52	0.00	0.00	0.00	0.00
20	0.00	0.00	0.11	579.11	0.00	0.00	0.11	501.27	0.00	0.00	0.00	0.00
21	0.00	0.00	0.11	577.86	0.00	0.00	0.14	501.02	0.00	0.00	0.00	0.00
22	0.00	0.00	0.11	576.61	0.00	0.00	0.14	500.77	0.00	0.00	0.00	0.00
23	0.00	0.00	0.17	575.36	0.00	0.00	0.14	500.52	0.00	0.00	0.00	0.00
TOT	0.00	0.00	7.21		0.00	0.00	6.08		0.00	0.00	0.00	0.00

1988 WINTER STORED WATER

PG 5

HYDE

MANVEL

NOV 1988:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.31	111.83	0.00	0.00	0.19	15.05	0.00	0.00	0.35	761.40
2	0.00	0.00	0.36	110.47	0.00	0.00	0.22	15.26	0.00	0.00	0.38	761.02
3	0.00	0.00	0.46	109.11	0.00	0.00	0.33	15.47	0.00	0.00	0.48	760.64
4	0.00	0.00	0.49	107.75	0.00	0.00	0.41	15.68	0.00	0.00	0.52	760.26
5	0.00	0.00	0.51	106.39	0.00	0.00	0.45	15.89	0.00	0.00	0.57	759.88
6	0.00	0.00	0.56	105.03	0.00	0.00	0.50	16.10	0.00	0.00	0.61	759.50
7	0.00	0.00	0.56	103.67	0.00	0.00	0.52	16.31	0.00	0.00	0.65	759.12
8	0.00	0.00	0.53	102.31	0.00	0.00	0.49	16.52	0.00	0.00	0.62	758.74
9	0.00	0.00	0.52	100.95	0.00	0.00	0.48	16.73	0.00	0.00	0.61	758.36
10	0.00	0.00	0.52	99.59	0.00	0.00	0.48	16.94	0.00	0.00	0.61	757.98
11	0.00	0.00	0.52	98.23	0.00	0.00	0.48	17.15	0.00	0.00	0.61	757.60
12	0.00	0.00	0.52	96.87	0.00	0.00	0.48	17.36	0.00	0.00	0.61	757.22
13	0.00	0.00	0.52	95.51	0.00	0.00	0.48	17.57	0.00	0.00	0.61	756.84
14	0.00	0.00	0.52	94.15	0.00	0.00	0.48	17.78	0.00	0.00	0.61	756.46
15	0.00	0.00	0.52	92.79	0.00	0.00	0.48	17.99	0.00	0.00	0.61	756.08
16	0.00	0.00	0.52	91.43	0.00	0.00	0.48	18.20	0.00	0.00	0.61	755.70
17	0.00	0.00	0.52	90.07	0.00	0.00	0.48	18.41	0.00	0.00	0.61	755.32
18	0.00	0.00	0.52	88.71	0.00	0.00	0.48	18.62	0.00	0.00	0.61	754.94
19	0.00	0.00	0.52	87.35	0.00	0.00	0.48	18.83	0.00	0.00	0.61	754.56
20	0.00	0.00	0.52	85.99	0.00	0.00	0.48	19.04	0.00	0.00	0.61	754.18
21	0.00	0.00	0.52	84.63	0.00	0.00	0.48	19.25	0.00	0.00	0.61	753.80
22	0.00	0.00	0.52	83.27	0.00	0.00	0.48	19.46	0.00	0.00	0.61	753.42
23	0.00	0.00	0.52	81.91	0.00	0.00	0.48	19.67	0.00	0.00	0.61	753.04
TOT	0.00	0.00	8.93		0.00	0.00	5.01		0.00	0.00	9.22	

1988 WINTER STORED WATER

PG 6

NOV 1988:	X-Y			BUFFALO			SISSON			OWN
	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	
1	0.00	0.00	0.12	0.00	0.00	1.23	0.00	0.00	0.18	383.76
2	0.00	0.00	0.13	0.00	0.00	1.33	0.00	0.00	0.19	383.49
3	0.00	0.00	0.17	0.00	0.00	1.16	0.00	0.00	0.22	383.06
4	0.00	0.00	0.17	0.00	0.00	1.05	0.00	0.00	0.24	382.81
5	0.00	0.00	0.10	0.00	0.00	0.87	0.00	0.00	0.12	382.42
6	0.00	0.00	0.10	0.00	0.00	0.97	0.00	0.00	0.11	382.16
7	0.00	0.00	0.13	0.00	0.00	1.31	0.00	0.00	0.10	381.91
8	0.00	0.00	0.13	0.00	0.00	1.30	0.00	0.00	0.13	381.63
9	0.00	0.00	0.13	0.00	0.00	1.30	0.00	0.00	0.18	381.43
10	0.00	0.00	0.15	0.00	0.00	1.57	0.00	0.00	0.22	381.21
11	0.00	0.00	0.08	0.00	0.00	0.80	0.00	0.00	0.14	381.06
12	0.00	0.00	0.10	0.00	0.00	0.92	0.00	0.00	0.14	380.82
13	0.00	0.00	0.09	0.00	0.00	0.93	0.00	0.00	0.17	380.62
14	0.00	0.00	0.09	0.00	0.00	0.93	0.00	0.00	0.17	380.41
15	0.00	0.00	0.10	0.00	0.00	0.91	0.00	0.00	0.11	380.19
16	0.00	0.00	0.08	0.00	0.00	0.71	0.00	0.00	0.11	380.08
17	0.00	0.00	0.08	0.00	0.00	0.75	0.00	0.00	0.11	380.08
18	0.00	0.00	0.08	0.00	0.00	0.75	0.00	0.00	0.11	380.08
19	0.00	0.00	0.08	0.00	0.00	0.75	0.00	0.00	0.11	380.08
20	0.00	0.00	0.08	0.00	0.00	0.75	0.00	0.00	0.11	380.08
21	0.00	0.00	0.08	0.00	0.00	0.75	0.00	0.00	0.11	380.08
22	0.00	0.00	0.08	0.00	0.00	0.75	0.00	0.00	0.11	380.08
23	0.00	0.00	0.08	0.00	0.00	0.75	0.00	0.00	0.11	380.08
24	0.00	0.00	0.08	0.00	0.00	0.75	0.00	0.00	0.11	380.08
TOT	0.00	0.00	3.21	0.00	0.00	32.61	0.00	0.00	4.63	379.31

1988 WINTER STORED WATER

PG 6

NOV 1988:	TOTAL			OWN
	INFLOW	RELEASE	EVAP	
1	0.00	0.00	2.91	6391.93
2	0.00	0.00	3.14	6384.36
3	0.00	0.00	4.01	6380.20
4	0.00	0.00	4.19	6376.24
5	0.00	0.00	4.27	6372.24
6	0.00	0.00	4.51	6367.61
7	0.00	0.00	4.67	6363.38
8	0.00	0.00	4.89	6359.13
9	0.00	0.00	5.07	6355.10
10	0.00	0.00	5.22	6351.29
11	0.00	0.00	5.33	6347.61
12	0.00	0.00	5.42	6344.08
13	0.00	0.00	5.50	6340.61
14	0.00	0.00	5.57	6337.21
15	0.00	0.00	5.63	6333.81
16	0.00	0.00	5.68	6330.41
17	0.00	0.00	5.72	6327.01
18	0.00	0.00	5.75	6323.61
19	0.00	0.00	5.77	6320.21
20	0.00	0.00	5.78	6316.81
21	0.00	0.00	5.78	6313.41
22	0.00	0.00	5.77	6310.01
23	0.00	0.00	5.75	6306.61
24	0.00	0.00	5.72	6303.21
TOT	0.00	0.00	76.99	6319.65