

ANNUAL REPORT
OF THE
OPERATIONS SECRETARY

CONCERNING THE
OPERATION OF JOHN MARTIN

1990

SUBMITTED TO THE
OPERATIONS COMMITTEE

ARKANSAS RIVER COMPACT ADMINISTRATION

INDEX

Annual Report Summary	Section 1
Agreement dated December 12, 1989	Section 1
Financial Status Statement	Section 1
Documentation Summarizing Operations for Lamar	Section 2
Documentation Summarizing Operations for Colorado Division Wildlife	Section 3
Table I Compact Water	Section 4
Table II Winter Water	Section 4
Table III Ft. Lyon Canal Art III Water	Section 4
Table IV Amity Canal Art III Water	Section 4
Table V Las Animas Cons. Art III Water	Section 4
Table VI Agreement Accounts	Section 4
Table VII Transit Loss Account	Section 4
Table VIII Permanent Recreation Pool	Section 4
Table IX Releases from Flood Pool	Section 4
Table X Releases to Colorado Ditches	Section 4
Table XI Releases and Deliveries to Kansas by Month	Section 4
Table XII Releases and Deliveries to Kansas by Runs	Section 4
Table XIII Daily Status Report - John Martin Reservoir 10/31/90	Section 4
Daily Accounting Records for each Month Nov. 89 through October 90	Section 5

SECTION I

- SUMMARY -

ANNUAL REPORT OF THE OPERATIONS SECRETARY

TO THE

ARKANSAS RIVER COMPACT ADMINISTRATION

November 1, 1989 to October 31, 1990

Steven J. Witte

Winter storage began in John Martin Reservoir at 0001 hour, November 1, 1989. At that time the conservation pool was empty and the reservoir accounts contained 27,406.78 a.f. distributed as follows: 21,953.82 a.f. in Agreement Accounts and 5452.96 a.f. in the Permanent Recreation Pool. Winter storage ended at 2400 hour, March 31, 1990. During this period 47,428.22 a.f. was stored. This water was allocated to various accounts as specified in the Operating Plan adopted by the Compact Administration on April 14, 1980 and the transfer of excess water remaining in the Kansas Transit Loss Account at the end of the 88-89 compact year was accomplished in accord with the instructions provided by the Operations Committee.

Summer storage began at 0001 hour April 1, 1990 and ended at 2400 hour, October 31, 1990. During this period 32,473.99 a.f. was stored. Of this, 1428.51 a.f. was Frying Pan-Arkansas Project water stored for the City of Lamar, CO under an agreement approved by the Compact Administration. An additional 1,197.79 a.f. of transmountain water, purchased by the Colorado Division of Wildlife was stored in the Permanent Recreation Pool. (Documentation relating to the Lamar and Division of Wildlife operations are included as part of this report.) The remainder was distributed to accounts according to the Operating Plan.

At the close of the compact year, the reservoir accounts contained 17,588.82 a.f. which is approximately 10,000 a.f. less than on the same date last year.


A statement of expenses incurred by the Operations Secretary in FY 89-90 has been included.


The summary tables I - VIII and XIII reflect the status of the various accounts during the year. Tables IX - XII describe releases that were made during the year. Also included are daily accounting records by month for all accounts.

December 12, 1989

AGREEMENT

1. This Agreement will expire November 1, 1990, except that those provisions of Paragraph 5, regarding transfer of any excess water remaining in the Kansas transit loss account may be deferred pending further consideration.
2. Kansas and Colorado will cooperate in all release rates to secure the most efficient delivery of water to the Stateline and to Kansas water users.
3. Credit for delivery to Kansas will stop at the Stateline 7 days after the end of the run at John Martin Reservoir. No credit for over-delivery will be carried forward to any subsequent run.
 - 3a. In the event Kansas calls for a second run before the first run's 7 days have elapsed, then there will be a meeting between the Kansas Water Commissioner and the Colorado Division Engineer to establish the delivery.
4. When the daily average flow at the Stateline exceeds the demand, delivery will be credited at not to exceed 105% of the demand.
5. 35% of all "other water" will be transferred into Kansas transit loss account. In the event that water in Kansas transit loss account exceeds the transit loss at the end of the irrigation year, the excess balance will be transferred into the Kansas and Colorado storage accounts.


Steven K. Frost Date 2-5/1990
Kansas State Board of Agriculture
Division of Water Resources


Steven J. Witte Date 12/21/89
Colorado Division Engineer
Division of Water Resources

FY
1989-90

FINANCIAL STATUS

OF

OPERATIONS SECRETARY

The Operations Secretary received \$6100.00 from the Compact and this was expended on the following items:

New fiscal year	\$6,100.00	
Carryover Amount from 1988-89	\$1,073.50	
Colorado Mobile		\$ 110.72
Best Buy Computers		100.00
Midwest Micro Peripherals		670.56
Colorado Mobile		134.41
Charles Roberts		181.50
Charles Roberts		21.97
Best Buy Computers		41.45
Best Buy Computers		49.95
Charles Roberts		33.08
Best Buy Computers		29.95
Charles Roberts		49.88
Colorado Mobile		408.06
Charles Roberts		39.00
Best Buy Computers		24.95
C.F.&I. Print Shop		21.00
Cellular Inc.		950.00
White Envelope & Office Supply		37.52
Digitcom Electronics		30.00
Colorado Mobile		100.88
A-tronic Co.		1,554.00
Cellular Inc.		28.62
Lamar Communications		45.00
Cellular Inc.		16.49
Aspen Office Furniture		359.85
Compuadd		325.09
Aspen Office Furniture		64.00
Trius Inc.		30.00
Charles Roberts		31.10
Ralin Wholesale		300.00
Gobins		<u>8.99</u>

717350
5798.02
1375.48
\$5,798.02

SECTION 2



DIVISION OF WATER RESOURCES
WATER DIVISION II

Steven J. Witte
Division Engineer
219 W. 5th Street, Room 223
P.O. Box 5728
Pueblo, Colorado 81003
(719) 542-3368

MEMORANDUM

DATE: August 9, 1990

TO: Mr. Bill Howland *[Signature]*

FROM: Steve Witte - Operations Secretary to the Arkansas River Compact Administration

SUBJECT: Re-count of actions taken to deliver Fry-Ark Project Water to the City of Lamar, CO in 1990

Through a letter dated 12/18/89 to Thomas L. Shinn, attorney for the City of Lamar, Colorado, I advised the City of the terms under which the Arkansas River Compact Administration would approve future use of John Martin Reservoir to regulate delivery of Frying Pan-Arkansas project water.

On 5/10/90 the City of Lamar notified me of its intent to initiate the delivery of 2000 a.f. according to these terms. I responded on 5/21/90 by forwarding this notice to the Compact Administration. At the time that I wrote this cover letter to the Administration, I confused Lamar's allocation request to the Southeast Colorado Water Conservancy District (SECWCD) for 2000 a.f. with the 2000 a.f. regulation request made to the Administration. By fixing on the fact that Lamar had only been allocated 1700 a.f. in 1990 by the SECWCD, I overlooked the fact that Lamar then had carry-over project water and inadvertently led the Compact Administration to understand that Lamar was limited in its request for regulation at John Martin to 1700 a.f.

No objection to the proposed operation as presented to the Compact Administration was received within the prescribed three week notice period.

By the time that my mistake was discovered, Lamar was then anxious to begin the operation which it had requested and was unwilling to await an additional notification/approval period. After conferring with Lamar personnel, it was agreed that the City's objectives could be achieved within the authority granted by the Compact Administration by initiating the release of 1700 a.f. as proposed

which would be subject to regulation by John Martin Reservoir and releasing the remaining 300 a.f. from Pueblo Reservoir at a rate to be passed through John Martin and delivered to Lamar's point of diversion without regulation by John Martin.

This operation was initiated on 6/20/90 and executed until 7/13/90 at which time we were advised that the Ft. Bent ditch, utilized by the City of Lamar, washed out in its lower reaches necessitating the cessation of further releases from John Martin. At this time 621.56 a.f. of Lamar's Fryingpan-Arkansas water remained in storage in John Martin Reservoir. The operations leading up to this point in time are summarized in the following tables:

TABLE 1

Pueblo Operations

Date/Time start	Date/Time stop	t (days)	relrate (cfs)	relvol (cfs)
6/20/90-1300 hrs	6/24/90-2021 hrs	4.285	200	1700*
6/24 -2021 hrs	6/29 -0139 hrs	4.22	35.83	<u>300</u>
				2000cf

* The first 1648.58 a.f. released was from Lamar's carried over project account.

TABLE 2

John Martin Operations

6/26 -0900	6/27 -2400 hrs	1.625	30.11	97.05
6/28 -0000	7/02 -0518	4.22	30.11*	252.03
7/02 -0518	7/13 -0900	11.15	30.11	<u>666.13</u>
				1015.21

* passed through without regulation

During the ensuing two week period Lamar evaluated its options. It was determined that reconstruction of the section of the Ft. Bent ditch that would have permitted Lamar to resume the operation was infeasible in the immediate future. There was concern over the potential loss of the water if left in John Martin Reservoir due to the terms under which the use of the Reservoir as a regulating device was granted and the potential ramifications to the Frying Pan-Arkansas Project should waters native to the Colorado River Basin be lost to uses outside of the Project boundary. It was therefore concluded to take advantage of the river conditions then in existence by exchanging the remaining volume after the deduction

Page 3
August 9, 1990
Mr. Bill Howland

of an appropriate amount of evaporation loss, back to Pueblo Reservoir. Thus 604.82 a.f. was captured in Pueblo Reservoir 7/27/90 through 7/29/90 and 598.10 a.f. was released from John Martin on 8/5/90 through 8/6/90 in order to meet current demands in priority. The amount stored in Pueblo for Lamar will be subject to evaporation charges just as would have been the case had it remained in a 'carry over' account.

SJW:crs

cc: Carl Bentrup
Carl Genova
David Walker
Ronald Olomon
David Pope
Jim Rogers
Frank Cooley
Lamar - Tom Shinn
Lamar - Danny McMillan
SECWCD c/o Tommy Thomson
Steve Frost

ROY ROMER
Governor



JERIS A. DANIELSON
State Engineer

DIVISION OF WATER RESOURCES
WATER DIVISION II

Steven J. Witte
Division Engineer
219 W. 5th Street, Room 223
P.O. Box 5728
Pueblo, Colorado 81003
(719) 542-3368

May 21, 1990

Arkansas River Compact Administration
307 S. 5th Street
Lamar, CO 81052

Mr. Frank Cooley
Mr. Bill McDonald
Mr. Jim Rogers
Mr. Carl Genova

Mr. David Pope
Mr. Carl Bentrup
Mr. Ron Oloman

Gentlemen:

I received the attached notification of the City of Lamar's intent to utilize John Martin Reservoir to regulate releases of Frying Pan-Arkansas Project water for municipal use. As per the Administration's instructions to me at the December 12, 1989 meeting, I am forwarding this to the Administration members for your consideration. It is my understanding that the City and the Operations Secretary are to consider the Administration's approval to have been granted unless objection is received from either or both of the States comprising the Administration, by the Operations Secretary within a three week notice period.

It should be noted that on 5/17/1990 the Southeastern Colorado Water Conservancy District allocated only 1700 acre feet of project water to the City of Lamar rather than the 2000 acre feet requested and that the allocated amount will be subject to appropriate transit losses enroute to John Martin, evaporation losses during the regulation period, and appropriate transit losses from John Martin to the Fort Bent Ditch. Only the remaining amount will be delivered within the proposed time period.

Thank you for your consideration of this matter.

Sincerely,

Steven J. Witte
Arkansas River Compact Administration Operations Secretary

cc: William Howland

LAMAR COLORADO



May 10, 1990

Division of Water Resources
Steven J. Witte
Division Engineer
219 W. 5th Street, Room 223
P.O. Box 5728
Pueblo, CO 810003

Dear Mr. Witte:

Please accept this letter as written notification of the City's intent to utilize John Martin Reservoir to regulate release of Fry-Ark water for municipal use.

The rate of release from Pueblo Reservoir to John Martin is estimated to be 200 cubic feet per second. The release rate from John Martin Reservoir to the Fort Bent Ditch will be approximately thirty (30) cubic feet per second. The projected date for initiation of release is June 18, 1990, to continue thru July 25, 1990. Total volume of project water being requested is 2,000 acre feet.

Should you have any questions, please contact me at telephone no. (719) 336-2002.

Thank you for your assistance.

Very truly yours,

Dannie McMillan

Dannie McMillan
Water/Sewer Superintendent

pc: Roy Lauricello

DMc:bd



DIVISION OF WATER RESOURCES
WATER DIVISION II

Steven J. Witte
Division Engineer
219 W. 5th Street, Room 223
P.O. Box 5728
Pueblo, Colorado 81003
(719) 542-3368

December 18, 1989

Mr. Thomas L. Shinn
P. O. Box 390
Lamar, CO 81052

Subject: Response to your letter dated 12/8/89 -- City of
Lamar's use of John Martin Reservoir to regulate
releases of Frying Pan Arkansas Water

Dear Mr. Shinn:

I have been directed to write to you by the Arkansas River Compact Administration, acting as its Operations Secretary, to advise you of the Administration's action on your request.

It is the Administration's position that henceforth should the City of Lamar desire to utilize John Martin Reservoir in a manner similar to that which occurred during 1989, the following procedure is to be followed to secure the Administration's approval.

Three weeks prior to the initiation of any operation which requires the utilization of John Martin Reservoir as a regulating device, the City shall provide written notice of its intent detailing the specific terms of the proposed operation to the Operations Secretary. These terms should include: the total volume, source, and intended use of water to be regulated; the nominal rate of inflow to John Martin; (i.e., rate of release from Pueblo) the requested rate of release from John Martin; the required point of delivery; the proposed date of initiation; and the approximate duration of the operation. The Operations Secretary is to forward said notice to the Administration. The City and the Operations Secretary shall consider the Administration's approval to have been granted unless objection is received from either or both of the States comprising the Administration, by the Operations Secretary within the three week notice period.

It is the Administration's understanding that such regulation operations shall be subject to appropriate evaporation and transportation losses as the prevailing conditions may warrant as

Page 2
December 18, 1989
Mr. Thomas L. Shinn

determined by the Division Engineer for Colorado Water Division II, whether acting in that capacity, or as Operations Secretary. Further, that the temporary storage that results from regulation shall be accounted as a sub-account of the Fort Bent account but that, as such, it is not afforded any protection against spilling by Article II G of the 1980 Operating Principles.

Finally, it is the Administration's position that any significant departure in actual operations from those which may be approved, may result in forfeiture of the City's water.

If you have questions regarding any of the above, please feel free to contact me.

Sincerely,



Steven J. Witte
Operations Secretary
Arkansas River Compact Administration

SJW:crs

cc: Frank Cooley
Bill McDonald
Jim Rogers
Carl G. Genova
David Pope
Carl Bentrup
Ron Oloman
Steven Frost
Bill Howland
Operations Secretary

SHINN LAWYERS

ATTORNEYS AND COUNSELORS AT LAW

CARL M. SHINN.
REG. No. 1302
THOMAS L. SHINN.
REG. No. 9958
WENDY S. SHINN.
REG. No. 11527

200 WEST ELM STREET
POST OFFICE BOX 390
LAMAR, COLORADO 81052
(719) 336-4313

December 8, 1989

Steven J. Witte
Division Engineer
219 West 5th St., Rm. 223
P.O. Box 5728
Pueblo, Colorado 81003


Arkansas River Compact Administration
307 South 5th St.
Lamar, Colorado 81052

Re: City of Lamar/Fryingpan Arkansas Water
My File No. 2850-42

Dear Gentlemen:

As you are aware, the City of Lamar, Colorado occasionally purchases Fryingpan-Arkansas River Project water to utilize to re-charge the City of Lamar's well field, located generally south of Lamar, Colorado. As you are probably also aware, the City transports this water to its re-charge diversion point through the Fort Bent Ditch Company's structure. The problem is, of course, that the City is not able to transport the water through the Fort Bent structure as quickly as it has been able to take delivery on the water down the river. We are certainly mindful that you have allowed us to temporarily hold up the water in John Martin Reservoir, in years past, to enable us to take delivery through the Fort Bent and thereby use the water. This has been an ideal situation for us, as the City of Lamar owns approximately 20-25% of the Fort Bent, and all parties can work together to effectuate delivery of our water.

Mr. Witte has explained to us the problems that this has caused, both for himself and the individual Compact representatives, as each representative must be contacted to obtain permission of the Compact to allow us to temporarily detain the water, for short periods only, in John Martin. Therefore, the City is willing to give a 90-day notice to the Compact, prior to using John Martin as a regulatory device to insure efficient use of our water. We would propose that our notice be sent both to Mr. Witte and to the Compact office, and hope that such a notice period will be sufficient to address the problems that have confronted you in years past. Please be assured that the City has no intention of seeking any sort of long-term storage of this water in John Martin, as the water is only useful to us during such periods that long-term storage would be contrary to our purposes.



Steven J. Witte
Arkansas River Compact Admin.
Page 2
December 8, 1989

Please do not hesitate to contact us in the event that you might have further inquiries in the future.

Yours very truly,


Thomas L. Shinn

TLS/s

cc: Roy L. Lauricello
Danny McMillan

SECTION 3

SUMMARY OF OPERATIONS TO REPLENISH JOHN MARTIN PERMANENT RECREATION
POOL WITH WATER IMPORTED INTO THE ARKANSAS RIVER BASIN FROM THE
COLORADO RIVER BASIN DURING 1990 BY THE DIVISION OF WILDLIFE

The delivery of imported water to the Permanent Recreation
Pool of John Martin occurred in two phases:

- 1328.74 a.f. was released from Twin Lakes which yielded
1033.95 a.f. in John Martin 7/16 - 7/23
- 281.69 a.f. was released from Twin Lakes which yielded
163.84 a.f. in John Martin 9/3 - 9/10


Amt. released	Amt. yielded
1328.74 a.f.	1033.95 a.f.
<u>281.69 a.f.</u>	<u>163.84 a.f.</u>
1610.43 a.f.	1197.79 a.f.

Net transit losses: 412.64 a.f. or 25.6%

STATE OF COLORADO
Roy Romer, Governor
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF WILDLIFE

AN EQUAL OPPORTUNITY EMPLOYER

Perry D. Olson, Director
6060 Broadway
Denver, Colorado 80216
Telephone: (303) 297-1192



REFER TO



File #6520

July 12, 1990

Steve Witte, Division Engineer
219 West Fifth Street, Room 223
Pueblo, Colorado 81003

Re: Transfer of Twin Lakes Water to John Martin Reservoir Permanent Pool

Dear Steve:

This will confirm my conversation with your office and Pueblo West Metropolitan District regarding the transfer of water from Twin Lakes into John Martin. Pueblo West has certified the water as excess, therefore, the release can begin immediately.

It has been brought to our attention that a small portion of the water may not be storable in the permanent pool and we will therefore defer to you for its disposition.

Thank you for your assistance. If you have any questions, please give me a call.

Sincerely,

Patricia A. Mercer
Administrative Officer

PAM:gj
4016H

cc Pueblo West Metro District
Jeris Danielson
Bill McDonald
Ron Desilet
Grady McNeill/file

ROY ROMER
Governor



JERIS A. DANIELSON
State Engineer

DIVISION OF WATER RESOURCES
WATER DIVISION II

Steven J. Witte
Division Engineer
219 W. 5th Street, Room 223
P.O. Box 5728
Pueblo, Colorado 81003
(719) 542-3368

May 29, 1990

Operations Committee - Arkansas River Compact Administration

c/o Mr. Jim Rogers
307 S. 5th
Lamar, CO 81052

Mr. Ron Olomon
Box 673
Garden City, KS 67846

SUBJECT: Transfer of Twin Lakes Water to John Martin Reservoir
Permanent Pool

Gentlemen:

I have received the attached letter from the Colorado Division of Wildlife dated 5/29/90 which describes their intentions to replenish the permanent pool in John Martin Reservoir (in part) with a quantity of water to be obtained from Pueblo West Metropolitan District's entitlement to water appropriated by the Twin Lakes Reservoir and Canal Company.

I have reviewed the Arkansas River Compact Administration's resolution dated April 15, 1980 (copy enclosed) and have determined that this proposed operation is within the scope approved by the Administration to the extent that such waters were imported from the Colorado River basin. Any waters obtained that were not imported from the Colorado River basin will be applied toward the satisfaction of the prevailing transit loss assessment to exhaustion and thereafter transit losses will be deducted from remaining imported water.

Absent any objections from the Committee, I intend to execute this transfer upon receipt of notification from the Colorado Division of Wildlife. If you require additional information, please contact me at (719) 542-3368.

Sincerely,

Steven J. Witte
Division Engineer

Enclosures - (2)

cc: Grady O. McNeill
Bill Howland

STATE OF COLORADO
Roy Romer, Governor
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF WILDLIFE
AN EQUAL OPPORTUNITY EMPLOYER

Perry D. Olson, Director
6080 Broadway
Denver, Colorado 80216
Telephone: (303) 297-1192



REFER TO



May 29, 1990

Steven J. Witte, Division Engineer
Operations Secretary
Arkansas River Compact Administration
219 W. 5th Street, Room 223
Pueblo, CO 81003

RE: Transfer of Twin Lakes Water to John Martin Reservoir Permanent Pool

Dear Steve:

The Division of Wildlife (DOW) will be purchasing up to 1710 units of Twin Lakes water from Pueblo West Metropolitan District (District). The water is to be used to refill, in part, the permanent pool in John Martin Reservoir. The units of water, which the DOW is purchasing, are the units the District certifies as excess to their needs as described in the attached agreement.

It was our understanding that this water was entirely transbasin in origin. However, it has been brought to our attention that there may be a small portion of native water included in the water available to each unit. Recognizing that this may be the case, we understand that this small portion of water may not be storable in John Martin's Permanent Pool and we therefore will defer to you the disposition of this water to the extent it is not useable for this purpose.

The mechanics of how this transfer will take place, as we envision it, are as follows. As excess water becomes available, the District will periodically notify the DOW that it has certified, in increments of approximately 50 units, water to the DOW. We will then notify your office of this certification and coordinate with you the delivery of water from Twin Lakes to John Martin. Based on this coordination, we will contact the District and request release of the water per your instructions. I assume we can coordinate via telephone followed by written correspondence as you require.

Thank you for your assistance in this matter. If you have any questions or require further information please give me a call at (303) 291-7280.

Sincerely,

A handwritten signature in cursive that reads 'Grady O. McNeill'.

Grady O. McNeill
Sr. Water Resource Engineer

GM/3993H
Attachment

cc: Jeris Danielson, Bill McDonald, Ron Desilet

DEPARTMENT OF NATURAL RESOURCES, Hamlet J. Barry, Executive Director

WILDLIFE COMMISSION, William R. Hegberg, Chairman • Dennis Luttrell, Vice Chairman • Eldon W. Cooper, Secretary

John Chavez, Member • Rebecca J. Frank, Member • Louie Swift, Member • George W. S. ...

SECTION 4

JOHN MARTIN RESERVOIR

TABLE I
COMPACT WATER

WATER YEAR 1990 MONTH	CONTENTS BEG. OF MONTH A. F.	INFLOW A. F.	EVAPORATION A. F.	RELEASE A. F.	CONTENTS END OF MONTH A. F.
NOVEMBER	0.00	4450.72	39.03	0.00	4411.69
DECEMBER	4411.69	3397.76	30.81	0.00	7778.64
JANUARY	7778.64	4430.46	0.00	0.00	12209.10
FEBRUARY	12209.10	4385.61	44.72	0.00	16549.99
MARCH	16549.99	7516.89	449.10	0.00	23617.78
APRIL	23617.78	2918.08	230.96	26304.90	0.00
MAY	0.00	0.00	0.00	0.00	0.00
JUNE	0.00	0.00	0.00	0.00	0.00
JULY	0.00	11033.49	8.28	11025.21	0.00
AUGUST	0.00	0.00	0.00	0.00	0.00
SEPTEMBER	0.00	0.00	0.00	0.00	0.00
OCTOBER	0.00	0.00	0.00	0.00	0.00
TOTALS		38133.01	802.90	37330.11	

TABLE II
WINTER WATER

WATER YEAR 1990 MONTH	CONTENTS BEG. OF MONTH A. F.	INFLOW A. F.	EVAPORATION A. F.	RELEASE A. F.	CONTENTS END OF MONTH A. F.
NOVEMBER	0.00	3480.50	10.29	0.00	3470.21
DECEMBER	3470.21	5498.24	28.00	0.00	8940.45
JANUARY	8940.45	5450.54	0.00	0.00	14390.99
FEBRUARY	14390.99	5995.39	55.24	0.00	20331.14
MARCH	20331.14	2822.11	319.21	22834.04	0.00
APRIL	0.00	0.00	0.00	0.00	0.00
MAY	0.00	0.00	0.00	0.00	0.00
JUNE	0.00	0.00	0.00	0.00	0.00
JULY	0.00	0.00	0.00	0.00	0.00
AUGUST	0.00	0.00	0.00	0.00	0.00
SEPTEMBER	0.00	0.00	0.00	0.00	0.00
OCTOBER	0.00	0.00	0.00	0.00	0.00
TOTALS		23246.78	412.74	22834.04	

TABLE III
 FT. LYON CANAL
 ART. III WATER

WATER YEAR 1990 MONTH	CONTENTS BEG. OF MONTH A. F.	INFLOW A. F.	EVAPORATION A. F.	RELEASE A. F.	CONTENTS END OF MONTH A. F.
NOVEMBER	0.00	0.00	0.00	0.00	0.00
DECEMBER	0.00	0.00	0.00	0.00	0.00
JANUARY	0.00	0.00	0.00	0.00	0.00
FEBRUARY	0.00	0.00	0.00	0.00	0.00
MARCH	0.00	0.00	0.00	0.00	0.00
APRIL	0.00	0.00	0.00	0.00	0.00
MAY	0.00	1720.85	20.36	1700.49	0.00
JUNE	0.00	0.00	0.00	0.00	0.00
JULY	0.00	1475.78	6.11	1469.67	0.00
AUGUST	0.00	0.00	0.00	0.00	0.00
SEPTEMBER	0.00	0.00	0.00	0.00	0.00
OCTOBER	0.00	0.00	0.00	0.00	0.00
TOTALS		3196.63	26.47	3170.16	

TABLE IV
 AMITY CANAL
 ART. III WATER

WATER YEAR 1990 MONTH	CONTENTS BEG. OF MONTH A. F.	INFLOW A. F.	EVAPORATION A. F.	RELEASE A. F.	CONTENTS END OF MONTH A. F.
NOVEMBER	1663.32	0.00	24.22	0.00	1639.10
DECEMBER	1639.10	0.00	9.55	0.00	1629.55
JANUARY	1629.55	0.00	0.00	0.00	1629.55
FEBRUARY	1629.55	0.00	4.61	0.00	1624.94
MARCH	1624.94	19658.13	137.22	6870.65	14275.20
APRIL	14275.20	0.00	362.45	0.00	13912.75
MAY	13912.75	2248.97	480.05	4816.42	10865.25
JUNE	10865.25	3402.32	729.74	1190.81	12347.02
JULY	12347.02	9706.18	718.19	5545.83	15789.18
AUGUST	15789.18	538.65	688.93	5288.11	10350.79
SEPTEMBER	10350.79	0.00	262.82	10087.97	0.00
OCTOBER	0.00	0.00	0.00	0.00	0.00
TOTALS		35554.25	3417.78	33799.79	

TABLE V
LAS ANIMAS CONS.
ART. III WATER

WATER YEAR 1990 MONTH	CONTENTS BEG. OF MONTH A. F.	INFLOW A. F.	EVAPORATION A. F.	RELEASE A. F.	CONTENTS END OF MONTH A. F.
NOVEMBER	0.00	0.00	0.00	0.00	0.00
DECEMBER	0.00	0.00	0.00	0.00	0.00
JANUARY	0.00	0.00	0.00	0.00	0.00
FEBRUARY	0.00	0.00	0.00	0.00	0.00
MARCH	0.00	3203.62	16.21	1148.97	2038.44
APRIL	2038.44	0.00	51.78	0.00	1986.66
MAY	1986.66	0.00	72.33	177.26	1737.07
JUNE	1737.07	0.00	99.61	427.71	1209.75
JULY	1209.75	0.00	45.71	495.90	668.14
AUGUST	668.14	0.00	13.41	654.73	0.00
SEPTEMBER	0.00	0.00	0.00	0.00	0.00
OCTOBER	0.00	0.00	0.00	0.00	0.00
TOTALS		3203.62	299.05	2904.57	

TABLE VI
AGREEMENT ACCOUNTS

WATER YEAR 1990 MONTH	CONTENTS BEG. OF MONTH A. F.	INFLOW A. F.	EVAPORATION A. F.	RELEASE A. F.	CONTENTS END OF MONTH A. F.
NOVEMBER	21953.82	0.00	319.36	0.00	21634.46
DECEMBER	21634.46	0.00	125.89	0.00	21508.57
JANUARY	21508.57	0.00	0.00	0.00	21508.57
FEBRUARY	21508.57	0.00	60.91	0.00	21447.66
MARCH	21447.66	22834.04	658.84	0.00	43622.86
APRIL	43622.86	26304.90	1507.80	7910.49	60509.47
MAY	60509.47	2248.97	2125.18	9147.56	51485.70
JUNE	51485.70	4830.83	2902.56	19277.41	34136.56
JULY	34136.56	20731.39	1632.98	17357.85	35877.12
AUGUST	35877.12	538.65	1583.71	9006.10	25825.96
SEPTEMBER	25825.96	0.00	981.88	11563.76	13280.32
OCTOBER	13280.32	0.00	499.96	0.00	12780.36
TOTALS		77488.78	12399.07	74263.17	

TABLE VII
TRANSIT LOSS ACCOUNT

WATER YEAR 1990 MONTH	CONTENTS BEG. OF MONTH A. F.	INFLOW A. F.	EVAPORATION A. F.	RELEASE A. F.	CONTENTS END OF MONTH A. F.
NOVEMBER	4808.84	0.00	69.97	0.00	4738.87
DECEMBER	4738.87	0.00	21.00	4717.87	0.00
JANUARY	0.00	0.00	0.00	0.00	0.00
FEBRUARY	0.00	0.00	0.00	0.00	0.00
MARCH	0.00	7991.91	63.07	0.00	7928.84
APRIL	7928.84	0.00	201.32	0.00	7727.52
MAY	7727.52	787.13	298.51	0.00	8216.14
JUNE	8216.14	1190.81	475.31	3533.13	5398.51
JULY	5398.51	3397.16	335.80	609.75	7850.12
AUGUST	7850.12	188.53	393.15	0.00	7645.50
SEPTEMBER	7645.50	0.00	384.35	0.00	7261.15
OCTOBER	7261.15	0.00	273.41	0.00	6987.74
TOTALS		13555.54	2515.89	8860.75	

TABLE VIII
PERMANENT REC. POOL

WATER YEAR 1990 MONTH	CONTENTS BEG. OF MONTH A. F.	INFLOW A. F.	EVAPORATION A. F.	RELEASE A. F.	CONTENTS END OF MONTH A. F.
NOVEMBER	5452.96	0.00	79.32	0.00	5373.64
DECEMBER	5373.64	0.00	31.30	0.00	5342.34
JANUARY	5342.34	0.00	0.00	0.00	5342.34
FEBRUARY	5342.34	0.00	15.13	0.00	5327.21
MARCH	5327.21	0.00	118.85	0.00	5208.36
APRIL	5208.36	0.00	132.24	0.00	5076.12
MAY	5076.12	0.00	186.82	0.00	4889.30
JUNE	4889.30	0.00	291.44	0.00	4597.86
JULY	4597.86	1033.95	273.74	0.00	5358.07
AUGUST	5358.07	0.00	263.29	0.00	5094.78
SEPTEMBER	5094.78	163.84	262.12	0.00	4996.50
OCTOBER	4996.50	0.00	188.04	0.00	4808.46
TOTALS		1197.79	1842.29	0.00	

TABLE IX
RELEASES FROM
FLOOD POOL

WATER YEAR 1990 MONTH	CONTENTS BEG. OF MONTH A. F.	INFLOW A. F.	EVAPORATION A. F.	RELEASE A. F.	CONTENTS END OF MONTH A. F.
NOVEMBER	0.00				0.00
DECEMBER	0.00				0.00
JANUARY	0.00				0.00
FEBRUARY	0.00				0.00
MARCH	0.00				0.00
APRIL	0.00				0.00
MAY	0.00				0.00
JUNE	0.00				0.00
JULY	0.00				0.00
AUGUST	0.00				0.00
SEPTEMBER	0.00				0.00
OCTOBER	0.00				0.00
TOTALS		0.00	0.00	0.00	

TABLE X
Releases to Colorado ditches

WATER YEAR 1990 MONTH	ACRE FEET
NOVEMBER	0.00
DECEMBER	0.00
JANUARY	0.00
FEBRUARY	0.00
MARCH	0.00
APRIL	7910.49
MAY	9147.56
JUNE	5727.60
JULY	11870.19
AUGUST	9006.10
SEPTEMBER	11563.76
OCTOBER	0.00
TOTALS	55225.70

Table X includes 1028.38 af of Lower Arkansas Water Management Association well augmentation water, 631.56 af of Sisson well augmentation water and 1,361.28 af of City of Lamar project water.

JOHN MARTIN RESERVOIR

TABLE XI
RELEASES AND DELIVERIES
TO KANSAS

WATER YEAR 1990 MONTH	DEMAND RELEASE A. F.	TRANSIT LOSS ACCT. RELEASE A. F.	FRONTIER DITCH A. F.	ARKANSAS @ COOLIDGE, KS. A. F.	DITCH & RIVER DELIVERY A. F.	CREDITED FLOW A. F.
NOVEMBER	0.00	0.00	0.00	0.00	0.00	0.00
DECEMBER	0.00	0.00	0.00	0.00	0.00	0.00
JANUARY	0.00	0.00	0.00	0.00	0.00	0.00
FEBRUARY	0.00	0.00	0.00	0.00	0.00	0.00
MARCH	0.00	0.00	0.00	0.00	0.00	0.00
APRIL	0.00	0.00	0.00	0.00	0.00	0.00
MAY	0.00	0.00	0.00	0.00	0.00	0.00
JUNE	10016.68	3533.13	633.00	8009.00	8642.00	8422.00
JULY	4877.91	609.75	1170.00	8743.00	9913.00	9681.00
AUGUST	0.00	0.00	0.00	0.00	0.00	0.00
SEPTEMBER	0.00	0.00	0.00	0.00	0.00	0.00
OCTOBER	0.00	0.00	0.00	0.00	0.00	0.00
TOTALS	14894.59	4142.88	1803.00	16752.00	18555.00	18103.00

NOTE: The June and July stateline flows are based on provisional USGS data. Only one release lasting 20 days was made on Kansas' demand during the year. The above table reflects only times when actual releases were being made from John Martin Reservoir plus a 7 day rundown period. "Credited flow" refers to the limitation that credit will not be taken for more than one hundred five percent of Kansas demand.

TABLE XII
RELEASES AND DELIVERIES
TO KANSAS
BY RUNS

RUN #	RELEASE PERIOD	RELEASED FROM KANSAS ACCOUNT ACRE FEET	A. F. CREDITED DELIVERY AT STATELINE
ONE	6/18 -- 7/7	14894.59	18103.00
TWO		0.00	0.00
THREE		0.00	0.00
FOUR		0.00	0.00
TOTALS		14894.59	18103.00

TABLE XIII

DAILY STATUS REPORT
JOHN MARTIN RESERVOIR

Oct 31, 1990

ACCT	NAME	INFLOW	RELEASE	EVAP	OWN
1	JOHN MARTIN RESERVOIR	0.00	0.00	28.00	17588.82
2	AGREEMENT WATER	0.00	0.00	20.35	12780.36
3	SUMMER COMPACT WATER	0.00	0.00	0.00	0.00
4	WINTER COMPACT WATER	0.00	0.00	0.00	0.00
5	PERMANENT POOL	0.00	0.00	7.65	4808.46
6	WINTER WATER	0.00	0.00	0.00	0.00
45	FLOOD POOL	0.00	0.00	0.00	0.00
2	AGREEMENT WATER	0.00	0.00	20.35	12780.36
7	SUMMER STORED WATER	0.00	0.00	1.12	705.69
8	KANSAS	0.00	0.00	6.03	3789.73
18	TRANSIT LOSS	0.00	0.00	11.13	6987.74
31	ARTICLE III	0.00	0.00	0.00	0.00
20	1990 WINTER STORED WATER	0.00	0.00	2.07	1297.20
7	SUMMER STORED WATER	0.00	0.00	1.12	705.69
9	KEESEE	0.00	0.00	0.00	0.00
10	FT. BENT	0.00	0.00	0.00	0.00
11	AMITY	0.00	0.00	0.00	0.00
12	LAMAR	0.00	0.00	0.00	0.00
13	HYDE	0.00	0.00	0.12	77.80
14	MANVEL	0.00	0.00	0.00	0.00
15	X-Y	0.00	0.00	0.00	0.00
16	BUFFALO	0.00	0.00	0.00	0.00
17	SISSON	0.00	0.00	1.00	627.89
31	ARTICLE III	0.00	0.00	0.00	0.00
32	AMITY	0.00	0.00	0.00	0.00
33	FT. LYON	0.00	0.00	0.00	0.00
34	LAS ANIMAS CONSOLIDATED	0.00	0.00	0.00	0.00
20	1990 WINTER STORED WATER	0.00	0.00	2.07	1297.20
21	KEESEE	0.00	0.00	0.00	0.00
22	FT. BENT	0.00	0.00	0.00	0.00
23	AMITY	0.00	0.00	0.00	0.00
24	LAMAR	0.00	0.00	0.00	0.00
25	HYDE	0.00	0.00	0.26	161.12
26	MANVEL	0.00	0.00	0.00	0.00
27	X-Y	0.00	0.00	0.00	0.00
28	BUFFALO	0.00	0.00	1.64	1029.80
29	SISSON	0.00	0.00	0.17	106.28

SECTION 5

JOHN MARTIN RESERVOIR
AGREEMENT WATER

JOHN MARTIN RESERVOIR
AGREEMENT WATER

PG 1
SUMMER COMPACT WATER

NOV 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	1107.22	0.00	14.00	1406.78	0.00	0.00	11.28	1953.82	0.00	0.00	0.00	0.00
2	96.00	0.00	14.00	28582.00	0.00	0.00	10.78	28582.00	0.00	0.00	0.00	0.00
3	206.00	0.00	14.00	174.00	0.00	0.00	10.74	1931.83	0.00	0.00	0.00	0.00
4	123.00	0.00	14.00	883.00	0.00	0.00	10.62	1921.09	0.00	0.00	0.00	0.00
5	97.00	0.00	14.00	866.00	0.00	0.00	10.62	1919.10	0.00	0.00	0.00	0.00
6	96.00	0.00	14.00	818.00	0.00	0.00	10.58	1899.22	0.00	0.00	0.00	0.00
7	124.00	0.00	14.00	158.00	0.00	0.00	10.35	1838.37	0.00	0.00	0.00	0.00
8	97.00	0.00	14.00	241.00	0.00	0.00	10.30	1818.57	0.00	0.00	0.00	0.00
9	97.00	0.00	14.00	324.00	0.00	0.00	10.44	1818.57	0.00	0.00	0.00	0.00
10	153.00	0.00	14.00	463.00	0.00	0.00	11.09	1818.57	0.00	0.00	0.00	0.00
11	198.00	0.00	14.00	546.00	0.00	0.00	11.09	1818.57	0.00	0.00	0.00	0.00
12	127.00	0.00	14.00	658.00	0.00	0.00	11.04	1818.57	0.00	0.00	0.00	0.00
13	199.00	0.00	14.00	742.00	0.00	0.00	11.00	1818.57	0.00	0.00	0.00	0.00
14	127.00	0.00	14.00	854.00	0.00	0.00	10.96	1818.57	0.00	0.00	0.00	0.00
15	193.00	0.00	14.00	938.00	0.00	0.00	10.92	1818.57	0.00	0.00	0.00	0.00
16	184.00	0.00	14.00	1079.00	0.00	0.00	10.86	1818.57	0.00	0.00	0.00	0.00
17	1270.00	0.00	14.00	2047.00	0.00	0.00	10.80	1818.57	0.00	0.00	0.00	0.00
18	472.00	0.00	14.00	502.00	0.00	0.00	10.70	1818.57	0.00	0.00	0.00	0.00
19	475.00	0.00	14.00	959.00	0.00	0.00	10.54	1818.57	0.00	0.00	0.00	0.00
20	314.97	0.00	14.00	1719.00	0.00	0.00	10.38	1818.57	0.00	0.00	0.00	0.00
21	367.00	0.00	14.00	2149.00	0.00	0.00	10.28	1818.57	0.00	0.00	0.00	0.00
22	399.00	0.00	14.00	2729.00	0.00	0.00	10.16	1818.57	0.00	0.00	0.00	0.00
23	402.00	0.00	14.00	3291.00	0.00	0.00	10.08	1818.57	0.00	0.00	0.00	0.00
24	345.00	0.00	14.00	3778.00	0.00	0.00	10.44	1818.57	0.00	0.00	0.00	0.00
25	347.00	0.00	14.00	4178.00	0.00	0.00	10.33	1818.57	0.00	0.00	0.00	0.00
26	379.00	0.00	14.00	3941.00	0.00	0.00	10.21	1818.57	0.00	0.00	0.00	0.00
27	351.00	0.00	14.00	3476.00	0.00	0.00	10.11	1818.57	0.00	0.00	0.00	0.00
28	324.00	0.00	14.00	3489.00	0.00	0.00	10.10	1818.57	0.00	0.00	0.00	0.00
29	324.00	0.00	14.00	3489.00	0.00	0.00	10.10	1818.57	0.00	0.00	0.00	0.00
TOT	7931.22	0.00	448.00	0.00	0.00	0.00	319.36	0.00	0.00	0.00	0.00	0.00

WINTER COMPACT WATER

JOHN MARTIN RESERVOIR
PERMANENT POOL

PG 1
WINTER WATER

NOV 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	1107.22	0.00	0.54	0.00	0.00	0.00	7.68	97.19	0.00	0.00	0.00	0.00
2	96.00	0.00	0.54	26.09	0.00	0.00	7.54	19.82	0.00	0.00	0.00	0.00
3	223.00	0.00	0.68	41.79	0.00	0.00	6.64	27.50	0.00	0.00	0.00	0.00
4	96.00	0.00	0.79	68.92	0.00	0.00	6.22	39.28	0.00	0.00	0.00	0.00
5	127.00	0.00	0.89	90.26	0.00	0.00	6.09	57.07	0.00	0.00	0.00	0.00
6	97.00	0.00	0.93	123.16	0.00	0.00	6.09	87.07	0.00	0.00	0.00	0.00
7	158.00	0.00	1.16	186.14	0.00	0.00	5.65	120.77	0.00	0.00	0.00	0.00
8	198.00	0.00	1.22	224.97	0.00	0.00	5.43	157.07	0.00	0.00	0.00	0.00
9	199.00	0.00	1.23	255.49	0.00	0.00	5.32	204.03	0.00	0.00	0.00	0.00
10	199.00	0.00	1.23	328.49	0.00	0.00	5.27	279.69	0.00	0.00	0.00	0.00
11	106.77	0.00	1.11	411.52	0.00	0.00	5.10	404.02	0.00	0.00	0.00	0.00
12	121.71	0.00	1.11	463.10	0.00	0.00	5.08	499.64	0.00	0.00	0.00	0.00
13	108.18	0.00	1.11	528.41	0.00	0.00	5.05	620.91	0.00	0.00	0.00	0.00
14	187.47	0.00	1.11	628.40	0.00	0.00	5.05	820.80	0.00	0.00	0.00	0.00
15	137.47	0.00	1.11	755.16	0.00	0.00	5.05	1091.66	0.00	0.00	0.00	0.00
16	94.33	0.00	1.11	888.89	0.00	0.00	5.05	1463.33	0.00	0.00	0.00	0.00
17	94.33	0.00	1.11	989.33	0.00	0.00	5.05	1983.18	0.00	0.00	0.00	0.00
18	126.53	0.00	1.11	1133.97	0.00	0.00	5.05	2676.14	0.00	0.00	0.00	0.00
19	82.61	0.00	1.11	1271.58	0.00	0.00	5.05	3577.33	0.00	0.00	0.00	0.00
20	82.61	0.00	1.11	1441.19	0.00	0.00	5.05	4744.38	0.00	0.00	0.00	0.00
TOT	4450.72	0.00	39.03	0.00	0.00	0.00	79.32	0.00	0.00	0.00	10.29	0.00

SUMMER STORED WATER

PG 2

AGREEMENT WATER

KANSAS

TRANSIT LOSS

KEESEEE

NOV 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	51.2	4924.15	0.00	0.00	0.00	1806.84	0.00	0.00	0.00	0.00
2	0.00	0.00	41.1	4921.22	0.00	0.00	16.6	4801.38	0.00	0.00	0.00	0.00
3	0.00	0.00	39.8	4916.94	0.00	0.00	35.4	4801.67	0.00	0.00	0.00	0.00
4	0.00	0.00	37.1	4914.44	0.00	0.00	33.2	4799.70	0.00	0.00	0.00	0.00
5	0.00	0.00	35.5	4909.87	0.00	0.00	32.2	4794.58	0.00	0.00	0.00	0.00
6	0.00	0.00	34.9	4904.95	0.00	0.00	31.0	4792.37	0.00	0.00	0.00	0.00
7	0.00	0.00	34.4	4900.26	0.00	0.00	30.9	4785.78	0.00	0.00	0.00	0.00
8	0.00	0.00	34.1	4895.28	0.00	0.00	30.4	4780.61	0.00	0.00	0.00	0.00
9	0.00	0.00	34.7	4890.34	0.00	0.00	29.9	4775.44	0.00	0.00	0.00	0.00
10	0.00	0.00	47.1	4885.99	0.00	0.00	29.7	4770.38	0.00	0.00	0.00	0.00
11	0.00	0.00	46.5	4882.43	0.00	0.00	29.7	4765.29	0.00	0.00	0.00	0.00
12	0.00	0.00	44.4	4880.57	0.00	0.00	29.7	4760.20	0.00	0.00	0.00	0.00
13	0.00	0.00	42.0	4877.53	0.00	0.00	29.7	4755.11	0.00	0.00	0.00	0.00
14	0.00	0.00	36.3	4871.18	0.00	0.00	29.7	4750.01	0.00	0.00	0.00	0.00
15	0.00	0.00	33.0	4868.37	0.00	0.00	29.7	4744.91	0.00	0.00	0.00	0.00
16	0.00	0.00	42.9	4866.00	0.00	0.00	29.7	4739.81	0.00	0.00	0.00	0.00
17	0.00	0.00	37.3	4861.66	0.00	0.00	29.7	4734.71	0.00	0.00	0.00	0.00
18	0.00	0.00	34.3	4859.34	0.00	0.00	29.7	4729.61	0.00	0.00	0.00	0.00
19	0.00	0.00	32.9	4857.05	0.00	0.00	29.7	4724.51	0.00	0.00	0.00	0.00
20	0.00	0.00	27.7	4854.54	0.00	0.00	29.7	4719.41	0.00	0.00	0.00	0.00
21	0.00	0.00	24.2	4852.25	0.00	0.00	29.7	4714.31	0.00	0.00	0.00	0.00
TOT	0.00	0.00	71.61		0.00	0.00	69.97		0.00	0.00	0.00	0.00

SUMMER STORED WATER

PG 2

AMITY

LAMAR

NOV 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00		0.00	0.00	0.00		0.00	0.00	0.00	0.00

SUMMER STORED WATER

X-Y

MANVEL

HIDE

NOV 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.56	1096.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.54	1095.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.51	1094.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.53	1093.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.53	1093.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.52	1092.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.52	1091.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.52	1091.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.52	1090.81	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.56	1090.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.55	1089.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.55	1089.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.55	1088.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.55	1088.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.55	1087.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.54	1086.95	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.54	1086.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.54	1085.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.52	1085.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.51	1084.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.51	1084.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.53	1083.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.53	1083.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.52	1082.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.52	1082.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.52	1081.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.51	1081.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.51	1080.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.50	1080.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.50	1080.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	15.93		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

SUMMER STORED WATER

TOTAL

SISSON

BUFFALO

NOV 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	2.83	5764.16	0.00	0.00	1.03	2013.78	0.00	0.00	4.57	8874.06
2	0.00	0.00	2.80	5751.29	0.00	0.00	0.99	2012.75	0.00	0.00	4.57	8869.51
3	0.00	0.00	2.82	5758.57	0.00	0.00	0.98	2011.18	0.00	0.00	4.57	8865.02
4	0.00	0.00	2.79	5749.98	0.00	0.00	0.97	2008.83	0.00	0.00	4.57	8860.52
5	0.00	0.00	2.77	5744.47	0.00	0.00	0.97	2007.86	0.00	0.00	4.57	8856.02
6	0.00	0.00	2.77	5744.16	0.00	0.00	0.96	2006.53	0.00	0.00	4.57	8851.52
7	0.00	0.00	2.75	5736.93	0.00	0.00	0.96	2004.91	0.00	0.00	4.57	8847.02
8	0.00	0.00	2.75	5736.35	0.00	0.00	0.96	2004.01	0.00	0.00	4.57	8842.52
9	0.00	0.00	2.74	5730.45	0.00	0.00	1.02	2002.97	0.00	0.00	4.57	8838.02
10	0.00	0.00	2.89	5724.56	0.00	0.00	1.01	2000.95	0.00	0.00	4.57	8833.52
11	0.00	0.00	2.88	5721.89	0.00	0.00	1.00	1999.95	0.00	0.00	4.57	8829.02
12	0.00	0.00	2.85	5715.97	0.00	0.00	1.00	1998.95	0.00	0.00	4.57	8824.52
13	0.00	0.00	2.81	5710.36	0.00	0.00	0.99	1997.95	0.00	0.00	4.57	8820.02
14	0.00	0.00	2.79	5707.36	0.00	0.00	0.98	1996.95	0.00	0.00	4.57	8815.52
15	0.00	0.00	2.74	5704.15	0.00	0.00	0.97	1995.95	0.00	0.00	4.57	8811.02
16	0.00	0.00	2.72	5699.93	0.00	0.00	0.96	1994.95	0.00	0.00	4.57	8806.52
17	0.00	0.00	2.71	5695.71	0.00	0.00	0.95	1993.95	0.00	0.00	4.57	8802.02
18	0.00	0.00	2.70	5691.50	0.00	0.00	0.95	1992.95	0.00	0.00	4.57	8797.52
19	0.00	0.00	2.69	5687.29	0.00	0.00	0.94	1991.95	0.00	0.00	4.57	8793.02
20	0.00	0.00	2.68	5683.08	0.00	0.00	0.93	1990.95	0.00	0.00	4.57	8788.52
21	0.00	0.00	2.67	5678.87	0.00	0.00	0.92	1989.95	0.00	0.00	4.57	8784.02
22	0.00	0.00	2.66	5674.66	0.00	0.00	0.91	1988.95	0.00	0.00	4.57	8779.52
23	0.00	0.00	2.63	5668.00	0.00	0.00	0.90	1987.95	0.00	0.00	4.57	8775.02
24	0.00	0.00	2.62	5663.79	0.00	0.00	0.89	1986.95	0.00	0.00	4.57	8770.52
25	0.00	0.00	2.62	5659.58	0.00	0.00	0.88	1985.95	0.00	0.00	4.57	8766.02
26	0.00	0.00	2.62	5655.37	0.00	0.00	0.87	1984.95	0.00	0.00	4.57	8761.52
27	0.00	0.00	2.62	5651.16	0.00	0.00	0.86	1983.95	0.00	0.00	4.57	8757.02
28	0.00	0.00	2.62	5646.95	0.00	0.00	0.85	1982.95	0.00	0.00	4.57	8752.52
29	0.00	0.00	2.62	5642.74	0.00	0.00	0.84	1981.95	0.00	0.00	4.57	8748.02
30	0.00	0.00	2.62	5638.53	0.00	0.00	0.83	1980.95	0.00	0.00	4.57	8743.52
TOT	0.00	0.00	83.85		0.00	0.00	29.30	19884.40	0.00	0.00	129.08	88888.88

1989 WINTER STORED WATER

PG 5

NOV 1989:	KEESEE			FT. BENT			AMITY					
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.01	14.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.01	14.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.01	14.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.01	14.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.01	14.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.01	14.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.01	14.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.01	14.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.01	14.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.01	14.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.01	14.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.01	14.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.01	14.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.01	14.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.01	14.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.01	14.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.01	14.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.01	14.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.01	14.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.01	14.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.01	14.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.01	14.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.01	14.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.01	14.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.01	14.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.01	14.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.01	14.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.01	14.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.01	14.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.30		0.00	0.00	0.00		0.00	0.00	0.00	

1989 WINTER STORED WATER

PG 5

NOV 1989:	LAMAR			HYDE			MANVEL					
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	0.10	197.66	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.09	197.47	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.09	197.38	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.09	197.29	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.09	197.20	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.09	197.11	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.09	196.93	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.09	196.84	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.10	196.75	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.10	196.65	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.10	196.55	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.10	196.45	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.10	196.35	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.10	196.25	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.10	196.15	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.09	195.95	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.09	195.86	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.09	195.77	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.09	195.68	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.09	195.59	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.09	195.49	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.09	195.40	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.09	195.31	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.09	195.22	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.09	195.13	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.09	195.04	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	0.09	194.95	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	0.09	194.86	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	0.09	194.77	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00		0.00	0.00	2.80		0.00	0.00	0.00	

1989 WINTER STORED WATER

PG 6

NOV 1989:	X-Y			BUFFALO			SISSON			OWN
	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	
1	0.00	0.00	0.00	0.00	0.00	0.66	0.00	0.00	0.09	182.31
2	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	0.09	182.31
3	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	0.09	182.31
4	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	0.09	182.31
5	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	0.09	182.31
6	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	0.09	182.31
7	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	0.09	182.31
8	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	0.09	182.31
9	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	0.09	182.31
10	0.00	0.00	0.00	0.00	0.00	0.61	0.00	0.00	0.09	181.68
11	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.09	181.50
12	0.00	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.09	181.41
13	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.00	0.09	181.22
14	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.00	0.09	181.03
15	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.00	0.09	181.03
16	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	0.09	180.81
17	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	0.09	180.69
18	0.00	0.00	0.00	0.00	0.00	0.62	0.00	0.00	0.09	180.60
19	0.00	0.00	0.00	0.00	0.00	0.61	0.00	0.00	0.09	180.51
20	0.00	0.00	0.00	0.00	0.00	0.61	0.00	0.00	0.09	180.51
21	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	0.09	180.32
22	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	0.09	180.21
23	0.00	0.00	0.00	0.00	0.00	0.60	0.00	0.00	0.09	180.06
24	0.00	0.00	0.00	0.00	0.00	0.60	0.00	0.00	0.09	179.97
25	0.00	0.00	0.00	0.00	0.00	0.59	0.00	0.00	0.08	179.89
26	0.00	0.00	0.00	0.00	0.00	0.59	0.00	0.00	0.08	179.81
27	0.00	0.00	0.00	0.00	0.00	0.59	0.00	0.00	0.08	179.73
TOT	0.00	0.00	0.00	0.00	0.00	18.71	0.00	0.00	2.67	

1989 WINTER STORED WATER

PG 6

NOV 1989:	TOTAL			OWN
	INFLOW	RELEASE	EVAP	
1	0.00	0.00	0.86	1883.45
2	0.00	0.00	0.82	1682.77
3	0.00	0.00	0.82	1680.95
4	0.00	0.00	0.81	1679.22
5	0.00	0.00	0.81	1677.57
6	0.00	0.00	0.81	1677.89
7	0.00	0.00	0.80	1676.09
8	0.00	0.00	0.80	1675.29
9	0.00	0.00	0.85	1673.59
10	0.00	0.00	0.84	1672.74
11	0.00	0.00	0.84	1671.06
12	0.00	0.00	0.83	1670.29
13	0.00	0.00	0.82	1669.56
14	0.00	0.00	0.81	1668.74
15	0.00	0.00	0.79	1667.93
16	0.00	0.00	0.82	1666.13
17	0.00	0.00	0.82	1665.34
18	0.00	0.00	0.81	1664.59
19	0.00	0.00	0.81	1663.88
20	0.00	0.00	0.80	1662.08
21	0.00	0.00	0.79	1661.29
22	0.00	0.00	0.78	1660.51
23	0.00	0.00	0.77	1659.74
24	0.00	0.00	0.77	1658.97
TOT	0.00	0.00	24.48	



JOHN MARTIN RESERVOIR
AGREEMENT WATER

JOHN MARTIN RESERVOIR
AGREEMENT WATER

JOHN MARTIN RESERVOIR

PG 1
SUNNER COMPACT WATER

DEC 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	54.00	0.00	14.00	890.00	0.00	0.00	8.58	21634.16	0.00	0.00	0.00	0.00
2	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
3	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
4	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
5	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
6	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
7	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
8	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
9	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
10	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
11	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
12	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
13	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
14	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
15	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
16	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
17	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
18	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
19	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
20	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
21	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
22	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
23	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
24	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
25	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
26	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
27	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
28	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
29	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
30	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
31	323.00	0.00	14.00	323.00	0.00	0.00	8.59	16225.13	0.00	0.00	0.00	0.00
TOT	8896.00	0.00	216.00	8896.00	0.00	0.00	125.89	0.00	0.00	0.00	0.00	0.00

DEC 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	137.80	0.00	1.77	411.69	0.00	0.00	1.16	373.64	0.00	0.00	1.39	370.21
2	138.50	0.00	1.87	456.44	0.00	0.00	1.14	373.64	0.00	0.00	1.46	370.21
3	121.50	0.00	1.90	478.34	0.00	0.00	1.14	373.64	0.00	0.00	1.61	370.21
4	127.19	0.00	2.00	493.91	0.00	0.00	1.23	366.02	0.00	0.00	1.78	4094.92
5	167.28	0.00	2.06	512.22	0.00	0.00	1.21	366.02	0.00	0.00	1.85	4204.43
6	176.28	0.00	2.15	529.77	0.00	0.00	1.16	355.60	0.00	0.00	1.92	4699.39
7	152.76	0.00	2.24	547.71	0.00	0.00	1.16	355.60	0.00	0.00	1.98	4085.24
8	122.83	0.00	2.24	565.68	0.00	0.00	1.16	355.60	0.00	0.00	2.09	4204.43
9	186.28	0.00	2.25	584.98	0.00	0.00	1.16	355.60	0.00	0.00	2.05	4204.43
10	186.28	0.00	2.25	601.71	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
11	186.28	0.00	2.25	618.44	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
12	186.28	0.00	2.25	635.17	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
13	186.28	0.00	2.25	651.90	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
14	186.28	0.00	2.25	668.63	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
15	186.28	0.00	2.25	685.36	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
16	186.28	0.00	2.25	702.09	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
17	186.28	0.00	2.25	718.82	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
18	186.28	0.00	2.25	735.55	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
19	186.28	0.00	2.25	752.28	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
20	186.28	0.00	2.25	769.01	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
21	186.28	0.00	2.25	785.74	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
22	186.28	0.00	2.25	802.47	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
23	186.28	0.00	2.25	819.20	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
24	186.28	0.00	2.25	835.93	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
25	186.28	0.00	2.25	852.66	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
26	186.28	0.00	2.25	869.39	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
27	186.28	0.00	2.25	886.12	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
28	186.28	0.00	2.25	902.85	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
29	186.28	0.00	2.25	919.58	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
30	186.28	0.00	2.25	936.31	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
31	186.28	0.00	2.25	953.04	0.00	0.00	1.16	355.60	0.00	0.00	2.10	4204.43
TOT	3397.76	0.00	30.81	411.69	0.00	0.00	31.30	0.00	0.00	0.00	28.00	0.00

SUMMER STORED WATER

X-Y

MANVEL

HYDE

DEC 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.43	1080.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.13	1079.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.45	1078.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.44	1077.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.43	1076.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.43	1075.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.39	1114.33	71.07	0.00	0.00	71.07	0.00	0.00	0.00	0.00
8	0.00	0.00	0.40	1113.93	0.00	0.00	0.03	71.04	0.00	0.00	0.00	0.00
9	0.00	0.00	0.35	1113.58	0.00	0.00	0.02	71.09	0.00	0.00	0.00	0.00
10	0.00	0.00	0.38	1113.21	0.00	0.00	0.01	70.97	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	1113.19	0.00	0.00	0.00	70.96	0.00	0.00	0.00	0.00
TOT	39.32	0.00	6.32		71.07	0.00	0.11		152.73	0.00	0.21	

TOTAL

SUMMER STORED WATER

SISSON

BUFFALO

DEC 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	2.25	5680.31	0.00	0.00	0.89	1984.48	0.00	0.00	0.00	8744.98
2	0.00	0.00	2.40	5678.58	0.00	0.00	0.84	1982.68	0.00	0.00	0.00	8741.47
3	0.00	0.00	2.22	5676.38	0.00	0.00	0.81	1980.22	0.00	0.00	0.00	8738.00
4	0.00	0.00	2.33	5666.33	0.00	0.00	0.82	1979.48	0.00	0.00	0.00	8730.66
5	0.00	0.00	2.22	5661.02	0.00	0.00	0.81	1978.17	0.00	0.00	0.00	8727.42
6	0.00	0.00	2.22	5655.71	0.00	0.00	0.79	1977.18	0.00	0.00	0.00	8719.82
7	0.00	0.00	2.22	5655.71	0.00	0.00	0.78	1976.40	0.00	0.00	0.00	8716.28
8	0.00	0.00	2.22	5655.71	0.00	0.00	0.78	1976.40	0.00	0.00	0.00	8716.28
9	0.00	0.00	2.22	5655.71	0.00	0.00	0.78	1976.40	0.00	0.00	0.00	8716.28
10	254.05	0.00	2.22	5655.71	36.29	0.00	0.73	1976.40	161.55	0.00	0.00	8716.28
11	0.00	0.00	2.14	5907.09	0.00	0.00	0.73	2011.96	0.00	0.00	0.00	10320.07
12	0.00	0.00	1.83	5903.06	0.00	0.00	0.73	2010.38	0.00	0.00	0.00	10313.08
13	0.00	0.00	1.67	5901.39	0.00	0.00	0.62	2009.31	0.00	0.00	0.00	10310.17
14	0.00	0.00	1.45	5900.94	0.00	0.00	0.57	2009.16	0.00	0.00	0.00	10309.38
15	0.00	0.00	0.00	5900.94	0.00	0.00	0.15	2009.16	0.00	0.00	0.00	10309.38
16	0.00	0.00	0.00	5900.94	0.00	0.00	0.00	2009.16	0.00	0.00	0.00	10309.38
17	0.00	0.00	0.00	5900.94	0.00	0.00	0.00	2009.16	0.00	0.00	0.00	10309.38
18	0.00	0.00	0.00	5900.94	0.00	0.00	0.00	2009.16	0.00	0.00	0.00	10309.38
19	0.00	0.00	0.00	5900.94	0.00	0.00	0.00	2009.16	0.00	0.00	0.00	10309.38
20	0.00	0.00	0.00	5900.94	0.00	0.00	0.00	2009.16	0.00	0.00	0.00	10309.38
21	0.00	0.00	0.00	5900.94	0.00	0.00	0.00	2009.16	0.00	0.00	0.00	10309.38
22	0.00	0.00	0.00	5900.94	0.00	0.00	0.00	2009.16	0.00	0.00	0.00	10309.38
23	0.00	0.00	0.00	5900.94	0.00	0.00	0.00	2009.16	0.00	0.00	0.00	10309.38
24	0.00	0.00	0.00	5900.94	0.00	0.00	0.00	2009.16	0.00	0.00	0.00	10309.38
25	0.00	0.00	0.00	5900.94	0.00	0.00	0.00	2009.16	0.00	0.00	0.00	10309.38
26	0.00	0.00	0.00	5900.94	0.00	0.00	0.00	2009.16	0.00	0.00	0.00	10309.38
27	0.00	0.00	0.00	5900.94	0.00	0.00	0.00	2009.16	0.00	0.00	0.00	10309.38
28	0.00	0.00	0.00	5900.94	0.00	0.00	0.00	2009.16	0.00	0.00	0.00	10309.38
29	0.00	0.00	0.00	5900.94	0.00	0.00	0.00	2009.16	0.00	0.00	0.00	10309.38
30	0.00	0.00	0.00	5900.94	0.00	0.00	0.00	2009.16	0.00	0.00	0.00	10309.38
31	0.00	0.00	0.00	5900.94	0.00	0.00	0.00	2009.16	0.00	0.00	0.00	10309.38
TOT	254.05	0.00	33.42		36.29	0.00	11.61		1617.55	0.00	53.15	

DEC 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.66	1639.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.69	1637.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.69	1635.81	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.68	1634.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.67	1632.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.66	1630.78	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.65	1629.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.60	1627.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.59	1625.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.51	1624.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.46	1622.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.12	1620.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	0.00	0.00	0.00	1618.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	1617.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	1615.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	1613.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	1612.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	1610.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	1608.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	1606.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	1605.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	1603.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	1601.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	1600.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	9.55		0.00	0.00	0.00		0.00	0.00	0.00	

DEC 1989:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.66	1639.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.69	1637.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.69	1635.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.68	1634.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.67	1632.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.66	1630.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.65	1628.97	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.60	1627.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.59	1625.59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.51	1623.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.46	1622.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.12	1620.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1	0.00	0.00	0.00	1618.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	1617.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	1615.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	1613.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	1612.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	1610.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	1608.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	1607.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	1605.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	1603.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	1601.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	1600.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	9.55		0.00	0.00	0.00		0.00	0.00	0.00	

1989 WINTER STORED WATER

PG 6

DEC 1989:	X-Y				BUFFALO				SISSON				OWN
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	
1	0.00	0.00	0.00	0.00	0.00	0.00	0.50	1270.33	0.00	0.00	0.07	179.73	
2	0.00	0.00	0.00	0.00	0.00	0.00	0.54	1269.79	0.00	0.00	0.07	179.66	
3	0.00	0.00	0.00	0.00	0.00	0.00	0.33	1268.46	0.00	0.00	0.07	179.52	
4	0.00	0.00	0.00	0.00	0.00	0.00	0.32	1267.14	0.00	0.00	0.07	179.45	
5	0.00	0.00	0.00	0.00	0.00	0.00	0.51	1265.63	0.00	0.00	0.07	179.31	
6	0.00	0.00	0.00	0.00	0.00	0.00	0.50	1264.13	0.00	0.00	0.07	179.17	
7	0.00	0.00	0.00	0.00	0.00	0.00	0.47	1262.64	0.00	0.00	0.07	179.03	
8	0.00	0.00	0.00	0.00	0.00	0.00	0.46	1261.18	0.00	0.00	0.06	178.90	
9	0.00	0.00	0.00	0.00	0.00	0.00	0.35	1259.73	0.00	0.00	0.05	178.84	
10	0.00	0.00	0.00	0.00	0.00	0.00	0.10	1258.58	0.00	0.00	0.01	178.73	
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1257.48	0.00	0.00	0.00	178.72	
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1256.43	0.00	0.00	0.00	178.72	
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1255.43	0.00	0.00	0.00	178.72	
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1254.48	0.00	0.00	0.00	178.72	
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1253.58	0.00	0.00	0.00	178.72	
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1252.73	0.00	0.00	0.00	178.72	
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1251.93	0.00	0.00	0.00	178.72	
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1251.18	0.00	0.00	0.00	178.72	
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1250.48	0.00	0.00	0.00	178.72	
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1249.83	0.00	0.00	0.00	178.72	
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1249.23	0.00	0.00	0.00	178.72	
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1248.68	0.00	0.00	0.00	178.72	
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1248.18	0.00	0.00	0.00	178.72	
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1247.73	0.00	0.00	0.00	178.72	
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1247.33	0.00	0.00	0.00	178.72	
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1246.98	0.00	0.00	0.00	178.72	
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1246.68	0.00	0.00	0.00	178.72	
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1246.43	0.00	0.00	0.00	178.72	
29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1246.23	0.00	0.00	0.00	178.72	
30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1246.08	0.00	0.00	0.00	178.72	
31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1245.98	0.00	0.00	0.00	178.72	
TOT	0.00	0.00	0.00	0.00	0.00	0.00	7.37		0.00	0.00	1.01		

1989 WINTER STORED WATER

PG 6

DEC 1989:	TOTAL				OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
	INFLOW	RELEASE	EVAP	OWN									
1	0.00	0.00	0.66	88.97	16537.615	0.00	0.00	0.66	16537.615	0.00	0.00	0.66	16537.615
2	0.00	0.00	0.70	16556.267	16556.267	0.00	0.00	0.70	16556.267	0.00	0.00	0.70	16556.267
3	0.00	0.00	0.69	16555.822	16555.822	0.00	0.00	0.69	16555.822	0.00	0.00	0.69	16555.822
4	0.00	0.00	0.68	16554.822	16554.822	0.00	0.00	0.68	16554.822	0.00	0.00	0.68	16554.822
5	0.00	0.00	0.67	16553.822	16553.822	0.00	0.00	0.67	16553.822	0.00	0.00	0.67	16553.822
6	0.00	0.00	0.665	16552.824	16552.824	0.00	0.00	0.665	16552.824	0.00	0.00	0.665	16552.824
7	0.00	0.00	0.60	16551.033	16551.033	0.00	0.00	0.60	16551.033	0.00	0.00	0.60	16551.033
8	0.00	0.00	0.51	16549.522	16549.522	0.00	0.00	0.51	16549.522	0.00	0.00	0.51	16549.522
9	0.00	0.00	0.13	16549.333	16549.333	0.00	0.00	0.13	16549.333	0.00	0.00	0.13	16549.333
10	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
11	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
12	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
13	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
14	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
15	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
16	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
17	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
18	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
19	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
20	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
21	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
22	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
23	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
24	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
25	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
26	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
27	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
28	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
29	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
30	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
31	0.00	0.00	0.00	16549.333	16549.333	0.00	0.00	0.00	16549.333	0.00	0.00	0.00	16549.333
TOT	0.00	0.00	9.64			0.00	0.00	9.64		0.00	0.00	9.64	

1990 WINTER STORED WATER
FT. BENT

PG 7

KEESEE

AMITY

MANVEL

Table with columns for DEC 1989, INFLOW, RELEASE, EVAP, OWN, INFLOW, RELEASE, EVAP, OWN, INFLOW, RELEASE, EVAP, OWN. Rows include monthly data from 1 through 31 and a TOT row.

1990 WINTER STORED WATER
HYDE


PG 7

LAMAR

HYDE

MANVEL

Table with columns for DEC 1989, INFLOW, RELEASE, EVAP, OWN, INFLOW, RELEASE, EVAP, OWN, INFLOW, RELEASE, EVAP, OWN. Rows include monthly data from 1 through 31 and a TOT row.




JOHN MARTIN RESERVOIR
AGREEMENT WATER

JAN 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	307.00	0.00	0.00	43570.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
2	341.00	0.00	0.00	43871.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
3	309.00	0.00	0.00	44195.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
4	271.00	0.00	0.00	44514.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
5	227.00	0.00	0.00	44836.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
6	246.00	0.00	0.00	45161.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
7	318.00	0.00	0.00	45489.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
8	384.00	0.00	0.00	45820.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
9	351.00	0.00	0.00	46154.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
10	325.00	0.00	0.00	46491.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
11	319.00	0.00	0.00	46831.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
12	326.00	0.00	0.00	47174.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
1	286.00	0.00	0.00	47519.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
2	294.00	0.00	0.00	47867.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
3	289.00	0.00	0.00	48218.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
4	257.00	0.00	0.00	48572.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
5	252.00	0.00	0.00	48929.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
6	330.00	0.00	0.00	49289.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
7	332.00	0.00	0.00	49651.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
8	295.00	0.00	0.00	50015.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
9	297.00	0.00	0.00	50381.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00
TOT	9881.00	0.00	0.00	43570.00	0.00	0.00	0.00	21508.57	0.00	0.00	0.00	0.00

JOHN MARTIN RESERVOIR
PERMANENT POOL

JAN 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	108.25	0.00	0.00	778.64	0.00	0.00	0.00	5342.34	198.75	0.00	0.00	8940.45
2	120.69	0.00	0.00	7807.81	0.00	0.00	0.00	5342.34	220.31	0.00	0.00	91359.28
3	111.85	0.00	0.00	8251.69	0.00	0.00	0.00	5342.34	196.81	0.00	0.00	93603.40
4	86.58	0.00	0.00	8695.57	0.00	0.00	0.00	5342.34	157.42	0.00	0.00	95954.52
5	98.02	0.00	0.00	9144.54	0.00	0.00	0.00	5342.34	177.42	0.00	0.00	98309.31
6	123.19	0.00	0.00	9599.72	0.00	0.00	0.00	5342.34	226.81	0.00	0.00	100723.18
7	154.76	0.00	0.00	10067.91	0.00	0.00	0.00	5342.34	293.90	0.00	0.00	103046.32
8	182.37	0.00	0.00	10554.14	0.00	0.00	0.00	5342.34	367.63	0.00	0.00	105370.26
9	145.46	0.00	0.00	11051.82	0.00	0.00	0.00	5342.34	300.54	0.00	0.00	107701.87
10	130.37	0.00	0.00	11565.30	0.00	0.00	0.00	5342.34	233.54	0.00	0.00	110041.73
11	204.13	0.00	0.00	12094.77	0.00	0.00	0.00	5342.34	306.35	0.00	0.00	112388.97
12	179.40	0.00	0.00	12640.25	0.00	0.00	0.00	5342.34	239.77	0.00	0.00	114743.62
1	166.15	0.00	0.00	13201.84	0.00	0.00	0.00	5342.34	163.85	0.00	0.00	117103.77
2	174.94	0.00	0.00	13777.22	0.00	0.00	0.00	5342.34	171.60	0.00	0.00	119479.94
3	165.26	0.00	0.00	14367.93	0.00	0.00	0.00	5342.34	137.85	0.00	0.00	121863.22
4	174.05	0.00	0.00	14973.49	0.00	0.00	0.00	5342.34	154.16	0.00	0.00	124253.79
5	134.26	0.00	0.00	15594.40	0.00	0.00	0.00	5342.34	116.75	0.00	0.00	126651.60
6	145.79	0.00	0.00	16230.99	0.00	0.00	0.00	5342.34	166.94	0.00	0.00	129067.94
7	139.94	0.00	0.00	16884.10	0.00	0.00	0.00	5342.34	157.24	0.00	0.00	131493.14
8	4430.46	0.00	0.00	17555.10	0.00	0.00	0.00	5342.34	157.06	0.00	0.00	133928.30
TOT	4430.46	0.00	0.00	778.64	0.00	0.00	0.00	5342.34	5450.54	0.00	0.00	8940.45



JOHN MARTIN RESERVOIR
AGREEMENT WATER

FEB 1990:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	298.00	0.00	0.00	53451.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
2	298.00	0.00	0.00	53749.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
3	261.00	0.00	0.00	54047.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
4	262.00	0.00	0.00	54308.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
5	374.00	0.00	0.00	54570.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
6	263.00	0.00	0.00	54944.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
7	301.00	0.00	0.00	55207.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
8	301.00	0.00	0.00	55508.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
9	302.00	0.00	0.00	55809.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
10	264.00	0.00	0.00	56111.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
11	303.00	0.00	0.00	56375.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
12	303.00	0.00	0.00	56675.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
13	304.00	0.00	0.00	56981.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
14	305.00	0.00	0.00	57288.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
15	229.00	0.00	0.00	57590.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
16	345.00	0.00	0.00	57819.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
17	384.00	0.00	0.00	58164.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
18	385.00	0.00	0.00	58548.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
19	385.00	0.00	0.00	58933.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
20	588.00	0.00	0.00	59523.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
21	733.00	0.00	0.00	60252.00	:	0.00	0.00	0.00	21508.57	:	0.00	0.00	0.00	0.00
22	475.00	0.00	6.00	60721.00	:	0.00	0.00	0.00	21506.43	:	0.00	0.00	0.00	0.00
23	486.00	0.00	15.00	61132.00	:	0.00	0.00	0.00	21501.12	:	0.00	0.00	0.00	0.00
24	495.00	0.00	22.00	61665.00	:	0.00	0.00	0.00	21493.39	:	0.00	0.00	0.00	0.00
25	421.00	0.00	25.00	62061.00	:	0.00	0.00	0.00	21484.68	:	0.00	0.00	0.00	0.00
26	424.00	0.00	27.00	62458.00	:	0.00	0.00	0.00	21475.33	:	0.00	0.00	0.00	0.00
27	385.00	0.00	27.00	62816.00	:	0.00	0.00	0.00	21466.05	:	0.00	0.00	0.00	0.00
28	466.00	0.00	27.00	63255.00	:	0.00	0.00	0.00	21456.82	:	0.00	0.00	0.00	0.00
TOT	10381.00	0.00	176.00	63656.00	:	0.00	0.00	60.91	21447.68	:	0.00	0.00	0.00	0.00

JOHN MARTIN RESERVOIR

FEB 1990:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1				12209.10	:				5342.34	:				14390.99
2	143.85	0.00	0.00	12352.95	:	0.00	0.00	0.00	5342.34	:	154.15	0.00	0.00	14545.14
3	140.94	0.00	0.00	12493.89	:	0.00	0.00	0.00	5342.34	:	157.06	0.00	0.00	14702.20
4	100.06	0.00	0.00	12593.95	:	0.00	0.00	0.00	5342.34	:	160.94	0.00	0.00	14863.14
5	104.94	0.00	0.00	12698.89	:	0.00	0.00	0.00	5342.34	:	157.06	0.00	0.00	15020.20
6	219.85	0.00	0.00	12918.74	:	0.00	0.00	0.00	5342.34	:	154.15	0.00	0.00	15174.35
7	108.85	0.00	0.00	13027.59	:	0.00	0.00	0.00	5342.34	:	154.15	0.00	0.00	15328.50
8	149.76	0.00	0.00	13177.35	:	0.00	0.00	0.00	5342.34	:	151.24	0.00	0.00	15479.74
9	143.94	0.00	0.00	13321.29	:	0.00	0.00	0.00	5342.34	:	157.06	0.00	0.00	15636.80
10	141.06	0.00	0.00	13462.35	:	0.00	0.00	0.00	5342.34	:	160.94	0.00	0.00	15797.74
11	106.94	0.00	0.00	13569.29	:	0.00	0.00	0.00	5342.34	:	157.06	0.00	0.00	15954.80
12	142.06	0.00	0.00	13711.35	:	0.00	0.00	0.00	5342.34	:	160.94	0.00	0.00	16115.74
13	139.15	0.00	0.00	13850.50	:	0.00	0.00	0.00	5342.34	:	163.85	0.00	0.00	16279.59
14	137.25	0.00	0.00	13987.75	:	0.00	0.00	0.00	5342.34	:	166.75	0.00	0.00	16446.34
15	138.25	0.00	0.00	14126.00	:	0.00	0.00	0.00	5342.34	:	166.75	0.00	0.00	16613.09
16	65.15	0.00	0.00	14191.15	:	0.00	0.00	0.00	5342.34	:	163.85	0.00	0.00	16776.94
17	178.25	0.00	0.00	14369.40	:	0.00	0.00	0.00	5342.34	:	166.75	0.00	0.00	16943.69
18	226.94	0.00	0.00	14596.34	:	0.00	0.00	0.00	5342.34	:	157.06	0.00	0.00	17100.75
19	115.48	0.00	0.00	14711.82	:	0.00	0.00	0.00	5342.34	:	269.52	0.00	0.00	17370.27
20	85.56	0.00	0.00	14797.28	:	0.00	0.00	0.00	5342.34	:	494.44	0.00	0.00	17864.71
21	258.13	0.00	0.00	15055.51	:	0.00	0.00	0.00	5342.34	:	480.87	0.00	0.00	18345.58
22	185.12	0.00	1.50	15239.13	:	0.00	0.00	0.53	5341.81	:	289.88	0.00	1.83	18633.63
23	191.27	0.00	3.77	15426.63	:	0.00	0.00	1.32	5340.49	:	294.73	0.00	4.60	18923.76
24	171.19	0.00	5.55	15592.27	:	0.00	0.00	1.92	5338.57	:	323.81	0.00	6.80	19240.77
25	131.12	0.00	6.32	15717.07	:	0.00	0.00	2.17	5336.40	:	289.88	0.00	7.80	19522.85
26	188.41	0.00	6.84	15898.64	:	0.00	0.00	2.32	5334.08	:	235.59	0.00	8.49	19749.95
27	171.71	0.00	6.87	16063.48	:	0.00	0.00	2.31	5333.17	:	213.29	0.00	8.54	19954.70
28	262.40	0.00	6.90	16318.98	:	0.00	0.00	2.29	5332.99	:	203.60	0.00	8.58	20149.72
TOT	237.98	0.00	6.97	16549.98	:	0.00	0.00	2.27	5332.21	:	190.02	0.00	8.60	20331.14
TOT	4385.61	0.00	44.72		:	0.00	0.00	15.13		:	5995.39	0.00	55.24	

1990 WINTER STORED WATER
FT. BENT


PG 7

FEB 1990:	KEESSE				AMITY			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
2	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
3	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
4	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
5	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
6	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
7	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
8	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
9	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
10	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
11	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
12	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
13	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
14	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
15	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
16	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
17	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
18	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
19	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
20	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
21	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
22	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
23	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
24	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
25	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
26	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
27	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
28	0.00	0.00	0.00	69.46	0.00	0.00	0.00	105.97
TOT	0.00	0.00	0.21	0.85	0.00	0.00	0.27	0.27

1990 WINTER STORED WATER
HYDE

PG 7

FEB 1990:	LAMAR				MANVEL			
	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
2	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
3	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
4	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
5	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
6	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
7	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
8	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
9	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
10	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
11	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
12	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
13	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
14	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
15	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
16	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
17	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
18	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
19	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
20	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
21	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
22	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
23	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
24	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
25	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
26	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
27	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
28	0.00	0.00	0.00	59.88	0.00	0.00	0.00	70.96
TOT	0.00	0.00	1.68	0.12	0.00	0.00	0.21	0.21



JOHN MARTIN RESERVOIR
AGREEMENT WATER

JOHN MARTIN RESERVOIR

MAR 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	567.00	0.00	44.00	63656.00	0.00	0.00	14.89	21447.83	0.00	0.00	0.00	0.00
2	447.00	0.00	44.00	63779.00	0.00	0.00	14.59	21432.14	0.00	0.00	0.00	0.00
3	408.00	0.00	44.00	63957.00	0.00	0.00	14.50	21410.52	0.00	0.00	0.00	0.00
4	416.00	0.00	44.00	64346.00	0.00	0.00	16.38	21356.67	0.00	0.00	0.00	0.00
5	457.00	0.00	50.00	66043.00	0.00	0.00	16.17	21340.22	0.00	0.00	0.00	0.00
6	377.00	0.00	50.00	66697.00	0.00	0.00	16.08	21324.14	0.00	0.00	0.00	0.00
7	419.00	0.00	50.00	66706.00	0.00	0.00	15.89	21292.24	0.00	0.00	0.00	0.00
8	338.00	0.00	50.00	66764.00	0.00	0.00	15.81	21276.47	0.00	0.00	0.00	0.00
9	380.00	0.00	50.00	66931.00	0.00	0.00	15.54	21245.98	0.00	0.00	0.00	0.00
10	298.00	0.00	51.00	68349.00	0.00	0.00	15.30	21222.93	0.00	0.00	0.00	0.00
11	300.00	0.00	51.00	68905.00	0.00	0.00	15.74	21197.32	0.00	0.00	0.00	0.00
12	342.00	0.00	51.00	69096.00	0.00	0.00	15.59	21182.74	0.00	0.00	0.00	0.00
13	426.00	0.00	55.00	70081.00	0.00	0.00	15.49	21166.12	0.00	0.00	0.00	0.00
14	341.00	0.00	55.00	70354.00	22834.04	0.00	15.39	21159.88	0.00	0.00	0.00	0.00
15	174.00	0.00	55.00	70675.00	0.00	0.00	15.76	43930.6	0.00	0.00	0.00	0.00
16	220.00	0.00	51.00	70842.00	0.00	0.00	15.68	43874.05	0.00	0.00	0.00	0.00
17	177.00	0.00	51.00	71011.00	0.00	0.00	15.59	43843.00	0.00	0.00	0.00	0.00
18	177.00	0.00	51.00	71137.00	0.00	0.00	15.41	43810.10	0.00	0.00	0.00	0.00
19	302.00	0.00	51.00	71432.00	0.00	0.00	15.33	43748.77	0.00	0.00	0.00	0.00
20	308.00	0.00	51.00	71686.00	0.00	0.00	15.23	43717.54	0.00	0.00	0.00	0.00
21	349.00	0.00	52.00	72324.00	0.00	0.00	15.16	43685.00	0.00	0.00	0.00	0.00
22	222.00	0.00	52.00	72449.00	0.00	0.00	15.14	43654.00	0.00	0.00	0.00	0.00
TOT	10339.00	0.00	1546.00		22834.04	0.00	658.84		0.00	0.00	0.00	

JOHN MARTIN RESERVOIR
PERMANENT POOL

JOHN MARTIN RESERVOIR

MAR 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	83.76	0.00	11.44	16549.99	0.00	0.00	3.65	5327.53	0.00	0.00	14.05	29331.14
2	58.58	0.00	11.79	16922.31	0.00	0.00	3.60	5323.98	0.00	0.00	14.06	29300.69
3	58.58	0.00	11.79	17299.16	0.00	0.00	3.57	5321.62	0.00	0.00	14.08	29267.03
4	46.25	0.00	13.47	17806.94	0.00	0.00	4.07	5308.08	0.00	0.00	14.11	29230.34
5	46.25	0.00	13.59	18093.62	0.00	0.00	4.04	5304.30	0.00	0.00	16.09	29147.80
6	37.37	0.00	13.77	18468.90	0.00	0.00	4.02	5300.54	0.00	0.00	16.11	29088.44
7	67.67	0.00	13.84	18829.68	0.00	0.00	4.09	5292.54	0.00	0.00	16.16	29052.95
8	89.89	0.00	13.98	19373.81	0.00	0.00	4.02	5284.77	0.00	0.00	16.20	29017.42
9	67.45	0.00	14.02	19954.95	0.00	0.00	4.02	5280.40	0.00	0.00	16.23	28982.43
10	23.25	0.00	14.18	19582.03	0.00	0.00	4.02	5276.00	0.00	0.00	16.34	28946.67
11	25.25	0.00	14.18	19578.18	0.00	0.00	4.02	5273.00	0.00	0.00	16.38	28911.04
12	64.18	0.00	14.52	19730.84	0.00	0.00	4.02	5269.14	0.00	0.00	16.41	28875.64
13	142.10	0.00	14.52	19730.84	0.00	0.00	4.02	5265.14	0.00	0.00	16.49	28839.94
14	101.83	0.00	14.74	20058.26	0.00	0.00	4.02	5261.47	0.00	0.00	16.86	28810.98
15	101.83	0.00	14.51	20058.26	0.00	0.00	4.02	5259.88	0.00	0.00	16.78	28812.20
16	101.83	0.00	15.33	20222.42	0.00	0.00	4.02	5254.52	0.00	0.00	16.70	28810.67
17	101.83	0.00	15.33	20222.42	0.00	0.00	4.02	5251.00	0.00	0.00	16.63	28810.00
18	101.83	0.00	15.34	20222.42	0.00	0.00	4.02	5248.00	0.00	0.00	16.00	28810.00
19	101.83	0.00	15.54	20222.42	0.00	0.00	4.02	5244.00	0.00	0.00	16.00	28810.00
20	101.83	0.00	15.54	20222.42	0.00	0.00	4.02	5240.00	0.00	0.00	16.00	28810.00
21	101.83	0.00	15.84	20222.42	0.00	0.00	4.02	5237.00	0.00	0.00	16.00	28810.00
22	101.83	0.00	15.84	20222.42	0.00	0.00	4.02	5233.00	0.00	0.00	16.00	28810.00
23	101.83	0.00	16.04	20222.42	0.00	0.00	4.02	5229.00	0.00	0.00	16.00	28810.00
24	101.83	0.00	16.57	20222.42	0.00	0.00	4.02	5225.00	0.00	0.00	16.00	28810.00
25	101.83	0.00	16.84	20222.42	0.00	0.00	4.02	5221.00	0.00	0.00	16.00	28810.00
26	101.83	0.00	16.84	20222.42	0.00	0.00	4.02	5217.00	0.00	0.00	16.00	28810.00
27	101.83	0.00	16.84	20222.42	0.00	0.00	4.02	5213.00	0.00	0.00	16.00	28810.00
28	101.83	0.00	16.84	20222.42	0.00	0.00	4.02	5209.00	0.00	0.00	16.00	28810.00
29	101.83	0.00	16.84	20222.42	0.00	0.00	4.02	5205.00	0.00	0.00	16.00	28810.00
30	101.83	0.00	16.84	20222.42	0.00	0.00	4.02	5201.00	0.00	0.00	16.00	28810.00
31	101.83	0.00	16.84	20222.42	0.00	0.00	4.02	5197.00	0.00	0.00	16.00	28810.00
TOT	7516.89	0.00	449.10		0.00	0.00	118.85		2822.11	22834.04	319.21	

		AGREEMENT WATER				TRANSIT LOSS				SUMMER STORED WATER			
		KANSAS		KEESEE		KANSAS		KEESEE		KANSAS		KEESEE	
MAR 1990:		INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1		0.00	0.00	4.35	6287.13	0.00	0.00	0.00	0.00	0.00	0.00	0.05	69.22
2		0.00	0.00	4.31	6282.47	0.00	0.00	0.00	0.00	0.00	0.00	0.05	69.17
3		0.00	0.00	4.28	6277.19	0.00	0.00	0.00	0.00	0.00	0.00	0.05	69.02
4		0.00	0.00	4.25	6269.14	0.00	0.00	0.00	0.00	0.00	0.00	0.05	68.97
5		0.00	0.00	4.20	6265.17	0.00	0.00	0.00	0.00	0.00	0.00	0.05	68.92
6		0.00	0.00	4.77	6226.50	0.00	0.00	0.00	0.00	0.00	0.00	0.05	68.88
7		0.00	0.00	4.74	6225.50	0.00	0.00	0.00	0.00	0.00	0.00	0.05	68.87
8		0.00	0.00	4.68	6246.23	0.00	0.00	0.00	0.00	0.00	0.00	0.05	68.82
9		0.00	0.00	4.63	6241.94	0.00	0.00	0.00	0.00	0.00	0.00	0.05	68.77
10		0.00	0.00	4.63	6233.33	0.00	0.00	0.00	0.00	0.00	0.00	0.05	68.72
11		0.00	0.00	4.58	6227.75	0.00	0.00	0.00	0.00	0.00	0.00	0.05	68.67
12		0.00	0.00	4.56	6221.80	0.00	0.00	0.00	0.00	0.00	0.00	0.05	68.62
13		0.00	0.00	4.56	6221.90	0.00	0.00	0.00	0.00	0.00	0.00	0.05	68.57
14		0.00	0.00	4.51	6220.70	0.00	0.00	0.00	0.00	0.00	0.00	0.05	68.52
15		0.00	0.00	4.47	6195.74	7991.91	0.00	0.00	0.00	0.00	0.00	0.05	68.47
16		0.00	0.00	4.47	6186.32	0.00	0.00	3.79	7988.12	0.00	0.00	0.05	68.42
17		0.00	0.00	4.46	6182.37	0.00	0.00	5.76	7980.35	0.00	0.00	0.05	68.37
18		0.00	0.00	4.44	6177.87	0.00	0.00	5.74	7974.85	0.00	0.00	0.05	68.32
19		0.00	0.00	4.44	6173.41	0.00	0.00	5.72	7968.31	0.00	0.00	0.05	68.27
20		0.00	0.00	4.42	6169.01	0.00	0.00	5.69	7962.72	0.00	0.00	0.05	68.22
21		0.00	0.00	4.41	6164.60	0.00	0.00	5.68	7957.13	0.00	0.00	0.05	68.17
22		0.00	0.00	4.40	6160.20	0.00	0.00	5.76	7951.55	0.00	0.00	0.05	68.12
23		0.00	0.00	4.47	6155.73	0.00	0.00	5.74	7945.97	0.00	0.00	0.05	68.07
24		0.00	0.00	4.45	6151.28	0.00	0.00	5.71	7940.38	0.00	0.00	0.05	68.02
25		0.00	0.00	4.42	6146.86	0.00	0.00	5.71	7934.80	0.00	0.00	0.05	67.97
TOT		0.00	0.00	140.27	7991.91	7991.91	0.00	63.07	7928.84	0.00	0.00	1.55	67.77

		SUMMER STORED WATER				AMITY				LAMAR			
		FT. BENT		AMITY		LAMAR		AMITY		LAMAR		AMITY	
MAR 1990:		INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1		0.00	0.00	0.20	59.00	0.00	0.00	0.11	59.00	0.00	0.00	0.41	59.00
2		0.00	0.00	0.20	58.80	0.00	0.00	0.07	58.80	0.00	0.00	0.40	58.80
3		0.00	0.00	0.23	58.55	0.00	0.00	0.07	58.55	0.00	0.00	0.40	58.55
4		0.00	0.00	0.23	58.30	0.00	0.00	0.08	58.30	0.00	0.00	0.42	58.30
5		0.00	0.00	0.23	58.05	0.00	0.00	0.08	58.05	0.00	0.00	0.42	58.05
6		0.00	0.00	0.23	57.80	0.00	0.00	0.08	57.80	0.00	0.00	0.44	57.80
7		0.00	0.00	0.23	57.55	0.00	0.00	0.08	57.55	0.00	0.00	0.44	57.55
8		0.00	0.00	0.22	57.30	0.00	0.00	0.08	57.30	0.00	0.00	0.44	57.30
9		0.00	0.00	0.22	57.05	0.00	0.00	0.08	57.05	0.00	0.00	0.43	57.05
10		0.00	0.00	0.22	56.80	0.00	0.00	0.08	56.80	0.00	0.00	0.43	56.80
11		0.00	0.00	0.22	56.55	0.00	0.00	0.08	56.55	0.00	0.00	0.43	56.55
12		0.00	0.00	0.22	56.30	0.00	0.00	0.08	56.30	0.00	0.00	0.43	56.30
13		0.00	0.00	0.22	56.05	0.00	0.00	0.08	56.05	0.00	0.00	0.43	56.05
14		0.00	0.00	0.22	55.80	0.00	0.00	0.08	55.80	0.00	0.00	0.43	55.80
15		0.00	0.00	0.22	55.55	0.00	0.00	0.08	55.55	0.00	0.00	0.43	55.55
16		0.00	0.00	0.22	55.30	0.00	0.00	0.08	55.30	0.00	0.00	0.43	55.30
17		0.00	0.00	0.22	55.05	0.00	0.00	0.08	55.05	0.00	0.00	0.43	55.05
18		0.00	0.00	0.22	54.80	0.00	0.00	0.08	54.80	0.00	0.00	0.43	54.80
19		0.00	0.00	0.22	54.55	0.00	0.00	0.08	54.55	0.00	0.00	0.43	54.55
20		0.00	0.00	0.22	54.30	0.00	0.00	0.08	54.30	0.00	0.00	0.43	54.30
21		0.00	0.00	0.22	54.05	0.00	0.00	0.08	54.05	0.00	0.00	0.43	54.05
22		0.00	0.00	0.22	53.80	0.00	0.00	0.08	53.80	0.00	0.00	0.43	53.80
23		0.00	0.00	0.22	53.55	0.00	0.00	0.08	53.55	0.00	0.00	0.43	53.55
24		0.00	0.00	0.22	53.30	0.00	0.00	0.08	53.30	0.00	0.00	0.43	53.30
25		0.00	0.00	0.22	53.05	0.00	0.00	0.08	53.05	0.00	0.00	0.43	53.05
TOT		0.00	0.00	6.60	59.00	59.00	0.00	2.34	56.66	0.00	0.00	13.18	56.66

SUMMER STORED WATER

PG 3

X-Y

MANVEL

HYDE

MAR 1990:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	0.77	1110.09	0.00	0.00	0.05	70.75	0.00	0.00	0.10	152.08
2	0.00	0.00	0.76	1109.22	0.00	0.00	0.05	70.65	0.00	0.00	0.10	151.88
3	0.00	0.00	0.75	1107.01	0.00	0.00	0.05	70.50	0.00	0.00	0.10	151.78
4	0.00	0.00	0.84	1106.32	0.00	0.00	0.05	70.45	0.00	0.00	0.12	151.44
5	0.00	0.00	0.83	1104.85	0.00	0.00	0.05	70.35	0.00	0.00	0.12	151.33
6	0.00	0.00	0.83	1103.62	0.00	0.00	0.05	70.30	0.00	0.00	0.12	151.21
7	0.00	0.00	0.82	1102.00	0.00	0.00	0.05	70.25	0.00	0.00	0.11	151.10
8	0.00	0.00	0.82	1101.28	0.00	0.00	0.05	70.20	0.00	0.00	0.11	150.99
9	0.00	0.00	0.81	1099.56	0.00	0.00	0.05	70.15	0.00	0.00	0.11	150.87
10	0.00	0.00	0.82	1098.93	0.00	0.00	0.05	70.00	0.00	0.00	0.11	150.65
11	0.00	0.00	0.82	1097.93	0.00	0.00	0.05	69.95	0.00	0.00	0.11	150.44
12	0.00	0.00	0.81	1096.11	0.00	0.00	0.05	69.80	0.00	0.00	0.11	150.33
1	0.00	0.00	0.81	1095.49	0.00	0.00	0.05	69.80	0.00	0.00	0.11	150.22
2	0.00	0.00	0.80	1093.89	0.00	0.00	0.05	69.75	0.00	0.00	0.11	150.10
3	0.00	0.00	0.79	1092.31	0.00	0.00	0.05	69.65	0.00	0.00	0.11	149.99
4	0.00	0.00	0.79	1091.52	0.00	0.00	0.05	69.55	0.00	0.00	0.11	149.87
5	0.00	0.00	0.78	1090.74	0.00	0.00	0.05	69.50	0.00	0.00	0.11	149.65
6	0.00	0.00	0.78	1089.96	0.00	0.00	0.05	69.45	0.00	0.00	0.11	149.44
7	0.00	0.00	0.78	1088.40	0.00	0.00	0.05	69.40	0.00	0.00	0.11	149.33
8	0.00	0.00	0.79	1086.82	0.00	0.00	0.05	69.30	0.00	0.00	0.11	149.10
9	0.00	0.00	0.78	1086.07	0.00	0.00	0.05	69.25	0.00	0.00	0.11	148.99
10	0.00	0.00	0.78	1085.27	0.00	0.00	0.05	69.20	0.00	0.00	0.11	148.78
TOT	0.00	0.00	24.78		0.00	0.00	1.55		0.00	0.00	3.40	

SUMMER STORED WATER

PG 3

TOTAL

SISSON

BUFFALO

MAR 1990:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	4.07	5884.24	0.00	0.00	1.39	2003.47	0.00	0.00	7.14	10280.19
2	0.00	0.00	4.00	5880.14	0.00	0.00	1.37	2002.01	0.00	0.00	10.92	10273.05
3	0.00	0.00	4.00	5876.14	0.00	0.00	1.35	2000.98	0.00	0.00	9.50	10266.05
4	0.00	0.00	4.49	5868.68	0.00	0.00	1.32	1998.43	0.00	0.00	8.50	10252.42
5	0.00	0.00	4.44	5859.76	0.00	0.00	1.31	1997.34	0.00	0.00	7.75	10233.67
6	0.00	0.00	4.44	5850.95	0.00	0.00	1.31	1996.19	0.00	0.00	7.75	10222.00
7	0.00	0.00	4.32	5841.71	0.00	0.00	1.30	1994.88	0.00	0.00	6.28	10211.35
8	0.00	0.00	4.36	5835.95	0.00	0.00	1.29	1993.74	0.00	0.00	6.28	10200.98
9	0.00	0.00	4.22	5828.52	0.00	0.00	1.28	1992.65	0.00	0.00	5.94	10191.90
10	0.00	0.00	4.22	5820.68	0.00	0.00	1.27	1991.50	0.00	0.00	5.94	10183.03
11	0.00	0.00	4.32	5815.05	0.00	0.00	1.27	1990.15	0.00	0.00	5.51	10173.68
12	0.00	0.00	4.32	5811.46	0.00	0.00	1.26	1988.88	0.00	0.00	5.51	10165.01
1	0.00	0.00	4.22	5807.98	0.00	0.00	1.26	1987.75	0.00	0.00	4.74	10155.55
2	0.00	0.00	4.22	5804.28	0.00	0.00	1.25	1986.53	0.00	0.00	4.38	10145.98
3	0.00	0.00	4.18	5800.69	0.00	0.00	1.24	1985.24	0.00	0.00	3.42	10133.00
4	0.00	0.00	4.11	5796.19	0.00	0.00	1.24	1983.91	0.00	0.00	3.42	10121.68
5	0.00	0.00	4.11	5791.79	0.00	0.00	1.23	1982.46	0.00	0.00	3.28	10110.81
6	0.00	0.00	4.11	5787.39	0.00	0.00	1.23	1981.08	0.00	0.00	2.81	10101.94
7	0.00	0.00	4.11	5782.95	0.00	0.00	1.22	1979.68	0.00	0.00	2.40	10094.44
8	0.00	0.00	4.11	5778.55	0.00	0.00	1.21	1978.27	0.00	0.00	2.29	10087.97
9	0.00	0.00	4.18	5774.15	0.00	0.00	1.21	1976.84	0.00	0.00	2.71	10081.52
10	0.00	0.00	4.18	5769.75	0.00	0.00	1.21	1975.41	0.00	0.00	2.71	10075.20
11	0.00	0.00	4.18	5765.35	0.00	0.00	1.21	1974.00	0.00	0.00	2.71	10069.01
12	0.00	0.00	4.18	5760.95	0.00	0.00	1.21	1972.58	0.00	0.00	2.71	10062.81
TOT	0.00	0.00	131.30		0.00	0.00	44.72		0.00	0.00	229.42	

1989 WINTER STORED WATER
FT. BENT

PG 5

KEESEE

AMITY

MAR 1990	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	0.01	13.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.01	13.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.01	13.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.01	13.84	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.01	13.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.01	13.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.01	13.81	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.01	13.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.01	13.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.01	13.78	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.01	13.77	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.01	13.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.01	13.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.01	13.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.01	13.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.01	13.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.01	13.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.01	13.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.01	13.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.01	13.68	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.01	13.67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.01	13.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.01	13.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.01	13.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.01	13.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.01	13.62	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.01	13.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.01	13.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.01	13.59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.01	13.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	0.01	13.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.31		0.00	0.00	0.00		0.00	0.00	0.00	

1989 WINTER STORED WATER
HYDE

PG 5

LAMAR

MANVEL

MAR 1990	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	0.14	193.03	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.13	193.90	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.13	192.77	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.12	192.64	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.12	192.49	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.12	192.34	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.12	192.04	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.14	191.75	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.14	191.61	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.14	191.47	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.14	191.33	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.14	191.19	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.14	191.05	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.14	190.91	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.14	190.77	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.14	190.63	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.14	190.49	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.14	190.35	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.14	190.21	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.14	190.07	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.14	189.93	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.14	189.79	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.14	189.65	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.14	189.51	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.14	189.37	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.14	189.23	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	0.14	189.09	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	0.14	188.95	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	0.14	188.81	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	0.00	0.00	0.14	188.67	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	0.00	0.00	0.14	188.53	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00		0.00	0.00	4.36		0.00	0.00	0.00	

1989 WINTER STORED WATER

PG 6

MAR 1990:	X-Y	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	SISSON
1		0.00	0.00	0.00	0.00	0.00	0.00	0.87	1259.40	0.00	0.00	0.00	178.09	0.00
2		0.00	0.00	0.00	0.00	0.00	0.00	0.86	1525.26	0.00	0.00	0.00	177.85	0.00
3		0.00	0.00	0.00	0.00	0.00	0.00	0.85	1234.03	0.00	0.00	0.00	177.77	0.00
4		0.00	0.00	0.00	0.00	0.00	0.00	0.96	1234.03	0.00	0.00	0.00	177.77	0.00
5		0.00	0.00	0.00	0.00	0.00	0.00	0.94	1251.14	0.00	0.00	0.00	177.77	0.00
6		0.00	0.00	0.00	0.00	0.00	0.00	0.94	1250.33	0.00	0.00	0.00	177.77	0.00
7		0.00	0.00	0.00	0.00	0.00	0.00	0.93	1241.73	0.00	0.00	0.00	177.77	0.00
8		0.00	0.00	0.00	0.00	0.00	0.00	0.92	1243.87	0.00	0.00	0.00	177.77	0.00
9		0.00	0.00	0.00	0.00	0.00	0.00	0.93	1242.99	0.00	0.00	0.00	177.77	0.00
10		0.00	0.00	0.00	0.00	0.00	0.00	0.92	1241.01	0.00	0.00	0.00	177.77	0.00
11		0.00	0.00	0.00	0.00	0.00	0.00	0.89	1244.01	0.00	0.00	0.00	177.77	0.00
12		0.00	0.00	0.00	0.00	0.00	0.00	0.89	1237.30	0.00	0.00	0.00	177.77	0.00
13		0.00	0.00	0.00	0.00	0.00	0.00	0.89	1236.73	0.00	0.00	0.00	177.77	0.00
14		0.00	0.00	0.00	0.00	0.00	0.00	0.89	1234.85	0.00	0.00	0.00	177.77	0.00
15		0.00	0.00	0.00	0.00	0.00	0.00	0.88	1233.02	0.00	0.00	0.00	177.77	0.00
16		0.00	0.00	0.00	0.00	0.00	0.00	0.88	1233.02	0.00	0.00	0.00	177.77	0.00
17		0.00	0.00	0.00	0.00	0.00	0.00	0.89	1232.12	0.00	0.00	0.00	177.77	0.00
18		0.00	0.00	0.00	0.00	0.00	0.00	0.89	1232.12	0.00	0.00	0.00	177.77	0.00
19		0.00	0.00	0.00	0.00	0.00	0.00	0.89	1232.12	0.00	0.00	0.00	177.77	0.00
20		0.00	0.00	0.00	0.00	0.00	0.00	0.89	1232.12	0.00	0.00	0.00	177.77	0.00
31		0.00	0.00	0.00	0.00	0.00	0.00	0.89	1232.12	0.00	0.00	0.00	177.77	0.00
TOT		0.00	0.00	0.00	0.00	0.00	0.00	28.12		0.00	0.00	3.94		

1989 WINTER STORED WATER

PG 6

MAR 1990:	TOTAL	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1		0.00	0.00	1.14	1644.66	0.00	0.00	1.14	1643.52	0.00	0.00	1.14	1643.52
2		0.00	0.00	1.14	1642.39	0.00	0.00	1.14	1641.25	0.00	0.00	1.14	1641.25
3		0.00	0.00	1.14	1640.25	0.00	0.00	1.14	1638.90	0.00	0.00	1.14	1638.90
4		0.00	0.00	1.14	1636.95	0.00	0.00	1.14	1635.18	0.00	0.00	1.14	1635.18
5		0.00	0.00	1.14	1633.22	0.00	0.00	1.14	1632.12	0.00	0.00	1.14	1632.12
6		0.00	0.00	1.14	1630.99	0.00	0.00	1.14	1629.92	0.00	0.00	1.14	1629.92
7		0.00	0.00	1.14	1627.92	0.00	0.00	1.14	1626.50	0.00	0.00	1.14	1626.50
8		0.00	0.00	1.14	1625.30	0.00	0.00	1.14	1623.10	0.00	0.00	1.14	1623.10
9		0.00	0.00	1.14	1622.99	0.00	0.00	1.14	1621.91	0.00	0.00	1.14	1621.91
10		0.00	0.00	1.14	1621.91	0.00	0.00	1.14	1620.76	0.00	0.00	1.14	1620.76
11		0.00	0.00	1.14	1620.76	0.00	0.00	1.14	1619.39	0.00	0.00	1.14	1619.39
12		0.00	0.00	1.14	1618.32	0.00	0.00	1.14	1617.05	0.00	0.00	1.14	1617.05
13		0.00	0.00	1.14	1616.09	0.00	0.00	1.14	1614.73	0.00	0.00	1.14	1614.73
14		0.00	0.00	1.14	1614.73	0.00	0.00	1.14	1613.27	0.00	0.00	1.14	1613.27
15		0.00	0.00	1.14	1612.54	0.00	0.00	1.14	1611.02	0.00	0.00	1.14	1611.02
16		0.00	0.00	1.14	1611.02	0.00	0.00	1.14	1610.26	0.00	0.00	1.14	1610.26
17		0.00	0.00	1.14	1609.93	0.00	0.00	1.14	1609.93	0.00	0.00	1.14	1609.93
18		0.00	0.00	1.14	1609.93	0.00	0.00	1.14	1609.93	0.00	0.00	1.14	1609.93
19		0.00	0.00	1.14	1609.93	0.00	0.00	1.14	1609.93	0.00	0.00	1.14	1609.93
20		0.00	0.00	1.14	1609.93	0.00	0.00	1.14	1609.93	0.00	0.00	1.14	1609.93
31		0.00	0.00	1.14	1609.93	0.00	0.00	1.14	1609.93	0.00	0.00	1.14	1609.93
TOT		0.00	0.00	36.73		0.00	0.00			0.00	0.00		

1990 WINTER STORED WATER

PG 7

MAR 1990:	KEESEE			FT. BENT			AMITY			OWN
	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	
1	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	104.958
2	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	104.814
3	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	104.741
4	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	104.619
5	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	104.519
6	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	104.429
7	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	104.327
8	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	104.219
9	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	104.111
10	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	104.035
11	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	103.951
12	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	103.879
13	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	103.791
14	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	103.637
15	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	103.540
16	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	103.436
17	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	103.321
18	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	103.269
19	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	103.155
20	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	103.058
21	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	102.991
22	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	102.847
23	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	102.770
24	0.00	0.00	0.05	0.00	0.00	0.20	0.00	0.00	0.00	102.633
TOT	0.00	0.00	1.55	0.00	0.00	6.59	0.00	0.00	2.32	

1990 WINTER STORED WATER

PG 7

MAR 1990:	LAMAR			HYDE			MANVEL			OWN
	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	
1	0.00	0.00	0.41	0.00	0.00	0.03	0.00	0.00	0.05	70.705
2	0.00	0.00	0.40	0.00	0.00	0.03	0.00	0.00	0.05	70.665
3	0.00	0.00	0.40	0.00	0.00	0.03	0.00	0.00	0.05	70.555
4	0.00	0.00	0.41	0.00	0.00	0.03	0.00	0.00	0.05	70.455
5	0.00	0.00	0.44	0.00	0.00	0.03	0.00	0.00	0.05	70.355
6	0.00	0.00	0.44	0.00	0.00	0.03	0.00	0.00	0.05	70.255
7	0.00	0.00	0.43	0.00	0.00	0.03	0.00	0.00	0.05	70.155
8	0.00	0.00	0.43	0.00	0.00	0.03	0.00	0.00	0.05	70.055
9	0.00	0.00	0.43	0.00	0.00	0.03	0.00	0.00	0.05	69.955
10	0.00	0.00	0.43	0.00	0.00	0.03	0.00	0.00	0.05	69.855
11	0.00	0.00	0.43	0.00	0.00	0.03	0.00	0.00	0.05	69.755
12	0.00	0.00	0.42	0.00	0.00	0.03	0.00	0.00	0.05	69.655
13	0.00	0.00	0.42	0.00	0.00	0.03	0.00	0.00	0.05	69.555
14	0.00	0.00	0.42	0.00	0.00	0.03	0.00	0.00	0.05	69.455
15	0.00	0.00	0.41	0.00	0.00	0.03	0.00	0.00	0.05	69.355
16	0.00	0.00	0.41	0.00	0.00	0.03	0.00	0.00	0.05	69.255
17	0.00	0.00	0.41	0.00	0.00	0.03	0.00	0.00	0.05	69.155
18	0.00	0.00	0.41	0.00	0.00	0.03	0.00	0.00	0.05	69.055
19	0.00	0.00	0.41	0.00	0.00	0.03	0.00	0.00	0.05	68.955
20	0.00	0.00	0.41	0.00	0.00	0.03	0.00	0.00	0.05	68.855
21	0.00	0.00	0.41	0.00	0.00	0.03	0.00	0.00	0.05	68.755
22	0.00	0.00	0.41	0.00	0.00	0.03	0.00	0.00	0.05	68.655
23	0.00	0.00	0.41	0.00	0.00	0.03	0.00	0.00	0.05	68.555
24	0.00	0.00	0.41	0.00	0.00	0.03	0.00	0.00	0.05	68.455
TOT	0.00	0.00	13.12	0.00	0.00	0.93	0.00	0.00	1.55	

JOHN MARTIN RESERVOIR
AGREEMENT WATER

JOHN MARTIN RESERVOIR
AGREEMENT WATER

JOHN MARTIN RESERVOIR
AGREEMENT WATER

APR 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	194.00	0.00	67.00	1249.00	0.00	0.00	43.34	435545	194.00	0.00	0.00	0.00
2	233.00	0.00	62.00	1251.00	0.00	0.00	37.23	435545	233.00	0.00	0.00	194.83
3	144.00	0.00	72.00	1251.00	0.00	0.00	35.91	435545	144.00	0.00	0.00	426.49
4	181.00	0.00	72.00	1251.00	0.00	0.00	50.94	435545	181.00	0.00	0.00	570.93
5	180.00	0.00	52.00	1251.00	0.00	0.00	30.86	435545	180.00	0.00	0.00	864.84
6	223.00	0.00	45.00	1251.00	0.00	0.00	39.33	435545	223.00	0.00	0.00	1266.46
7	1216.00	0.00	80.00	1251.00	0.00	0.00	40.93	435545	1216.00	0.00	0.00	1401.62
8	209.00	0.00	60.00	1251.00	0.00	0.00	14.71	435545	209.00	0.00	0.00	1618.44
9	191.00	0.00	62.00	1251.00	0.00	0.00	14.71	435545	191.00	0.00	0.00	1725.58
10	105.00	0.00	62.00	1251.00	0.00	0.00	48.55	435545	105.00	0.00	0.00	1899.43
11	148.00	0.00	100.00	1251.00	0.00	0.00	33.10	435545	148.00	0.00	0.00	2074.34
12	155.80	25.80	30.00	1251.00	25.80	0.00	33.14	435545	155.80	0.00	0.00	2236.34
13	101.00	45.00	30.00	1251.00	45.00	0.00	37.19	435545	101.00	0.00	0.00	2401.22
14	0.00	0.00	65.00	1251.00	0.00	0.00	7.00	435545	0.00	0.00	0.00	2566.46
15	0.00	0.00	109.00	1251.00	0.00	0.00	10.13	435545	0.00	0.00	0.00	2731.22
16	0.00	52.12	0.00	1251.00	52.12	0.00	33.49	435545	0.00	0.00	0.00	2896.35
17	0.00	974.32	0.00	1251.00	974.32	0.00	83.64	435545	0.00	0.00	0.00	3061.22
18	0.00	974.74	0.00	1251.00	974.74	0.00	53.85	435545	0.00	0.00	0.00	3226.07
19	0.00	1029.61	0.00	1251.00	1029.61	0.00	73.11	435545	0.00	0.00	0.00	3390.82
20	0.00	1135.25	0.00	1251.00	1135.25	0.00	73.11	435545	0.00	0.00	0.00	3555.57
21	0.00	1090.75	0.00	1251.00	1090.75	0.00	17.15	435545	0.00	0.00	0.00	3720.32
22	0.00	0.00	0.00	1251.00	0.00	0.00	0.00	435545	0.00	0.00	0.00	3885.07
23	0.00	0.00	0.00	1251.00	0.00	0.00	0.00	435545	0.00	0.00	0.00	4049.82
24	0.00	0.00	0.00	1251.00	0.00	0.00	0.00	435545	0.00	0.00	0.00	4214.57
25	0.00	0.00	0.00	1251.00	0.00	0.00	0.00	435545	0.00	0.00	0.00	4379.32
26	0.00	0.00	0.00	1251.00	0.00	0.00	0.00	435545	0.00	0.00	0.00	4544.07
27	0.00	0.00	0.00	1251.00	0.00	0.00	0.00	435545	0.00	0.00	0.00	4708.82
28	0.00	0.00	0.00	1251.00	0.00	0.00	0.00	435545	0.00	0.00	0.00	4873.57
29	0.00	0.00	0.00	1251.00	0.00	0.00	0.00	435545	0.00	0.00	0.00	5038.32
30	0.00	0.00	0.00	1251.00	0.00	0.00	0.00	435545	0.00	0.00	0.00	5203.07
TOT	2918.08	7910.49	1871.00	26304.90	7910.49	1507.80			2918.08	2896.35	21.73	

APR 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	21.84	3619.78	0.00	0.00	4.82	52209.10	0.00	0.00	0.00	0.00
2	0.00	0.00	16.19	3619.78	0.00	0.00	4.44	52209.10	0.00	0.00	0.00	0.00
3	0.00	0.00	23.27	3619.78	0.00	0.00	5.07	52209.10	0.00	0.00	0.00	0.00
4	0.00	0.00	16.75	3619.78	0.00	0.00	3.69	52209.10	0.00	0.00	0.00	0.00
5	0.00	0.00	14.33	3619.78	0.00	0.00	3.37	52209.10	0.00	0.00	0.00	0.00
6	0.00	0.00	11.53	3619.78	0.00	0.00	4.22	52209.10	0.00	0.00	0.00	0.00
7	0.00	0.00	15.87	3619.78	0.00	0.00	1.43	52209.10	0.00	0.00	0.00	0.00
8	0.00	0.00	9.91	3619.78	0.00	0.00	4.32	52209.10	0.00	0.00	0.00	0.00
9	0.00	0.00	7.56	3619.78	0.00	0.00	4.31	52209.10	0.00	0.00	0.00	0.00
10	0.00	0.00	5.54	3619.78	0.00	0.00	6.20	52209.10	0.00	0.00	0.00	0.00
11	0.00	0.00	3.36	3619.78	0.00	0.00	4.33	52209.10	0.00	0.00	0.00	0.00
12	0.00	0.00	1.05	3619.78	0.00	0.00	6.20	52209.10	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	3619.78	0.00	0.00	4.45	52209.10	0.00	0.00	0.00	0.00
TOT	0.00	23408.55	209.23	0.00	0.00	0.00	132.24		0.00	0.00	0.00	

PG 1

PG 1

PG 1

PG 1

SUMMER STORED WATER

KEESEE

AGREEMENT WATER

TRANSIT LOSS

KANSAS

FT. BENT

LAMAR

PG 2

APR 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	5.68	646.86	0.00	0.00	0.00	7928.84	0.00	0.00	0.06	67.72
2	0.00	0.00	5.29	6141.18	0.00	0.00	0.00	7921.85	0.00	0.00	0.06	67.60
3	0.00	0.00	6.13	6130.95	0.00	0.00	0.00	7914.74	0.00	0.00	0.06	67.53
4	0.00	0.00	6.24	6124.05	0.00	0.00	0.00	7900.42	0.00	0.00	0.07	67.47
5	0.00	0.00	6.11	6119.69	0.00	0.00	0.00	7899.40	0.00	0.00	0.05	67.42
6	821.75	0.00	4.36	6117.07	0.00	0.00	0.00	7898.80	0.00	0.00	0.05	67.37
7	961.83	0.00	4.25	6092.25	0.00	0.00	0.00	7897.81	0.00	0.00	0.04	67.28
8	793.40	0.00	4.27	5938.74	0.00	0.00	0.00	7877.25	0.00	0.00	0.05	67.23
9	793.40	0.00	1.08	10421.20	0.00	0.00	0.00	7873.08	0.00	0.00	0.07	67.16
10	793.40	0.00	9.41	11997.95	0.00	0.00	0.00	7860.89	0.00	0.00	0.06	67.10
11	793.40	0.00	1.05	11235.62	0.00	0.00	0.00	7854.21	0.00	0.00	0.06	67.02
12	793.40	0.00	1.29	11377.24	0.00	0.00	0.00	7847.11	0.00	0.00	0.06	66.96
1	793.40	0.00	1.29	11377.24	0.00	0.00	0.00	7837.40	0.00	0.00	0.09	66.87
2	793.40	0.00	1.29	11377.24	0.00	0.00	0.00	7827.17	0.00	0.00	0.03	66.81
3	793.40	0.00	1.29	11377.24	0.00	0.00	0.00	7822.40	18.08	0.00	0.05	66.74
4	793.40	0.00	1.29	11377.24	0.00	0.00	0.00	7810.95	21.89	0.00	0.09	66.67
5	793.40	0.00	1.29	11377.24	0.00	0.00	0.00	7809.20	0.00	0.00	0.08	66.61
6	793.40	0.00	1.29	11377.24	0.00	0.00	0.00	7809.20	0.00	0.00	0.08	66.55
7	793.40	0.00	1.29	11377.24	0.00	0.00	0.00	7792.92	0.00	0.00	0.14	66.43
8	793.40	0.00	1.29	11377.24	0.00	0.00	0.00	7780.92	0.00	0.00	0.14	66.39
9	793.40	0.00	1.29	11377.24	0.00	0.00	0.00	7772.62	0.00	0.00	0.12	66.33
10	793.40	0.00	1.29	11377.24	0.00	0.00	0.00	7762.84	27.91	0.00	0.15	66.25
11	793.40	0.00	1.29	11377.24	0.00	0.00	0.00	7752.48	27.91	0.00	0.04	66.20
12	793.40	0.00	1.29	11377.24	0.00	0.00	0.00	7732.96	10.24	0.00	0.01	66.13
TOT	10521.95	0.00	325.47		0.00	0.00	201.32		39.97	105.97	1.72	

APR 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.27	288.53	0.00	0.00	0.10	102.59	0.00	0.00	0.53	576.09
2	0.00	0.00	0.24	288.02	0.00	0.00	0.08	102.40	0.00	0.00	0.49	575.60
3	0.00	0.00	0.20	287.79	0.00	0.00	0.01	102.32	0.00	0.00	0.47	575.13
4	0.00	0.00	0.20	287.47	0.00	0.00	0.07	102.21	0.00	0.00	0.08	574.65
5	0.00	0.00	0.19	286.80	0.00	0.00	0.07	102.07	0.00	0.00	0.41	574.17
6	0.00	0.00	0.18	286.47	0.00	0.00	0.06	101.94	0.00	0.00	0.39	573.74
7	0.00	0.00	0.18	286.16	0.00	0.00	0.01	101.86	0.00	0.00	0.37	573.33
8	0.00	0.00	0.18	285.84	0.00	0.00	0.13	101.75	0.00	0.00	0.52	572.93
9	0.00	0.00	0.24	285.60	0.00	0.00	0.08	101.72	0.00	0.00	0.48	572.50
10	0.00	0.00	0.24	285.36	0.00	0.00	0.08	101.65	0.00	0.00	0.48	572.16
11	0.00	0.00	0.31	284.97	0.00	0.00	0.14	101.47	0.00	0.00	0.77	571.71
12	0.00	0.00	0.22	285.04	0.00	0.00	0.08	101.33	0.00	0.00	0.48	571.31
1	77.84	25.80	0.22	285.55	389.19	0.00	0.52	101.40	155.68	0.00	0.73	570.91
2	94.20	33.02	0.31	285.25	471.02	0.00	0.84	96.00	188.41	0.00	0.73	570.52
3	0.00	0.00	0.31	285.25	0.00	0.00	0.84	95.00	0.00	0.00	0.73	570.19
4	0.00	0.00	0.31	285.25	0.00	0.00	0.84	95.00	0.00	0.00	0.73	569.74
5	0.00	0.00	0.31	285.25	0.00	0.00	0.84	95.00	0.00	0.00	0.73	569.31
6	0.00	0.00	0.31	285.25	0.00	0.00	0.84	95.00	0.00	0.00	0.73	568.86
7	0.00	0.00	0.31	285.25	0.00	0.00	0.84	95.00	0.00	0.00	0.73	568.41
8	0.00	0.00	0.31	285.25	0.00	0.00	0.84	95.00	0.00	0.00	0.73	567.96
9	0.00	0.00	0.31	285.25	0.00	0.00	0.84	95.00	0.00	0.00	0.73	567.51
10	0.00	0.00	0.31	285.25	0.00	0.00	0.84	95.00	0.00	0.00	0.73	567.06
11	0.00	0.00	0.31	285.25	0.00	0.00	0.84	95.00	0.00	0.00	0.73	566.61
12	0.00	0.00	0.31	285.25	0.00	0.00	0.84	95.00	0.00	0.00	0.73	566.16
TOT	172.04	454.13	6.44		860.21	936.36	6.44		344.09	905.62	15.56	

SUMMER STORED WATER

APR 1990:	HYDE	MANVEL	X-Y	PG 3
1	OWN 1085	OWN 1085	OWN 69	OWN 183
2	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
3	EVAP 1.00	EVAP 0.06	EVAP 0.00	EVAP 0.14
4	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
5	OWN 1083	OWN 1083	OWN 69	OWN 183
6	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
7	EVAP 1.00	EVAP 0.07	EVAP 0.00	EVAP 0.13
8	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
9	OWN 1081	OWN 1081	OWN 68	OWN 182
10	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
11	EVAP 1.00	EVAP 0.05	EVAP 0.00	EVAP 0.10
12	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
13	OWN 1078	OWN 1078	OWN 68	OWN 181
14	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
15	EVAP 1.00	EVAP 0.05	EVAP 0.00	EVAP 0.10
16	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
17	OWN 1077	OWN 1077	OWN 68	OWN 181
18	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
19	EVAP 1.00	EVAP 0.08	EVAP 0.00	EVAP 0.16
20	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
21	OWN 1075	OWN 1075	OWN 68	OWN 181
22	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
23	EVAP 1.00	EVAP 0.06	EVAP 0.00	EVAP 0.12
24	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
25	OWN 1073	OWN 1073	OWN 68	OWN 181
26	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
27	EVAP 1.00	EVAP 0.09	EVAP 0.00	EVAP 0.20
28	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
29	OWN 1071	OWN 1071	OWN 87	OWN 182
30	INFLW 10.87	INFLW 18.84	INFLW 48.53	INFLW 22.00
31	EVAP 1.00	EVAP 0.09	EVAP 0.00	EVAP 0.20
32	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
33	OWN 1069	OWN 1069	OWN 109	OWN 223
34	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
35	EVAP 1.00	EVAP 0.10	EVAP 0.00	EVAP 0.25
36	RELEASE 9.43	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
37	OWN 1068	OWN 1068	OWN 109	OWN 223
38	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
39	EVAP 1.00	EVAP 0.12	EVAP 0.00	EVAP 0.26
40	RELEASE 15.32	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
41	OWN 1035	OWN 1035	OWN 109	OWN 223
42	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
43	EVAP 1.00	EVAP 0.09	EVAP 0.00	EVAP 0.21
44	RELEASE 12.32	RELEASE 19.13	RELEASE 63.61	RELEASE 37.68
45	OWN 1021	OWN 1021	OWN 59	OWN 233
46	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
47	EVAP 1.00	EVAP 0.10	EVAP 0.00	EVAP 0.25
48	RELEASE 12.32	RELEASE 30.61	RELEASE 4.00	RELEASE 6.86
49	OWN 1166	OWN 1166	OWN 20	OWN 233
50	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
TOT	206.60	108.74	88.63	233.68
	27.51	2.17	3.63	

SUMMER STORED WATER

APR 1990:	BUFFALO	SISSON	TOTAL	PG 3
1	OWN 5747	OWN 5747	OWN 1958	OWN 1008
2	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
3	EVAP 5.32	EVAP 1.87	EVAP 9.88	EVAP 2.58
4	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
5	OWN 5742	OWN 5742	OWN 1955	OWN 1008
6	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
7	EVAP 5.44	EVAP 1.59	EVAP 9.91	EVAP 2.58
8	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
9	OWN 5732	OWN 5732	OWN 1951	OWN 1008
10	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
11	EVAP 5.07	EVAP 1.33	EVAP 9.38	EVAP 2.44
12	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
13	OWN 5723	OWN 5723	OWN 1950	OWN 1008
14	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
15	EVAP 5.08	EVAP 1.15	EVAP 9.23	EVAP 2.37
16	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
17	OWN 5716	OWN 5716	OWN 1944	OWN 1008
18	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
19	EVAP 5.16	EVAP 0.99	EVAP 9.15	EVAP 2.31
20	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
21	OWN 5710	OWN 5710	OWN 1942	OWN 1008
22	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
23	EVAP 5.25	EVAP 0.88	EVAP 9.13	EVAP 2.32
24	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
25	OWN 5708	OWN 5708	OWN 1937	OWN 1008
26	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
27	EVAP 5.57	EVAP 0.69	EVAP 9.26	EVAP 2.30
28	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
29	OWN 5688	OWN 5688	OWN 1933	OWN 1008
30	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
31	EVAP 5.77	EVAP 0.50	EVAP 9.27	EVAP 2.30
32	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
33	OWN 5687	OWN 5687	OWN 1941	OWN 1008
34	INFLW 9.44	INFLW 11.42	INFLW 78.51	INFLW 30.38
35	EVAP 5.88	EVAP 0.50	EVAP 9.38	EVAP 2.30
36	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
37	OWN 5688	OWN 5688	OWN 1947	OWN 1008
38	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
39	EVAP 5.88	EVAP 0.50	EVAP 9.38	EVAP 2.30
40	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
41	OWN 5687	OWN 5687	OWN 1944	OWN 1008
42	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
43	EVAP 5.88	EVAP 0.50	EVAP 9.38	EVAP 2.30
44	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
45	OWN 5688	OWN 5688	OWN 1944	OWN 1008
46	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
47	EVAP 5.88	EVAP 0.50	EVAP 9.38	EVAP 2.30
48	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00	RELEASE 0.00
49	OWN 5688	OWN 5688	OWN 1944	OWN 1008
50	INFLW 0.00	INFLW 0.00	INFLW 0.00	INFLW 0.00
TOT	1347.71	1034.80	3291.69	3897.55
	144.92	0.00	258.37	

1989 WINTER STORED WATER
FT. BENT

PG 5

APP 1990:	KEESEE	AMITY	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	13.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	13.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	13.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	13.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	13.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	13.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	13.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	13.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	13.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	13.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	13.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	13.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	13.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	13.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	13.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	13.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	13.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	13.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	13.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	13.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	13.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	13.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	13.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	13.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	13.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	10.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

1989 WINTER STORED WATER
HYDE

PG 5

APP 1990:	LAMAR	MANVEL	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	188.81	0.00	0.00	0.00	188.81	0.00	0.00	0.00	0.00
2	0.00	0.00	188.47	0.00	0.00	0.18	188.65	0.00	0.00	0.00	0.00
3	0.00	0.00	188.32	0.00	0.00	0.16	188.48	0.00	0.00	0.00	0.00
4	0.00	0.00	188.13	0.00	0.00	0.19	188.32	0.00	0.00	0.00	0.00
5	0.00	0.00	188.10	0.00	0.00	0.03	188.13	0.00	0.00	0.00	0.00
6	0.00	0.00	188.76	0.00	0.00	0.14	188.90	0.00	0.00	0.00	0.00
7	0.00	0.00	187.99	0.00	0.00	0.13	188.12	0.00	0.00	0.00	0.00
8	0.00	0.00	187.98	0.00	0.00	0.15	188.13	0.00	0.00	0.00	0.00
9	0.00	0.00	187.43	0.00	0.00	0.15	187.58	0.00	0.00	0.00	0.00
10	0.00	0.00	187.23	0.00	0.00	0.20	187.43	0.00	0.00	0.00	0.00
11	0.00	0.00	187.18	0.00	0.00	0.20	187.38	0.00	0.00	0.00	0.00
12	0.00	0.00	186.86	0.00	0.00	0.16	187.02	0.00	0.00	0.00	0.00
13	0.00	0.00	186.87	0.00	0.00	0.25	187.12	0.00	0.00	0.00	0.00
14	0.00	0.00	186.45	0.00	0.00	0.27	186.72	0.00	0.00	0.00	0.00
15	0.00	0.00	186.33	0.00	0.00	0.15	186.48	0.00	0.00	0.00	0.00
16	0.00	0.00	186.03	0.00	0.00	0.20	186.23	0.00	0.00	0.00	0.00
17	0.00	0.00	185.87	0.00	0.00	0.16	186.03	0.00	0.00	0.00	0.00
18	0.00	0.00	185.55	0.00	0.00	0.27	185.82	0.00	0.00	0.00	0.00
19	0.00	0.00	185.28	0.00	0.00	0.20	185.48	0.00	0.00	0.00	0.00
20	0.00	0.00	185.85	0.00	0.00	0.15	186.00	0.00	0.00	0.00	0.00
21	0.00	0.00	184.85	0.00	0.00	0.23	185.08	0.00	0.00	0.00	0.00
22	0.00	0.00	184.48	0.00	0.00	0.15	184.63	0.00	0.00	0.00	0.00
23	0.00	0.00	184.27	0.00	0.00	0.21	184.48	0.00	0.00	0.00	0.00
24	0.00	0.00	184.06	0.00	0.00	0.21	184.27	0.00	0.00	0.00	0.00
25	0.00	0.00	184.01	0.00	184.01	0.05	184.06	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00	0.00	184.01	4.80	0.00	0.00	0.00	0.00	0.00

1989 WINTER STORED WATER

X-Y

BUFFALO

SISSON

APR 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	1.14	1231.28	0.00	0.00	0.00	174.21
2	0.00	0.00	0.00	0.00	0.00	0.00	1.00	1230.09	0.00	0.00	0.00	173.96
3	0.00	0.00	0.00	0.00	0.00	0.00	1.22	1228.87	0.00	0.00	0.00	173.65
4	0.00	0.00	0.00	0.00	0.00	0.00	0.17	1226.70	0.00	0.00	0.00	173.51
5	0.00	0.00	0.00	0.00	0.00	0.00	0.87	1225.83	0.00	0.00	0.00	173.27
6	0.00	0.00	0.00	0.00	0.00	0.00	0.93	1225.91	0.00	0.00	0.00	173.21
7	0.00	0.00	0.00	0.00	0.00	0.00	0.75	1225.16	0.00	0.00	0.00	173.02
8	0.00	0.00	0.00	0.00	0.00	0.00	1.00	1222.38	0.00	0.00	0.00	172.83
9	0.00	0.00	0.00	0.00	0.00	0.00	1.33	1221.05	0.00	0.00	0.00	172.88
10	0.00	0.00	0.00	0.00	0.00	0.00	1.03	1221.79	0.00	0.00	0.00	172.64
11	0.00	0.00	0.00	0.00	0.00	0.00	1.02	1219.69	0.00	0.00	0.00	172.56
12	0.00	0.00	0.00	0.00	0.00	0.00	1.61	1217.60	0.00	0.00	0.00	172.33
1	0.00	0.00	0.00	0.00	0.00	0.00	0.49	1215.01	0.00	0.00	0.00	172.16
2	0.00	0.00	0.00	0.00	0.00	0.00	0.98	1213.24	0.00	0.00	0.00	172.10
3	0.00	0.00	0.00	0.00	0.00	0.00	1.31	1211.98	0.00	0.00	0.00	172.23
4	0.00	0.00	0.00	0.00	0.00	0.00	1.07	1211.10	0.00	0.00	0.00	171.59
5	0.00	0.00	0.00	0.00	0.00	0.00	1.79	1210.88	0.00	0.00	0.00	171.42
6	0.00	0.00	0.00	0.00	0.00	0.00	1.30	1206.59	0.00	0.00	0.00	171.04
7	0.00	0.00	0.00	0.00	0.00	0.00	0.98	1205.49	0.00	0.00	0.00	170.86
8	0.00	0.00	0.00	0.00	0.00	0.00	1.38	1204.51	0.00	0.00	0.00	170.51
9	0.00	0.00	0.00	0.00	0.00	0.00	1.38	1203.72	0.00	0.00	0.00	170.31
10	0.00	0.00	0.00	0.00	0.00	0.00	1.38	1201.74	0.00	0.00	0.00	170.09
11	0.00	0.00	0.00	0.00	0.00	0.00	0.34	1200.30	0.00	169.87	0.00	169.92
12	0.00	0.00	0.00	0.00	0.00	0.00	0.34	1200.00	0.00	169.87	0.00	169.90
TOT	0.00	0.00	0.00	0.00	0.00	1200.00	31.28	0.00	0.00	169.87	4.40	0.00

1989 WINTER STORED WATER

TOTAL

APR 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	1.49	1607.93	0.00	0.00	0.00	1607.93	0.00	0.00	0.00	1607.93
2	0.00	0.00	1.37	1606.44	0.00	0.00	0.00	1606.44	0.00	0.00	0.00	1606.44
3	0.00	0.00	1.59	1605.77	0.00	0.00	0.00	1605.77	0.00	0.00	0.00	1605.77
4	0.00	0.00	0.22	1602.18	0.00	0.00	0.00	1602.18	0.00	0.00	0.00	1602.18
5	0.00	0.00	1.14	1600.82	0.00	0.00	0.00	1600.82	0.00	0.00	0.00	1600.82
6	0.00	0.00	1.14	1599.59	0.00	0.00	0.00	1599.59	0.00	0.00	0.00	1599.59
7	0.00	0.00	1.09	1597.61	0.00	0.00	0.00	1597.61	0.00	0.00	0.00	1597.61
8	0.00	0.00	0.98	1594.57	0.00	0.00	0.00	1594.57	0.00	0.00	0.00	1594.57
9	0.00	0.00	1.74	1592.14	0.00	0.00	0.00	1592.14	0.00	0.00	0.00	1592.14
10	0.00	0.00	1.34	1590.47	0.00	0.00	0.00	1590.47	0.00	0.00	0.00	1590.47
11	0.00	0.00	3.33	1588.90	0.00	0.00	0.00	1588.90	0.00	0.00	0.00	1588.90
12	0.00	0.00	2.14	1587.00	0.00	0.00	0.00	1587.00	0.00	0.00	0.00	1587.00
1	0.00	0.00	0.64	1586.37	0.00	0.00	0.00	1586.37	0.00	0.00	0.00	1586.37
2	0.00	0.00	1.12	1584.30	0.00	0.00	0.00	1584.30	0.00	0.00	0.00	1584.30
3	0.00	0.00	3.99	1581.66	0.00	0.00	0.00	1581.66	0.00	0.00	0.00	1581.66
4	0.00	0.00	3.30	1580.94	0.00	0.00	0.00	1580.94	0.00	0.00	0.00	1580.94
5	0.00	0.00	2.21	1577.62	0.00	0.00	0.00	1577.62	0.00	0.00	0.00	1577.62
6	0.00	0.00	1.96	1574.20	0.00	0.00	0.00	1574.20	0.00	0.00	0.00	1574.20
7	0.00	0.00	1.28	1573.16	0.00	0.00	0.00	1573.16	0.00	0.00	0.00	1573.16
8	0.00	0.00	1.80	1571.32	0.00	0.00	0.00	1571.32	0.00	0.00	0.00	1571.32
9	0.00	0.00	1.79	1556.30	0.00	0.00	0.00	1556.30	0.00	0.00	0.00	1556.30
10	0.00	0.00	0.44	1554.00	0.00	0.00	0.00	1554.00	0.00	0.00	0.00	1554.00
11	0.00	1553.88	0.00	1553.88	0.00	0.00	0.00	1553.88	0.00	0.00	0.00	1553.88
12	0.00	1567.13	40.80	1567.13	0.00	1567.13	40.80	1567.13	0.00	1567.13	40.80	1567.13
TOT	0.00	1567.13	40.80	1567.13	0.00	1567.13	40.80	1567.13	0.00	1567.13	40.80	1567.13

1990 WINTER STORED WATER
FT. BENT

PG 7

AMITY

KEESEE

APR 1990:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	0.06	67.70	0.00	0.00	0.24	288.53	0.00	0.00	0.10	102.63
2	0.00	0.00	0.05	67.58	0.00	0.00	0.24	288.26	0.00	0.00	0.08	102.54
3	0.00	0.00	0.07	67.53	0.00	0.00	0.28	287.13	0.00	0.00	0.10	102.25
4	0.00	0.00	0.10	67.45	0.00	0.00	0.40	287.47	0.00	0.00	0.07	102.18
5	0.00	0.00	0.05	67.40	0.00	0.00	0.20	287.34	0.00	0.00	0.07	102.19
6	33.18	0.00	0.00	103.68	47.28	0.00	0.00	434.87	714.17	0.00	0.57	183.09
7	33.37	0.00	0.08	116.92	111.11	0.00	0.00	457.94	528.89	0.00	0.95	225.10
8	33.37	0.00	0.13	118.21	111.11	0.00	0.00	461.22	533.10	0.00	1.14	226.67
9	33.37	0.00	0.26	121.53	111.11	0.00	0.00	476.09	538.99	0.00	2.90	231.94
10	33.37	0.00	0.20	122.85	111.11	0.00	0.00	473.08	538.99	0.00	2.76	231.77
11	33.37	0.00	0.23	124.99	111.11	0.00	0.00	477.10	538.99	0.00	3.25	234.33
12	33.37	0.00	0.44	132.52	111.11	0.00	0.00	482.14	538.99	0.00	4.25	239.43
13	33.37	0.00	0.44	135.29	111.11	0.00	0.00	482.14	538.99	0.00	4.25	239.43
14	33.37	0.00	0.14	137.87	111.11	0.00	0.00	482.14	538.99	0.00	2.52	243.08
15	33.37	0.00	0.31	142.25	111.11	0.00	0.00	482.14	538.99	0.00	3.22	246.08
16	33.37	0.00	0.42	147.87	111.11	0.00	0.00	482.14	538.99	0.00	5.26	252.81
17	33.37	0.00	0.34	151.57	111.11	0.00	0.00	482.14	538.99	0.00	6.14	257.81
18	33.37	0.00	0.57	156.84	111.11	0.00	0.00	482.14	538.99	0.00	6.14	257.81
19	33.37	0.00	0.48	161.35	111.11	0.00	0.00	482.14	538.99	0.00	10.32	264.41
20	33.37	0.00	0.31	165.05	111.11	0.00	0.00	482.14	538.99	0.00	8.55	268.25
21	33.37	0.00	0.45	169.60	111.11	0.00	0.00	482.14	538.99	0.00	8.55	268.25
22	33.37	0.00	0.44	174.16	111.11	0.00	0.00	482.14	538.99	0.00	6.36	271.69
23	33.37	0.00	0.44	178.62	111.11	0.00	0.00	482.14	538.99	0.00	6.36	271.69
TOT	323.02	0.00	7.11	1390.46	187.39	30.35	6952.35	3198.26	112.39	2.22	7.39	337.06

1990 WINTER STORED WATER
HYDE

PG 7

MANVEL

LAMAR

APR 1990:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	0.39	576.15	0.00	0.00	0.04	388.23	0.00	0.00	0.06	69.21
2	0.00	0.00	0.47	576.16	0.00	0.00	0.03	388.16	0.00	0.00	0.07	69.18
3	0.00	0.00	0.57	575.69	0.00	0.00	0.04	388.10	0.00	0.00	0.07	69.05
4	0.00	0.00	0.41	574.50	0.00	0.00	0.03	388.05	0.00	0.00	0.05	68.94
5	94.57	0.00	0.19	578.87	182.36	0.00	0.04	576.61	334.70	0.00	0.07	104.91
6	94.64	0.00	0.27	577.77	182.36	0.00	0.07	576.61	334.70	0.00	0.09	104.91
7	94.64	0.00	0.26	576.25	182.36	0.00	0.07	576.61	334.70	0.00	0.14	105.34
8	94.64	0.00	0.60	575.25	182.36	0.00	0.12	576.61	334.70	0.00	0.16	105.34
9	94.64	0.00	0.75	573.15	182.36	0.00	0.23	576.61	334.70	0.00	0.23	105.34
10	94.64	0.00	1.14	569.35	182.36	0.00	0.11	576.61	334.70	0.00	0.45	105.34
11	94.64	0.00	1.17	564.24	182.36	0.00	0.08	576.61	334.70	0.00	0.45	105.34
12	94.64	0.00	0.92	559.33	182.36	0.00	0.14	576.61	334.70	0.00	0.43	105.34
13	94.64	0.00	0.92	555.33	182.36	0.00	0.19	576.61	334.70	0.00	0.36	105.34
14	94.64	0.00	0.88	550.24	182.36	0.00	0.23	576.61	334.70	0.00	0.36	105.34
15	94.64	0.00	0.83	545.24	182.36	0.00	0.27	576.61	334.70	0.00	0.53	105.34
16	94.64	0.00	0.77	540.24	182.36	0.00	0.21	576.61	334.70	0.00	0.53	105.34
17	94.64	0.00	0.72	535.24	182.36	0.00	0.17	576.61	334.70	0.00	0.53	105.34
18	94.64	0.00	0.67	530.24	182.36	0.00	0.14	576.61	334.70	0.00	0.53	105.34
19	94.64	0.00	0.62	525.24	182.36	0.00	0.11	576.61	334.70	0.00	0.53	105.34
20	94.64	0.00	0.57	520.24	182.36	0.00	0.08	576.61	334.70	0.00	0.53	105.34
21	94.64	0.00	0.52	515.24	182.36	0.00	0.07	576.61	334.70	0.00	0.53	105.34
22	94.64	0.00	0.47	510.24	182.36	0.00	0.05	576.61	334.70	0.00	0.53	105.34
23	94.64	0.00	0.42	505.24	182.36	0.00	0.04	576.61	334.70	0.00	0.53	105.34
TOT	2780.94	361.46	61.00	182.58	0.00	4.02	337.06	2.22	7.39	0.11	337.06	3398.96

1990 WINTER STORED WATER


PG 8

APR 1990:	X-Y			BUFFALO			SISSON			OWN
	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	
1	0.00	0.00	0.14	0.00	0.00	0.00	0.00	0.00	0.00	35.33
2	0.00	0.00	0.11	0.00	0.00	0.00	0.00	0.00	0.00	32.24
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	32.21
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	33.08
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	33.00
6	15.82	0.00	0.00	122.45	0.00	0.00	17.31	0.00	0.00	78.89
7	5.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
8	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
9	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
10	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
11	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
12	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
13	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
14	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
15	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
16	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
17	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
18	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
19	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
20	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
21	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
22	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
23	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
24	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
25	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
26	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
27	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
28	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
29	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
30	3.00	0.00	0.00	101.16	0.00	0.00	14.28	0.00	0.00	81.01
TOT	716.35	250.26	15.45	1193.85	0.00	26.18	168.53	0.00	3.72	

1990 WINTER STORED WATER

PG 8

APR 1990:	TOTAL			OWN
	INFLOW	RELEASE	EVAP	
1	0.00	0.00	1.16	1574.82
2	0.00	0.00	1.37	1572.02
3	0.00	0.00	1.25	1577.02
4	0.00	0.00	0.22	1568.98
5	0.00	0.00	1.11	1567.86
6	147.63	0.00	2.76	1495.36
7	190.10	0.00	7.52	857.47
8	190.10	0.00	7.48	850.50
9	190.10	0.00	7.73	820.15
10	190.10	0.00	8.71	822.54
11	190.10	0.00	9.74	855.40
12	140.85	0.00	17.26	831.47
13	0.00	0.00	12.77	830.11
14	0.00	0.00	12.99	848.71
15	0.00	0.00	12.80	845.10
16	0.00	0.00	16.19	839.26
17	0.00	0.00	11.15	841.76
18	0.00	0.00	15.90	807.08
19	0.00	0.00	13.14	833.52
20	0.00	0.00	1.13	830.76
TOT	14045.14	3999.59	267.61	



JOHN MARTIN RESERVOIR
AGREEMENT WATER

MAY 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	1090.75	56.00	644128.59	0.00	1090.75	51.67	6509.41	0.00	0.00	0.00	0.00
2	0.00	654.00	56.00	637123.76	0.00	654.00	54.29	59367.05	0.00	0.00	0.00	0.00
3	489.00	0.00	54.00	641158.76	0.00	0.00	49.71	58661.22	0.00	0.00	0.00	0.00
4	298.00	0.00	56.00	644100.76	489.00	0.00	51.58	59096.19	0.00	0.00	0.00	0.00
5	310.24	0.00	87.00	644618.00	298.00	0.00	80.21	59347.03	0.00	0.00	0.00	0.00
6	0.00	0.00	89.00	644554.00	310.24	0.00	86.66	59660.92	0.00	0.00	0.00	0.00
7	0.00	0.00	66.00	644488.00	0.00	0.00	60.81	59413.41	0.00	0.00	0.00	0.00
8	0.00	6.24	81.00	644394.76	0.00	6.24	80.24	59229.80	0.00	0.00	0.00	0.00
9	0.00	9.98	63.00	644218.78	0.00	9.98	62.88	59048.90	0.00	0.00	0.00	0.00
10	0.00	9.98	63.00	644148.80	0.00	9.98	62.88	58870.00	0.00	0.00	0.00	0.00
11	0.00	211.66	112.00	639721.80	0.00	211.66	102.38	58623.99	0.00	0.00	0.00	0.00
12	0.00	110.66	84.00	637149.89	0.00	110.66	92.26	58399.92	0.00	0.00	0.00	0.00
13	0.00	110.66	84.00	635171.23	0.00	110.66	80.22	58172.47	0.00	0.00	0.00	0.00
14	0.00	110.66	84.00	633176.84	0.00	110.66	77.75	57942.19	0.00	0.00	0.00	0.00
15	0.00	217.75	86.00	630133.09	0.00	217.75	79.23	57712.33	0.00	0.00	0.00	0.00
16	0.00	217.75	86.00	628140.34	0.00	217.75	76.80	57482.50	0.00	0.00	0.00	0.00
17	0.00	479.06	97.00	626182.37	0.00	479.06	89.54	57250.44	0.00	0.00	0.00	0.00
18	0.00	479.06	97.00	624125.31	0.00	479.06	87.00	57019.38	0.00	0.00	0.00	0.00
19	0.00	479.06	97.00	622127.27	0.00	479.06	84.44	56784.40	0.00	0.00	0.00	0.00
20	0.00	704.04	106.00	620673.07	0.00	704.04	91.34	56549.40	0.00	0.00	0.00	0.00
21	0.00	594.04	126.00	618722.98	0.00	594.04	98.07	56315.33	0.00	0.00	0.00	0.00
22	0.00	594.04	126.00	616772.87	0.00	594.04	95.54	56082.26	0.00	0.00	0.00	0.00
23	0.00	623.54	173.00	614833.87	0.00	623.54	113.65	55850.63	0.00	0.00	0.00	0.00
24	0.00	623.54	173.00	612888.54	0.00	623.54	111.19	55619.31	0.00	0.00	0.00	0.00
25	0.00	675.54	173.00	610921.00	0.00	675.54	108.84	55388.54	0.00	0.00	0.00	0.00
26	0.00	675.54	173.00	608928.46	0.00	675.54	106.39	55158.27	0.00	0.00	0.00	0.00
27	0.00	27.44	72.00	608928.46	398.29	27.44	63.29	54928.29	0.00	0.00	0.00	0.00
28	0.00	7.44	42.00	608928.46	148.44	7.44	37.10	54699.22	0.00	0.00	0.00	0.00
29	0.00	0.00	42.00	608928.46	525.00	0.00	35.70	54470.51	0.00	0.00	0.00	0.00
30	0.00	0.00	12.00	608928.46	0.00	0.00	10.67	54242.84	0.00	0.00	0.00	0.00
31	0.00	0.00	12.00	608928.46	0.00	0.00	10.67	54015.17	0.00	0.00	0.00	0.00
TOT	2248.97	9147.56	2312.00		2248.97	9147.56	2125.18		0.00	0.00	0.00	0.00

JOHN MARTIN RESERVOIR
PERMANENT POOL

WINTER COMPACT WATER

WINTER WATER

MAY 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	4.33	5076.19	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	4.41	5050.66	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	4.40	5025.13	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	4.42	5000.71	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	4.40	4976.30	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	4.42	4952.88	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	4.40	4929.47	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	4.42	4906.06	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	4.40	4882.65	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	4.42	4859.24	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	4.40	4835.83	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	4.42	4812.42	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	4.40	4789.01	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	4.42	4765.60	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	4.40	4742.19	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	4.42	4718.78	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	4.40	4695.37	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	4.42	4671.96	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	4.40	4648.55	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	4.42	4625.14	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	4.40	4601.73	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	4.42	4578.32	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	4.40	4554.91	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	4.42	4531.50	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	4.40	4508.09	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	4.42	4484.68	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	4.40	4461.27	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	4.42	4437.86	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	4.40	4414.45	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	0.00	0.00	4.42	4391.04	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	0.00	0.00	4.40	4367.63	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00	0.00	0.00	0.00	186.82		0.00	0.00	0.00	0.00

SUMMER STORED WATER

MAY 1990:	HYDE		MANVEL		X-Y		OWN
	INFLOW	RELEASE	INFLOW	RELEASE	EVAP	EVAP	
1	0.00	12.32	0.00	0.00	0.00	0.00	0.00
2	0.00	12.32	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	24.64	0.00	0.00	0.00	0.00	0.00

SUMMER STORED WATER

MAY 1990:	BUFFALO		SISSON		TOTAL		OWN
	INFLOW	RELEASE	INFLOW	RELEASE	EVAP	EVAP	
1	0.00	145.61	0.00	0.00	0.00	7.84	9186.44
2	0.00	145.61	0.00	0.00	0.00	7.84	91020.90
3	0.00	0.00	0.00	0.00	0.00	0.00	8854.21
4	0.00	0.00	0.00	0.00	0.00	0.00	8848.99
5	0.00	0.00	0.00	0.00	0.00	0.00	8831.33
6	0.00	0.00	0.00	0.00	0.00	0.00	8819.41
7	0.00	0.00	0.00	0.00	0.00	0.00	8807.61
8	0.00	0.00	0.00	0.00	0.00	0.00	8795.71
9	0.00	0.00	0.00	0.00	0.00	0.00	8783.81
10	0.00	0.00	0.00	0.00	0.00	0.00	8771.91
11	0.00	0.00	0.00	0.00	0.00	0.00	8760.01
12	0.00	0.00	0.00	0.00	0.00	0.00	8748.11
13	0.00	0.00	0.00	0.00	0.00	0.00	8736.21
14	0.00	0.00	0.00	0.00	0.00	0.00	8724.31
15	0.00	0.00	0.00	0.00	0.00	0.00	8712.41
16	0.00	0.00	0.00	0.00	0.00	0.00	8700.51
17	0.00	0.00	0.00	0.00	0.00	0.00	8688.61
18	0.00	0.00	0.00	0.00	0.00	0.00	8676.71
19	0.00	0.00	0.00	0.00	0.00	0.00	8664.81
20	0.00	0.00	0.00	0.00	0.00	0.00	8652.91
21	0.00	0.00	0.00	0.00	0.00	0.00	8641.01
22	0.00	0.00	0.00	0.00	0.00	0.00	8629.11
23	0.00	0.00	0.00	0.00	0.00	0.00	8617.21
24	0.00	0.00	0.00	0.00	0.00	0.00	8605.31
25	0.00	0.00	0.00	0.00	0.00	0.00	8593.41
26	0.00	0.00	0.00	0.00	0.00	0.00	8581.51
27	0.00	0.00	0.00	0.00	0.00	0.00	8569.61
28	0.00	0.00	0.00	0.00	0.00	0.00	8557.71
29	0.00	0.00	0.00	0.00	0.00	0.00	8545.81
30	0.00	0.00	0.00	0.00	0.00	0.00	8533.91
31	0.00	0.00	0.00	0.00	0.00	0.00	8522.01
TOT	0.00	291.22	0.00	0.00	315.86	326.82	85543.76

ARTICLE III
FT. LYON

AMITY

MAY 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	1.88	13912.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	12.09	13900.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	489.00	0.00	11.77	13887.78	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	298.00	171.15	12.39	13735.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	380.00	133.30	12.54	13609.59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	10.24	3.58	21.23	13596.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	14.20	13560.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.85	19.64	13319.99	1720.85	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	12.54	13207.45	0.00	0.00	1.68	1719.17	0.00	0.00	0.00	0.00
10	0.00	0.00	12.94	12781.97	0.00	0.00	1.68	1717.49	0.00	0.00	0.00	0.00
11	0.00	0.00	12.38	12759.98	0.00	0.00	1.74	1712.75	0.00	0.00	0.00	0.00
12	0.00	0.00	12.64	12729.14	0.00	0.00	3.00	1710.92	0.00	0.00	0.00	0.00
13	0.00	0.00	11.78	12692.27	0.00	0.00	1.83	1708.23	0.00	0.00	0.00	0.00
14	0.00	0.00	11.27	12653.33	0.00	0.00	2.18	1706.75	0.00	0.00	0.00	0.00
15	0.00	0.00	19.27	12611.94	0.00	0.00	2.08	1704.42	0.00	0.00	0.00	0.00
16	0.00	0.00	22.07	12590.52	0.00	0.00	1.36	1702.91	0.00	0.00	0.00	0.00
17	0.00	0.00	22.66	12563.33	0.00	0.00	1.16	1701.42	0.00	0.00	0.00	0.00
18	0.00	0.00	22.07	12536.05	0.00	0.00	0.81	1700.49	0.00	0.00	0.00	0.00
19	0.00	0.00	22.07	12519.04	0.00	0.00	0.10	1700.49	0.00	0.00	0.00	0.00
20	0.00	0.00	22.38	12492.52	0.00	0.00	0.00	1700.49	0.00	0.00	0.00	0.00
21	0.00	28.04	11.55	11950.52	0.00	0.00	0.00	1700.49	0.00	0.00	0.00	0.00
22	0.00	570.10	11.39	11881.49	0.00	0.00	0.00	1700.49	0.00	0.00	0.00	0.00
23	0.00	570.10	13.96	11811.49	0.00	0.00	0.00	1700.49	0.00	0.00	0.00	0.00
24	398.29	139.40	17.72	11448.76	0.00	0.00	0.00	1700.49	0.00	0.00	0.00	0.00
25	148.44	151.95	7.68	11053.57	0.00	0.00	0.00	1700.49	0.00	0.00	0.00	0.00
26	525.00	183.75	13.57	10865.25	0.00	0.00	0.00	1700.49	0.00	0.00	0.00	0.00
TOT	2248.97	4816.42	480.05		1720.85	1700.49	20.36		0.00	177.26	72.33	

ARTICLE III
TOTAL

MAY 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	13.80	15899.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	11.24	15887.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	489.00	0.00	13.45	15872.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	298.00	171.15	14.22	15857.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	380.00	133.30	14.20	15843.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	10.24	3.58	22.11	15829.81	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	16.30	15813.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	22.07	15791.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	16.30	15775.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	16.15	15758.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	16.82	15742.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	17.59	15724.58	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	22.33	15702.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	23.61	15678.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	25.33	15653.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	33.08	15619.23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	49.48	15569.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	49.48	59.99	15510.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	599.83	59.99	15310.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	599.83	59.99	15010.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	599.83	59.99	14710.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	398.29	169.39	16.17	14540.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	148.44	159.39	16.09	14380.82	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	525.00	183.75	8.81	14260.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	2248.97	4973.32	572.74		1720.85	1700.49	20.36		0.00	177.26	72.33	

JOHN MARTIN RESERVOIR
PG 4

MAY 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	2248.97	4973.32	572.74		1720.85	177.26	72.33	

1990 WINTER STORED WATER

MAY 1990:	KEESEE			FT. BENT			AMITY			OWN
	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	
1	0.00	0.00	0.33	0.00	53.79	1.22	0.00	0.00	0.00	3744.33
2	0.00	0.00	0.33	0.00	5.00	1.10	0.00	0.00	0.00	3139.28
3	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2835.76
4	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2832.01
5	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2832.01
6	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2824.03
7	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2819.04
8	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2817.04
9	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2810.44
10	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2810.44
11	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2807.74
12	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2803.63
1	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2799.04
2	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2799.04
3	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2799.04
4	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2799.04
5	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2799.04
6	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2799.04
7	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2799.04
8	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2799.04
9	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2799.04
10	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2799.04
11	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2799.04
12	0.00	0.00	0.33	0.00	0.00	1.10	0.00	0.00	0.00	2799.04
TOT	0.00	0.00	14.09	0.00	396.16	46.36	0.00	3675.73	68.60	

1990 WINTER STORED WATER

MAY 1990:	LAMAR			HYDE			MANVEL			OWN
	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	
1	0.00	182.96	5.59	0.00	0.00	0.18	0.00	30.61	0.34	396.65
2	0.00	46.97	2.39	0.00	0.00	0.10	0.00	30.61	0.34	334.77
3	0.00	0.00	2.39	0.00	0.00	0.10	0.00	0.00	0.34	334.77
4	0.00	0.00	2.39	0.00	0.00	0.10	0.00	0.00	0.34	334.77
5	0.00	0.00	2.39	0.00	0.00	0.10	0.00	0.00	0.34	334.77
6	0.00	0.00	2.39	0.00	0.00	0.10	0.00	0.00	0.34	334.77
7	0.00	0.00	2.39	0.00	0.00	0.10	0.00	0.00	0.34	334.77
8	0.00	0.00	2.39	0.00	0.00	0.10	0.00	0.00	0.34	334.77
9	0.00	0.00	2.39	0.00	0.00	0.10	0.00	0.00	0.34	334.77
10	0.00	0.00	2.39	0.00	0.00	0.10	0.00	0.00	0.34	334.77
11	0.00	0.00	2.39	0.00	0.00	0.10	0.00	0.00	0.34	334.77
12	0.00	0.00	2.39	0.00	0.00	0.10	0.00	0.00	0.34	334.77
TOT	0.00	385.18	99.19	0.00	0.00	7.98	0.00	61.22	12.43	

1990 WINTER STORED WATER

X-Y

BUFFALO


SISSON

MAY 1990:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	0.00	63.61	0.57	599.33	:	0.00	0.00	1.21	1415.03	:	0.00	0.00	0.17	200.17
2	0.00	63.61	0.44	477.13	:	0.00	0.00	1.23	1412.58	:	0.00	0.00	0.17	199.80
3	0.00	0.00	0.41	470.68	:	0.00	0.00	1.23	1411.08	:	0.00	0.00	0.17	199.72
4	0.00	0.00	0.41	469.24	:	0.00	0.00	1.23	1408.82	:	0.00	0.00	0.17	199.44
5	0.00	0.00	0.63	468.56	:	0.00	0.00	1.20	1404.87	:	0.00	0.00	0.22	199.20
6	0.00	0.00	0.48	467.45	:	0.00	0.00	1.14	1401.53	:	0.00	0.00	0.27	198.54
7	0.00	0.00	0.46	466.93	:	0.00	0.00	1.10	1397.77	:	0.00	0.00	0.19	198.02
8	0.00	0.00	0.47	466.53	:	0.00	0.00	1.13	1391.31	:	0.00	0.00	0.19	197.86
9	0.00	0.00	0.81	465.25	:	0.00	0.00	1.23	1394.33	:	0.00	0.00	0.35	197.31
10	0.00	0.00	0.50	464.75	:	0.00	0.00	1.19	1393.13	:	0.00	0.00	0.22	196.61
11	0.00	0.00	0.63	463.14	:	0.00	0.00	1.18	1389.59	:	0.00	0.00	0.27	196.57
12	0.00	0.00	0.71	462.80	:	0.00	0.00	1.14	1387.57	:	0.00	0.00	0.30	196.28
13	0.00	0.00	0.70	462.10	:	0.00	0.00	1.00	1385.53	:	0.00	0.00	0.29	195.88
14	0.00	0.00	0.73	461.64	:	0.00	0.00	1.26	1381.10	:	0.00	0.00	0.34	195.30
15	0.00	0.00	0.81	459.14	:	0.00	0.00	1.41	1376.49	:	0.00	0.00	0.31	194.71
16	0.00	0.00	0.96	458.14	:	0.00	0.00	1.29	1373.60	:	0.00	0.00	0.41	194.06
17	0.00	0.00	0.57	457.59	:	0.00	0.00	1.72	1371.88	:	0.00	0.00	0.24	193.82
18	0.00	0.00	0.58	456.43	:	0.00	0.00	1.68	1368.47	:	0.00	0.00	0.24	193.83
19	0.00	0.00	0.34	455.51	:	0.00	0.00	1.03	1365.93	:	0.00	0.00	0.15	193.33
20	0.00	0.00	0.34	455.17	:	0.00	0.00	1.03	1363.68	:	0.00	0.00	0.14	193.13
21	0.00	0.00	0.58	454.19	:	0.00	0.00	1.76	1364.29	:	0.00	0.00	0.25	192.79
TOT	0.00	127.22	17.52		:	0.00	0.00	52.10		:	0.00	0.00	7.35	

1990 WINTER STORED WATER

TOTAL

MAY 1990:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	0.00	932.83	9.65	1352.76	:	0.00	0.00	104.10	11352.76	:	0.00	0.00	0.00	11352.76
2	0.00	496.00	0.00	990.04	:	0.00	0.00	0.00	990.04	:	0.00	0.00	0.00	990.04
3	0.00	0.00	8.34	988.72	:	0.00	0.00	0.00	988.72	:	0.00	0.00	0.00	988.72
4	0.00	0.00	8.60	988.55	:	0.00	0.00	0.00	988.55	:	0.00	0.00	0.00	988.55
5	0.00	0.00	13.28	986.51	:	0.00	0.00	0.00	986.51	:	0.00	0.00	0.00	986.51
6	0.00	0.00	14.34	985.10	:	0.00	0.00	0.00	985.10	:	0.00	0.00	0.00	985.10
7	0.00	0.00	10.07	984.04	:	0.00	0.00	0.00	984.04	:	0.00	0.00	0.00	984.04
8	0.00	6.24	13.28	982.11	:	0.00	0.00	0.00	982.11	:	0.00	0.00	0.00	982.11
9	0.00	9.58	9.60	980.82	:	0.00	0.00	0.00	980.82	:	0.00	0.00	0.00	980.82
10	0.00	9.58	16.04	956.31	:	0.00	0.00	0.00	956.31	:	0.00	0.00	0.00	956.31
11	0.00	211.06	16.06	933.20	:	0.00	0.00	0.00	933.20	:	0.00	0.00	0.00	933.20
12	0.00	119.98	12.61	922.68	:	0.00	0.00	0.00	922.68	:	0.00	0.00	0.00	922.68
13	0.00	9.31	11.43	920.47	:	0.00	0.00	0.00	920.47	:	0.00	0.00	0.00	920.47
14	0.00	31.31	11.33	885.92	:	0.00	0.00	0.00	885.92	:	0.00	0.00	0.00	885.92
15	0.00	216.24	14.62	871.41	:	0.00	0.00	0.00	871.41	:	0.00	0.00	0.00	871.41
16	0.00	494.00	12.54	826.43	:	0.00	0.00	0.00	826.43	:	0.00	0.00	0.00	826.43
17	0.00	566.95	11.88	726.51	:	0.00	0.00	0.00	726.51	:	0.00	0.00	0.00	726.51
18	0.00	235.69	8.88	666.33	:	0.00	0.00	0.00	666.33	:	0.00	0.00	0.00	666.33
19	0.00	75.69	8.88	639.94	:	0.00	0.00	0.00	639.94	:	0.00	0.00	0.00	639.94
20	0.00	0.00	8.88	639.94	:	0.00	0.00	0.00	639.94	:	0.00	0.00	0.00	639.94
21	0.00	0.00	4.70	633.99	:	0.00	0.00	0.00	633.99	:	0.00	0.00	0.00	633.99
22	0.00	0.00	4.70	638.16	:	0.00	0.00	0.00	638.16	:	0.00	0.00	0.00	638.16
23	0.00	0.00	8.23	638.16	:	0.00	0.00	0.00	638.16	:	0.00	0.00	0.00	638.16
24	0.00	0.00	4.70	638.16	:	0.00	0.00	0.00	638.16	:	0.00	0.00	0.00	638.16
25	0.00	0.00	8.23	638.16	:	0.00	0.00	0.00	638.16	:	0.00	0.00	0.00	638.16
26	0.00	0.00	4.70	638.16	:	0.00	0.00	0.00	638.16	:	0.00	0.00	0.00	638.16
27	0.00	0.00	8.23	638.16	:	0.00	0.00	0.00	638.16	:	0.00	0.00	0.00	638.16
28	0.00	0.00	4.70	638.16	:	0.00	0.00	0.00	638.16	:	0.00	0.00	0.00	638.16
29	0.00	0.00	8.23	638.16	:	0.00	0.00	0.00	638.16	:	0.00	0.00	0.00	638.16
30	0.00	0.00	4.70	638.16	:	0.00	0.00	0.00	638.16	:	0.00	0.00	0.00	638.16
31	0.00	0.00	8.23	638.16	:	0.00	0.00	0.00	638.16	:	0.00	0.00	0.00	638.16
TOT	0.00	1645.51	325.62		:	0.00	0.00			:	0.00	0.00		



JOHN MARTIN RESERVOIR
AGREEMENT WATER

JOHN MARTIN RESERVOIR
AGREEMENT WATER

JOHN MARTIN RESERVOIR
AGREEMENT WATER

PG 1

SUMMER COMPACT WATER

JUN 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	445.00	0.00	90.00	56375.00	115.00	0.00	82.00	19.70	0.00	0.00	0.00	0.00
2	0.00	0.00	88.00	56730.00	0.00	0.00	80.43	19.43	0.00	0.00	0.00	0.00
3	0.00	0.00	129.00	56655.40	0.00	0.00	80.90	19.43	0.00	0.00	0.00	0.00
4	0.00	0.00	186.00	56423.90	0.00	0.00	178.60	19.43	0.00	0.00	0.00	0.00
5	0.00	0.00	101.00	56223.80	0.00	0.00	92.31	19.43	0.00	0.00	0.00	0.00
6	0.00	0.00	163.00	56071.81	0.00	103.78	57.22	19.43	0.00	0.00	0.00	0.00
7	0.00	0.00	183.00	55377.00	0.00	170.68	22.18	19.43	0.00	0.00	0.00	0.00
8	0.00	0.00	185.00	55339.50	0.00	164.02	16.19	19.43	0.00	0.00	0.00	0.00
9	371.00	1161.00	1102.00	55258.00	0.00	161.02	19.68	19.43	0.00	0.00	0.00	0.00
10	1292.95	161.00	93.00	55250.00	0.00	161.00	84.88	19.43	0.00	0.00	0.00	0.00
11	1874.84	188.00	83.00	53664.42	183.85	188.00	81.29	19.43	0.00	0.00	0.00	0.00
12	826.33	203.59	92.00	53604.19	0.00	203.59	26.96	19.43	0.00	0.00	0.00	0.00
13	0.00	298.59	160.00	53301.97	0.00	298.59	46.29	19.43	0.00	0.00	0.00	0.00
14	0.00	1454.47	188.00	53182.44	0.00	1454.47	65.66	19.43	0.00	0.00	0.00	0.00
15	0.00	1471.74	99.00	51872.77	0.00	1471.74	71.88	19.43	0.00	0.00	0.00	0.00
16	0.00	1490.34	98.00	46222.56	133.57	1490.34	31.14	19.43	0.00	0.00	0.00	0.00
17	0.00	1366.37	177.00	46872.51	333.37	1366.37	105.02	19.43	0.00	0.00	0.00	0.00
18	0.00	1343.84	104.00	43785.94	333.37	1343.84	69.97	19.43	0.00	0.00	0.00	0.00
19	0.00	1312.84	193.00	41347.00	275.61	1312.84	92.90	19.43	0.00	0.00	0.00	0.00
20	0.00	1195.64	111.00	40041.42	0.00	1195.64	98.52	19.43	0.00	0.00	0.00	0.00
TOT	4830.83	19277.41	3194.00		4830.83	19277.11	2902.56		0.00	0.00	0.00	0.00

JUN 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	489.50	0.00	0.00	7.87	189.50	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	4881.49	0.00	0.00	7.57	1873.92	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	4865.25	0.00	0.00	11.10	1855.25	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	4847.85	0.00	0.00	8.49	1837.16	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	4830.79	0.00	0.00	15.42	1819.96	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	4813.77	0.00	0.00	15.82	1802.14	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	4796.66	0.00	0.00	16.04	1784.10	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	4779.25	0.00	0.00	8.04	1766.25	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	4761.44	0.00	0.00	7.77	1748.14	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	4743.54	0.00	0.00	7.71	1730.28	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	4725.22	0.00	0.00	13.58	1712.71	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	4706.82	0.00	0.00	7.75	1695.18	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	4688.33	0.00	0.00	8.99	1677.54	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	4669.73	0.00	0.00	9.56	1660.26	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	4651.15	0.00	0.00	11.86	1642.88	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	4632.33	0.00	0.00	11.03	1625.64	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	4613.18	0.00	0.00	12.41	1608.15	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	4593.78	0.00	0.00	11.95	1590.64	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	4574.14	0.00	0.00	11.48	1573.18	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	4554.26	0.00	0.00	12.41	1555.78	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00		0.00	0.00	291.44		0.00	0.00	0.00	0.00

PG 1

WINTER WATER

JOHN MARTIN RESERVOIR
PERMANENT POOL

JOHN MARTIN RESERVOIR
WINTER COMPACT WATER

SUMMER STORED WATER

HYDE

X-Y

JUN 1990:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	1.70	1099.321	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
2	0.00	0.00	1.17	1097.587	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
3	0.00	0.00	1.70	1095.871	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
4	0.00	0.00	1.23	1094.682	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
5	0.00	0.00	1.96	1091.621	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
6	0.00	0.00	1.23	1088.661	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
7	0.00	4.53	1.23	1082.211	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
8	0.00	12.74	3.30	1066.931	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
9	0.00	14.44	3.90	1031.691	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
10	0.00	14.44	1.71	998.541	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
11	0.00	14.44	1.47	982.101	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
12	0.00	14.44	1.71	966.431	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
13	0.00	14.44	1.71	950.761	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
14	0.00	14.44	1.71	935.091	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
15	0.00	14.44	1.71	919.421	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
16	0.00	14.44	1.71	903.751	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
17	0.00	14.44	1.71	888.081	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
18	0.00	14.44	1.71	872.411	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
19	0.00	14.44	1.71	856.741	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
20	0.00	14.44	1.71	841.071	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
21	0.00	14.44	1.71	825.401	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
22	0.00	14.44	1.71	809.731	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
23	0.00	14.44	1.71	794.061	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
24	0.00	14.44	1.71	778.391	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
25	0.00	14.44	1.71	762.721	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
26	0.00	14.44	1.71	747.051	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
27	0.00	14.44	1.71	731.381	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
28	0.00	14.44	1.71	715.711	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
29	0.00	14.44	1.71	700.041	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
30	0.00	14.44	1.71	684.371	:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00
TOT	0.00	450.71	55.90		:	0.00	0.00	0.00	0.00	:	0.00	0.00	0.00	0.00

SUMMER STORED WATER

BUFFALO

TOTAL

JUN 1990:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN	:	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	8.66	542.231	:	0.00	0.00	3.23	2022.912	:	0.00	0.00	13.64	8543.129
2	0.00	0.00	8.40	422.311	:	0.00	0.00	3.13	2201.127	:	0.00	0.00	13.23	8530.186
3	0.00	0.00	12.31	338.410	:	0.00	0.00	4.59	2200.819	:	0.00	0.00	13.23	8516.366
4	0.00	0.00	18.21	237.649	:	0.00	0.00	6.06	2200.051	:	0.00	0.00	12.93	8481.324
5	0.00	0.00	16.64	155.935	:	0.00	0.00	5.24	2199.925	:	0.00	0.00	12.93	8456.127
6	0.00	0.00	17.07	92.653	:	0.00	0.00	5.35	2199.226	:	0.00	0.00	12.93	8431.266
7	0.00	0.00	16.44	47.153	:	0.00	0.00	6.64	2198.527	:	0.00	0.00	12.93	8406.333
8	0.00	0.00	16.76	4640.529	:	0.00	0.00	6.33	2197.828	:	0.00	0.00	12.93	8381.400
9	0.00	0.00	7.46	4444.831	:	0.00	0.00	3.35	2197.129	:	0.00	0.00	12.93	8356.467
10	0.00	0.00	7.56	4113.733	:	0.00	0.00	3.94	2196.430	:	0.00	0.00	12.93	8331.534
11	0.00	0.00	6.74	3775.197	:	0.00	0.00	2.90	2195.731	:	0.00	0.00	12.93	8306.601
12	0.00	0.00	6.66	3335.160	:	0.00	0.00	3.09	2195.032	:	0.00	0.00	12.93	8281.668
13	0.00	0.00	6.04	3120.039	:	0.00	0.00	3.56	2194.333	:	0.00	0.00	12.93	8256.735
14	0.00	0.00	10.15	2655.080	:	0.00	0.00	3.20	2193.634	:	0.00	0.00	12.93	8231.802
15	0.00	0.00	12.25	2200.131	:	0.00	0.00	3.33	2192.935	:	0.00	0.00	12.93	8206.869
16	0.00	0.00	15.28	1745.182	:	0.00	0.00	3.33	2192.236	:	0.00	0.00	12.93	8181.936
17	0.00	0.00	15.53	1290.233	:	0.00	0.00	3.33	2191.537	:	0.00	0.00	12.93	8157.003
18	0.00	0.00	15.53	835.284	:	0.00	0.00	3.33	2190.838	:	0.00	0.00	12.93	8132.070
19	0.00	0.00	15.53	380.335	:	0.00	0.00	3.33	2190.139	:	0.00	0.00	12.93	8107.137
20	0.00	0.00	15.53	85.386	:	0.00	0.00	3.33	2189.440	:	0.00	0.00	12.93	8082.204
21	0.00	0.00	15.53	40.437	:	0.00	0.00	3.33	2188.741	:	0.00	0.00	12.93	8057.271
22	0.00	0.00	15.53	40.437	:	0.00	0.00	3.33	2188.042	:	0.00	0.00	12.93	8032.338
23	0.00	0.00	15.53	40.437	:	0.00	0.00	3.33	2187.343	:	0.00	0.00	12.93	8007.405
24	0.00	0.00	15.53	40.437	:	0.00	0.00	3.33	2186.644	:	0.00	0.00	12.93	7982.472
25	0.00	0.00	15.53	40.437	:	0.00	0.00	3.33	2185.945	:	0.00	0.00	12.93	7957.539
26	0.00	0.00	15.53	40.437	:	0.00	0.00	3.33	2185.246	:	0.00	0.00	12.93	7932.606
27	0.00	0.00	15.53	40.437	:	0.00	0.00	3.33	2184.547	:	0.00	0.00	12.93	7907.673
28	0.00	0.00	15.53	40.437	:	0.00	0.00	3.33	2183.848	:	0.00	0.00	12.93	7882.740
29	0.00	0.00	15.53	40.437	:	0.00	0.00	3.33	2183.149	:	0.00	0.00	12.93	7857.807
30	0.00	0.00	15.53	40.437	:	0.00	0.00	3.33	2182.450	:	0.00	0.00	12.93	7832.874
TOT	0.00	3953.65	229.68		:	0.00	745.93	111.57		:	0.00	5150.29	397.15	

Table with columns: INFLOW, RELEASE, EVAP, OWN, INFLOW, RELEASE, EVAP, OWN, INFLOW, RELEASE, EVAP, OWN. Includes sub-sections for AMITY and AGREEMENT WATER. Totals: 3402.32, 1190.81, 729.74, 427.71, 99.61.

Table with columns: INFLOW, RELEASE, EVAP, OWN, INFLOW, RELEASE, EVAP, OWN, INFLOW, RELEASE, EVAP, OWN. Includes sub-sections for ARTICLE III and JOHN MARTIN RESERVOIR FLOOD POOL. Totals: 3402.32, 1618.52, 829.35, 1428.51, 97.05, 15.69.

1990 WINTER STORED WATER

KEESEE

JUN 1990	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	389.57	0.00	0.00	3.88	1018.71	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	388.87	0.00	0.00	1.38	1143.91	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	367.79	0.00	0.00	2.33	1013.03	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	366.93	0.00	0.00	1.81	1010.09	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	365.73	0.00	0.00	1.81	1009.11	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	362.19	0.00	0.00	3.90	1003.33	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	352.17	0.00	0.00	3.74	1002.11	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	351.91	0.00	0.00	3.74	999.87	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	351.88	0.00	0.00	3.74	999.84	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	351.84	0.00	0.00	3.74	999.81	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	351.81	0.00	0.00	3.74	999.78	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	351.79	0.00	0.00	3.74	999.76	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	351.77	0.00	0.00	3.74	999.74	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	351.75	0.00	0.00	3.74	999.72	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	351.73	0.00	0.00	3.74	999.70	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	351.71	0.00	0.00	3.74	999.68	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	351.69	0.00	0.00	3.74	999.66	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	351.67	0.00	0.00	3.74	999.64	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	351.65	0.00	0.00	3.74	999.62	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	351.63	0.00	0.00	3.74	999.60	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	351.61	0.00	0.00	3.74	999.58	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	351.59	0.00	0.00	3.74	999.56	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	351.57	0.00	0.00	3.74	999.54	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	351.55	0.00	0.00	3.74	999.52	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	351.53	0.00	0.00	3.74	999.50	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	351.51	0.00	0.00	3.74	999.48	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	351.49	0.00	0.00	3.74	999.46	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	351.47	0.00	0.00	3.74	999.44	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	351.45	0.00	0.00	3.74	999.42	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	351.43	0.00	0.00	3.74	999.40	0.00	0.00	0.00	0.00
TOT	0.00	0.00	22.01	351.41	0.00	0.00	60.72	999.38	0.00	0.00	0.00	0.00

AMITY

1990 WINTER STORED WATER

LAMAR

MANVEL

JUN 1990	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	451.33	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	443.79	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	433.41	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	430.14	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	425.19	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	422.33	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	417.95	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	415.22	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	412.51	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	409.83	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	407.16	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	404.51	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	401.87	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	399.25	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	396.64	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	394.05	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	391.47	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	388.91	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	386.37	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	383.85	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	381.34	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	378.85	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	376.37	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	373.91	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	371.47	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	369.05	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	366.65	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	364.27	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	361.91	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	359.57	0.00	0.00	3.81	208.81	0.00	0.00	0.00	0.00
TOT	0.00	0.00	146.10	357.25	0.00	0.00	12.44	357.25	0.00	0.00	19.23	357.25

1990 WINTER STORED WATER

SISSON

BUFFALO


X-Y

JUN 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.73	451.59	0.00	0.00	1.18	1362.93	0.00	0.00	0.00	1362.93
2	0.00	0.00	0.70	433.86	0.00	0.00	1.11	1350.81	0.00	0.00	0.00	1350.81
3	0.00	0.00	1.03	452.46	0.00	0.00	2.22	1356.59	0.00	0.00	0.00	1356.59
4	0.00	0.00	0.81	450.44	0.00	0.00	0.10	1353.43	0.00	0.00	0.00	1353.43
5	0.00	0.00	0.51	449.93	0.00	0.00	2.21	1351.61	0.00	0.00	0.00	1351.61
6	0.00	0.00	1.47	447.95	0.00	0.00	1.10	1349.71	0.00	0.00	0.00	1349.71
7	0.00	0.00	1.49	446.48	0.00	0.00	1.47	1347.24	0.00	0.00	0.00	1347.24
8	0.00	0.00	0.82	444.17	0.00	0.00	2.22	1344.02	0.00	0.00	0.00	1344.02
9	0.00	0.00	0.75	443.42	0.00	0.00	2.44	1341.58	0.00	0.00	0.00	1341.58
10	0.00	0.00	0.66	442.01	0.00	0.00	2.29	1339.29	0.00	0.00	0.00	1339.29
11	0.00	0.00	0.72	441.29	0.00	0.00	1.11	1337.18	0.00	0.00	0.00	1337.18
12	0.00	0.00	0.72	440.57	0.00	0.00	1.56	1335.62	0.00	0.00	0.00	1335.62
13	0.00	0.00	1.26	439.31	0.00	0.00	1.77	1334.85	0.00	0.00	0.00	1334.85
14	0.00	0.00	0.81	438.55	0.00	0.00	2.22	1333.63	0.00	0.00	0.00	1333.63
15	0.00	0.00	0.77	437.78	0.00	0.00	2.38	1332.25	0.00	0.00	0.00	1332.25
16	0.00	0.00	0.86	437.43	0.00	0.00	2.65	1330.58	0.00	0.00	0.00	1330.58
17	0.00	0.00	0.88	436.55	0.00	0.00	2.50	1329.05	0.00	0.00	0.00	1329.05
18	0.00	0.00	0.90	435.65	0.00	0.00	2.32	1327.73	0.00	0.00	0.00	1327.73
19	0.00	0.00	1.10	434.75	0.00	0.00	2.27	1326.46	0.00	0.00	0.00	1326.46
20	0.00	0.00	1.04	433.81	0.00	0.00	2.82	1324.64	0.00	0.00	0.00	1324.64
21	0.00	0.00	1.15	428.69	0.00	0.00	3.46	1291.18	0.00	0.00	0.00	1291.18
22	0.00	0.00	1.19	427.50	0.00	0.00	3.56	1288.62	0.00	0.00	0.00	1288.62
TOT	0.00	0.00	27.09	81.27	0.00	0.00	52.55	10.79	0.00	0.00	0.00	129.45

1990 WINTER STORED WATER

TOTAL

JUN 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	10.19	6381.63	0.00	0.00	19.88	6381.63	0.00	0.00	0.00	6381.63
2	0.00	0.00	9.88	6371.56	0.00	0.00	14.49	6351.68	0.00	0.00	0.00	6351.68
3	0.00	0.00	14.66	6337.19	0.00	0.00	11.34	6327.53	0.00	0.00	0.00	6327.53
4	0.00	0.00	17.08	6319.88	0.00	0.00	20.55	6299.33	0.00	0.00	0.00	6299.33
5	0.00	0.00	20.94	6278.89	0.00	0.00	21.30	6257.59	0.00	0.00	0.00	6257.59
6	0.00	0.00	10.58	6247.94	0.00	0.00	10.58	6237.36	0.00	0.00	0.00	6237.36
7	0.00	0.00	19.29	6218.07	0.00	0.00	10.16	6207.91	0.00	0.00	0.00	6207.91
8	0.00	0.00	10.60	6187.31	0.00	0.00	17.63	6169.68	0.00	0.00	0.00	6169.68
9	0.00	0.00	11.34	6155.65	0.00	0.00	10.18	6125.47	0.00	0.00	0.00	6125.47
10	0.00	0.00	12.49	6123.18	0.00	0.00	12.49	6110.69	0.00	0.00	0.00	6110.69
11	0.00	0.00	12.44	6104.74	0.00	0.00	12.44	6092.30	0.00	0.00	0.00	6092.30
12	0.00	0.00	12.63	6079.07	0.00	0.00	12.63	6066.67	0.00	0.00	0.00	6066.67
13	0.00	0.00	12.44	6051.64	0.00	0.00	12.44	6044.23	0.00	0.00	0.00	6044.23
14	0.00	0.00	12.49	6032.15	0.00	0.00	12.49	6021.76	0.00	0.00	0.00	6021.76
15	0.00	0.00	12.63	6010.52	0.00	0.00	12.63	6009.13	0.00	0.00	0.00	6009.13
16	0.00	0.00	12.44	5987.90	0.00	0.00	12.44	5976.69	0.00	0.00	0.00	5976.69
17	0.00	0.00	12.49	5965.40	0.00	0.00	12.49	5954.20	0.00	0.00	0.00	5954.20
18	0.00	0.00	12.63	5942.91	0.00	0.00	12.63	5931.57	0.00	0.00	0.00	5931.57
19	0.00	0.00	12.44	5920.28	0.00	0.00	12.44	5908.14	0.00	0.00	0.00	5908.14
20	0.00	0.00	12.49	5897.79	0.00	0.00	12.49	5884.65	0.00	0.00	0.00	5884.65
21	0.00	0.00	12.63	5875.36	0.00	0.00	12.63	5861.02	0.00	0.00	0.00	5861.02
22	0.00	0.00	12.44	5852.73	0.00	0.00	12.44	5837.58	0.00	0.00	0.00	5837.58
23	0.00	0.00	12.49	5830.09	0.00	0.00	12.49	5814.09	0.00	0.00	0.00	5814.09
TOT	0.00	0.00	379.65	379.65	0.00	0.00	52.55	10.79	0.00	0.00	0.00	129.45





JOHN MARTIN RESERVOIR AGREEMENT WATER

PG 1
SUMMER COMPACT WATER

	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	1483.39	108.00	38734.42	0.00	1483.39	95.18	4136.86	0.00	0.00	0.00	0.00
2	0.00	1740.01	103.00	37143.02	0.00	1774.38	65.29	32057.89	0.00	0.00	0.00	0.00
3	0.00	1773.38	72.00	33765.02	0.00	1774.38	62.26	32888.22	0.00	0.00	0.00	0.00
4	0.00	1408.56	31.00	32065.16	0.00	1408.56	26.53	25617.67	0.00	0.00	0.00	0.00
5	0.00	352.34	73.00	28339.20	0.00	352.34	63.13	23360.48	0.00	0.00	0.00	0.00
6	0.00	133.20	55.00	28350.98	0.00	173.20	46.15	23346.49	0.00	0.00	0.00	0.00
7	0.00	159.72	53.00	28941.00	922.33	109.31	44.67	24113.44	0.00	0.00	0.00	0.00
8	0.00	52.40	26.00	30087.00	1748.72	59.72	22.01	23654.43	0.00	0.00	0.00	0.00
9	0.00	0.00	25.00	30092.00	1158.40	0.00	11.23	22654.50	0.00	0.00	0.00	0.00
10	0.00	68.87	26.00	30326.99	0.00	68.87	13.59	22633.22	0.00	0.00	0.00	0.00
11	0.00	195.19	26.00	30838.34	0.00	195.19	11.51	22611.44	0.00	0.00	0.00	0.00
12	0.00	269.61	54.00	33031.75	0.00	269.61	45.50	22533.77	0.00	0.00	0.00	0.00
13	0.00	954.64	61.00	33647.00	3034.50	954.64	49.06	22955.66	0.00	0.00	0.00	0.00
14	0.00	907.58	36.00	33616.88	3492.50	907.58	49.07	22955.66	2926.93	1883.50	1.73	942.58
15	0.00	879.28	37.00	44591.05	3152.30	879.28	49.07	22955.66	2695.28	1983.50	1.08	1079.28
16	0.00	819.28	37.00	44591.05	3101.92	819.28	47.80	22955.66	1819.48	1983.50	1.08	1079.28
17	0.00	614.95	55.00	44422.60	1414.00	614.95	47.80	22955.66	826.00	1101.71	1.86	1287.27
18	0.00	159.80	43.00	44422.60	0.00	159.80	37.42	22955.66	0.00	0.00	0.00	0.00
19	0.00	57.61	77.00	44235.19	0.00	57.61	67.00	22955.66	0.00	0.00	0.00	0.00
TOT	2173.62	1737.85	1915.00	20731.39	17357.85	1632.98	11033.49	11025.21	8.28			

JOHN MARTIN RESERVOIR PERMANENT POOL

PG 1
WINTER WATER

	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	12.83	5977.84	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	12.71	4572.33	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	19.82	4572.33	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	9.47	4572.33	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	11.46	4572.33	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	11.83	4572.33	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	11.83	4572.33	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	8.80	4572.33	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	8.39	4572.33	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	7.77	4572.33	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	7.77	4572.33	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	9.81	4572.33	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	0.00	0.00	1.47	4572.33	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00	1033.95	0.00	273.74			0.00	0.00	0.00	0.00

JUL 1990	AGREEMENT WATER			TRANSIT LOSS			SUMMER STORED WATER			PG 2
	OWN	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	OWN		
1	4919.76	0.00	99.18	15.03	0.00	0.00	0.00	0.00	0.00	
2	4337.83	0.00	99.18	14.69	0.00	0.00	0.00	0.00	0.00	
3	2797.40	0.00	99.18	10.83	0.00	0.00	0.00	0.00	0.00	
4	1093.52	0.00	99.18	11.85	0.00	0.00	0.00	0.00	0.00	
5	117.82	0.00	1.67	12.31	0.00	0.00	0.00	0.00	0.00	
6	0.00	0.00	0.00	19.21	0.00	0.00	0.00	0.00	0.00	
7	0.00	0.00	0.00	9.25	0.00	0.00	0.00	0.00	0.00	
8	0.00	0.00	0.00	1.67	0.00	0.00	0.00	0.00	0.00	
9	0.00	0.00	0.00	19.21	0.00	0.00	0.00	0.00	0.00	
10	322.82	0.00	0.00	9.25	0.00	0.00	0.00	0.00	0.00	
11	402.05	0.00	0.00	1.67	0.00	0.00	0.00	0.00	0.00	
12	236.44	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
13	0.00	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
14	0.00	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
15	0.00	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
16	0.00	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
17	0.00	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
18	0.00	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
19	0.00	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
20	0.00	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
21	793.10	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
22	793.10	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
23	793.10	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
24	793.10	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
25	443.08	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
26	0.00	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
27	0.00	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
28	0.00	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
29	0.00	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
30	0.00	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
31	0.00	0.00	0.00	10.83	0.00	0.00	0.00	0.00	0.00	
TOT	4410.08	4877.91	609.75	335.80	3397.16	609.75	335.80	152.14	152.14	

JUL 1990	FT. BENT			SUMMER STORED WATER			PG 2
	OWN	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	654.90	652.97	3274.49	0.00	3274.49	3274.49	1.93

AMITY

JUL 1990	SUMMER STORED WATER			PG 2
	OWN	INFLOW	RELEASE	
1	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00
TOT	1309.80	1308.41	1308.41	1.39

JUL 1990	SUMMER STORED WATER			PG 2
	OWN	INFLOW	RELEASE	
1	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00
TOT	2139.76	2139.76	2139.76	0.00

SUMMER STORED WATER

PG 3

JUL 1990:	HYDE			MANVEL			X-Y			OWN
	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	
1	0.00	10.14	1.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	8.87	1.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	8.11	1.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	8.11	1.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	8.11	1.37	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	2.00	1.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	1.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	1.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.47	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.39	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	1.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	1.94	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	6.55	1.50	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	10.47	1.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	10.47	0.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	10.47	0.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	15.47	10.47	0.55	28.56	0.00	0.05	28.56	0.00	0.00	60.70
20	15.47	10.47	0.55	28.56	0.00	0.05	28.56	0.00	0.00	60.70
21	15.47	10.47	0.70	28.56	0.00	0.16	28.56	0.00	0.00	60.70
22	18.64	10.47	1.00	15.00	0.00	0.21	15.00	0.00	0.00	33.90
23	0.00	10.47	0.65	0.00	0.00	0.21	0.00	0.00	0.00	0.00
24	0.00	0.00	0.51	0.00	0.00	0.16	0.00	0.00	0.00	0.00
25	0.00	0.00	0.51	0.00	0.00	0.29	0.00	0.00	0.00	0.00
TOT	85.99	160.79	30.01	158.75	0.00	1.78	158.75	0.00	3.77	337.40

SUMMER STORED WATER

PG 3

JUL 1990:	BUFFALO			SISSON			TOTAL			OWN
	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	
1	0.00	165.44	3.45	0.00	77.89	3.25	0.00	77.89	3.25	2996.32
2	0.00	165.44	2.97	0.00	77.89	3.00	0.00	77.89	3.47	2734.45
3	0.00	165.44	1.58	0.00	77.89	1.00	0.00	77.89	2.52	2241.60
4	0.00	165.44	1.55	0.00	77.89	1.00	0.00	77.89	2.52	2241.60
5	0.00	165.44	1.01	0.00	77.89	1.00	0.00	77.89	1.92	1750.75
6	0.00	24.47	1.01	0.00	11.52	1.00	0.00	11.52	3.64	1403.27
7	0.00	0.00	0.54	0.00	0.00	1.73	0.00	0.00	3.76	1403.27
8	0.00	0.00	0.41	0.00	0.00	1.33	0.00	0.00	7.77	1399.74
9	0.00	0.00	0.39	0.00	0.00	1.23	0.00	0.00	5.24	1395.19
10	0.00	0.00	0.18	0.00	0.00	0.59	0.00	0.00	2.59	1395.19
11	0.00	0.00	0.36	0.00	0.00	1.14	0.00	0.00	4.44	1391.17
12	0.00	0.00	0.35	0.00	0.00	1.14	0.00	0.00	3.99	1391.17
13	0.00	0.00	0.36	0.00	0.00	1.35	0.00	0.00	3.95	1389.10
14	0.00	0.00	0.38	0.00	0.00	1.50	0.00	0.00	3.02	1385.63
15	0.00	98.74	0.51	0.00	0.00	2.62	0.00	0.00	2.15	1383.13
16	0.00	106.37	0.19	0.00	0.00	1.16	0.00	0.00	2.06	1381.41
17	0.00	0.00	0.00	0.00	0.00	1.11	0.00	0.00	2.06	1381.41
18	0.00	0.00	0.00	0.00	0.00	1.11	0.00	0.00	2.06	1381.41
19	101.16	0.00	0.00	14.28	0.00	1.00	0.00	105.29	2.06	1379.92
20	101.16	0.00	0.00	14.28	0.00	1.00	0.00	105.29	2.06	1379.92
21	101.16	0.00	0.00	14.28	0.00	1.00	0.00	105.29	2.06	1379.92
22	101.16	0.00	0.00	14.28	0.00	1.00	0.00	105.29	2.06	1379.92
23	101.16	0.00	0.00	14.28	0.00	1.00	0.00	105.29	2.06	1379.92
24	101.16	0.00	0.00	14.28	0.00	1.00	0.00	105.29	2.06	1379.92
25	101.16	0.00	0.00	14.28	0.00	1.00	0.00	105.29	2.06	1379.92
26	101.16	0.00	0.00	14.28	0.00	1.00	0.00	105.29	2.06	1379.92
27	101.16	0.00	0.00	14.28	0.00	1.00	0.00	105.29	2.06	1379.92
28	101.16	0.00	0.00	14.28	0.00	1.00	0.00	105.29	2.06	1379.92
29	101.16	0.00	0.00	14.28	0.00	1.00	0.00	105.29	2.06	1379.92
30	101.16	0.00	0.00	14.28	0.00	1.00	0.00	105.29	2.06	1379.92
31	101.16	0.00	0.00	14.28	0.00	1.00	0.00	105.29	2.06	1379.92
TOT	562.29	1222.22	22.91	79.37	478.86	42.88	6615.13	7249.88	104.67	2996.32

1990 WINTER STORED WATER
FT. BENT

KEESEE

JUL 1990:

	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	AMITY
1	11	0.00	0.00	0.76	11	0.00	39.82	2.67	95	0.00	0.00	0.00	0.00	0.00
2	11	0.00	0.00	0.93	11	0.00	63.71	1.84	95	0.00	0.00	0.00	0.00	0.00
3	11	0.00	0.00	1.74	11	0.00	63.71	1.89	95	0.00	0.00	0.00	0.00	0.00
4	11	0.00	0.00	0.34	11	0.00	63.71	1.65	95	0.00	0.00	0.00	0.00	0.00
5	11	0.00	0.00	0.90	11	0.00	63.71	1.54	95	0.00	0.00	0.00	0.00	0.00
6	11	0.00	0.00	0.88	11	0.00	63.71	1.35	95	0.00	0.00	0.00	0.00	0.00
7	11	0.00	0.00	0.61	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
8	11	0.00	0.00	0.61	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
9	11	0.00	0.00	0.63	11	0.00	63.71	0.85	95	0.00	0.00	0.00	0.00	0.00
10	11	0.00	0.00	0.30	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
11	11	0.00	0.00	0.59	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
12	11	0.00	0.00	0.58	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
13	11	0.00	0.00	0.58	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
14	11	0.00	0.00	0.58	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
15	11	0.00	0.00	0.58	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
16	11	0.00	0.00	0.57	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
17	11	0.00	0.00	0.61	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
18	11	0.00	0.00	0.59	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
19	11	0.00	0.00	0.59	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
20	11	0.00	0.00	0.34	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
21	11	0.00	0.00	0.54	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
22	11	0.00	0.00	0.54	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
23	11	0.00	0.00	0.56	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
24	11	0.00	0.00	0.30	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
25	11	0.00	0.00	0.30	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
26	11	0.00	0.00	0.30	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
27	11	0.00	0.00	0.30	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
28	11	0.00	0.00	0.34	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
29	11	0.00	0.00	0.34	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
30	11	0.00	0.00	0.34	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
31	11	0.00	0.00	0.61	11	0.00	63.71	0.89	95	0.00	0.00	0.00	0.00	0.00
TOT		0.00	3.00	19.27		0.00	786.35	21.89		0.00	0.00	0.00		0.00

1990 WINTER STORED WATER
HYDE

LAMAR

JUL 1990:

	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	MANVEL
1	16	0.00	0.00	6.43	16	0.00	0.00	0.53	196	0.00	0.00	0.85	303	7.28
2	16	0.00	0.00	3.27	16	0.00	0.00	0.00	196	0.00	0.00	0.84	302	0.98
3	16	0.00	0.00	4.24	16	0.00	0.00	0.42	196	0.00	0.00	0.69	301	1.44
4	16	0.00	0.00	2.24	16	0.00	0.00	0.19	196	0.00	0.00	0.26	300	1.90
5	16	0.00	0.00	5.94	16	0.00	0.00	0.61	196	0.00	0.00	0.76	299	1.94
6	16	0.00	0.00	5.85	16	0.00	0.00	0.50	196	0.00	0.00	0.78	298	1.69
7	16	0.00	0.00	4.45	16	0.00	0.00	0.38	196	0.00	0.00	0.59	297	1.27
8	16	0.00	0.00	4.18	16	0.00	0.00	0.36	196	0.00	0.00	0.53	296	1.27
9	16	0.00	0.00	1.00	16	0.00	0.00	0.17	196	0.00	0.00	0.26	295	1.11
10	16	0.00	0.00	3.35	16	0.00	0.00	0.33	196	0.00	0.00	0.51	295	1.88
11	16	0.00	0.00	3.83	16	0.00	0.00	0.33	196	0.00	0.00	0.50	294	1.83
12	16	0.00	0.00	3.83	16	0.00	0.00	0.33	196	0.00	0.00	0.50	294	1.83
13	16	0.00	0.00	3.83	16	0.00	0.00	0.33	196	0.00	0.00	0.50	293	1.83
14	16	0.00	0.00	3.83	16	0.00	0.00	0.33	196	0.00	0.00	0.50	293	1.83
15	16	0.00	0.00	3.83	16	0.00	0.00	0.33	196	0.00	0.00	0.50	293	1.83
16	16	0.00	0.00	4.05	16	0.00	0.00	0.35	196	0.00	0.00	0.53	292	1.83
17	16	0.00	0.00	3.28	16	0.00	0.00	0.33	196	0.00	0.00	0.52	292	1.83
18	16	0.00	0.00	3.28	16	0.00	0.00	0.33	196	0.00	0.00	0.52	292	1.83
19	16	0.00	0.00	3.28	16	0.00	0.00	0.33	196	0.00	0.00	0.52	292	1.83
20	16	0.00	0.00	3.28	16	0.00	0.00	0.33	196	0.00	0.00	0.52	292	1.83
21	16	0.00	0.00	3.28	16	0.00	0.00	0.33	196	0.00	0.00	0.52	292	1.83
22	16	0.00	0.00	3.28	16	0.00	0.00	0.33	196	0.00	0.00	0.52	292	1.83
23	16	0.00	0.00	3.28	16	0.00	0.00	0.33	196	0.00	0.00	0.52	292	1.83
24	16	0.00	0.00	3.28	16	0.00	0.00	0.33	196	0.00	0.00	0.52	292	1.83
25	16	0.00	0.00	3.28	16	0.00	0.00	0.33	196	0.00	0.00	0.52	292	1.83
26	16	0.00	0.00	3.28	16	0.00	0.00	0.33	196	0.00	0.00	0.52	292	1.83
27	16	0.00	0.00	3.28	16	0.00	0.00	0.33	196	0.00	0.00	0.52	292	1.83
28	16	0.00	0.00	3.28	16	0.00	0.00	0.33	196	0.00	0.00	0.52	292	1.83
29	16	0.00	0.00	3.28	16	0.00	0.00	0.33	196	0.00	0.00	0.52	292	1.83
30	16	0.00	0.00	3.28	16	0.00	0.00	0.33	196	0.00	0.00	0.52	292	1.83
31	16	0.00	0.00	3.28	16	0.00	0.00	0.33	196	0.00	0.00	0.52	292	1.83
TOT		0.00	106.94	126.29		0.00	0.00	10.95		0.00	0.00	16.86		

1990 WINTER STORED WATER

SISSON

BUFFALO


X-Y

JUL 1990:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	1.19	126.50	0.00	0.00	0.00	128.66	0.00	0.00	0.00	129.45	0.00	0.00	0.00	129.45
2	0.00	37.88	0.43	127.10	0.00	0.00	0.00	127.10	0.00	0.00	0.00	127.10	0.00	0.00	0.00	127.10
3	0.00	39.88	0.00	126.48	0.00	0.00	0.00	126.48	0.00	0.00	0.00	126.48	0.00	0.00	0.00	126.48
4	0.00	35.88	0.26	126.28	0.00	0.00	0.00	126.28	0.00	0.00	0.00	126.28	0.00	0.00	0.00	126.28
5	0.00	35.88	0.00	125.35	0.00	0.00	0.00	125.35	0.00	0.00	0.00	125.35	0.00	0.00	0.00	125.35
6	0.00	9.15	0.38	125.88	0.00	0.00	0.00	125.88	0.00	0.00	0.00	125.88	0.00	0.00	0.00	125.88
7	0.00	0.00	0.25	125.63	0.00	0.00	0.00	125.63	0.00	0.00	0.00	125.63	0.00	0.00	0.00	125.63
8	0.00	0.00	0.25	125.38	0.00	0.00	0.00	125.38	0.00	0.00	0.00	125.38	0.00	0.00	0.00	125.38
9	0.00	0.00	0.25	125.13	0.00	0.00	0.00	125.13	0.00	0.00	0.00	125.13	0.00	0.00	0.00	125.13
10	0.00	0.00	0.25	124.88	0.00	0.00	0.00	124.88	0.00	0.00	0.00	124.88	0.00	0.00	0.00	124.88
11	0.00	0.00	0.25	124.63	0.00	0.00	0.00	124.63	0.00	0.00	0.00	124.63	0.00	0.00	0.00	124.63
12	0.00	0.00	0.25	124.38	0.00	0.00	0.00	124.38	0.00	0.00	0.00	124.38	0.00	0.00	0.00	124.38
13	0.00	0.00	0.25	124.13	0.00	0.00	0.00	124.13	0.00	0.00	0.00	124.13	0.00	0.00	0.00	124.13
14	0.00	0.00	0.25	123.88	0.00	0.00	0.00	123.88	0.00	0.00	0.00	123.88	0.00	0.00	0.00	123.88
15	0.00	0.00	0.25	123.63	0.00	0.00	0.00	123.63	0.00	0.00	0.00	123.63	0.00	0.00	0.00	123.63
16	0.00	0.00	0.25	123.38	0.00	0.00	0.00	123.38	0.00	0.00	0.00	123.38	0.00	0.00	0.00	123.38
17	0.00	0.00	0.25	123.13	0.00	0.00	0.00	123.13	0.00	0.00	0.00	123.13	0.00	0.00	0.00	123.13
18	0.00	0.00	0.25	122.88	0.00	0.00	0.00	122.88	0.00	0.00	0.00	122.88	0.00	0.00	0.00	122.88
19	0.00	0.00	0.25	122.63	0.00	0.00	0.00	122.63	0.00	0.00	0.00	122.63	0.00	0.00	0.00	122.63
20	0.00	0.00	0.25	122.38	0.00	0.00	0.00	122.38	0.00	0.00	0.00	122.38	0.00	0.00	0.00	122.38
21	0.00	0.00	0.25	122.13	0.00	0.00	0.00	122.13	0.00	0.00	0.00	122.13	0.00	0.00	0.00	122.13
22	0.00	0.00	0.25	121.88	0.00	0.00	0.00	121.88	0.00	0.00	0.00	121.88	0.00	0.00	0.00	121.88
23	0.00	0.00	0.25	121.63	0.00	0.00	0.00	121.63	0.00	0.00	0.00	121.63	0.00	0.00	0.00	121.63
24	0.00	0.00	0.25	121.38	0.00	0.00	0.00	121.38	0.00	0.00	0.00	121.38	0.00	0.00	0.00	121.38
25	0.00	0.00	0.25	121.13	0.00	0.00	0.00	121.13	0.00	0.00	0.00	121.13	0.00	0.00	0.00	121.13
26	0.00	0.00	0.25	120.88	0.00	0.00	0.00	120.88	0.00	0.00	0.00	120.88	0.00	0.00	0.00	120.88
27	0.00	0.00	0.25	120.63	0.00	0.00	0.00	120.63	0.00	0.00	0.00	120.63	0.00	0.00	0.00	120.63
28	0.00	0.00	0.25	120.38	0.00	0.00	0.00	120.38	0.00	0.00	0.00	120.38	0.00	0.00	0.00	120.38
29	0.00	0.00	0.25	120.13	0.00	0.00	0.00	120.13	0.00	0.00	0.00	120.13	0.00	0.00	0.00	120.13
30	0.00	0.00	0.25	119.88	0.00	0.00	0.00	119.88	0.00	0.00	0.00	119.88	0.00	0.00	0.00	119.88
31	0.00	0.00	0.25	119.63	0.00	0.00	0.00	119.63	0.00	0.00	0.00	119.63	0.00	0.00	0.00	119.63
TOT	0.00	419.43	8.07	121.23	0.00	0.00	71.23	121.23	0.00	0.00	71.23	121.23	0.00	0.00	7.18	121.23

1990 WINTER STORED WATER

TOTAL

JUL 1990:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	39.82	16.59	549.43	0.00	39.82	16.59	549.43	0.00	39.82	16.59	549.43
2	0.00	101.59	16.27	550.04	0.00	101.59	16.27	550.04	0.00	101.59	16.27	550.04
3	0.00	123.59	12.14	550.63	0.00	123.59	12.14	550.63	0.00	123.59	12.14	550.63
4	0.00	123.59	13.40	550.77	0.00	123.59	13.40	550.77	0.00	123.59	13.40	550.77
5	0.00	123.59	13.68	550.37	0.00	123.59	13.68	550.37	0.00	123.59	13.68	550.37
6	0.00	63.89	13.29	550.15	0.00	63.89	13.29	550.15	0.00	63.89	13.29	550.15
7	0.00	0.00	13.29	550.40	0.00	0.00	13.29	550.40	0.00	0.00	13.29	550.40
8	0.00	0.00	9.95	550.21	0.00	0.00	9.95	550.21	0.00	0.00	9.95	550.21
9	0.00	0.00	4.26	550.07	0.00	0.00	4.26	550.07	0.00	0.00	4.26	550.07
10	0.00	0.00	8.77	550.07	0.00	0.00	8.77	550.07	0.00	0.00	8.77	550.07
11	0.00	0.00	8.35	550.81	0.00	0.00	8.35	550.81	0.00	0.00	8.35	550.81
12	0.00	0.00	10.98	550.44	0.00	0.00	10.98	550.44	0.00	0.00	10.98	550.44
13	0.00	37.39	18.97	550.79	0.00	37.39	18.97	550.79	0.00	37.39	18.97	550.79
14	0.00	159.33	12.01	550.31	0.00	159.33	12.01	550.31	0.00	159.33	12.01	550.31
15	0.00	102.96	8.39	550.16	0.00	102.96	8.39	550.16	0.00	102.96	8.39	550.16
16	0.00	118.54	8.16	550.31	0.00	118.54	8.16	550.31	0.00	118.54	8.16	550.31
17	0.00	0.54	8.10	550.57	0.00	0.54	8.10	550.57	0.00	0.54	8.10	550.57
18	0.00	0.54	7.49	550.54	0.00	0.54	7.49	550.54	0.00	0.54	7.49	550.54
19	0.00	0.30	6.18	550.88	0.00	0.30	6.18	550.88	0.00	0.30	6.18	550.88
20	0.00	0.00	8.72	550.76	0.00	0.00	8.72	550.76	0.00	0.00	8.72	550.76
21	0.00	0.00	5.75	550.40	0.00	0.00	5.75	550.40	0.00	0.00	5.75	550.40
22	0.00	0.00	5.53	550.78	0.00	0.00	5.53	550.78	0.00	0.00	5.53	550.78
23	0.00	0.00	4.53	550.62	0.00	0.00	4.53	550.62	0.00	0.00	4.53	550.62
24	0.00	0.00	8.12	550.97	0.00	0.00	8.12	550.97	0.00	0.00	8.12	550.97
25	0.00	0.00	284.74	550.43	0.00	0.00	284.74	550.43	0.00	0.00	284.74	550.43
TOT	0.00	1315.72	284.74	550.43	0.00	1315.72	284.74	550.43	0.00	1315.72	284.74	550.43



JOHN MARTIN RESERVOIR AGREEMENT WATER

AUG 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	71.00	41235.19	0.00	0.00	61.77	35887.12	0.00	0.00	0.00	0.00
2	0.00	0.00	80.00	41184.19	0.00	0.00	61.60	35887.35	0.00	0.00	0.00	0.00
3	0.00	65.81	62.00	40956.88	0.00	65.81	52.94	35449.31	0.00	0.00	0.00	0.00
4	0.00	104.81	60.00	40791.07	0.00	104.81	52.19	35449.20	0.00	0.00	0.00	0.00
5	0.00	185.81	59.00	40117.16	0.00	185.81	41.64	34459.15	0.00	0.00	0.00	0.00
6	0.00	104.81	48.00	39877.06	538.65	104.81	30.33	34459.15	0.00	0.00	0.00	0.00
7	0.00	106.81	35.00	40276.58	0.00	106.81	20.33	34459.15	0.00	0.00	0.00	0.00
8	0.00	177.81	46.00	40883.06	0.00	177.81	39.93	34459.15	0.00	0.00	0.00	0.00
9	0.00	458.81	46.00	39358.27	0.00	458.81	24.16	34077.92	0.00	0.00	0.00	0.00
10	0.00	558.81	51.00	38788.41	0.00	558.81	44.16	33283.93	0.00	0.00	0.00	0.00
11	0.00	582.81	51.00	38104.50	0.00	582.81	44.06	32837.38	0.00	0.00	0.00	0.00
12	0.00	609.81	41.00	37454.72	0.00	609.81	33.36	32153.46	0.00	0.00	0.00	0.00
13	0.00	640.81	33.00	36660.75	0.00	640.81	28.14	31153.62	0.00	0.00	0.00	0.00
14	0.00	725.81	24.00	35612.47	0.00	725.81	16.23	30088.79	0.00	0.00	0.00	0.00
15	0.00	833.81	14.00	34226.98	0.00	833.81	4.43	29033.44	0.00	0.00	0.00	0.00
16	0.00	979.81	0.00	32503.98	0.00	979.81	4.58	28033.89	0.00	0.00	0.00	0.00
17	0.00	1183.81	0.00	30874.77	0.00	1183.81	43.58	27033.98	0.00	0.00	0.00	0.00
18	0.00	1491.81	0.00	29439.71	0.00	1491.81	47.82	26033.10	0.00	0.00	0.00	0.00
19	0.00	1873.81	0.00	28254.30	0.00	1873.81	47.26	25033.22	0.00	0.00	0.00	0.00
20	0.00	2300.81	0.00	27308.48	0.00	2300.81	22.18	24033.06	0.00	0.00	0.00	0.00
21	0.00	2743.81	0.00	26544.67	0.00	2743.81	18.22	23033.27	0.00	0.00	0.00	0.00
22	0.00	3200.81	0.00	25908.86	0.00	3200.81	12.82	22033.09	0.00	0.00	0.00	0.00
23	0.00	3660.81	0.00	25400.26	0.00	3660.81	9.22	21033.00	0.00	0.00	0.00	0.00
24	0.00	4120.81	0.00	24997.67	0.00	4120.81	6.70	20033.00	0.00	0.00	0.00	0.00
25	0.00	4580.81	0.00	24680.97	0.00	4580.81	5.59	19033.00	0.00	0.00	0.00	0.00
26	0.00	5040.81	0.00	24429.16	0.00	5040.81	5.07	18033.00	0.00	0.00	0.00	0.00
27	0.00	5500.81	0.00	24229.35	0.00	5500.81	4.59	17033.00	0.00	0.00	0.00	0.00
28	0.00	5960.81	0.00	24079.54	0.00	5960.81	4.07	16033.00	0.00	0.00	0.00	0.00
29	0.00	6420.81	0.00	23979.73	0.00	6420.81	3.59	15033.00	0.00	0.00	0.00	0.00
30	0.00	6880.81	0.00	23929.92	0.00	6880.81	3.11	14033.00	0.00	0.00	0.00	0.00
31	0.00	7340.81	0.00	23920.11	0.00	7340.81	2.63	13033.00	0.00	0.00	0.00	0.00
TOT	538.65	9006.10	1847.00	41235.19	538.65	9006.10	1583.71	35887.12	0.00	0.00	0.00	0.00

JOHN MARTIN RESERVOIR PERMANENT POOL

AUG 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	9.20	358.84	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	10.06	348.84	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	18.81	338.84	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	7.70	328.84	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	6.36	318.84	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	4.66	308.84	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	10.67	298.84	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	6.76	288.84	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	6.84	278.84	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	6.94	268.84	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	5.64	258.84	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	4.86	248.84	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	15.33	238.84	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	7.77	228.84	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	5.42	218.84	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	7.42	208.84	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	9.08	198.84	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	8.18	188.84	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	5.57	178.84	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	32.04	168.84	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	10.74	158.84	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	10.82	148.84	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	10.30	138.84	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	10.44	128.84	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	18.43	118.84	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	13.55	108.84	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	13.93	98.84	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	15.74	88.84	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	13.93	78.84	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	0.00	0.00	11.48	68.84	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	0.00	0.00	11.48	58.84	0.00	0.00	0.00	0.00
TOT	0.00	0.00	263.29	0.00	0.00	0.00	263.29	358.84	0.00	0.00	0.00	0.00

SUMMER STORED WATER

AUG 1990:	HYDE			MANVEL			X-Y			OWN
	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	
1	0.00	0.00	0.84	0.00	0.00	0.27	156.97	0.00	0.00	333.63
2	0.00	0.00	0.00	0.00	0.00	0.30	156.70	0.00	0.57	332.41
3	0.00	0.00	0.00	0.00	0.00	0.24	156.40	0.00	0.50	329.50
4	0.00	0.00	0.00	0.00	0.00	0.22	156.57	36.84	0.43	327.69
5	0.00	14.58	0.00	0.00	0.00	0.29	156.97	58.95	0.21	317.24
6	0.00	14.58	0.00	0.00	0.00	0.14	156.38	58.95	0.12	318.00
7	0.00	14.58	0.00	0.00	0.00	0.18	156.89	58.95	0.00	318.00
8	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
9	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
10	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
11	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
12	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
13	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
14	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
15	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
16	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
17	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
18	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
19	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
20	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
21	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
22	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
23	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
24	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
25	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
26	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
27	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
28	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
29	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
30	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
31	0.00	14.58	0.00	0.00	0.00	0.20	154.49	58.95	0.00	318.00
TOT	0.00	283.56	16.74	0.00	153.62	3.35		330.71	2.92	

SUMMER STORED WATER

AUG 1990:	BUFFALO			SISSON			TOTAL			OWN
	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	INFLOW	RELEASE	EVAP	
1	0.00	0.00	0.98	0.00	0.00	1.25	72.40	0.00	0.00	225.90
2	0.00	0.00	0.00	0.00	0.00	1.08	73.17	0.00	0.00	224.63
3	0.00	0.00	0.00	0.00	0.00	1.05	77.18	65.50	0.00	222.74
4	0.00	0.00	0.00	0.00	0.00	0.86	77.62	104.81	0.00	220.74
5	0.00	0.00	0.00	0.00	0.00	0.63	77.62	104.81	0.00	219.65
6	0.00	0.00	0.00	0.00	0.00	0.81	77.62	104.81	0.00	217.52
7	0.00	0.00	0.00	0.00	0.00	0.92	77.62	104.81	0.00	216.45
8	0.00	0.00	0.00	0.00	0.00	0.94	77.62	104.81	0.00	215.40
9	0.00	0.00	0.00	0.00	0.00	0.76	77.62	104.81	0.00	214.35
10	0.00	0.00	0.00	0.00	0.00	0.99	77.62	104.81	0.00	213.30
11	0.00	0.00	0.00	0.00	0.00	0.39	77.62	104.81	0.00	212.25
12	0.00	0.00	0.00	0.00	0.00	0.02	77.62	104.81	0.00	211.20
13	0.00	0.00	0.00	0.00	0.00	0.22	77.62	104.81	0.00	210.15
14	0.00	0.00	0.00	0.00	0.00	0.75	77.62	104.81	0.00	209.10
15	0.00	0.00	0.00	0.00	0.00	1.46	77.62	104.81	0.00	208.05
16	0.00	0.00	0.00	0.00	0.00	1.39	77.62	104.81	0.00	207.00
17	0.00	0.00	0.00	0.00	0.00	1.02	77.62	104.81	0.00	205.95
18	0.00	0.00	0.00	0.00	0.00	0.22	77.62	104.81	0.00	204.90
19	0.00	0.00	0.00	0.00	0.00	0.21	77.62	104.81	0.00	203.85
20	0.00	0.00	0.00	0.00	0.00	0.25	77.62	104.81	0.00	202.80
21	0.00	0.00	0.00	0.00	0.00	0.46	77.62	104.81	0.00	201.75
22	0.00	0.00	0.00	0.00	0.00	1.39	77.62	104.81	0.00	200.70
23	0.00	0.00	0.00	0.00	0.00	1.11	77.62	104.81	0.00	199.65
24	0.00	0.00	0.00	0.00	0.00	0.39	77.62	104.81	0.00	198.60
25	0.00	0.00	0.00	0.00	0.00	0.21	77.62	104.81	0.00	197.55
26	0.00	0.00	0.00	0.00	0.00	0.39	77.62	104.81	0.00	196.50
27	0.00	0.00	0.00	0.00	0.00	1.88	77.62	104.81	0.00	195.45
28	0.00	0.00	0.00	0.00	0.00	2.15	77.62	104.81	0.00	194.40
29	0.00	0.00	0.00	0.00	0.00	1.88	77.62	104.81	0.00	193.35
30	0.00	0.00	0.00	0.00	0.00	1.56	77.62	104.81	0.00	192.30
31	0.00	0.00	0.00	0.00	0.00	1.55	77.62	104.81	0.00	191.25
TOT	0.00	541.30	14.70	0.00	0.00	35.50		1309.19	73.21	

1990 WINTER STORED WATER

KEESEE

FT. BENT

AMITY

AUG 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.53	325.24	0.00	0.00	0.28	146.77	0.00	0.00	0.00	0.00
2	0.00	0.00	0.49	268.05	0.00	0.00	0.22	146.52	0.00	0.00	0.00	0.00
3	0.00	0.00	0.47	220.56	0.00	0.00	0.21	146.02	0.00	0.00	0.00	0.00
4	0.00	0.00	0.47	222.35	0.00	0.00	0.21	145.81	0.00	0.00	0.00	0.00
5	0.00	0.00	0.39	221.30	0.00	0.00	0.17	145.60	0.00	0.00	0.00	0.00
6	0.00	0.00	0.65	220.52	0.00	2.49	0.13	145.43	0.00	0.00	0.00	0.00
7	0.00	0.00	0.37	220.19	0.00	3.99	0.16	143.57	0.00	0.00	0.00	0.00
8	0.00	0.00	0.41	220.51	0.00	3.99	0.17	134.20	0.00	0.00	0.00	0.00
9	0.00	0.00	0.42	220.52	0.00	3.99	0.17	130.04	0.00	0.00	0.00	0.00
10	0.00	0.00	0.38	220.52	0.00	3.99	0.14	125.88	0.00	0.00	0.00	0.00
11	0.00	0.00	0.36	220.52	0.00	3.99	0.13	121.75	0.00	0.00	0.00	0.00
12	0.00	0.00	0.37	220.52	0.00	3.99	0.13	117.55	0.00	0.00	0.00	0.00
13	0.00	0.24	0.47	220.52	0.00	3.99	0.15	113.37	0.00	0.00	0.00	0.00
14	0.00	0.44	0.44	220.52	0.00	3.99	0.15	109.13	0.00	0.00	0.00	0.00
15	0.00	0.44	0.49	220.52	0.00	3.99	0.14	105.00	0.00	0.00	0.00	0.00
16	0.00	0.38	0.38	220.52	0.00	3.99	0.12	101.03	0.00	0.00	0.00	0.00
17	0.00	0.39	0.44	220.52	0.00	3.99	0.11	97.09	0.00	0.00	0.00	0.00
18	0.00	0.39	0.49	220.52	0.00	3.99	0.11	93.27	0.00	0.00	0.00	0.00
19	0.00	0.38	0.38	220.52	0.00	3.99	0.10	89.74	0.00	0.00	0.00	0.00
20	0.00	0.38	0.38	220.52	0.00	3.99	0.10	86.56	0.00	0.00	0.00	0.00
21	0.00	0.38	0.48	220.52	0.00	3.99	0.08	83.50	0.00	0.00	0.00	0.00
22	0.00	0.38	0.43	220.52	0.00	3.99	0.06	80.56	0.00	0.00	0.00	0.00
23	0.00	0.38	0.34	220.52	0.00	3.99	0.03	77.83	0.00	0.00	0.00	0.00
24	0.00	0.38	0.57	220.52	0.00	3.99	0.02	75.45	0.00	0.00	0.00	0.00
25	0.00	0.38	0.39	220.52	0.00	3.99	0.00	73.16	0.00	0.00	0.00	0.00
26	0.00	0.38	0.39	220.52	0.00	3.99	0.00	71.00	0.00	0.00	0.00	0.00
27	0.00	0.38	0.39	220.52	0.00	3.99	0.00	69.00	0.00	0.00	0.00	0.00
28	0.00	0.38	0.39	220.52	0.00	3.99	0.00	67.25	0.00	0.00	0.00	0.00
29	0.00	0.38	0.39	220.52	0.00	3.99	0.00	65.73	0.00	0.00	0.00	0.00
30	0.00	0.38	0.39	220.52	0.00	3.99	0.00	64.45	0.00	0.00	0.00	0.00
31	0.00	0.38	0.39	220.52	0.00	3.99	0.00	63.40	0.00	0.00	0.00	0.00
TOT	0.00	145.96	13.89		0.00	142.38	4.39		0.00	0.00	0.00	

1990 WINTER STORED WATER

LAMAR

HYDE

MANVEL

AUG 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	3.57	2068.33	0.00	0.00	0.32	185.42	0.00	0.00	0.49	286.91
2	0.00	0.00	4.10	2064.34	0.00	0.00	0.28	185.14	0.00	0.00	0.46	286.42
3	0.00	0.00	3.22	2065.82	0.00	0.00	0.27	184.46	0.00	0.00	0.43	285.83
4	0.00	0.00	2.96	2062.27	0.00	0.00	0.27	183.92	0.00	0.00	0.41	285.01
5	0.00	0.00	2.50	2060.96	0.00	0.00	0.26	183.70	0.00	0.00	0.34	284.60
6	0.00	0.00	1.60	2060.96	0.00	0.00	0.27	183.54	0.00	0.00	0.35	284.21
7	0.00	0.00	1.35	2049.48	0.00	0.00	0.27	183.33	0.00	0.00	0.37	283.74
8	0.00	0.00	1.65	2044.86	0.00	0.00	0.24	182.73	0.00	0.00	0.36	283.15
9	0.00	0.00	1.69	2039.63	0.00	0.00	0.24	182.49	0.00	0.00	0.37	282.73
10	0.00	0.00	1.78	2032.87	0.00	0.00	0.20	182.05	0.00	0.00	0.30	282.01
11	0.00	0.00	1.24	2030.96	0.00	0.00	0.16	181.89	0.00	0.00	0.25	281.46
12	0.00	0.00	1.89	2029.66	0.00	0.00	0.16	181.63	0.00	0.00	0.31	281.16
13	0.00	0.00	1.90	2028.31	0.00	0.00	0.16	181.60	0.00	0.00	0.31	280.76
14	0.00	0.00	1.98	2028.79	0.00	0.00	0.16	181.80	0.00	0.00	0.40	280.43
15	0.00	0.00	1.88	2028.11	0.00	0.00	0.16	180.54	0.00	0.00	0.38	280.17
16	0.00	0.00	1.68	2028.11	0.00	0.00	0.16	180.28	0.00	0.00	0.35	279.87
17	0.00	0.00	1.88	2027.44	0.00	0.00	0.18	179.65	0.00	0.00	0.27	279.56
18	0.00	0.00	1.76	2027.44	0.00	0.00	0.19	179.50	0.00	0.00	0.26	279.25
19	0.00	0.00	1.75	2027.44	0.00	0.00	0.18	179.38	0.00	0.00	0.27	278.94
20	0.00	0.00	1.64	2027.44	0.00	0.00	0.18	179.07	0.00	0.00	0.26	278.63
21	0.00	0.00	1.64	2027.44	0.00	0.00	0.18	178.78	0.00	0.00	0.26	278.32
22	0.00	0.00	1.64	2027.44	0.00	0.00	0.18	178.50	0.00	0.00	0.26	278.01
23	0.00	0.00	1.64	2027.44	0.00	0.00	0.18	178.23	0.00	0.00	0.26	277.70
24	0.00	0.00	1.64	2027.44	0.00	0.00	0.18	177.95	0.00	0.00	0.26	277.40
25	0.00	0.00	1.64	2027.44	0.00	0.00	0.18	177.67	0.00	0.00	0.26	277.10
26	0.00	0.00	1.64	2027.44	0.00	0.00	0.18	177.39	0.00	0.00	0.26	276.80
27	0.00	0.00	1.64	2027.44	0.00	0.00	0.18	177.11	0.00	0.00	0.26	276.50
28	0.00	0.00	1.64	2027.44	0.00	0.00	0.18	176.83	0.00	0.00	0.26	276.20
29	0.00	0.00	1.64	2027.44	0.00	0.00	0.18	176.55	0.00	0.00	0.26	275.90
30	0.00	0.00	1.64	2027.44	0.00	0.00	0.18	176.27	0.00	0.00	0.26	275.60
31	0.00	0.00	1.64	2027.44	0.00	0.00	0.18	176.00	0.00	0.00	0.26	275.30
TOT	0.00	753.99	93.95		0.00	0.00	9.12		0.00	277.80	9.11	

1990 WINTER STORED WATER

X-Y

BUFFALO


SISSON

AUG 1990:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1210.43	0.00	0.00	0.00	1210.43
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1208.99	0.00	0.00	0.00	1208.99
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1205.17	0.00	0.00	0.00	1205.17
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1202.46	0.00	0.00	0.00	1202.46
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1199.22	0.00	0.00	0.00	1199.22
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1198.76	0.00	0.00	0.00	1198.76
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1194.39	0.00	0.00	0.00	1194.39
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1192.86	0.00	0.00	0.00	1192.86
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1191.77	0.00	0.00	0.00	1191.77
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1189.47	0.00	0.00	0.00	1189.47
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1188.57	0.00	0.00	0.00	1188.57
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1187.06	0.00	0.00	0.00	1187.06
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1183.01	0.00	0.00	0.00	1183.01
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1182.76	0.00	0.00	0.00	1182.76
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1180.63	0.00	0.00	0.00	1180.63
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1178.93	0.00	0.00	0.00	1178.93
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1176.80	0.00	0.00	0.00	1176.80
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1174.84	0.00	0.00	0.00	1174.84
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1173.04	0.00	0.00	0.00	1173.04
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1171.53	0.00	0.00	0.00	1171.53
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1169.78	0.00	0.00	0.00	1169.78
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1168.92	0.00	0.00	0.00	1168.92
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1166.48	0.00	0.00	0.00	1166.48
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1164.48	0.00	0.00	0.00	1164.48
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1161.40	0.00	0.00	0.00	1161.40
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1157.78	0.00	0.00	0.00	1157.78
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1155.29	0.00	0.00	0.00	1155.29
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1152.90	0.00	0.00	0.00	1152.90
29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1150.37	0.00	0.00	0.00	1150.37
30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1147.66	0.00	0.00	0.00	1147.66
31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1144.56	0.00	0.00	0.00	1144.56
TOT	0.00	0.00	0.00	0.00	0.00	24.37	59.30	1126.76	0.00	24.37	59.30	1126.76

1990 WINTER STORED WATER

TOTAL

AUG 1990:	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN	INFLW	RELEASE	EVAP	OWN
1	0.00	0.00	7.49	4348.97	0.00	0.00	0.00	4348.97	0.00	0.00	0.00	4348.97
2	0.00	0.00	8.44	4341.04	0.00	0.00	0.00	4341.04	0.00	0.00	0.00	4341.04
3	0.00	0.00	6.54	4333.50	0.00	0.00	0.00	4333.50	0.00	0.00	0.00	4333.50
4	0.00	0.00	6.25	4326.91	0.00	0.00	0.00	4326.91	0.00	0.00	0.00	4326.91
5	0.00	0.00	5.16	4318.97	0.00	0.00	0.00	4318.97	0.00	0.00	0.00	4318.97
6	0.00	0.00	3.78	4308.97	0.00	0.00	0.00	4308.97	0.00	0.00	0.00	4308.97
7	0.00	0.00	8.66	4293.82	0.00	0.00	0.00	4293.82	0.00	0.00	0.00	4293.82
8	0.00	2.49	4.93	4284.43	0.00	0.00	0.00	4284.43	0.00	0.00	0.00	4284.43
9	0.00	3.99	5.64	4275.40	0.00	0.00	0.00	4275.40	0.00	0.00	0.00	4275.40
10	0.00	3.99	5.64	4266.29	0.00	0.00	0.00	4266.29	0.00	0.00	0.00	4266.29
11	0.00	3.99	5.64	4259.51	0.00	0.00	0.00	4259.51	0.00	0.00	0.00	4259.51
12	0.00	2.20	4.73	4251.04	0.00	0.00	0.00	4251.04	0.00	0.00	0.00	4251.04
13	0.00	124.74	4.70	4218.64	0.00	0.00	0.00	4218.64	0.00	0.00	0.00	4218.64
14	0.00	224.74	8.16	4111.58	0.00	0.00	0.00	4111.58	0.00	0.00	0.00	4111.58
15	0.00	30.98	6.90	4098.4	0.00	0.00	0.00	4098.4	0.00	0.00	0.00	4098.4
16	0.00	49.03	5.85	3988.9	0.00	0.00	0.00	3988.9	0.00	0.00	0.00	3988.9
17	0.00	69.88	5.67	3889.7	0.00	0.00	0.00	3889.7	0.00	0.00	0.00	3889.7
18	0.00	71.83	6.02	3825.2	0.00	0.00	0.00	3825.2	0.00	0.00	0.00	3825.2
19	0.00	71.83	4.02	3757.33	0.00	0.00	0.00	3757.33	0.00	0.00	0.00	3757.33
20	0.00	71.83	7.52	3681.54	0.00	0.00	0.00	3681.54	0.00	0.00	0.00	3681.54
21	0.00	71.83	7.35	3603.36	0.00	0.00	0.00	3603.36	0.00	0.00	0.00	3603.36
22	0.00	78.13	6.87	3524.76	0.00	0.00	0.00	3524.76	0.00	0.00	0.00	3524.76
23	0.00	119.00	5.51	3434.09	0.00	0.00	0.00	3434.09	0.00	0.00	0.00	3434.09
24	0.00	123.36	5.74	3339.78	0.00	0.00	0.00	3339.78	0.00	0.00	0.00	3339.78
25	0.00	123.36	5.60	3249.60	0.00	0.00	0.00	3249.60	0.00	0.00	0.00	3249.60
26	0.00	175.36	8.72	3073.68	0.00	0.00	0.00	3073.68	0.00	0.00	0.00	3073.68
27	0.00	1344.50	185.77	185.77	0.00	0.00	0.00	185.77	0.00	0.00	0.00	185.77
TOT	0.00	1344.50	185.77	185.77	0.00	0.00	0.00	185.77	0.00	0.00	0.00	185.77



JOHN MARTIN RESERVOIR AGREEMENT WATER SUMMER COMPACT WATER Pg 1

SEP 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	590.57	69.00	30920.74	0.00	590.57	57.93	25925.96	0.00	0.00	0.00	0.00
2	18.53	590.57	68.00	30262.16	0.00	590.57	56.58	24770.61	0.00	0.00	0.00	0.00
3	23.41	595.46	66.00	28964.56	0.00	595.46	54.97	23288.35	0.00	0.00	0.00	0.00
4	23.41	594.67	74.00	27667.99	0.00	594.67	60.70	22568.52	0.00	0.00	0.00	0.00
5	23.41	594.67	80.00	27015.73	0.00	594.67	65.26	21908.33	0.00	0.00	0.00	0.00
6	23.41	594.67	38.00	26549.38	0.00	594.67	30.43	21289.13	0.00	0.00	0.00	0.00
7	23.41	452.08	39.00	25499.80	0.00	452.08	31.43	20742.68	0.00	0.00	0.00	0.00
8	4.85	412.61	39.00	25087.43	0.00	412.61	33.93	19446.21	0.00	0.00	0.00	0.00
9	0.00	412.61	42.00	24581.82	0.00	412.61	38.73	18994.85	0.00	0.00	0.00	0.00
10	0.00	412.61	49.00	23261.82	0.00	412.61	39.37	18098.32	0.00	0.00	0.00	0.00
11	0.00	412.61	50.00	23210.60	0.00	412.61	31.34	17721.03	0.00	0.00	0.00	0.00
12	0.00	412.61	41.00	22756.40	0.00	412.61	31.93	17270.34	0.00	0.00	0.00	0.00
13	0.00	412.61	40.00	22307.98	0.00	412.61	17.63	16727.59	0.00	0.00	0.00	0.00
14	0.00	402.63	36.00	22114.37	0.00	402.63	17.55	16353.12	0.00	0.00	0.00	0.00
15	0.00	402.63	33.00	21578.82	0.00	402.63	17.31	15991.07	0.00	0.00	0.00	0.00
16	0.00	402.63	31.00	20152.93	0.00	402.63	16.34	15091.10	0.00	0.00	0.00	0.00
17	0.00	402.63	22.00	19727.93	0.00	402.63	16.47	14672.10	0.00	0.00	0.00	0.00
18	0.00	402.63	24.00	19301.30	0.00	402.63	17.85	14255.00	0.00	0.00	0.00	0.00
19	0.00	402.63	31.00	18867.67	0.00	402.63	22.89	13838.60	0.00	0.00	0.00	0.00
20	0.00	402.63	31.00	18437.04	0.00	402.63	22.72	13420.65	0.00	0.00	0.00	0.00
21	0.00	402.63	35.00	18375.82	0.00	402.63	25.62	13002.99	0.00	0.00	0.00	0.00
22	0.00	22.00	32.00	18344.82	0.00	22.00	24.71	12585.74	0.00	0.00	0.00	0.00
23	0.00	0.00	34.00	18310.82	0.00	0.00	24.71	12168.03	0.00	0.00	0.00	0.00
24	0.00	0.00	34.00	18276.82	0.00	0.00	24.71	11750.32	0.00	0.00	0.00	0.00
TOT	163.84	11563.76	1244.00		0.00	11563.76	981.88		0.00	0.00	0.00	

SEP 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	11.37	5094.78	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	11.32	5079.91	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	18.53	0.00	11.31	5074.29	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	23.41	0.00	14.03	5088.59	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	23.41	0.00	13.30	5107.37	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	23.41	0.00	14.74	5127.60	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	23.41	0.00	7.15	5139.44	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	23.41	0.00	7.17	5159.99	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	4.85	0.00	10.64	5171.22	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	10.63	5191.34	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	10.66	5210.68	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	8.03	5233.65	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	8.97	5258.80	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	5.37	5280.43	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	5.45	5301.67	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	5.74	5321.44	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	5.63	5340.77	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	5.15	5359.61	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	5.63	5378.07	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	5.15	5397.13	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	5.63	5416.78	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	5.63	5436.13	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	5.63	5455.50	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	5.63	5474.87	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	5.63	5494.24	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	5.63	5513.61	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	5.63	5532.98	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	5.63	5552.35	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	5.63	5571.72	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	0.00	0.00	5.63	5591.09	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00		163.84	0.00	262.12		0.00	0.00	0.00	

SUMMER STORED WATER

SEP 1990:	HYDE		MANVEL		X-Y		OWN
	INFLOW	RELEASE	INFLOW	RELEASE	EVAP	EVAP	
1	0.00	12.58	0.00	0.00	0.00	0.00	0.00
2	0.00	11.25	0.00	0.00	0.00	0.00	0.00
3	0.00	11.47	0.00	0.00	0.00	0.00	0.00
4	0.00	10.47	0.00	0.00	0.00	0.00	0.00
5	0.00	10.47	0.00	0.00	0.00	0.00	0.00
6	0.00	11.00	0.00	0.00	0.00	0.00	0.00
7	0.00	10.47	0.00	0.00	0.00	0.00	0.00
8	0.00	10.47	0.00	0.00	0.00	0.00	0.00
9	0.00	10.47	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	101.35	0.00	0.00	0.00	0.00	0.00

SUMMER STORED WATER

SEP 1990:	BUFFALO		SISSON		TOTAL		OWN
	INFLOW	RELEASE	INFLOW	RELEASE	EVAP	EVAP	
1	0.00	0.00	0.00	0.00	0.00	0.00	874.50
2	0.00	0.00	0.00	0.00	0.00	0.00	859.46
3	0.00	0.00	0.00	0.00	0.00	0.00	830.99
4	0.00	0.00	0.00	0.00	0.00	0.00	817.44
5	0.00	0.00	0.00	0.00	0.00	0.00	804.83
6	0.00	0.00	0.00	0.00	0.00	0.00	792.03
7	0.00	0.00	0.00	0.00	0.00	0.00	780.45
8	0.00	0.00	0.00	0.00	0.00	0.00	768.85
9	0.00	0.00	0.00	0.00	0.00	0.00	757.20
10	0.00	0.00	0.00	0.00	0.00	0.00	755.44
11	0.00	0.00	0.00	0.00	0.00	0.00	752.94
12	0.00	0.00	0.00	0.00	0.00	0.00	751.38
13	0.00	0.00	0.00	0.00	0.00	0.00	750.79
14	0.00	0.00	0.00	0.00	0.00	0.00	748.47
15	0.00	0.00	0.00	0.00	0.00	0.00	747.70
16	0.00	0.00	0.00	0.00	0.00	0.00	746.77
17	0.00	0.00	0.00	0.00	0.00	0.00	745.67
18	0.00	0.00	0.00	0.00	0.00	0.00	744.57
19	0.00	0.00	0.00	0.00	0.00	0.00	743.74
20	0.00	0.00	0.00	0.00	0.00	0.00	742.74
21	0.00	0.00	0.00	0.00	0.00	0.00	741.93
22	0.00	0.00	0.00	0.00	0.00	0.00	741.84
23	0.00	0.00	0.00	0.00	0.00	0.00	740.81
24	0.00	0.00	0.00	0.00	0.00	0.00	739.92
25	0.00	0.00	0.00	0.00	0.00	0.00	739.62
26	0.00	0.00	0.00	0.00	0.00	0.00	739.22
27	0.00	0.00	0.00	0.00	0.00	0.00	738.92
28	0.00	0.00	0.00	0.00	0.00	0.00	738.52
29	0.00	0.00	0.00	0.00	0.00	0.00	738.52
30	0.00	0.00	0.00	0.00	0.00	0.00	738.52
TOT	0.00	0.00	0.00	101.35	0.00	0.00	39.93

SUMMER STORED WATER

SEP 1990:	BUFFALO		SISSON		TOTAL		OWN
	INFLOW	RELEASE	INFLOW	RELEASE	EVAP	EVAP	
1	0.00	0.00	0.00	0.00	0.00	0.00	874.50
2	0.00	0.00	0.00	0.00	0.00	0.00	859.46
3	0.00	0.00	0.00	0.00	0.00	0.00	830.99
4	0.00	0.00	0.00	0.00	0.00	0.00	817.44
5	0.00	0.00	0.00	0.00	0.00	0.00	804.83
6	0.00	0.00	0.00	0.00	0.00	0.00	792.03
7	0.00	0.00	0.00	0.00	0.00	0.00	780.45
8	0.00	0.00	0.00	0.00	0.00	0.00	768.85
9	0.00	0.00	0.00	0.00	0.00	0.00	757.20
10	0.00	0.00	0.00	0.00	0.00	0.00	755.44
11	0.00	0.00	0.00	0.00	0.00	0.00	752.94
12	0.00	0.00	0.00	0.00	0.00	0.00	751.38
13	0.00	0.00	0.00	0.00	0.00	0.00	750.79
14	0.00	0.00	0.00	0.00	0.00	0.00	748.47
15	0.00	0.00	0.00	0.00	0.00	0.00	747.70
16	0.00	0.00	0.00	0.00	0.00	0.00	746.77
17	0.00	0.00	0.00	0.00	0.00	0.00	745.67
18	0.00	0.00	0.00	0.00	0.00	0.00	744.57
19	0.00	0.00	0.00	0.00	0.00	0.00	743.74
20	0.00	0.00	0.00	0.00	0.00	0.00	742.74
21	0.00	0.00	0.00	0.00	0.00	0.00	741.93
22	0.00	0.00	0.00	0.00	0.00	0.00	741.84
23	0.00	0.00	0.00	0.00	0.00	0.00	740.81
24	0.00	0.00	0.00	0.00	0.00	0.00	739.92
25	0.00	0.00	0.00	0.00	0.00	0.00	739.62
26	0.00	0.00	0.00	0.00	0.00	0.00	739.22
27	0.00	0.00	0.00	0.00	0.00	0.00	738.92
28	0.00	0.00	0.00	0.00	0.00	0.00	738.52
29	0.00	0.00	0.00	0.00	0.00	0.00	738.52
30	0.00	0.00	0.00	0.00	0.00	0.00	738.52
TOT	0.00	0.00	0.00	101.35	0.00	0.00	39.93

1990 WINTER STORED WATER

FT. BENT

AMITY

KEESEE

SEP 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	9.98	0.37	165.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	9.98	0.32	144.71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	9.98	0.37	124.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	9.98	0.32	113.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	9.98	0.33	103.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	9.98	0.14	93.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	9.98	0.14	73.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	9.98	0.11	62.89	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	9.98	0.11	52.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	9.98	0.09	42.73	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	9.98	0.06	32.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	9.98	0.04	22.67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	2.67	0.00	2.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	162.35	3.04		0.00	0.00	0.00		0.00	0.00	0.00	

1990 WINTER STORED WATER

HYDE

MANVEL

LAMAR

SEP 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	165.38	2.73	1223.99	0.00	0.00	0.39	176.30	0.00	0.00	0.00	0.00
2	0.00	165.38	2.37	1058.88	0.00	0.00	0.40	175.91	0.00	0.00	0.00	0.00
3	0.00	165.38	1.99	888.77	0.00	0.00	0.39	175.12	0.00	0.00	0.00	0.00
4	0.00	171.59	1.43	574.17	0.00	0.00	0.46	174.17	0.00	0.00	0.00	0.00
5	0.00	171.59	1.08	374.50	0.00	0.00	0.50	173.42	0.00	0.00	0.00	0.00
6	0.00	171.59	0.28	201.63	0.00	0.00	0.25	173.19	0.00	0.00	0.00	0.00
7	0.00	129.59	0.04	29.00	0.00	0.00	0.26	172.92	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.34	172.27	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.36	171.93	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.36	171.57	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.29	171.28	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.30	170.98	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.28	170.68	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.28	170.32	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.18	170.04	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.25	169.79	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.19	169.41	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.21	169.23	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.21	168.93	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.23	168.63	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.23	168.33	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.29	168.04	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.31	167.73	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.31	167.42	0.00	0.00	0.00	0.00
TOT	0.00	1212.09	11.90		0.00	0.00	8.88		0.00	0.00	0.00	

1990 WINTER STORED WATER

PG 6

SISSON

BUFFALO

X-Y


SEP 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	2.52	1126.76	0.00	0.00	0.00	1126.76	0.00	0.00	0.00	1126.76
2	0.00	0.00	0.00	0.00	0.00	0.00	5.20	1124.74	0.00	0.00	0.00	1124.74	0.00	0.00	0.00	1124.74
3	0.00	0.00	0.00	0.00	0.00	0.00	5.09	1119.91	0.00	0.00	0.00	1119.91	0.00	0.00	0.00	1119.91
4	0.00	0.00	0.00	0.00	0.00	0.00	3.02	1116.93	0.00	0.00	0.00	1116.93	0.00	0.00	0.00	1116.93
5	0.00	0.00	0.00	0.00	0.00	0.00	2.56	1113.99	0.00	0.00	0.00	1113.99	0.00	0.00	0.00	1113.99
6	0.00	0.00	0.00	0.00	0.00	0.00	1.66	1110.64	0.00	0.00	0.00	1110.64	0.00	0.00	0.00	1110.64
7	0.00	0.00	0.00	0.00	0.00	0.00	1.85	1110.21	0.00	0.00	0.00	1110.21	0.00	0.00	0.00	1110.21
8	0.00	0.00	0.00	0.00	0.00	0.00	2.28	1107.96	0.00	0.00	0.00	1107.96	0.00	0.00	0.00	1107.96
9	0.00	0.00	0.00	0.00	0.00	0.00	2.85	1099.86	0.00	0.00	0.00	1099.86	0.00	0.00	0.00	1099.86
10	0.00	0.00	0.00	0.00	0.00	0.00	1.94	1092.84	0.00	0.00	0.00	1092.84	0.00	0.00	0.00	1092.84
11	0.00	0.00	0.00	0.00	0.00	0.00	1.79	1088.82	0.00	0.00	0.00	1088.82	0.00	0.00	0.00	1088.82
12	0.00	0.00	0.00	0.00	0.00	0.00	1.17	1088.66	0.00	0.00	0.00	1088.66	0.00	0.00	0.00	1088.66
13	0.00	0.00	0.00	0.00	0.00	0.00	1.60	1088.54	0.00	0.00	0.00	1088.54	0.00	0.00	0.00	1088.54
14	0.00	0.00	0.00	0.00	0.00	0.00	2.18	1082.55	0.00	0.00	0.00	1082.55	0.00	0.00	0.00	1082.55
15	0.00	0.00	0.00	0.00	0.00	0.00	1.74	1078.81	0.00	0.00	0.00	1078.81	0.00	0.00	0.00	1078.81
16	0.00	0.00	0.00	0.00	0.00	0.00	1.77	1075.04	0.00	0.00	0.00	1075.04	0.00	0.00	0.00	1075.04
17	0.00	0.00	0.00	0.00	0.00	0.00	2.06	1074.99	0.00	0.00	0.00	1074.99	0.00	0.00	0.00	1074.99
18	0.00	0.00	0.00	0.00	0.00	0.00	1.88	1074.11	0.00	0.00	0.00	1074.11	0.00	0.00	0.00	1074.11
19	0.00	0.00	0.00	0.00	0.00	0.00	1.99	1072.22	0.00	0.00	0.00	1072.22	0.00	0.00	0.00	1072.22
20	0.00	0.00	0.00	0.00	0.00	0.00	1.99	1070.11	0.00	0.00	0.00	1070.11	0.00	0.00	0.00	1070.11
TOT	0.00	0.00	0.00	0.00	0.00	0.00	56.63		0.00	0.00	0.00		0.00	0.00	5.85	

1990 WINTER STORED WATER

PG 6

TOTAL

SEP 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	175.36	6.27	2808.70	0.00	175.36	6.27	2808.70	0.00	0.00	0.00	2808.70	0.00	0.00	0.00	2808.70
2	0.00	175.36	6.90	2244.51	0.00	175.36	6.90	2244.51	0.00	0.00	0.00	2244.51	0.00	0.00	0.00	2244.51
3	0.00	181.57	5.45	2107.70	0.00	181.57	5.45	2107.70	0.00	0.00	0.00	2107.70	0.00	0.00	0.00	2107.70
4	0.00	181.57	5.25	1890.17	0.00	181.57	5.25	1890.17	0.00	0.00	0.00	1890.17	0.00	0.00	0.00	1890.17
5	0.00	181.57	5.46	1703.14	0.00	181.57	5.46	1703.14	0.00	0.00	0.00	1703.14	0.00	0.00	0.00	1703.14
6	0.00	181.57	4.40	1519.36	0.00	181.57	4.40	1519.36	0.00	0.00	0.00	1519.36	0.00	0.00	0.00	1519.36
7	0.00	139.57	2.24	1465.16	0.00	139.57	2.24	1465.16	0.00	0.00	0.00	1465.16	0.00	0.00	0.00	1465.16
8	0.00	99.88	2.87	1433.90	0.00	99.88	2.87	1433.90	0.00	0.00	0.00	1433.90	0.00	0.00	0.00	1433.90
9	0.00	99.88	2.43	1421.05	0.00	99.88	2.43	1421.05	0.00	0.00	0.00	1421.05	0.00	0.00	0.00	1421.05
10	0.00	99.88	2.66	1411.74	0.00	99.88	2.66	1411.74	0.00	0.00	0.00	1411.74	0.00	0.00	0.00	1411.74
11	0.00	99.88	3.99	1401.28	0.00	99.88	3.99	1401.28	0.00	0.00	0.00	1401.28	0.00	0.00	0.00	1401.28
12	0.00	99.88	4.44	1372.77	0.00	99.88	4.44	1372.77	0.00	0.00	0.00	1372.77	0.00	0.00	0.00	1372.77
13	0.00	22.67	1.42	1370.51	0.00	22.67	1.42	1370.51	0.00	0.00	0.00	1370.51	0.00	0.00	0.00	1370.51
14	0.00	0.00	1.47	1369.04	0.00	0.00	1.47	1369.04	0.00	0.00	0.00	1369.04	0.00	0.00	0.00	1369.04
15	0.00	0.00	2.30	1365.40	0.00	0.00	2.30	1365.40	0.00	0.00	0.00	1365.40	0.00	0.00	0.00	1365.40
16	0.00	0.00	1.66	1362.00	0.00	0.00	1.66	1362.00	0.00	0.00	0.00	1362.00	0.00	0.00	0.00	1362.00
17	0.00	0.00	1.56	1360.34	0.00	0.00	1.56	1360.34	0.00	0.00	0.00	1360.34	0.00	0.00	0.00	1360.34
18	0.00	0.00	2.58	1355.98	0.00	0.00	2.58	1355.98	0.00	0.00	0.00	1355.98	0.00	0.00	0.00	1355.98
19	0.00	0.00	2.61	1355.01	0.00	0.00	2.61	1355.01	0.00	0.00	0.00	1355.01	0.00	0.00	0.00	1355.01
20	0.00	0.00	2.02	1350.47	0.00	0.00	2.02	1350.47	0.00	0.00	0.00	1350.47	0.00	0.00	0.00	1350.47
TOT	0.00	1374.44	86.30		0.00	1374.44	86.30		0.00	0.00	0.00		0.00	0.00		



JOHN MARTIN RESERVOIR
AGREEMENT WATER

JOHN MARTIN RESERVOIR

OCT 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	18276.82	0.00	0.00	23.23	13280.02	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	18241.82	0.00	0.00	21.07	13237.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	18198.82	0.00	0.00	12.36	13226.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	18177.82	0.00	0.00	12.89	13213.11	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	18152.82	0.00	0.00	12.11	13201.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	18123.82	0.00	0.00	11.44	13189.56	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	18090.82	0.00	0.00	10.99	13178.57	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	18054.82	0.00	0.00	10.79	13168.78	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	18015.82	0.00	0.00	10.82	13159.96	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	18020.82	0.00	0.00	11.39	13151.57	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	17995.82	0.00	0.00	11.42	13143.15	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	17969.82	0.00	0.00	11.42	13134.73	0.00	0.00	0.00	0.00
1	0.00	0.00	0.00	17941.82	0.00	0.00	11.42	13126.31	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	17911.82	0.00	0.00	11.42	13117.89	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	17880.82	0.00	0.00	11.42	13109.47	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	17849.82	0.00	0.00	11.42	13101.05	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	17824.82	0.00	0.00	11.42	13092.63	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	17800.82	0.00	0.00	11.42	13084.21	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	17777.82	0.00	0.00	11.42	13075.79	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	17754.82	0.00	0.00	11.42	13067.37	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	17731.82	0.00	0.00	11.42	13058.95	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	17708.82	0.00	0.00	11.42	13050.53	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	17685.82	0.00	0.00	11.42	13042.11	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	17662.82	0.00	0.00	11.42	13033.69	0.00	0.00	0.00	0.00
1	0.00	0.00	0.00	17639.82	0.00	0.00	11.42	13025.27	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	17616.82	0.00	0.00	11.42	13016.85	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	17593.82	0.00	0.00	11.42	13008.43	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	17570.82	0.00	0.00	11.42	13000.01	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	17547.82	0.00	0.00	11.42	12991.59	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	17524.82	0.00	0.00	11.42	12983.17	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	17501.82	0.00	0.00	11.42	12974.75	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	17478.82	0.00	0.00	11.42	12966.33	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	17455.82	0.00	0.00	11.42	12957.91	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	17432.82	0.00	0.00	11.42	12949.49	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	17409.82	0.00	0.00	11.42	12941.07	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	17386.82	0.00	0.00	11.42	12932.65	0.00	0.00	0.00	0.00
TOT	0.00	0.00	688.00	17386.82	0.00	6.00	188.04	12932.65	0.00	0.00	0.00	12932.65

JOHN MARTIN RESERVOIR
PERMANENT POOL

WINTER COMPACT WATER

OCT 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	196.50	0.00	0.00	8.79	196.50	0.00	0.00	0.00	196.50
2	0.00	0.00	0.00	197.52	0.00	0.00	4.66	197.52	0.00	0.00	0.00	197.52
3	0.00	0.00	0.00	196.10	0.00	0.00	4.11	196.10	0.00	0.00	0.00	196.10
4	0.00	0.00	0.00	195.29	0.00	0.00	6.83	195.29	0.00	0.00	0.00	195.29
5	0.00	0.00	0.00	194.46	0.00	0.00	6.36	194.46	0.00	0.00	0.00	194.46
6	0.00	0.00	0.00	193.15	0.00	0.00	6.36	193.15	0.00	0.00	0.00	193.15
7	0.00	0.00	0.00	191.45	0.00	0.00	3.32	191.45	0.00	0.00	0.00	191.45
8	0.00	0.00	0.00	192.32	0.00	0.00	6.01	192.32	0.00	0.00	0.00	192.32
9	0.00	0.00	0.00	191.99	0.00	0.00	6.83	191.99	0.00	0.00	0.00	191.99
10	0.00	0.00	0.00	191.25	0.00	0.00	6.11	191.25	0.00	0.00	0.00	191.25
11	0.00	0.00	0.00	190.52	0.00	0.00	6.47	190.52	0.00	0.00	0.00	190.52
12	0.00	0.00	0.00	188.52	0.00	0.00	8.07	188.52	0.00	0.00	0.00	188.52
1	0.00	0.00	0.00	188.13	0.00	0.00	1.14	188.13	0.00	0.00	0.00	188.13
2	0.00	0.00	0.00	188.83	0.00	0.00	6.83	188.83	0.00	0.00	0.00	188.83
3	0.00	0.00	0.00	186.83	0.00	0.00	0.00	186.83	0.00	0.00	0.00	186.83
4	0.00	0.00	0.00	186.17	0.00	0.00	0.00	186.17	0.00	0.00	0.00	186.17
5	0.00	0.00	0.00	185.51	0.00	0.00	0.00	185.51	0.00	0.00	0.00	185.51
6	0.00	0.00	0.00	185.00	0.00	0.00	0.00	185.00	0.00	0.00	0.00	185.00
7	0.00	0.00	0.00	184.69	0.00	0.00	0.00	184.69	0.00	0.00	0.00	184.69
8	0.00	0.00	0.00	183.33	0.00	0.00	0.00	183.33	0.00	0.00	0.00	183.33
9	0.00	0.00	0.00	182.67	0.00	0.00	0.00	182.67	0.00	0.00	0.00	182.67
10	0.00	0.00	0.00	181.81	0.00	0.00	0.00	181.81	0.00	0.00	0.00	181.81
11	0.00	0.00	0.00	180.16	0.00	0.00	0.00	180.16	0.00	0.00	0.00	180.16
12	0.00	0.00	0.00	180.16	0.00	0.00	0.00	180.16	0.00	0.00	0.00	180.16
TOT	0.00	0.00	0.00	180.16	0.00	0.00	188.04	180.16	0.00	0.00	0.00	180.16

AGREEMENT WATER

OCT 1990: INFLOW RELEASE EVAP OWN INFLOW RELEASE EVAP OWN INFLOW RELEASE EVAP OWN

Table with columns: INFLOW, RELEASE, EVAP, OWN, INFLOW, RELEASE, EVAP, OWN, INFLOW, RELEASE, EVAP, OWN. Rows include monthly data for OCT 1990 and a TOT row.

SUMMER STORED WATER

RESISE

SUMMER STORED WATER

AMITY

Table with columns: INFLOW, RELEASE, EVAP, OWN, INFLOW, RELEASE, EVAP, OWN, INFLOW, RELEASE, EVAP, OWN. Rows include monthly data for OCT 1990 and a TOT row.

LAMAR

OWN

Table with columns: INFLOW, RELEASE, EVAP, OWN. Rows include monthly data for OCT 1990 and a TOT row.

SUMMER STORED WATER

MANVEL

X-Y

OCT 1990	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	80.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	80.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	80.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	80.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	80.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	80.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	80.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	80.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	80.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	80.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	80.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	80.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	3.05	80.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

BUFFALO

SUMMER STORED WATER

TOTAL

OCT 1990	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	1.13	631.2	0.00	0.00	1.13	631.2
2	0.00	0.00	0.00	0.00	0.00	0.00	1.03	630.1	0.00	0.00	1.03	630.1
3	0.00	0.00	0.00	0.00	0.00	0.00	0.61	619.5	0.00	0.00	0.61	619.5
4	0.00	0.00	0.00	0.00	0.00	0.00	0.93	648.4	0.00	0.00	0.93	648.4
5	0.00	0.00	0.00	0.00	0.00	0.00	0.89	646.5	0.00	0.00	0.89	646.5
6	0.00	0.00	0.00	0.00	0.00	0.00	0.83	646.7	0.00	0.00	0.83	646.7
7	0.00	0.00	0.00	0.00	0.00	0.00	0.83	646.7	0.00	0.00	0.83	646.7
8	0.00	0.00	0.00	0.00	0.00	0.00	0.83	646.7	0.00	0.00	0.83	646.7
9	0.00	0.00	0.00	0.00	0.00	0.00	0.83	646.7	0.00	0.00	0.83	646.7
10	0.00	0.00	0.00	0.00	0.00	0.00	0.83	646.7	0.00	0.00	0.83	646.7
11	0.00	0.00	0.00	0.00	0.00	0.00	0.83	646.7	0.00	0.00	0.83	646.7
12	0.00	0.00	0.00	0.00	0.00	0.00	0.83	646.7	0.00	0.00	0.83	646.7
TOT	0.00	0.00	0.00	0.00	0.00	0.00	1.13	631.2	0.00	0.00	1.13	631.2

1990 WINTER STORED WATER

FT. BENT

AMITY

REESEE

OCT 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOT	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

1990 WINTER STORED WATER

HYDE

MANVEL

LAMAR

OCT 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.29	167.42	0.00	0.00	0.00	167.42	0.00	0.00	0.00	0.00
2	0.00	0.00	0.16	166.70	0.00	0.00	0.00	166.70	0.00	0.00	0.00	0.00
3	0.00	0.00	0.23	166.46	0.00	0.00	0.00	166.46	0.00	0.00	0.00	0.00
4	0.00	0.00	0.22	166.23	0.00	0.00	0.00	166.23	0.00	0.00	0.00	0.00
5	0.00	0.00	0.22	165.99	0.00	0.00	0.00	165.99	0.00	0.00	0.00	0.00
6	0.00	0.00	0.18	165.77	0.00	0.00	0.00	165.77	0.00	0.00	0.00	0.00
7	0.00	0.00	0.20	165.57	0.00	0.00	0.00	165.57	0.00	0.00	0.00	0.00
8	0.00	0.00	0.23	165.34	0.00	0.00	0.00	165.34	0.00	0.00	0.00	0.00
9	0.00	0.00	0.24	165.10	0.00	0.00	0.00	165.10	0.00	0.00	0.00	0.00
10	0.00	0.00	0.23	164.84	0.00	0.00	0.00	164.84	0.00	0.00	0.00	0.00
11	0.00	0.00	0.23	164.60	0.00	0.00	0.00	164.60	0.00	0.00	0.00	0.00
12	0.00	0.00	0.30	164.37	0.00	0.00	0.00	164.37	0.00	0.00	0.00	0.00
13	0.00	0.00	0.28	164.14	0.00	0.00	0.00	164.14	0.00	0.00	0.00	0.00
14	0.00	0.00	0.19	163.95	0.00	0.00	0.00	163.95	0.00	0.00	0.00	0.00
15	0.00	0.00	0.23	163.72	0.00	0.00	0.00	163.72	0.00	0.00	0.00	0.00
16	0.00	0.00	0.20	163.52	0.00	0.00	0.00	163.52	0.00	0.00	0.00	0.00
17	0.00	0.00	0.23	163.29	0.00	0.00	0.00	163.29	0.00	0.00	0.00	0.00
18	0.00	0.00	0.20	163.09	0.00	0.00	0.00	163.09	0.00	0.00	0.00	0.00
19	0.00	0.00	0.23	162.86	0.00	0.00	0.00	162.86	0.00	0.00	0.00	0.00
20	0.00	0.00	0.17	162.69	0.00	0.00	0.00	162.69	0.00	0.00	0.00	0.00
21	0.00	0.00	0.23	162.46	0.00	0.00	0.00	162.46	0.00	0.00	0.00	0.00
22	0.00	0.00	0.27	162.19	0.00	0.00	0.00	162.19	0.00	0.00	0.00	0.00
23	0.00	0.00	0.27	161.92	0.00	0.00	0.00	161.92	0.00	0.00	0.00	0.00
24	0.00	0.00	0.27	161.65	0.00	0.00	0.00	161.65	0.00	0.00	0.00	0.00
25	0.00	0.00	0.29	161.36	0.00	0.00	0.00	161.36	0.00	0.00	0.00	0.00
26	0.00	0.00	0.28	161.08	0.00	0.00	0.00	161.08	0.00	0.00	0.00	0.00
27	0.00	0.00	0.26	160.82	0.00	0.00	0.00	160.82	0.00	0.00	0.00	0.00
28	0.00	0.00	0.26	160.56	0.00	0.00	0.00	160.56	0.00	0.00	0.00	0.00
29	0.00	0.00	0.26	160.30	0.00	0.00	0.00	160.30	0.00	0.00	0.00	0.00
30	0.00	0.00	0.26	160.04	0.00	0.00	0.00	160.04	0.00	0.00	0.00	0.00
31	0.00	0.00	0.26	159.78	0.00	0.00	0.00	159.78	0.00	0.00	0.00	0.00
TOT	0.00	0.00	6.30		0.00	0.00	0.00		0.00	0.00	0.00	0.00

1990 WINTER STORED WATER

PG 6

X-Y

BUFFALO

SISSON

OCT 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	0.00	0.00	0.00	0.00	1.88	1070.13	0.00	0.00	0.19	110.41
2	0.00	0.00	0.00	0.00	0.00	0.00	1.00	1068.25	0.00	0.00	0.17	110.22
3	0.00	0.00	0.00	0.00	0.00	0.00	1.00	1066.25	0.00	0.00	0.16	109.95
4	0.00	0.00	0.00	0.00	0.00	0.00	1.36	1064.89	0.00	0.00	0.15	109.67
5	0.00	0.00	0.00	0.00	0.00	0.00	1.11	1063.78	0.00	0.00	0.14	109.50
6	0.00	0.00	0.00	0.00	0.00	0.00	1.11	1062.67	0.00	0.00	0.14	109.32
7	0.00	0.00	0.00	0.00	0.00	0.00	1.16	1061.51	0.00	0.00	0.14	109.14
8	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1060.33	0.00	0.00	0.14	108.96
9	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1059.15	0.00	0.00	0.14	108.78
10	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1057.97	0.00	0.00	0.14	108.60
11	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1056.79	0.00	0.00	0.14	108.42
12	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1055.61	0.00	0.00	0.14	108.24
13	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1054.43	0.00	0.00	0.14	108.06
14	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1053.25	0.00	0.00	0.14	107.88
15	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1052.07	0.00	0.00	0.14	107.70
16	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1050.89	0.00	0.00	0.14	107.52
17	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1049.71	0.00	0.00	0.14	107.34
18	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1048.53	0.00	0.00	0.14	107.16
19	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1047.35	0.00	0.00	0.14	106.98
20	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1046.17	0.00	0.00	0.14	106.80
21	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1045.00	0.00	0.00	0.14	106.62
22	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1043.82	0.00	0.00	0.14	106.44
23	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1042.64	0.00	0.00	0.14	106.26
24	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1041.46	0.00	0.00	0.14	106.08
25	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1040.28	0.00	0.00	0.14	105.90
26	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1039.10	0.00	0.00	0.14	105.72
27	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1037.92	0.00	0.00	0.14	105.54
28	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1036.74	0.00	0.00	0.14	105.36
29	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1035.56	0.00	0.00	0.14	105.18
30	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1034.38	0.00	0.00	0.14	105.00
31	0.00	0.00	0.00	0.00	0.00	0.00	1.18	1033.20	0.00	0.00	0.14	104.82
TOT	0.00	0.00	0.00	0.00	0.00	0.00	40.33	1029.80	0.00	0.00	4.13	106.28

1990 WINTER STORED WATER

PG 6

TOTAL

OCT 1990:	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN	INFLOW	RELEASE	EVAP	OWN
1	0.00	0.00	36	1341.96	0.00	0.00	1.88	1070.13	0.00	0.00	0.19	110.41
2	0.00	0.00	22	1315.60	0.00	0.00	1.00	1068.25	0.00	0.00	0.17	110.22
3	0.00	0.00	26	1313.46	0.00	0.00	1.00	1066.25	0.00	0.00	0.16	109.95
4	0.00	0.00	1.32	1340.28	0.00	0.00	1.36	1064.89	0.00	0.00	0.15	109.67
5	0.00	0.00	1.84	1338.44	0.00	0.00	1.11	1063.78	0.00	0.00	0.14	109.50
6	0.00	0.00	1.77	1336.67	0.00	0.00	1.11	1062.67	0.00	0.00	0.14	109.32
7	0.00	0.00	1.77	1334.90	0.00	0.00	1.16	1061.51	0.00	0.00	0.14	109.14
8	0.00	0.00	1.96	1333.17	0.00	0.00	1.18	1060.33	0.00	0.00	0.14	108.96
9	0.00	0.00	1.68	1331.69	0.00	0.00	1.18	1059.15	0.00	0.00	0.14	108.78
10	0.00	0.00	1.84	1329.06	0.00	0.00	1.18	1057.97	0.00	0.00	0.14	108.60
11	0.00	0.00	1.84	1327.53	0.00	0.00	1.18	1056.79	0.00	0.00	0.14	108.42
12	0.00	0.00	1.84	1325.74	0.00	0.00	1.18	1055.61	0.00	0.00	0.14	108.24
13	0.00	0.00	2.29	1323.03	0.00	0.00	1.18	1054.43	0.00	0.00	0.14	108.06
14	0.00	0.00	1.55	1321.74	0.00	0.00	1.18	1053.25	0.00	0.00	0.14	107.88
15	0.00	0.00	1.84	1319.82	0.00	0.00	1.18	1052.07	0.00	0.00	0.14	107.70
16	0.00	0.00	1.84	1317.97	0.00	0.00	1.18	1050.89	0.00	0.00	0.14	107.52
17	0.00	0.00	1.84	1316.13	0.00	0.00	1.18	1049.71	0.00	0.00	0.14	107.34
18	0.00	0.00	1.84	1314.29	0.00	0.00	1.18	1048.53	0.00	0.00	0.14	107.16
19	0.00	0.00	1.84	1312.45	0.00	0.00	1.18	1047.35	0.00	0.00	0.14	106.98
20	0.00	0.00	1.84	1310.61	0.00	0.00	1.18	1046.17	0.00	0.00	0.14	106.80
21	0.00	0.00	1.84	1308.77	0.00	0.00	1.18	1045.00	0.00	0.00	0.14	106.62
22	0.00	0.00	1.84	1306.93	0.00	0.00	1.18	1043.82	0.00	0.00	0.14	106.44
23	0.00	0.00	1.84	1305.09	0.00	0.00	1.18	1042.64	0.00	0.00	0.14	106.26
24	0.00	0.00	1.84	1303.25	0.00	0.00	1.18	1041.46	0.00	0.00	0.14	106.08
25	0.00	0.00	1.84	1301.41	0.00	0.00	1.18	1040.28	0.00	0.00	0.14	105.90
26	0.00	0.00	1.84	1299.57	0.00	0.00	1.18	1039.10	0.00	0.00	0.14	105.72
27	0.00	0.00	1.84	1297.73	0.00	0.00	1.18	1037.92	0.00	0.00	0.14	105.54
28	0.00	0.00	1.84	1295.89	0.00	0.00	1.18	1036.74	0.00	0.00	0.14	105.36
29	0.00	0.00	1.84	1294.05	0.00	0.00	1.18	1035.56	0.00	0.00	0.14	105.18
30	0.00	0.00	1.84	1292.21	0.00	0.00	1.18	1034.38	0.00	0.00	0.14	105.00
31	0.00	0.00	1.84	1290.37	0.00	0.00	1.18	1033.20	0.00	0.00	0.14	104.82
TOT	0.00	0.00	50.76	1287.20	0.00	0.00	40.33	1029.80	0.00	0.00	4.13	106.28